

CSEC2003

PENETRATION TESTING COURSEWORK TESTS

Hayden Manley

P2860912

CONTENTS

1. Nikto Scans 2

NMAP- active 4

Zap 7

Ajax spider 7

MAPPING 8

Whatweb 13

Gobuster- active 17

theHarvester – passive 18

Burp suite 21

Banner grabbing



DO NOT COPY

. VULNERABILITY SCANS

1. Nikto Scans

Nikto

Port 80 nikto scan

```
(kali㉿kali)-[~]
$ nikto -h 192.168.224.130 -p 80,443
- Nikto v2.5.0

+ Target IP: 192.168.224.130
+ Target Hostname: 192.168.224.130
+ Target Port: 80
+ Start Time: 2026-03-17 07:59:15 (GMT-4)

+ Server: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
+ /: Server may leak inodes via ETags, header found with file /, inode: 331, size: 3583, mtime: Sun May 14 17:16:23 2006. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ /supplier/: Directory indexing found.
+ /robots.txt: Entry '/supplier/' is returned a non-forbidden or redirect HTTP code (200). See: https://portswigger.net/kb/issues/00600600_robots-txt-file
+ /backup/: Directory indexing found.
+ /robots.txt: Entry '/backup/' is returned a non-forbidden or redirect HTTP code (200). See: https://portswigger.net/kb/issues/00600600_robots-txt-file
+ /robots.txt: contains 6 entries which should be manually viewed. See: https://developer.mozilla.org/en-US/docs/Glossary/Robots.txt
+ OpenSSL/0.9.7c appears to be outdated (current is at least 3.0.7). OpenSSL 1.1.1s is current for the 1.x branch and will be supported until Nov 11 2023.
+ Apache/1.3.28 appears to be outdated (current is at least Apache/2.4.54). Apache 2.2.34 is the EOL for the 2.x branch.
+ mod_ssl/2.8.15 appears to be outdated (current is at least 2.9.6) (may depend on server version).
+ /: Apache is vulnerable to XSS via the Expect header. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2006-3918
+ /index: Uncommon header 'tcn' found, with contents: list.
+ /index: Apache mod_negotiation is enabled with MultiViews, which allows attackers to easily brute force file names. The following alternatives for 'index' were found: index.html. See: http://www.wisec.it/sectou.php?id=4698ebdc59d15, https://exchange.xforce.ibmcloud.com/vulnerabilities/8275
+ OPTIONS: Allowed HTTP Methods: GET, HEAD, OPTIONS, TRACE.
+ /: HTTP TRACE method is active which suggests the host is vulnerable to XST. See: https://owasp.org/www-community/attacks/Cross_Site_Tracing
+ Apache/1.3.28 - Apache 1.3 below 1.3.29 are vulnerable to overflows in mod_rewrite and mod_cgi.
+ /backup/: This might be interesting.
+ /cgi-bin/test.cgi: This might be interesting.
+ /icons/: Directory indexing found.
+ /images/: Directory indexing found.
+ /#wp-config.php#: #wp-config.php# file found. This file contains the credentials.
+ 8915 requests: 0 error(s) and 22 item(s) reported on remote host
+ End Time: 2026-03-17 07:59:24 (GMT-4) (9 seconds)
```

Port 443 nikto scan

DO NOT COPY

```
+ Target IP:      192.168.224.130
+ Target Hostname: 192.168.224.130
+ Target Port:    443

+ SSL Info:      Subject: /C=US/ST=Illinois/L=Grayslake/O=BadStore.net/OU=Crack Development Team/CN=www.badstore.net/emailAddress=root@badstore.net
                  Ciphers: DHE-RSA-AES256-SHA
                  Issuer: /C=XY/ST=Snake Desert/L=Snake Town/O=Snake Oil, Ltd/OU=Certificate Authority/CN=Snake Oil CA/emailAddress=ca@snakeoil.com
+ Start Time:    2026-03-17 07:59:24 (GMT-4)

+ Server: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
+ /: Server may leak inodes via ETags, header found with file /, inode: 331, size: 3583, mtime: Sun May 14 17:16:23 2006. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The site uses TLS and the Strict-Transport-Security HTTP header is not defined. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ All CGI directories 'found', use '-C none' to test none
+ /robots.txt: Entry '/supplier/' is returned a non-forbidden or redirect HTTP code (200). See: https://portswigger.net/kb/issues/00600600_robots-txt-file
+ /robots.txt: Entry '/backup/' is returned a non-forbidden or redirect HTTP code (200). See: https://portswigger.net/kb/issues/00600600_robots-txt-file
+ /robots.txt: contains 6 entries which should be manually viewed. See: https://developer.mozilla.org/en-US/docs/Glossary/Robots.txt
+ Apache/1.3.28 appears to be outdated (current is at least Apache/2.4.54). Apache 2.2.34 is the EOL for the 2.x branch.
+ OpenSSL/0.9.7c appears to be outdated (current is at least 3.0.7). OpenSSL 1.1.1s is current for the 1.x branch and will be supported until Nov 11 2023.
+ mod_ssl/2.8.15 appears to be outdated (current is at least 2.9.6) (may depend on server version).
+ /: Apache is vulnerable to XSS via the Expect header. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2006-3918
+ Hostname '192.168.224.130' does not match certificate's names: www.badstore.net. See: https://cwe.mitre.org/data/definitions/297.html
+ /index: Apache mod_negotiation is enabled with MultiViews, which allows attackers to easily brute force file names. The following alternatives for 'index' were found: index.html. See: http://www.wisec.it/sectou.php?id=4698ebdc59d15, https://exchange.xforce.ibmcloud.com/vulnerabilities/8275
+ OPTIONS: Allowed HTTP Methods: GET, HEAD, OPTIONS, TRACE.
+ /: HTTP TRACE method is active which suggests the host is vulnerable to XST. See: https://owasp.org/www-community/attacks/Cross_Site_Tracing
+ Apache/1.3.28 - Apache 1.3 below 1.3.29 are vulnerable to overflows in mod_rewrite and mod_cgi.
+ /backup/: This might be interesting.
+ /cgi-bin/test.cgi: This might be interesting.
+ /icons/: Directory indexing found. See: http://projects.webappsec.org/w/page/13246922/Directory%20Indexing
+ /images/: Directory indexing found. See: http://projects.webappsec.org/w/page/13246922/Directory%20Indexing
+ /#wp-config.php#: #wp-config.php# file found. This file contains the credentials.
+ 17805 requests: 0 error(s) and 21 item(s) reported on remote host
+ End Time:      2026-03-17 08:01:09 (GMT-4) (105 seconds)

+ 2 host(s) tested
```

DO NOT COPY

NMAP- active

```
(kali@kali)~$ sudo nmap -A -p- --script vulners 192.168.211.134
[sudo] password for kali:
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-19 05:27 -0400
Nmap scan report for 192.168.211.134
Host is up (0.00082s latency).
Not shown: 65532 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
80/tcp    open  http      Apache httpd 1.3.28 ((Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c)
|_http-server-header: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
|_vulners:
cpe:/a:apache:http_server:1.3.28:
HTTPD:186F8E9AD2C9495C370F3BFADE6F3CC4 10.0 https://vulners.com/httpd/HTTPD:186F8E9AD2C9495C370F3BFADE6F3CC4
CVE-2004-0492 10.0 https://vulners.com/cve/CVE-2004-0492
3E6BA608-776F-5B1F-9BA5-589CD2A5A351 10.0 https://vulners.com/gitee/3E6BA608-776F-5B1F-9BA5-589CD2A5A351 *EXPLOIT*
HTTPD:B060BFAA862D069F700B2412EAE100E9 7.8 https://vulners.com/httpd/HTTPD:B060BFAA862D069F700B2412EAE100E9
CVE-2004-0940 7.8 https://vulners.com/cve/CVE-2004-0940
SSV:6610 7.6 https://vulners.com/seebug/SSV:6610 *EXPLOIT*
SSV:63874 7.6 https://vulners.com/seebug/SSV:63874 *EXPLOIT*
SSV:429 7.6 https://vulners.com/seebug/SSV:429 *EXPLOIT*
SSV:16391 7.6 https://vulners.com/seebug/SSV:16391 *EXPLOIT*
SAINT:B572402CE6E5C851D7572BF044507A14 7.6 https://vulners.com/saint/SAINT:B572402CE6E5C851D7572BF044507A14 *EXPLOIT*
SAINT:386ECCECD3AA34FA1E84E6D3D2B71C7B 7.6 https://vulners.com/saint/SAINT:386ECCECD3AA34FA1E84E6D3D2B71C7B *EXPLOIT*
SAINT:35A5AA91DCF68555669689272BFFD3E7 7.6 https://vulners.com/saint/SAINT:35A5AA91DCF68555669689272BFFD3E7 *EXPLOIT*
SAINT:14705540EFEE2160EBFBAF58DA3E828C 7.6 https://vulners.com/saint/SAINT:14705540EFEE2160EBFBAF58DA3E828C *EXPLOIT*
PACKETSTORM:83108 7.6 https://vulners.com/packetstorm/PACKETSTORM:83108 *EXPLOIT*
PACKETSTORM:62377 7.6 https://vulners.com/packetstorm/PACKETSTORM:62377 *EXPLOIT*
PACKETSTORM:56989 7.6 https://vulners.com/packetstorm/PACKETSTORM:56989 *EXPLOIT*
PACKETSTORM:55727 7.6 https://vulners.com/packetstorm/PACKETSTORM:55727 *EXPLOIT*
PACKETSTORM:49400 7.6 https://vulners.com/packetstorm/PACKETSTORM:49400 *EXPLOIT*
MSF:EXPLOIT-WINDOWS-HTTP-APACHE_MOD_REWRITE_LDAP- 7.6 https://vulners.com/metasploit/MSF:EXPLOIT-WINDOWS-HTTP-APACHE_MOD_REWRITE_LDAP- *
EXPLOIT*
HTTPD:8D0D2AA3CE8F589BE9399D00A97A82F7 7.6 https://vulners.com/httpd/HTTPD:8D0D2AA3CE8F589BE9399D00A97A82F7
EXPLOITPACK:8FEEBCD18617ED748BD2179061252A44 7.6 https://vulners.com/exploitpack/EXPLOITPACK:8FEEBCD18617ED748BD2179061252A44 *EXPLOIT*
EXPLOITPACK:6E3090CD46CEE08D52992589E824D90 7.6 https://vulners.com/exploitpack/EXPLOITPACK:6E3090CD46CEE08D52992589E824D90 *EXPLOIT*
EDB-ID:3680 7.6 https://vulners.com/exploitdb/EDB-ID:3680 *EXPLOIT*
EDB-ID:2237 7.6 https://vulners.com/exploitdb/EDB-ID:2237 *EXPLOIT*
EDB-ID:16752 7.6 https://vulners.com/exploitdb/EDB-ID:16752 *EXPLOIT*
CVE-2006-3747 7.6 https://vulners.com/cve/CVE-2006-3747
HTTPD:EA65344DAE205CD0B03227099A03949E9 7.5 https://vulners.com/httpd/HTTPD:EA65344DAE205CD0B03227099A03949E9
HTTPD:67FAF457E140172987C21E55FC24788 7.5 https://vulners.com/httpd/HTTPD:67FAF457E140172987C21E55FC24788
HTTPD:0576286DB2485FBB76346020044ABE4A 7.5 https://vulners.com/httpd/HTTPD:0576286DB2485FBB76346020044ABE4A
CVE-2004-1082 7.5 https://vulners.com/cve/CVE-2004-1082
CVE-2003-0993 7.5 https://vulners.com/cve/CVE-2003-0993
CVE-2003-0987 7.5 https://vulners.com/cve/CVE-2003-0987
HTTPD:18EAF7F92541BF62857123A840724D27 7.2 https://vulners.com/httpd/HTTPD:18EAF7F92541BF62857123A840724D27
CVE-2003-0542 7.2 https://vulners.com/cve/CVE-2003-0542
SSV:19019 6.8 https://vulners.com/seebug/SSV:19019 *EXPLOIT*
```



DO NOT COPY

	HTTPD:C7445200CAFE5527BA15F78B8AF90D9F	6.8	https://vulners.com/httpd/HTTPD:C7445200CAFE5527BA15F78B8AF90D9F	
	CVE-2010-0010	6.8	https://vulners.com/cve/CVE-2010-0010	
	SSV:66957	5.0	https://vulners.com/seebug/SSV:66957	*EXPLOIT*
	SSV:20993	5.0	https://vulners.com/seebug/SSV:20993	*EXPLOIT*
	SSV:20979	5.0	https://vulners.com/seebug/SSV:20979	*EXPLOIT*
	SSV:20969	5.0	https://vulners.com/seebug/SSV:20969	*EXPLOIT*
	SSV:17994	5.0	https://vulners.com/seebug/SSV:17994	*EXPLOIT*
	SSV:14432	5.0	https://vulners.com/seebug/SSV:14432	*EXPLOIT*
	PACKETSTORM:85018	5.0	https://vulners.com/packetstorm/PACKETSTORM:85018	*EXPLOIT*
	PACKETSTORM:82197	5.0	https://vulners.com/packetstorm/PACKETSTORM:82197	*EXPLOIT*
	PACKETSTORM:161059	5.0	https://vulners.com/packetstorm/PACKETSTORM:161059	*EXPLOIT*
	PACKETSTORM:105672	5.0	https://vulners.com/packetstorm/PACKETSTORM:105672	*EXPLOIT*
	PACKETSTORM:105591	5.0	https://vulners.com/packetstorm/PACKETSTORM:105591	*EXPLOIT*
	MSF:AUXILIARY-SCANNER-HTTP-REWRITE_PROXY_BYPASS-	5.0	https://vulners.com/metasploit/MSF:AUXILIARY-SCANNER-HTTP-REWRITE_PROXY_BYPASS-	*EXPLOIT*
LOIT*	HTTPD:7B789993A3BDA0E4D014A8671E97D1EA	5.0	https://vulners.com/httpd/HTTPD:7B789993A3BDA0E4D014A8671E97D1EA	
	HTTPD:251E9EE30116844024950699040C983B	5.0	https://vulners.com/httpd/HTTPD:251E9EE30116844024950699040C983B	
	EXPLOITPACK:460143F0ACAE117DD79B075EDFDA154B	5.0	https://vulners.com/exploitpack/EXPLOITPACK:460143F0ACAE117DD79B075EDFDA154B	*EXPLOIT*
	EXPLOITPACK:44DAC602FB30402C58970DFAB1C4AF87	5.0	https://vulners.com/exploitpack/EXPLOITPACK:44DAC602FB30402C58970DFAB1C4AF87	*EXPLOIT*
	EDB-ID:9887	5.0	https://vulners.com/exploitdb/EDB-ID:9887	*EXPLOIT*
	EDB-ID:17969	5.0	https://vulners.com/exploitdb/EDB-ID:17969	*EXPLOIT*
	CVE-2011-3368	5.0	https://vulners.com/cve/CVE-2011-3368	
	CVE-2007-6750	5.0	https://vulners.com/cve/CVE-2007-6750	
	CVE-2004-0263	5.0	https://vulners.com/cve/CVE-2004-0263	
	CVE-2003-0020	5.0	https://vulners.com/cve/CVE-2003-0020	
	CVE-2001-1556	5.0	https://vulners.com/cve/CVE-2001-1556	
	SSV:2174	4.7	https://vulners.com/seebug/SSV:2174	*EXPLOIT*
	HTTPD:B63CF0157386C00B8FF9E943DA8F9A2F	4.7	https://vulners.com/httpd/HTTPD:B63CF0157386C00B8FF9E943DA8F9A2F	
	CVE-2007-3304	4.7	https://vulners.com/cve/CVE-2007-3304	
	SSV:71772	4.3	https://vulners.com/seebug/SSV:71772	*EXPLOIT*
	SSV:2818	4.3	https://vulners.com/seebug/SSV:2818	*EXPLOIT*
	SSV:2801	4.3	https://vulners.com/seebug/SSV:2801	*EXPLOIT*
	SSV:24250	4.3	https://vulners.com/seebug/SSV:24250	*EXPLOIT*
	PACKETSTORM:61420	4.3	https://vulners.com/packetstorm/PACKETSTORM:61420	*EXPLOIT*
	PACKETSTORM:102234	4.3	https://vulners.com/packetstorm/PACKETSTORM:102234	*EXPLOIT*
	HTTPD:BE276450B86181A981775FC94F430B18	4.3	https://vulners.com/httpd/HTTPD:BE276450B86181A981775FC94F430B18	
	HTTPD:990E1CD158F6584CFEA650CE55560C45	4.3	https://vulners.com/httpd/HTTPD:990E1CD158F6584CFEA650CE55560C45	
	HTTPD:58B8CCFAA0C8B536B2C3DA9D0E0736F0	4.3	https://vulners.com/httpd/HTTPD:58B8CCFAA0C8B536B2C3DA9D0E0736F0	
	HTTPD:4552C39F6C7671DAFFFFF7180F10B92D	4.3	https://vulners.com/httpd/HTTPD:4552C39F6C7671DAFFFFF7180F10B92D	
	HTTPD:44908D5C4721DCB28E9F87C9E680D98A	4.3	https://vulners.com/httpd/HTTPD:44908D5C4721DCB28E9F87C9E680D98A	
	EXPLOITPACK:683C3B1D02827D68327060B1D146B2D8	4.3	https://vulners.com/exploitpack/EXPLOITPACK:683C3B1D02827D68327060B1D146B2D8	*EXPLOIT*
	EDB-ID:17393	4.3	https://vulners.com/exploitdb/EDB-ID:17393	*EXPLOIT*
	CVE-2011-4317	4.3	https://vulners.com/cve/CVE-2011-4317	
	CVE-2007-6388	4.3	https://vulners.com/cve/CVE-2007-6388	
	CVE-2007-5000	4.3	https://vulners.com/cve/CVE-2007-5000	
	CVE-2006-5752	4.3	https://vulners.com/cve/CVE-2006-5752	
	CVE-2006-3918	4.3	https://vulners.com/cve/CVE-2006-3918	
	CVE-2005-3352	4.3	https://vulners.com/cve/CVE-2005-3352	
	1337DAY-ID-9952	0.0	https://vulners.com/zdt/1337DAY-ID-9952	*EXPLOIT*
	1337DAY-ID-6193	0.0	https://vulners.com/zdt/1337DAY-ID-6193	*EXPLOIT*
	1337DAY-ID-16843	0.0	https://vulners.com/zdt/1337DAY-ID-16843	*EXPLOIT*
	1337DAY-ID-16323	0.0	https://vulners.com/zdt/1337DAY-ID-16323	*EXPLOIT*
443/tcp	open	ssl/http Apache httpd 1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c		
http-server-header:	Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c			
vulners:				
cpe:/a:apache:http_server:1.3.28:				
HTTPD:186F8E9AD2C9495C370F3BFAD6E6F3CC4	10.0	https://vulners.com/httpd/HTTPD:186F8E9AD2C9495C370F3BFAD6E6F3CC4		
CVE-2004-0492	10.0	https://vulners.com/cve/CVE-2004-0492		
3E6BA608-776F-5B1F-9BA5-589CD2A5A351	10.0	https://vulners.com/gitee/3E6BA608-776F-5B1F-9BA5-589CD2A5A351	*EXPLOIT*	
HTTPD:B060BFAA862D069F70DB2412EAE10DE9	7.8	https://vulners.com/httpd/HTTPD:B060BFAA862D069F70DB2412EAE10DE9		
CVE-2004-0940	7.8	https://vulners.com/cve/CVE-2004-0940		
SSV:6610	7.6	https://vulners.com/seebug/SSV:6610	*EXPLOIT*	
SSV:63874	7.6	https://vulners.com/seebug/SSV:63874	*EXPLOIT*	
SSV:429	7.6	https://vulners.com/seebug/SSV:429	*EXPLOIT*	
SSV:16391	7.6	https://vulners.com/seebug/SSV:16391	*EXPLOIT*	
SAINT:B572402CE6E5C85107572BF044507A14	7.6	https://vulners.com/saint/SAINT:B572402CE6E5C85107572BF044507A14	*EXPLOIT*	
SAINT:386ECCED3AA34FA1E84E603D2B71C7B	7.6	https://vulners.com/saint/SAINT:386ECCED3AA34FA1E84E603D2B71C7B	*EXPLOIT*	
SAINT:35A5AA91DC68555669689272BF0D3E7	7.6	https://vulners.com/saint/SAINT:35A5AA91DC68555669689272BF0D3E7	*EXPLOIT*	
SAINT:14705540FEE2160EBFBAF5BDA3E828C	7.6	https://vulners.com/saint/SAINT:14705540FEE2160EBFBAF5BDA3E828C	*EXPLOIT*	
PACKETSTORM:831808	7.6	https://vulners.com/packetstorm/PACKETSTORM:831808	*EXPLOIT*	
PACKETSTORM:62377	7.6	https://vulners.com/packetstorm/PACKETSTORM:62377	*EXPLOIT*	
PACKETSTORM:56989	7.6	https://vulners.com/packetstorm/PACKETSTORM:56989	*EXPLOIT*	
PACKETSTORM:55727	7.6	https://vulners.com/packetstorm/PACKETSTORM:55727	*EXPLOIT*	
PACKETSTORM:49400	7.6	https://vulners.com/packetstorm/PACKETSTORM:49400	*EXPLOIT*	
MSF:EXPLOIT-WINDOWS-HTTP-APACHE_MOD_REWRITE_LDAP-	7.6	https://vulners.com/metasploit/MSF:EXPLOIT-WINDOWS-HTTP-APACHE_MOD_REWRITE_LDAP-	*	
EXPLOIT*				
HTTPD:800D2AA3CE8F589BE9399D00A97A82F7	7.6	https://vulners.com/httpd/HTTPD:800D2AA3CE8F589BE9399D00A97A82F7		
EXPLOITPACK:8FEEBCD1B617ED748BD2179061252A44	7.6	https://vulners.com/exploitpack/EXPLOITPACK:8FEEBCD1B617ED748BD2179061252A44	*EXPLOIT*	
EXPLOITPACK:6E3090CD46CEE08D52992589E824D90	7.6	https://vulners.com/exploitpack/EXPLOITPACK:6E3090CD46CEE08D52992589E824D90	*EXPLOIT*	
EDB-ID:3680	7.6	https://vulners.com/exploitdb/EDB-ID:3680	*EXPLOIT*	
EDB-ID:2237	7.6	https://vulners.com/exploitdb/EDB-ID:2237	*EXPLOIT*	
EDB-ID:16752	7.6	https://vulners.com/exploitdb/EDB-ID:16752	*EXPLOIT*	
CVE-2006-3747	7.6	https://vulners.com/cve/CVE-2006-3747		
HTTPD:EA65344DAE2D5CDBD3227D99A03949E9	7.5	https://vulners.com/httpd/HTTPD:EA65344DAE2D5CDBD3227D99A03949E9		
HTTPD:67FAF457E140172987C21E55FC24788	7.5	https://vulners.com/httpd/HTTPD:67FAF457E140172987C21E55FC24788		
HTTPD:0576286DB2485FB876346020044ABE4A	7.5	https://vulners.com/httpd/HTTPD:0576286DB2485FB876346020044ABE4A		
CVE-2004-1082	7.5	https://vulners.com/cve/CVE-2004-1082		
CVE-2003-0993	7.5	https://vulners.com/cve/CVE-2003-0993		
CVE-2003-0987	7.5	https://vulners.com/cve/CVE-2003-0987		
HTTPD:18EAF7F92541BF62857123A840724D27	7.2	https://vulners.com/httpd/HTTPD:18EAF7F92541BF62857123A840724D27		
CVE-2003-0542	7.2	https://vulners.com/cve/CVE-2003-0542		
SSV:19019	6.8	https://vulners.com/seebug/SSV:19019	*EXPLOIT*	
HTTPD:C7445200CAFE5527BA15F78B8AF90D9F	6.8	https://vulners.com/httpd/HTTPD:C7445200CAFE5527BA15F78B8AF90D9F		
CVE-2010-0010	6.8	https://vulners.com/cve/CVE-2010-0010		
SSV:66957	5.0	https://vulners.com/seebug/SSV:66957	*EXPLOIT*	
SSV:20993	5.0	https://vulners.com/seebug/SSV:20993	*EXPLOIT*	

DO NOT COPY

```
CVE-2010-0010 6.8 https://vulners.com/cve/CVE-2010-0010
SSV:66957 5.0 https://vulners.com/seebug/SSV:66957 *EXPLOIT*
SSV:20993 5.0 https://vulners.com/seebug/SSV:20993 *EXPLOIT*
SSV:20979 5.0 https://vulners.com/seebug/SSV:20979 *EXPLOIT*
SSV:20969 5.0 https://vulners.com/seebug/SSV:20969 *EXPLOIT*
SSV:17994 5.0 https://vulners.com/seebug/SSV:17994 *EXPLOIT*
SSV:14432 5.0 https://vulners.com/seebug/SSV:14432 *EXPLOIT*
PACKETSTORM:85018 5.0 https://vulners.com/packetstorm/PACKETSTORM:85018 *EXPLOIT*
PACKETSTORM:82197 5.0 https://vulners.com/packetstorm/PACKETSTORM:82197 *EXPLOIT*
PACKETSTORM:181059 5.0 https://vulners.com/packetstorm/PACKETSTORM:181059 *EXPLOIT*
PACKETSTORM:105672 5.0 https://vulners.com/packetstorm/PACKETSTORM:105672 *EXPLOIT*
PACKETSTORM:105591 5.0 https://vulners.com/packetstorm/PACKETSTORM:105591 *EXPLOIT*
MSF:AUXILIARY-SCANNER-HTTP-REWRITE_PROXY_BYPASS- 5.0 https://vulners.com/metasploit/MSF:AUXILIARY-SCANNER-HTTP-REWRITE_PROXY_BYPASS- *EXP
LOIT*
HTTPD:7B789993A3BDA0E4D014A8671E97D1EA 5.0 https://vulners.com/httpd/HTTPD:7B789993A3BDA0E4D014A8671E97D1EA
HTTPD:251E9EE30116844024950699040C983B 5.0 https://vulners.com/httpd/HTTPD:251E9EE30116844024950699040C983B
EXPLOITPACK:460143F0ACAE117DD79BD75EDFDA154B 5.0 https://vulners.com/exploitpack/EXPLOITPACK:460143F0ACAE117DD79BD75EDFDA154B *EXPLOIT*
EXPLOITPACK:44DAC602FB30402C58970DFAB1C4AF87 5.0 https://vulners.com/exploitpack/EXPLOITPACK:44DAC602FB30402C58970DFAB1C4AF87 *EXPLOIT*
EDB-ID:9887 5.0 https://vulners.com/exploitdb/EDB-ID:9887 *EXPLOIT*
EDB-ID:17969 5.0 https://vulners.com/exploitdb/EDB-ID:17969 *EXPLOIT*
CVE-2011-3368 5.0 https://vulners.com/cve/CVE-2011-3368
CVE-2007-6750 5.0 https://vulners.com/cve/CVE-2007-6750
CVE-2004-0263 5.0 https://vulners.com/cve/CVE-2004-0263
CVE-2003-0020 5.0 https://vulners.com/cve/CVE-2003-0020
CVE-2001-1556 5.0 https://vulners.com/cve/CVE-2001-1556
SSV:2174 4.7 https://vulners.com/seebug/SSV:2174 *EXPLOIT*
HTTPD:863CF0157386C008BF9E943D8F9A2F 4.7 https://vulners.com/httpd/HTTPD:863CF0157386C008BF9E943D8F9A2F
CVE-2007-3304 4.7 https://vulners.com/cve/CVE-2007-3304
SSV:71772 4.3 https://vulners.com/seebug/SSV:71772 *EXPLOIT*
SSV:2818 4.3 https://vulners.com/seebug/SSV:2818 *EXPLOIT*
SSV:2801 4.3 https://vulners.com/seebug/SSV:2801 *EXPLOIT*
SSV:24250 4.3 https://vulners.com/seebug/SSV:24250 *EXPLOIT*
PACKETSTORM:61420 4.3 https://vulners.com/packetstorm/PACKETSTORM:61420 *EXPLOIT*
PACKETSTORM:102234 4.3 https://vulners.com/packetstorm/PACKETSTORM:102234 *EXPLOIT*
HTTPD:BE27645086181A981775FFC94F438B18 4.3 https://vulners.com/httpd/HTTPD:BE27645086181A981775FFC94F438B18
HTTPD:99DE1CD158F65B4CFEA650CE55560C45 4.3 https://vulners.com/httpd/HTTPD:99DE1CD158F65B4CFEA650CE55560C45
HTTPD:58BBCCFAA0C8B536B2CC3DA9DE0736F0 4.3 https://vulners.com/httpd/HTTPD:58BBCCFAA0C8B536B2CC3DA9DE0736F0
HTTPD:4552C39F6C7671DAFFFFF7180F10B92D 4.3 https://vulners.com/httpd/HTTPD:4552C39F6C7671DAFFFFF7180F10B92D
HTTPD:44908D5C4721DCB28E9FB7C9E680D98A 4.3 https://vulners.com/httpd/HTTPD:44908D5C4721DCB28E9FB7C9E680D98A
EXPLOITPACK:683C3B10B2827D6B32706081D146B2D8 4.3 https://vulners.com/exploitpack/EXPLOITPACK:683C3B10B2827D6B32706081D146B2D8 *EXPLOIT*
EDB-ID:17393 4.3 https://vulners.com/exploitdb/EDB-ID:17393 *EXPLOIT*
CVE-2011-4317 4.3 https://vulners.com/cve/CVE-2011-4317
CVE-2007-6388 4.3 https://vulners.com/cve/CVE-2007-6388
CVE-2007-5000 4.3 https://vulners.com/cve/CVE-2007-5000
CVE-2006-5752 4.3 https://vulners.com/cve/CVE-2006-5752
CVE-2006-3918 4.3 https://vulners.com/cve/CVE-2006-3918
CVE-2005-3352 4.3 https://vulners.com/cve/CVE-2005-3352
1337DAY-ID-9952 0.0 https://vulners.com/zdt/1337DAY-ID-9952 *EXPLOIT*

1337DAY-ID-6193 0.0 https://vulners.com/zdt/1337DAY-ID-6193 *EXPLOIT*
1337DAY-ID-16843 0.0 https://vulners.com/zdt/1337DAY-ID-16843 *EXPLOIT*
1337DAY-ID-16323 0.0 https://vulners.com/zdt/1337DAY-ID-16323 *EXPLOIT*
3306/tcp open mysql MySQL 4.1.7-standard
vulners:
cpe:/a:mysql:mysql:4.1.7-standard:
CVE-2007-2691 4.9 https://vulners.com/cve/CVE-2007-2691
SSV:3280 4.6 https://vulners.com/seebug/SSV:3280 *EXPLOIT*
CVE-2008-2079 4.6 https://vulners.com/cve/CVE-2008-2079
MAC Address: 00:0C:29:D5:B1:AD (VMware)
Device type: general purpose
Running: Linux 2.4.X
OS CPE: cpe:/o:linux:linux_kernel:2.4
OS details: Linux 2.4.18 - 2.4.35 (likely embedded)
Network Distance: 1 hop


TRACEROUTE
HOP RTT ADDRESS
1 0.82 ms 192.168.211.134

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 22.01 seconds
```


DO NOT COPY

Zap

Spider attack




Spider Vulnerabilities



■ Medium ■ Low ■ Informational

Ajax spider


DO NOT COPY



- > Retrieved from Cache (2)
 - > Session Management Response Identified (6)
 - > User Controllable HTML Element Attribute (Potential XSS) (4)
- Alerts 0 4 8 6 Main Proxy: localhost:8080

AJAX SPIDER VULNERABILITIES

■ Medium ■ Low ■ Informational



MAPPING

Nmap full scan (incl os detection version script zcanning and traceroute)

DO NOT COPY

```
(kali㉿kali)-[~]
└─$ sudo nmap -A -T4 192.168.211.134
[sudo] password for kali:
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-19 0
7:36 -0400
Nmap scan report for 192.168.211.134
Host is up (0.00098s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
80/tcp    open  http    Apache httpd 1.3.28 ((Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c)
|_ http-robots.txt: 5 disallowed entries
|_ /cgi-bin /scanbot /backup /supplier /upload
|_ http-server-header: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
|_ http-title: Welcome to BadStore.net v1.2.3s
|_ http-methods:
|_ Potentially risky methods: TRACE
443/tcp    open  ssl/http Apache httpd 1.3.28 ((Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c)
|_ http-methods:
|_ Potentially risky methods: TRACE
|_ ssl-cert: Subject: commonName=www.badstore.net/organizationName=BadStore.net/stateOrProvinceName=Illinois/countryName=US
|_ Subject Alternative Name: email:root@badstore.net
|_ Not valid before: 2006-05-10T12:52:53
|_ Not valid after: 2009-02-02T12:52:53
|_ http-robots.txt: 5 disallowed entries
|_ /cgi-bin /scanbot /backup /supplier /upload
|_ http-server-header: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
|_ ssl-date: 2026-03-19T11:37:13+00:00; +28s from scanner time.
|_ http-title: Welcome to BadStore.net v1.2.3s
|_ sslv2:
|_ SSLv2 supported
|_ ciphers:
|_ SSL2_RC2_128_CBC_EXPORT40_WITH_MD5
|_ SSL2_IDEA_128_CBC_WITH_MD5
|_ SSL2_DES_192_EDE3_CBC_WITH_MD5
|_ SSL2_RC4_128_EXPORT40_WITH_MD5
|_ SSL2_RC4_128_WITH_MD5
|_ SSL2_RC4_64_WITH_MD5
|_ SSL2_RC2_128_CBC_WITH_MD5
|_ SSL2_DES_64_CBC_WITH_MD5
3306/tcp   open  mysql   MySQL 4.1.7-standard
|_ mysql-info:
|_ Protocol: 10
|_ Version: 4.1.7-standard
|_ Thread ID: 5
|_ Capabilities flags: 33324
|_ Some Capabilities: ConnectWithDatabase, Support41Auth, LongColumnFlag, Speaks41ProtocolNew, SupportsCompression
|_ Status: Autocommit
|_ Salt: al{F+AExpbl("lK000]

MAC Address: 00:0C:29:D5:B1:AD (VMware)
Device type: general purpose
Running: Linux 2.4.X
OS CPE: cpe:/o:linux:linux_kernel:2.4
OS details: Linux 2.4.18 - 2.4.35 (likely embedded)
Network Distance: 1 hop

Host script results:
|_ clock-skew: 27s

TRACEROUTE
HOP RTT ADDRESS
1 0.98 ms 192.168.211.134

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 44.77 seconds
```

Nmap port scanning

```
(kali㉿kali)-[~]
└─$ sudo nmap -sS 192.168.211.134
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-19 07:48 -0400
Nmap scan report for 192.168.211.134
Host is up (0.0013s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE
80/tcp    open  http
443/tcp    open  https
3306/tcp   open  mysql
MAC Address: 00:0C:29:D5:B1:AD (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.90 seconds
```

DO NOT COPY

Nmap service and version detection\

```
(kali㉿kali)-[~]  
$ sudo nmap -sV 192.168.211.134  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-19 07:49 -0400  
Nmap scan report for 192.168.211.134  
Host is up (0.0027s latency).  
Not shown: 997 closed tcp ports (reset)  
PORT      STATE SERVICE  VERSION  
80/tcp    open  http     Apache httpd 1.3.28 ((Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c)  
443/tcp   open  ssl/http Apache httpd 1.3.28 ((Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c)  
3306/tcp  open  mysql    MySQL 4.1.7-standard  
MAC Address: 00:0C:29:D5:B1:AD (VMware)  
  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/  
Nmap done: 1 IP address (1 host up) scanned in 13.37 seconds
```

Nmap scan entire network



DO NOT COPY

```
(kali@kali)-[~]
$ sudo nmap -A 192.168.211.134
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-19 07:52 -0400
Nmap scan report for 192.168.211.134
Host is up (0.0011s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
80/tcp    open  http      Apache httpd 1.3.28 ((Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c)
|_ http-title: Welcome to BadStore.net v1.2.3s
|_ http-methods:
|_   Potentially risky methods: TRACE
|_ http-robots.txt: 5 disallowed entries
|_ /cgi-bin /scanbot /backup /supplier /upload
|_ http-server-header: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
443/tcp   open  ssl/http  Apache httpd 1.3.28 ((Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c)
|_ ssl-date: 2026-03-19T11:52:56+00:00; +27s from scanner time.
|_ sslv2:
|_   SSLv2 supported
|_   ciphers:
|_     SSL2_DES_192_EDE3_CBC_WITH_MD5
|_     SSL2_RC4_128_WITH_MD5
|_     SSL2_RC4_128_EXPORT40_WITH_MD5
|_     SSL2_RC2_128_CBC_WITH_MD5
|_     SSL2_IDEA_128_CBC_WITH_MD5
|_     SSL2_RC4_64_WITH_MD5
|_     SSL2_RC2_128_CBC_EXPORT40_WITH_MD5
|_     SSL2_DES_64_CBC_WITH_MD5
|_ http-title: Welcome to BadStore.net v1.2.3s
|_ ssl-cert: Subject: commonName=www.badstore.net/organizationName=BadStore.net/stateOrProvinceName=Illinois/countryName=US
|_ Subject Alternative Name: email:root@badstore.net
|_ Not valid before: 2006-05-10T12:52:53
|_ Not valid after: 2009-02-02T12:52:53
|_ http-methods:
|_   Potentially risky methods: TRACE
|_ http-server-header: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
|_ http-robots.txt: 5 disallowed entries
|_ /cgi-bin /scanbot /backup /supplier /upload
3306/tcp  open  mysql     MySQL 4.1.7-standard
|_ mysql-info:
|_   Protocol: 10
|_   Version: 4.1.7-standard
|_   Thread ID: 19
|_ Capabilities flags: 33324
|_   Some Capabilities: SupportsCompression, Support41Auth, ConnectWithDatabase, LongColumnFlag, Speaks41ProtocolNew
|_   Status: Autocommit
|_   Salt: 23ISIP9i'#y[=^@cRQ~I
MAC Address: 00:0C:29:D5:B1:AD (VMware)
Device type: general purpose
Running: Linux 2.4.X
OS CPE: cpe:/o:linux:linux_kernel:2.4
OS details: Linux 2.4.18 - 2.4.35 (likely embedded)
Network Distance: 1 hop

Host script results:
|_ clock-skew: 26s

TRACEROUTE
HOP RTT ADDRESS
1 1.06 ms 192.168.211.134

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 15.81 seconds
```

DO NOT COPY

Web focused enumeration (specific for web application)

Targets web ports 80 and 443 finds directories finds hidden endpoints and identifies common files

```
(kali@kali)-[~]
$ sudo nmap --script http-enum -p 80,443 192.168.211.134
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-19 07:57 -0400
Nmap scan report for 192.168.211.134
Host is up (0.00072s latency).

PORT      STATE SERVICE
80/tcp    open  http
| http-enum:
|   /backup/: Backup folder w/ directory listing
|   /robots.txt: Robots file
|   /icons/: Potentially interesting directory w/ listing on 'apache/1.3.28'
|   /images/: Potentially interesting directory w/ listing on 'apache/1.3.28'
|_  /supplier/: Potentially interesting directory w/ listing on 'apache/1.3.28'
443/tcp    open  https
| http-enum:
|   /backup/: Backup folder w/ directory listing
|   /robots.txt: Robots file
|   /icons/: Potentially interesting directory w/ listing on 'apache/1.3.28'
|   /images/: Potentially interesting directory w/ listing on 'apache/1.3.28'
|_  /supplier/: Potentially interesting directory w/ listing on 'apache/1.3.28'
MAC Address: 00:0C:29:D5:B1:AD (VMware)

Nmap done: 1 IP address (1 host up) scanned in 3.28 seconds
```



DO NOT COPY

Whatweb

Passive

```
(kali㉿kali)-[~]
└─$ whatweb -v 192.168.211.134
WhatWeb report for http://192.168.211.134
Status      : 200 OK
Title       : Welcome to BadStore.net v1.2.3s
IP          : 192.168.211.134
Country     : RESERVED, ZZ

Summary     : Apache[1.3.28][mod_ssl/2.8.15], HTTPServer[
Unix][Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7
c], OpenSSL[0.9.7c]

Detected Plugins:
[ Apache ]
    The Apache HTTP Server Project is an effort to
    develop and
    maintain an open-source HTTP server for modern
    operating
    systems including UNIX and Windows NT. The goal
    of this
    project is to provide a secure, efficient and e
    xtensible
    server that provides HTTP services in sync with
    the current
    HTTP standards.

    Version      : 1.3.28 (from HTTP Server Header)
    Module       : mod_ssl/2.8.15
    Google Dorks : (3)
    Website      : http://httpd.apache.org/

[ HTTPServer ]
    HTTP server header string. This plugin also att
    empts to
    identify the operating system from the server h
    eader.

    OS          : Unix
    String       : Apache/1.3.28 (Unix) mod_ssl/2.8
.15 OpenSSL/0.9.7c (from server string)
```

DO NOT COPY

```
[ OpenSSL ] web_cloning
The OpenSSL Project is a collaborative effort to
develop a robust, commercial-grade, full-featured, and Open
Source toolkit implementing the Secure Sockets Layer (
SSL v2/v3) and Transport Layer Security (TLS v1) protocols
as well as a full-strength general purpose cryptography li
brary.

Version      : 0.9.7c
Website     : http://www.openssl.org/

HTTP Headers:
HTTP/1.1 200 OK
Date: Fri, 20 Mar 2026 12:39:53 GMT
Server: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
Last-Modified: Sun, 14 May 2006 21:16:23 GMT
ETag: "14b-dff-44679e27"
Accept-Ranges: bytes
Content-Length: 3583
Connection: close
Content-Type: text/html

WhatWeb report for https://192.168.211.134
Status      : 200 OK
Title       : Welcome to BadStore.net v1.2.3s
IP          : 192.168.211.134
Country     : RESERVED, ZZ

Summary    : Apache[1.3.28][mod_ssl/2.8.15], HTTPServer[
Unix][Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7
c], OpenSSL[0.9.7c]

Detected Plugins:
[ Apache ]
The Apache HTTP Server Project is an effort to
develop and maintain an open-source HTTP server for modern
```

DO NOT COPY

maintain an open-source HTTP server for modern operating systems including UNIX and Windows NT. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Version : 1.3.28 (from HTTP Server Header)
Module : mod_ssl/2.8.15
Google Dorks: (3)
Website : <http://httpd.apache.org/>

[HTTPServer]

HTTP server header string. This plugin also attempts to identify the operating system from the server header.

OS : Unix
String : Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c (from server string)

[OpenSSL]

The OpenSSL Project is a collaborative effort to develop a robust, commercial-grade, full-featured, and Open Source toolkit implementing the Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS v1) protocols as well as a full-strength general purpose cryptography library.

Version : 0.9.7c
Website : <http://www.openssl.org/>

HTTP Headers:

HTTP/1.1 200 OK
Date: Fri, 20 Mar 2026 12:39:53 GMT

DO NOT COPY

```
HTTP/1.1 200 OK
Date: Fri, 20 Mar 2026 12:39:53 GMT
Server: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
Last-Modified: Sun, 14 May 2006 21:16:23 GMT
ETag: "14b-dff-44679e27"
Accept-Ranges: bytes
Content-Length: 3583
Connection: close
Content-Type: text/html

WhatWeb report for https://192.168.211.134
Status      : 200 OK
Title       : Welcome to BadStore.net v1.2.3s
IP          : 192.168.211.134
Country     : RESERVED, ZZ

Summary     : Apache[1.3.28][mod_ssl/2.8.15], HTTPServer[
Unix][Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7
c], OpenSSL[0.9.7c]

Detected Plugins:
[ Apache ]
    The Apache HTTP Server Project is an effort to
    develop and
    maintain an open-source HTTP server for modern
    operating
    systems including UNIX and Windows NT. The goal
    of this
    project is to provide a secure, efficient and e
    xtensible
    server that provides HTTP services in sync with
    the current
    HTTP standards.

    Version      : 1.3.28 (from HTTP Server Header)
    Module       : mod_ssl/2.8.15
    Google Dorks: (3)
    Website      : http://httpd.apache.org/

[ HTTPServer ]
    HTTP server header string. This plugin also att
    empts to
```

DO NOT COPY

```
identify the operating system from the server header.
File System      index.html
OS               : Unix
String          : Apache/1.3.28 (Unix) mod_ssl/2.8
.15 OpenSSL/0.9.7c (from server string)

[ OpenSSL ]
The OpenSSL Project is a collaborative effort to
develop a
robust, commercial-grade, full-featured, and Open
Source
toolkit implementing the Secure Sockets Layer (
SSL v2/v3)
and Transport Layer Security (TLS v1) protocols
as well as
a full-strength general purpose cryptography library.

Version         : 0.9.7c
Website        : http://www.openssl.org/

HTTP Headers:
HTTP/1.1 200 OK
Date: Fri, 20 Mar 2026 12:39:53 GMT
Server: Apache/1.3.28 (Unix) mod_ssl/2.8.15 OpenSSL/0.9.7c
Last-Modified: Sun, 14 May 2006 21:16:23 GMT
ETag: "14b-dff-44679e27"
Accept-Ranges: bytes
Content-Length: 3583
Connection: close
Content-Type: text/html
```

Gobuster- active

Scans for wordlists

The discovery of `/admin`, `/login`, and `/backup` endpoints allowed the identification of key application entry points, including authentication interfaces and potentially sensitive directories.”

- **200** → accessible endpoint
- **403** → exists but restricted
- **301/302** → redirects (may reveal structure)

Example write-up:

“Multiple endpoints returned HTTP 403, indicating the presence of restricted resources which may be accessible through privilege escalation or misconfiguration.”

Scans for wordlists and saves results

DO NOT COPY

```
(kali㉿kali)-[~]
$ gobuster dir -u 192.168.211.134 -w /usr/share/wordlists/dirb/common.txt -o results.txt

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[+] Url: http://192.168.211.134
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s

Starting gobuster in directory enumeration mode

.htaccess (Status: 403) [Size: 279]
.htpasswd (Status: 403) [Size: 279]
.hta (Status: 403) [Size: 274]
backup (Status: 301) [Size: 306] [→ http://192.168.211.134/backup/]
cgi-bin/ (Status: 403) [Size: 278]
favicon.ico (Status: 200) [Size: 1334]
images (Status: 301) [Size: 306] [→ http://192.168.211.134/images/]
index (Status: 200) [Size: 3583]
index.html (Status: 200) [Size: 3583]
robots (Status: 200) [Size: 316]
robots.txt (Status: 200) [Size: 316]
supplier (Status: 301) [Size: 308] [→ http://192.168.211.134/supplier/]
Progress: 4613 / 4613 (100.00%)

Finished
```

theHarvester – passive



DO NOT COPY

```
(kali㉿kali)-[~]
└─$ theHarvester -d 192.168.211.134 -b duckduckgo
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
*                                                                 *
* | _ | _ | _ |   ^    ^ | _ | _ | _ |   | _ | _ | _ |   |   *
* | | | | | | | \ / \ / \ / \ / \ / \ / \ / \ / \ / \ / \ / *
* | | | | | | | \ / \ / \ / \ / \ / \ / \ / \ / \ / \ / \ / *
* \_|_|_|_|_|_|_/_/_/_/_/_/_/_/_/_/_/_/_/_/_/_/_/_/_/_/_/_|_*
*                                                                 *
* theHarvester 4.9.2                                           *
* Coded by Christian Martorella                               *
* Edge-Security Research                                        *
* cmartorella@edge-security.com                                *
*                                                                 *
*****
[*] Target: 192.168.211.134
[*] Searching Duckduckgo.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] No hosts found.
```

HAYDEN MANLEY

DO NOT COPY

```
(kali㉿kali)-[~]
└─$ gobuster dir -u 192.168.211.134 -w /usr/share/wordlists/dirb/common.txt -o results.txt

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[+] Url: http://192.168.211.134
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s

Starting gobuster in directory enumeration mode


.htaccess (Status: 403) [Size: 279]
.htpasswd (Status: 403) [Size: 279]
.hta (Status: 403) [Size: 274]
backup (Status: 301) [Size: 306] [→ http://192.168.211.134/backup/]
cgi-bin/ (Status: 403) [Size: 278]
favicon.ico (Status: 200) [Size: 1334]
images (Status: 301) [Size: 306] [→ http://192.168.211.134/images/]
index (Status: 200) [Size: 3583]
index.html (Status: 200) [Size: 3583]
robots (Status: 200) [Size: 316]
robots.txt (Status: 200) [Size: 316]
supplier (Status: 301) [Size: 308] [→ http://192.168.211.134/supplier/]
Progress: 4613 / 4613 (100.00%)

Finished
```



DO NOT COPY

Burp suite



The screenshot shows the Burp Suite interface with the 'HTTP history' tab selected. The top menu bar is the same as the previous screenshot. The 'HTTP history' tab is active, displaying a table of intercepted HTTP requests. The table has columns for 'Time', 'Type', 'Direction', 'Method', 'URL', 'Status code', and 'Length'. There are three rows of data.

Time	Type	Direction	Method	URL	Status code	Length
10:02:47.20...	HTTP	→ Request	GET	http://192.168.211.134/cgi-bin/badstore.cgi?action=whatsnew		
10:03:06.20...	HTTP	→ Request	GET	http://192.168.211.134/cgi-bin/badstore.cgi?action=guestbook		
10:03:12.20...	HTTP	→ Request	GET	http://192.168.211.134/cgi-bin/badstore.cgi		

The screenshot shows the Burp Suite interface with the 'Request' and 'Inspector' tabs selected. The 'Request' tab is active, displaying a list of intercepted requests. The 'Inspector' tab is also visible, showing details for the selected request. The 'Request' tab has a search bar and a '0 highlights' indicator. The 'Inspector' tab shows 'Request attributes' with a value of '2', 'Request query parameters' with a value of '0', 'Request body parameters' with a value of '0', 'Request cookies' with a value of '0', and 'Request headers' with a value of '9'. The bottom status bar shows 'Event log (7)' and 'All issues', and a memory usage indicator showing 'Memory: 144.9MB of 1.93GB'.

Request

Pretty Raw Hex

```
1 GET /cgi-bin/badstore.cgi HTTP/1.1
2 Host: 192.168.211.134
3 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
5 Accept-Language: en-US,en;q=0.5
6 Accept-Encoding: gzip, deflate, br
7 Connection: keep-alive
8 Referer: http://192.168.211.134/
9 Upgrade-Insecure-Requests: 1
10 Priority: u=0, i
11
12
```

Inspector

Request attributes 2

Request query parameters 0

Request body parameters 0

Request cookies 0

Request headers 9

Site map

DO NOT COPY

Borp				Project				Borp Suite Community Edition v2025.12.5 - Temporary Project																								
Dashboard		Target		Proxy		Intruder		Repeater		Collaborator		Sequencer		Decoder		Comparator		Logger		Organizer		Extensions		Learn								
Intercept		HTTP history		WebSockets history		Match and replace						Proxy settings																				
Filter settings: Hiding CSS and image content; hiding specific extensions																												Filter on				
#	Host			Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time															
1	https://www.google.com			GET	/warmup.html			404	1782	HTML	html	Error 404 (Not Found)!!1		✓	142.250.129.105		09:52:07.20															
2	http://192.168.211.134			GET	/			200	3897	HTML		Welcome to BadStore...			192.168.211.134		09:52:16.20															
5	https://www.google.com			GET	/warmup.html			404	1782	HTML	html	Error 404 (Not Found)!!1		✓	142.250.129.105		09:55:09.20															
6	http://192.168.211.134			GET	/			200	3897	HTML		Welcome to BadStore...			192.168.211.134		09:55:19.20															
7	https://ads.mozilla.org			POST	/v1/ads	✓									0.0.0.0		09:55:38.20															
8	https://push.services.mozilla.org			GET	/			101	240					✓	34.107.243.93		09:55:48.20															
9	https://www.google.com			GET	/warmup.html			404	1782	HTML	html	Error 404 (Not Found)!!1		✓	142.250.129.105		09:55:50.20															
15	https://firefox.settings.services.mozilla.org			GET	/v1/buckets/monitor/collections/ch...	✓		307	1211	HTML		307 Temporary Redirect		✓	151.101.65.91		09:55:54.20															
16	https://firefox.settings.services.mozilla.org			GET	/v1/buckets/monitor/collections/ch...	✓		200	890	JSON				✓	151.101.65.91		09:55:55.20															
17	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		09:56:10.20															
18	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		09:56:10.20															
19	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		09:56:10.20															
20	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		09:56:10.20															
21	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		09:56:12.20															
22	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		09:56:12.20															
23	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		09:56:12.20															
24	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		09:56:13.20															
25	https://www.google.com			GET	/warmup.html					HTML	html			✓	142.250.129.105		09:56:48.20															
26	http://192.168.211.134			GET	/cgi-bin/badstore.cgi?action=what...	✓					cgi				192.168.211.134		09:58:19.20															
27	https://www.google.com			GET	/search?q=bbc&og=bbc&gs_lcrp=E...									✓	unknown host		09:58:12.20															
28	https://ads.mozilla.org			POST	/v1/ads	✓								✓	unknown host		10:00:45.20															
29	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		10:01:35.20															
30	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		10:01:35.20															
31	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		10:01:37.20															
32	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		10:01:37.20															
33	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		10:01:39.20															
34	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		10:01:39.20															
35	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		10:01:40.20															
36	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		10:01:40.20															
37	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		10:01:40.20															
38	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		10:01:40.20															
39	http://detectportal.firefox.com			GET	/success.bxt?ipv4					text	txt				unknown host		10:01:41.20															
40	http://detectportal.firefox.com			GET	/success.bxt?ipv6					text	txt				unknown host		10:01:41.20															
41	https://push.services.mozilla.org			GET	/									✓	34.107.243.93		10:01:55.20															
42	https://www.google.com			GET	/			101	240					✓	unknown host		10:02:00.20															
44	http://192.168.211.134			GET	/cgi-bin/badstore.cgi?action=what...	✓					cgi				192.168.211.134		10:02:47.20															
45	http://192.168.211.134			GET	/cgi-bin/badstore.cgi?action=quest...	✓					cgi				192.168.211.134		10:03:06.20															
46	http://192.168.211.134			GET	/cgi-bin/badstore.cgi						cgi				192.168.211.134		10:03:12.20															



Request and Response

Burp

Project

Intruder

Repeater

View

Help

Site map

Target

Scope

Issues

Dashboard

Proxy

Intruder

Repeater

Collaborator

Sequencer

Decoder

Comparer

Logger

Organizer

Extensions

Learn

Site map filter: Hiding not found items; hiding CSS, image and general binary content; hiding 4xx responses; hiding empty folders

192.168.211.134

www.google.com

firefox.settings.services.mozilla.com

push.services.mozilla.com

Host	Method	URL	Params	Status code	Length	MIME type	Title	Notes	Time requested
http://192.168.211.134	GET	/		200	3897	HTML	Welcome to BadStore.net...		09:55:54 20 M...
http://192.168.211.134	GET	?searchquery=test&actio...	✓						
http://192.168.211.134	GET	/BadStore_net_v1_2_Man...							
http://192.168.211.134	GET	/cgi-bin/badstore.cgi							
http://192.168.211.134	GET	/cgi-bin/badstore.cgi?acti...	✓						
http://192.168.211.134	GET	/cgi-bin/badstore.cgi?acti...	✓						
http://192.168.211.134	GET	/cgi-bin/badstore.cgi?acti...	✓						
http://192.168.211.134	GET	/cgi-bin/badstore.cgi?acti...	✓						
http://192.168.211.134	GET	/cgi-bin/badstore.cgi?acti...	✓						
http://192.168.211.134	GET	/cgi-bin/badstore.cgi?acti...	✓						
http://192.168.211.134	GET	/cgi-bin/badstore.cgi?acti...	✓						
http://192.168.211.134	GET	/scanbot/scanbot.html							

Request

Response

Inspector

1 GET / HTTP/1.1

2 Host: 192.168.211.134

3 Accept-Language: en-US,en;q=0.9

4 Upgrade-Insecure-Requests: 1

5 User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/144.0.0.0 Safari/537.36

6 Accept:

7 text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*

8 /*;q=0.8,application/signed-exchange;v=b3;q=0.7

9 Accept-Encoding: gzip, deflate, br


10 Connection: keep-alive

Request attributes

Request headers

Response headers

DO NOT COPY



Exploiting Given CVEs

Search sploit



1. CVE 2001-1556

N/A

2. CVE 2005-3352

N/A

3. CVE 2006-3918



DO NOT COPY

```
source: https://www.securityfocus.com/bid/19661/info

Apache HTTP server is prone to a security weakness related to HTTP request headers.

An attacker may exploit this issue to steal cookie-based authentication credentials and launch other attacks.

var req:LoadVars=new LoadVars();
req.setRequestHeader("Expect",
"<script>alert('gotcha!')</script>");
req.send("http://www.target.site/", "_blank", "GET");
/usr/share/exploitdb/exploits/linux/remote/28424.txt (END)
```

4. CVE 2006-5752

N/A

5. CVE 2007-5000

N/A

6. CVE 2007-6388

N/A

