



.NET FINAL PROJECT

Online Bus Booking System


By softTech

Harsh Navdiya – 8869077, Aeni Patel – 8813744, Shruti Devani –
8874405, Nihar Kevadia – 8849917, Evin Thomas – 8825960,
Karamveer kaur - 8845910

Total Tables and Column:

1. BusMaster

- ID
- BusNo
- BusType
- TotalSeat
- SeatColumn
- SeatRow
- BookedSeat
- AvailableSeat
- BusName



The screenshot shows the SQL Server Enterprise Manager interface. The 'Server Explorer' on the left displays the 'OnlineBusBook' database. The 'Tables' folder is expanded, showing 'BusMas'. The 'dbo.BusMaster [Data]' table is selected, and its data is displayed in the main pane. The table has 10 columns: BusId, BusNo, BustType, TotalSeat, SeatColumn, SeatRow, BookedSeat, AvailableSeats, and BusName. The data is as follows:

BusId	BusNo	BustType	TotalSeat	SeatColumn	SeatRow	BookedSeat	AvailableSeats	BusName
4	NV245632	AC	35	7	5	0	35	Go123
5	64656	AC	54	9	6	0	54	Go 15
6	A254635	AC	35	7	5	0	35	Go 45
7	A254635	Normal	54	9	6	0	54	Go 4
7	Go 152	AC	24	2	12	0	24	Go Bus
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

2. CardDetails

- CardId
- UserId
- CardType
- BankName
- CvvNo
- CardNo
- TotalAmount
- CreatedBy

Server Explorer: OnlineBusBook > Tables

dbo.CardDetails [Data] | Max Rows: 1000

CardID	UserID	CardType	BankName	CVVNo	CardNo	TotalAmount	CreatedBy
17	5	Credit Card	CIBC	123	123	50.00	NULL
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

3. CityDetails

- CityId
- CityName

Server Explorer: OnlineBusBook > Tables

dbo.CityDetails [Data] | Max Rows: 1000

CityID	CityName
14	Hamilton
15	Toronto
NULL	NULL

4. PickupStand

- StandId
- RouteId
- PlaceName
- PlaceTime
- BusId

Server Explorer: OnlineBusBook > Tables > PickUpStand

dbo.PickUpStand [Data]

	StandId	RouteId	PlaceName	PlaceTime	BusID
▶	12	3	Toronto	00:00 AM	3
	13	7	Toronto	05:00 AM	7
⚙	NULL	NULL	NULL	NULL	NULL

5. PNRDetails

- PNRDetailsId
- PNRNo
- TotalAmount
- TotalTickets
- CreatedBy

Server Explorer: OnlineBusBook > Tables > PNRDetails

dbo.PNRDetails [Data]


	PNRDetailsID	PNRNo	TotalAmount	TotalTickets	CreatedBy
▶	12	OR9IJW	1600.00	2	1
	13	6422EK	800.00	1	3
	14	W3TBAF	2400.00	3	1
	15	8DB5W0	500.00	1	2
	16	4ZEV3G	500.00	2	2
	17	ZQBFAU	50.00	2	5
⚙	NULL	NULL	NULL	NULL	NULL

6. Registration

- Id
- Fname
- Lname
- EmailId
- Address

SoftTech

- City
- Picode
- Contact
- Password
- CreatedDate




The screenshot shows the SQL Server Enterprise Manager interface. The 'Server Explorer' pane on the left displays the 'OnlineBusBook' database structure, including tables like Booking, BusMas, CardDet, CityDet, PickUpS, PNRDet, Registra, RouteD, and Schedul. The main pane shows the 'dbo.Registration [Data]' table with columns: Fname, Lname, EmailId, Address, City, Picode, Contact, Password, and CreatedDate. The data is displayed in a grid with 1000 rows. The first row shows 'Harsh', 'N', '1@gmail.com', 'hkjhkj', 'Brantford', '4545645', 'harsh', '1', and '8/17/2023 1:50...'. The second row shows 'NULL', 'NULL', 'NULL', 'NULL', 'NULL', 'NULL', 'NULL', 'NULL', and 'NULL'.

	Fname	Lname	EmailId	Address	City	Picode	Contact	Password	CreatedDate
▶	Harsh	N	1@gmail.com	hkjhkj	Brantford	4545645	harsh	1	8/17/2023 1:50...
◀	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

7. RouteDetails

- RoutelD
- Origin
- Destination
- CreatedDate
- BusId



The screenshot shows the SQL Server Enterprise Manager interface. The 'Server Explorer' pane on the left displays the 'OnlineBusBook' database structure. The main pane shows the 'dbo.RouteDetails [Data]' table with columns: RoutelD, Origin, Destination, CreatedDate, and BusID. The data is displayed in a grid with 1000 rows. The first row shows '3', 'Brantford', 'Ontario', '3/17/2017 9:30...', and '3'. The second row shows '4', 'Brantford', 'Ontario', '3/19/2017 6:57...', and '4'. The third row shows '5', 'Hamilton', 'Toronto', '3/19/2017 7:23...', and '5'. The fourth row shows '6', 'Brantford', 'Toronto', '3/21/2017 10:53...', and '6'. The fifth row shows '7', 'Hamilton', 'Toronto', '8/17/2023 1:42...', and '7'. The sixth row shows 'NULL', 'NULL', 'NULL', 'NULL', and 'NULL'.

	RoutelD	Origin	Destination	CreatedDate	BusID
▶	3	Brantford	Ontario	3/17/2017 9:30...	3
	4	Brantford	Ontario	3/19/2017 6:57...	4
	5	Hamilton	Toronto	3/19/2017 7:23...	5
	6	Brantford	Toronto	3/21/2017 10:53...	6
	7	Hamilton	Toronto	8/17/2023 1:42...	7
◀	NULL	NULL	NULL	NULL	NULL

8. ScheduleMaster

- ScheduleId
- BusId
- Date
- Fare
- EstimatedTime
- ArivalTime
- DepartureTime
- RouteId
- BookedSeats
- AvailableSeats

The screenshot shows the SQL Server Enterprise Manager interface with the 'dbo.ScheduleMaster [Data]' table selected. The table contains 10 columns: RouteId, BusId, Date, Fare, EstimatedTime, ArivalTime, DepartureTime, RouteId, BookedSeats, and AvailableSeats. The data is displayed in a grid with 15 rows. The first row shows a route with RouteId 3, BusId 3, Date 25/03/2017, Fare 800.00, EstimatedTime 01hr 05Mints, ArivalTime 06:00 PM, DepartureTime 04:00 PM, RouteId 3, BookedSeats 3, and AvailableSeats 32. The last row shows a route with RouteId 7, BusId 7, Date 12/02/2022, Fare 25.00, EstimatedTime 01hr25mints, ArivalTime 05:00 AM, DepartureTime 06:25 AM, RouteId 7, BookedSeats 2, and AvailableSeats 22. The bottom status bar indicates the connection is ready and the output window is open.

RouteId	BusId	Date	Fare	EstimatedTime	ArivalTime	DepartureTime	RouteId	BookedSeats	AvailableSeats
3	3	25/03/2017	800.00	01hr 05Mints	06:00 PM	04:00 PM	3	3	32
3	3	20/03/2017	150.00	1hr50mins	10:25 AM	12:00 PM	3	0	35
3	3	22/03/2017	150.00	1hr50mins	10:25 AM	12:00 PM	3	0	35
5	5	30/03/2017	800.00	2Hr	08:00 PM	06:00 PM	5	3	32
5	5	30/03/2017	500.00	01hr 05Mints	08:00 PM	06:00 PM	5	3	32
5	5	29/03/2017	500.00	01hr 05Mints	08:00 PM	06:00 PM	5	3	32
5	5	28/03/2017	500.00	01hr 05Mints	08:00 PM	06:00 PM	5	4	31
5	5	27/03/2017	500.00	01hr 05Mints	08:00 PM	06:00 PM	5	3	32
3	3	25/03/2017	150.00	10:25	10:25 AM	06:00 PM	3	0	35
6	6	30/03/2017	320.00	2Hr	03:25	02:30	6	0	54
3	3	30/03/2017	250.00	10:25	02:50	5	3	2	33
3	3	12/02/2022	25.00	01hr25mints	05:00 AM	07:00 AM	3	0	35
7	7	12/02/2022	25.00	01hr25mints	05:00 AM	06:25 AM	7	2	22
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

9. BookingMaster

- BookingId
- RegId
- BusId
- FName
- LName
- Email
- Contact
- City
- SeatNo
- TravelDate
- Origin

SoftTech

- Destination
- BoardingID
- Fare
- PNRNo
- ScheduleId

[illegible][illegible]