```
1
```

```
Q1. b) RA
i)
ppe\_or\_testing := \sigma_{tagname = 'PPE' \lor tagname = 'Testing'}(ProductTag)
names := \pi_{sname}(ppe\_or\_testing \bowtie Catalog \bowtie Suppliers)
ii)
ppe\_filter := \sigma_{tagname ='PPE'}(ProductTag) \bowtie \sigma_{cost < 10 \land cost > 420}(Catalog)
sids := \pi_{sid}(ppe\_filter)
to\_remove := \sigma_{tagname='PPE'}(ProductTag) \bowtie \sigma_{10 <= cost <= 1337}(Catalog)
sids := \pi_{sid}(Catalog) - \pi_{sid}(to\_remove)
iv)
cleaning := \rho_{cleaning}(\pi_{pid}(\sigma_{tagname='Cleaning'}(ProductTag)))
suppliers := \sigma_{sid}(Catalog \div cleaning)
v)
cat1 := \rho_{cat1}(Catalog)
cat2 := \rho_{cat2}(Catalog)
pairs := \sigma_{cat1.sid <> cat2.sid}(cat1 \times cat2)
filter := \sigma_{cat1.cost>=cat2.cost\times1.2}(pairs)
format := \rho_{format(sid1,sid2)}(\pi_{cat1.sid,cat2.sid}(filter))
vi)
cat1 := \rho_{cat1}(Catalog)
cat2 := \rho_{cat2}(Catalog)
unique := \sigma_{cat1.sid <> cat2.sid \land cat1.pid = cat2.pid}(cat1 \times cat2)
format := \rho_{format(pid)}(\sigma_{cat1.pid}(unique))
vii)
suptech1 := \rho_{suptech1(sid,pid,cost)}(\pi_{Catalog.sid,Catalog.pid,Catalog.cost}((\sigma_{tagname='SuperTech'}(ProductTag)) \bowtie \sigma_{tagrame='SuperTech'}(ProductTag))
Catalog \bowtie \sigma_{scountry='USA'}(Suppliers)))
suptech2 := \rho_{suptech2}(suptech2)
pairs := suptech1 \bowtie_{subtech1.cost < subtech2.cost} suptech2
less\_than\_something := \rho_{less\_than\_something(pid)}(\pi_{subtech1.pid}(pairs))
most\_expensive := \pi_{pid}(Products) - less\_than\_something
answer := \pi_{sid}(most\_expensive \bowtie Catalog)
viii)
suptech1 := \rho_{suptech1(sid,pid,cost)}(\pi_{Catalog.sid,Catalog.pid,Catalog.cost}((\sigma_{tagname='SuperTech'}(ProductTag) \bowtie \sigma_{tagrame})
Catalog \bowtie \sigma_{scountry='USA'}(Suppliers)))
suptech2 := \rho_{suptech2}(suptech2)
pairs := suptech1 \bowtie_{subtech1.cost < subtech2.cost} suptech2
less\_than\_something := \rho_{less\_than\_something(pid)}(\pi_{subtech1.pid}(pairs))
most\_expensive := \pi_{pid}(Products) - less\_than\_something
most\_expensive\_items := \rho_{most\_expensive\_items(sid,pid,cost)}(\pi_{subtech1.sid,subtech1.pid,subtech1.cost}(subtech1 - id_{subtech1.sid,subtech1.pid,subtech1.cost})
\bowtie_{suptech1.pid=most\_expensive.pid} (most\_expensive)))
rem\_most\_exp1 := subtech1 - most\_expensive\_items
- Most expensive item removed, find the most expensive item in tables without the previous most expensive
item, so find second most expensive item
rem\_most\_exp2 := \rho_{rem\_most\_exp2}(rem\_most\_exp1)
rem\_pairs := rem\_most\_exp1 \bowtie_{rem\_most\_exp1.cost < rem\_most\_exp2.cost} rem\_most\_exp2
rem\_less\_than := \rho_{rem\_less\_than(pid}(\pi_{rem\_most\_exp1.pid}(rem\_pairs))
second := \pi_{sid}(Products) - most\_expensive - rem\_less\_than
answer := \pi_{sid}(second \bowtie Catalog)
```

```
products := \rho_{products(pid,sid,cost)}(\pi_{Product.pid,Suppliers.sid}(Product \bowtie Catalog))
unique := \pi_{pid}(R1)
all := products \div unique
filter := \sigma_{cost < 69}(all)
answer := \pi_{sid}(filter)
x)
\pi_{pid}(\sigma_{quantity=0}(Inventory))
Q1. c) RA
i)
Cat1 := \rho_{Cat1}(Catalog)
Cat2 := \rho_{Cat2}(Catalog)
Joined Suppliers := Subsuppliers \bowtie_{Subsuppliers.sid=Cat1.sid} (Cat1) \bowtie_{Subsuppliers.subid=Cat2.sid} (Cat2)
Both := \sigma_{Cat1.pid=Cat2.pid}(JoinedSuppliers)
Stock := Both \bowtie_{Inventory.pid = Cat1.pid} (Inventory)
None := \sigma_{quantity=0}(Stock)
Format := \rho_{Format(pid,sid1,sid2,cost1,cost2)}(\pi_{Cat1.pid,Subsuppliers.sid,Subsuppliers.subid,Cat1.cost,Cat2.cost}(None))
ii)
Cat1 := \rho_{Cat1}(Catalog)
Cat2 := \rho_{Cat2}(Catalog)
Filtered := \sigma_{Cat1.sid <> Cat2.sid \land Cat1.pid = Cat2.pid \land Cat1.cost = Cat2.cost}(Cat1 \times Cat2)
Format := \rho_{Format(pid,sid,cost)}(\pi_{Cat1.pid,Cat1.sid,Cat1.cost}(Filtered))
iii)
Tag1 := \rho_{Tag1}(ProductTag)
Tag2 := \rho_{Tag2}(ProductTag)
Tag3 := \rho_{Tag3}(ProductTag)
Cross := Tag1 \times Tag2 \times Tag3
SameProduct := \sigma_{Tag1.pid=Tag2.pid=Tag3.pid \land Tag1.tagname <> Tag2.tagname <> Tag3.tagname (Cross)
Filter := \sigma_{Tag1.tagname='PPE' \land Tag2.tagname='SuperTech'}(SameProduct)
Products := \rho_{pid}(\pi_{Taq1.pid}(Filter))
All := (Products \bowtie_{Products.pid = Catalog.pid} Catalog \bowtie_{Products.pid = Product.pid} Product
Format := \rho_{Format(pid,pname,cost)}(\pi_{Products.pid,pname,cost}(All))
```