
Electric Platform Truck









			High Platform
apacity In Kgs.			2000
Model			GPT 200 E 3W
latform	Width	A1	1000
latform	Length	L	1525
Gradeability	Laden		1:15
	Unladen		1:10
Tyres	Front		457 X 152
	Rear		457 X 152
latform Height	Fixed	Н	600
verall Height	Fixed	H1	1065
Seat Height	Fixed	H2	950
Outer Turning Radius		TR	2355
round Clearance			110
verall Length		L1	2950
ront Overhang		L2	310
Vheel Base		L3	1940
Vheel Tread		E1	870
avel Speed	Laden		6 to 10
m/hr)	Unladen		9 to 13
action Motor			36 V, 4KW
Batteries			36 V, 315 AH



CHASSIS: Heavy duty & Robust chassis, fabricated from rolled channels and plates.

DRIVE UNIT AND TRANSMISSION: State-of-the-art, imported ZF Gear Box transmission comprises of the fully integrated helical gear train. It enables gradual loading and relieving of teeth, giving the effects of low noise, extremely high load-bearing capability and smooth running at high circumferential speeds.

ELECTRICAL SYSTEM: Control circuit consists of MOSFET Chopper Control. The controller is designed to provide smooth, silent and efficient speed control. An average output voltage is controlled by varying pulse width of MOSFET switching. Electronic controls for soft start and jerk free transmission provide the following advantages.

- 1. No wastage of battery power resulting in more work output.
- 2. Lower maintenance cost and downtime of equipment.

CONTROLS: Controls for forward / reverse motion, horn, light and emergency cut off & key switch are mounted on Instrument Panel. Accelerator & hydraulic brake are foot operated.

BRAKE: Drum & shoe type hydraulic service brake and parking brake are standard offering. Parking brake with micro adjustable lever and cable is externally mounted near the drivers' seat.

SUSPENSION: Rear suspension by leaf springs.





Our Range



Electric Forklift Trucks 1.5 to 3 tonne Neo Series



Diesel Forklift Trucks 1.5 to 3 tonne Bravo Series



Diesel Forklift Trucks 4 to 6 tonne



Diesel Forklift Trucks 5 to 10 tonne

Diesel Forklift Trucks 12 to 20 tonne



Hand Pallet Truck 2.5 tonne



Power Pallet Truck 2 tonne



Fully Electric Stacker 1.5 tonne



Articulated Forklift Trucks 1.3 to 2 tonne



Tow Truck 2 to 6 tonne



Warehousing **Equipment**



KOMATSU

Forklifts



Industrial Cleaning Equipment



HUBTEX Side Loaders







DISTRIBUTION: Our network of 16 company owned branches brings us closer to customers across India. This also gives us the edge to distribute equipment from global giants including Crown, Merlo, Tennant and Hubtex in India.

GLOBAL FOOTPRINT: Our quest for the world market has spurred us to establish an overseas branch and service center in Sharjah, UAE, besides a wide network of dealers all over the Middle East, Africa and South Asia. This is only the beginning of our quest for a globally significant presence.



GODREJ & BOYCE MFG. CO. LTD.

Plant 16, Pirojshanagar, Vikhroli, Mumbai 400079

- Tel: +91 22 6796 4660 / 73 Fax: +91 22 6796 1519
- E-mail: mhemktg@godrej.com url: http://godrejmhe.in

Overseas Branch and Service Centre,

SAIF Zone, P. O. Box 8549, Sharjah, U.A.E.

- Tel.: +971 55 899 2305 / 2316 Mob.: 00 971 504629701
- Fax: 00 971 65570966 E-mail: mahesh@godrej.ae

Branches & Service Centres

- Mumbai: 022 67961725 / 67961291
- Pune: 020 66255121-22
- Ahmedabad : 079 66060646 / 66060701 / 66060606
- Indore: 0731 4069335 / 2532917
- Chennal: 044 66544431-32
- Bangalore: 080 66472251
- Kochi : 0484 6612777 / 6612609 Hyderabad : 040 66431203
- Vizag: 0891 2517930 / 2746511-2-3
- Delhi: 011 66507340 / 50
- Chandigarh: 0172 5012525 / 5037738
- Jaipur : 0141 6701441/2
- Lucknow: 0522 6754961
- Kolkata: 033 66013771-75 Bhubaneshwar : 0674 2374626
- Coimbatore : 0422 2545799 / 599 Guwahati : 03612 468242
- Raipur : 07716606706

Represented by: