

Table of Contents

<u>MyConnection.php</u>	2
<u>Welcome.php</u>	2
<u>Footer.php</u>	8
<u>Home.php</u>	11
<u>Login.php</u>	12
<u>MenuPage.php</u>	13
<u>Menu.php</u>	14
<u>Invoice.php</u>	14
<u>AddExpense.php</u>	15
<u>AddInvoice.php</u>	16
<u>AddMenu.php</u>	18
<u>CheckLogin.php</u>	20
<u>Expense.php</u>	21
<u>ShowExpense.php</u>	21
<u>ShowAllExpense.php</u>	25
<u>ShowInvoice.php</u>	26
<u>ShowAllInvoice.php</u>	30
<u>ShowAllMenu.php</u>	31
<u>ShowAllMenuLogin.php</u>	32
<u>SuccessfulAddExpense.php</u>	32
<u>SuccessfulAddInvoice.php</u>	34
<u>SuccessfulAddMenu.php</u>	35
<u>SuccessfulDeleteExpense.php</u>	37
<u>SuccessfulDeleteInvoice.php</u>	39
<u>SuccessfulDeleteMenu.php</u>	40
<u>SuccessfulLogin.php</u>	42
<u>SuccessfulLogout.php</u>	44
<u>DeleteExpense.php</u>	44
<u>DeleteInvoice.php</u>	44
<u>DeleteMenu.php</u>	45
<u>ContactUs.php</u>	45

MyConnection.php

```
<?php
    // opens connection to mysql server
    // every time you call this var, it will connect to the db
    $hostname = 'cs-database:3306';
    $username = 'hputiprawan';
    $pwd = '1687904';
    $dbname = 'hputiprawan';

    @$dbc = mysql_connect($hostname, $username, $pwd);
    if(!$dbc){
        die('Not connected: ' . mysql_error());
    }

    // select db: mysql_select_db("db name", "variable to connect");
    $db_selected = mysql_select_db($dbname, $dbc);
    if(!$db_selected){
        die("Cannot connected: " . mysql_error());
    }

    echo "Database is connected successfully!";
?>
```

Welcome.php

```
<?php
    if(!isset($_SESSION)) {
        session_start();
    }
?>
<html>

<body bgcolor="#FBF5EF">

<!-- header -->
<div id="header">
    <div id="header_block">
        <h1>
            
            Thai Cafe
            <br/>
        <div id="h10">:: Authentic Thai Food ::</div>

        </h1>
    </div>
</div>
```

```

<!-- menu bar -->
<div id="cssmenu">
    <ul>
        <li><a href="/ThaiCafeProject/Home.php"> Home </a></li>
        <li><a href="/ThaiCafeProject/MenuPage.php"> Menu </a></li>
        <li><a href="/ThaiCafeProject/ContactUs.php"> Contact Us </a></li>
        <li><a href="/ThaiCafeProject/Login.php"> Login </a></li>
        <li><login> <b><?php
            if(isset($_SESSION['CurrentUser'])) {
                echo("Hello! " . $_SESSION['CurrentUser']);
            }
            ?> </b></li></login>
        <sm> <form align="right" action = "/ThaiCafeProject/Welcome.php"
method="post">
            <div id="date">
                <?php
                    echo 'Date: ' . date("m-d-Y");
                ?>
            </div>
            Search Menu: <input type="search" name="menu_search"
style="width: 180px"/>
            <input type="submit" name="search_bt" value="Search"
style="width: 75px"/>
            </form>
        </sm>
    </ul>
</div>

<?php
include('MyConnection.php');

@$menu = $_POST['menu_search'];

if(@$_POST['search_bt']) {
    @$query = "SELECT * FROM Menu
                WHERE menu_name = '$menu'";
    //echo(@$query);

    @$result = mysql_query($query);

    // display
    echo "<table style='margin: 2px auto' border='1' bordercolor='#FF8000'>
        <tr> <th width='450px'> Menu </th>
            <th width='200px'> Meat </th>
    
```

```

        <th width='200px'> Spicy </th>
        <th width='200px'> Price </th> </tr>
    ";

    while(@$row = mysql_fetch_array($result)){
        $menu = $row['menu_name'];
        $meat = $row['meat_type'];
        $spicy = $row['spicy_level'];
        $price = $row['menu_price'];

        echo "<tr><td width='450px'> $menu </td>
        <td width='200px'> $meat </td>
        <td width='200px' align='center'> $spicy </td>
        <td width='200px' align='center'> $price </td>";
    }

    echo "</tr></table>";
    include("Footer.php");
}

?>

</body>

<!-- CSS -->
<style type="text/css">

/*      source: http://red-team-design.com/cool-headings-with-pseudo-elements/
*/
#header_block {
    text-align: center;
    top: 0;
    font-family: 'Open Sans', sans-serif;
    font-size: 20;
    color: white;

    width: 50%;
    height: 100px;
    margin: 5px auto;
    border: 5px solid #FFE0AE;
    border: 5px solid rgba(0,0,0,.05);
    background: #f96e5b;
    background-clip: padding-box;
    box-shadow: 0 0 2px rgba(0, 0, 0, .5);
}

```

```

#header img{
    width:45px;
    height:40px;
}
#header{
    color: white;
    right: 10px;
    font-family: 'Open Sans', sans-serif;
    font-weight: 700px;
    font-size: 14px;
    background: #FB8C7E;
    border: 1px solid #FBF5EF;
    padding: 5px;
    height: 17%;
}

#date{
    right: 10px;
}

#h10 {
color: white;
    text-align: center;
    font-size: 12px;
    font-family: 'Open Sans', sans-serif;
    font-weight: 200px;
}

/* CSS for menu bar source: http://cssmenu maker.com/menu/simple-responsive-
menu */
#cssmenu {
    background: #f96e5b;
    width: auto;
    height: 4%;
    border: 1px solid #FBF5EF;
    padding: 8 0px;
}
#cssmenu ul {
    list-style: none;
    margin: -12;
    padding: -50;
    line-height: 1;
    display: block;
}
#cssmenu ul:after {
    content: " ";

```

```

        display: block;
        font-size: 0;
        height: 0;
        clear: both;
        visibility: hidden;
    }
    #cssmenu ul li {
        display: inline-block;
        padding: 0;
        margin: 0;
    }
    #cssmenu.align-right ul li {
        float: right;
    }
    #cssmenu.align-center ul {
        text-align: center;
    }
    #cssmenu ul li a {
        color: #ffffff;
        text-decoration: none;
        display: block;
        padding: 15px 25px;
        font-family: 'Open Sans', sans-serif;
        font-weight: 700;
        text-transform: uppercase;
        font-size: 14px;
        position: relative;
        -webkit-transition: color .25s;
        -moz-transition: color .25s;
        -ms-transition: color .25s;
        -o-transition: color .25s;
        transition: color .25s;
    }
    #cssmenu ul li a:hover {
        color: #333333;
    }
    #cssmenu ul li a:hover:before {
        width: 100%;
    }
    #cssmenu ul li a:after {
        content: "";
        display: block;
        position: absolute;
        right: -3px;
        top: 19px;
        height: 6px;
    }

```

```

        width: 6px;
        background: #ffffff;
        opacity: .5;
    }
    #cssmenu ul li a:before {
        content: "";
        display: block;
        position: absolute;
        left: 0;
        bottom: 0;
        height: 3px;
        width: 0;
        background: #333333;
        -webkit-transition: width .25s;
        -moz-transition: width .25s;
        -ms-transition: width .25s;
        -o-transition: width .25s;
        transition: width .25s;
    }
    #cssmenu ul li.last > a:after,
    #cssmenu ul li:last-child > a:after {
        display: none;
    }
    #cssmenu ul li.active a {
        color: #333333;
    }
    #cssmenu ul li.active a:before {
        width: 100%;
    }
    #cssmenu.align-right li.last > a:after,
    #cssmenu.align-right li:last-child > a:after {
        display: block;
    }
    #cssmenu.align-right li:first-child a:after {
        display: none;
    }
    @media screen and (max-width: 768px) {
        #cssmenu ul li {
            float: none;
            display: block;
        }
        #cssmenu ul li a {
            width: 100%;
            -moz-box-sizing: border-box;
            -webkit-box-sizing: border-box;
            box-sizing: border-box;
        }
    }

```

```

border-bottom: 1px solid #fb998c;
}
#cssmenu ul li.last > a,
#cssmenu ul li:last-child > a {
border: 0;
}
#cssmenu ul li a:after {
display: none;
}
#cssmenu ul li a:before {
display: none;
}
}
#cssmenu sm{
color: white;
font-family: 'Open Sans', sans-serif;
font-weight: 700px;
font-size: 14px;
position: absolute;
right: 10px;
top: 142px;
}
#cssmenu login{
color: white;
font-family: 'Open Sans', sans-serif;
font-size: 14px;
padding: 15px;
}
</style>
</html>

```

Footer.php

```

<!-- footer -->
<footer class="site-footer">
    <div id="center_footer">
        <div id="left_footer">
            <ul>
                <li> <a href="https://www.facebook.com/pages/
                    Thai-Cafe-formerly-Thai-Gour-Cafe/116399151713499">
                         </a> </li>

                <li> <a href=#><img src="/ThaiCafeProject//images/google-icon.png
/> </a> </li>

```



```

                <li> <a href="http://www.yelp.com/biz/
                    thai-gour-cafe-glen-burnie">
                        
<a href="/ThaiCafeProject/Home.php">HOME</a>
<a href="/ThaiCafeProject/MenuPage.php">MENU</a>
<a href="https://www.google.com/maps/place/
Thai-Gour+Cafe/@39.165755,-76.624146,16z/
data=!4m2!3m1!1s0x89b7fcd8d39f1011:0x4dd3a64
ff6ad18a5?hl=en">DIRECTION</a>
<a href="/ThaiCafeProject/ContactUs.php">CONTACT US</a>
</div>

</div>
<div id="bottom_footer">© Thai Cafe 2014 </div>
</footer>

<!-- CSS -->
<style type="text/css">
/*    footer css source: http://www.entheosweb.com/tutorials/css/website.asp#footer
*/
    #footer{
        height: 70px;
        position: absolute;
        bottom: 0;
        width: 100%;
        left: 0;
        font-family: 'Open Sans', sans-serif;
        font-weight: 500;
        font-size: 16px;
        border: 1px solid #FBF5EF;
    }
    #center_footer{
        background:#000;
        height: 80px;
        width: 980px;
        margin:0 auto;
        bottom: 0;
    }
    #left_footer,#right_footer {
        width:450px;
        padding:10px;

```

```

        float:left;
    }
    #left_footer b{
        color:#fff;
    }
    #left_footer li{
        float:left;
        margin:0 20px;
    }
    #left_footer img{
        width:40px;
        height:40px;
        padding:0 0px;
    }
    #right_footer{
        float:right;
    }
    #right_footer a{
        color: white;
        padding:0 20px;
        line-height: 21px;
        font-size: 13px;
        font-weight:bold;
    }
    #bottom_footer{
        color:#ccc;
        font-size: 10px;
        position: absolute;
        right: 0;
        top: 0;
    }
    /* Sticky footer source: http://css-tricks.com/snippets/css/sticky-footer/*/
    .page-wrap {
        font-family: 'Open Sans', sans-serif;
        font-weight: 200;
        font-size: 14;

        min-height: 100%;
        margin-bottom: -100px;
    }
    .page-wrap:after {
        content: "";
        display: block;
    }
    .site-footer, .page-wrap:after {
        height: 100px;

```

```

    }
    .site-footer {
        padding: 10;
        background: #f96e5b;
        height: 80px;
        width: auto;

        font-family: 'Open Sans', sans-serif;
        font-weight: 500;
        font-size: 16px;

    }
</style>

```

[Home.php](#)

```

<html>

<?php
    include ('Welcome.php');
?>

<body bgcolor="#FBF5EF">
<title> Thai Cafe</title>

<div id="content">


    #content{
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 0px;
        text-align: center;
    }

```

```
}  
</style>
```

```
<?php  
    include ('Footer.php');  
?>  
  
</html>
```

Login.php

```
<?php  
    if(!isset($_SESSION)) {  
        session_start();  
    }  
  
    if(isset($_SESSION['CurrentUser'])) {  
        echo("Hello! " . $_SESSION['CurrentUser']);  
        echo("<script>location.href=  
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");  
    }  
?>  
  
<html>  
<body bgcolor="#FBF5EF">  
<title> Thai Cafe: Login </title>  
  
<?php  
    include('Welcome.php');  
?>  
<div id="content">  
  
        <form action="/ThaiCafeProject/CheckLogin.php" method="post">  
  
            User name: <input type="text" name="user" value="" /> <br/>  
            Password: <input type="password" name="pwd" value="" /> <br/>  
            <input type="submit" name="login" value="Login"/>  
        </form>  
  
</div>  
</body>  
  
<style type="text/css">  
    #content {
```

```

        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        color: black;
        background: #F5D0A9;
        margin: 0 auto;
        padding: 25 25px;
    }
</style>

<?php
    include ('Footer.php');
?>
</html>

```

MenuPage.php

```

<?php
    include('Welcome.php');
?>

<html>
<title> Thai Cafe: Menu </title>
<body>
    <div id="content">
        <div class="page-wrap">
            <?php
                include('ShowAllMenu.php');
            ?>
        </div>
    </div>

    <!-- CSS -->
    <style type="text/css">
        #content{
            border: 1px solid #FBF5EF;
            background: #F5D0A9;
            font-family: 'Open Sans', sans-serif;
            font-weight: 400;
            font-size: 14px;
            margin: 0 auto;
            padding: 10px 10px;
        }
    </style>

```

```
</body>
```

```
<?php
    include('Footer.php');
?>
</html>
```

Menu.php

```
<?php
    include ('MyConnection.php');

    $menu = $_POST['menu_name'];
    $meat = $_POST['meat_type'];
    $price = $_POST['menu_price'];
    $time = $_POST['menu_time'];
    $spicy = $_POST['spicy_level'];
    $category = $_POST['menu_category'];

    if(isset($_POST['submit'])){
        mysql_query("INSERT INTO Menu
                    (menu_name, meat_type, menu_price, menu_time, spicy_level,
menu_category)
                    VALUES('$menu', '$meat', '$price', '$time', '$spicy',
'$category');")
                    or die(mysql_error());

        // redirect
        echo("<script>location.href=
'/ThaiCafeProject/SuccessfulAddMenu.php?msg=$msg';</script>");
    } elseif(isset($_POST['delete'])){
        mysql_query("DELETE FROM Menu WHERE menu_name = '$menu' AND
meat_type = '$meat';")
        or die(mysql_error());
        echo("<script>location.href=
'/ThaiCafeProject/SuccessfulDeleteMenu.php?msg=$msg';</script>");
    }
?>
```

Invoice.php

```
<?php
    include ('MyConnection.php');

    $date = $_POST['invoice_date'];
    $amount = $_POST['invoice_amount'];
    $type = $_POST['invoice_paymentType'];
```



```

<style type="text/css">
    #body{
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        color: black;
        background: #F5D0A9;
        margin: 0 auto;
        padding: 25 25px;
    }
    form {
        display: inline;
    }
</style>

```

```

<?php
    include ('Footer.php');
?>
</html>

</html>

```

AddMenu.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])){
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>

<html>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Add Menu </title>

<?php
    include('Welcome.php');

```



```

        <form action="/ThaiCafeProject/AddMenu.php" method="post">

            <input type="submit" name="back" value="Back to Main Menu" />
        </form>
    <?php
        if(isset($_POST['back'])) {
            echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
        }
    ?>
    <?php
        include('ShowAllMenuLogin.php');
    ?>
</div>
</body>

<style type="text/css">
    #body{
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        color: black;
        background: #F5D0A9;
        margin: 0 auto;
        padding: 25 25px;
    }
    form {
        display: inline;
    }

</style>

<?php
    include ('Footer.php');
?>
</html>

```

CheckLogin.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }
?>

<?php

```

```

$user = $_POST['user'];
$pass = $_POST['pwd'];

if($user == "Hanna" && $pass == "1234"){
    $_SESSION['CurrentUser'] = $user;
    echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
} else {
    echo ("Login Fail!");
}
?>

```

Expense.php

```

<?php
    include ('MyConnection.php');

    $date = $_POST['expense_date'];
    $info = $_POST['expense_info'];
    $cost = $_POST['expense_cost'];
    $type = $_POST['expense_paymentType'];

    mysql_query("INSERT INTO Expense
                (expense_date, expense_info, expense_cost,
expense_paymentType)
                VALUES('$date', '$info', $cost, $type);")
                or die(mysql_error());

    // redirect
    echo("<script>location.href=
'/ThaiCafeProject/SuccessfulAddExpense.php?msg=$msg';</script>");
    //header('Location: SuccessfulAddExpense.php');
?>

```

ShowExpense.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])){
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>

```



```

@$fd = $_POST['expense_from_day'];
@$fy = $_POST['expense_from_year'];
@$ex_f = $fy . '-' . $fm . '-' . $fd;
@$tm = $_POST['expense_to_month'];
@$td = $_POST['expense_to_day'];
@$ty = $_POST['expense_to_year'];
@$ex_t = $ty . '-' . $tm . '-' . $td;
@$paymentType = $_POST['expense_paymentType'];

if(@$_POST['submit']) {

    if($paymentType == '*'){
        Expense, PaymentType
        PaymentType.payment_id
        $query1 = "SELECT SUM(expense_cost) AS total FROM
        WHERE Expense.expense_paymentType =
        AND expense_date BETWEEN '$ex_f' AND
        '$ex_t';"
        $query2 = "SELECT * FROM Expense, PaymentType
        WHERE Expense.expense_paymentType =
        PaymentType.payment_id
        AND expense_date BETWEEN '$ex_f' AND
        '$ex_t'
        ORDER BY expense_date DESC;";

    } else {
        Expense, PaymentType
        PaymentType.payment_id
        $query1 = "SELECT SUM(expense_cost) AS total FROM
        WHERE Expense.expense_paymentType =
        AND expense_date BETWEEN '$ex_f' AND
        '$ex_t'
        AND Expense.expense_paymentType =
        '$paymentType';"
        $query2 = "SELECT * FROM Expense, PaymentType
        WHERE Expense.expense_paymentType =
        PaymentType.payment_id
        AND expense_date BETWEEN '$ex_f' AND
        '$ex_t'
        AND Expense.expense_paymentType =
        '$paymentType'
        ORDER BY expense_date DESC;";

    }

    //echo ($query);
    $result1 = mysql_query($query1);

```

```

$row1 = mysql_fetch_assoc($result1);
$frow = sprintf("%.2f", $row1['total']);

$result2 = mysql_query($query2);

echo("Total from " . $ex_f . " to " . $ex_t . " is $" . $frow);

// display
echo "<table style='margin: 2px auto' border='1'
bordercolor='#FF8000'>
    <tr> <th width='100px'> Date </th>
        <th width='200px'> Expense Info </th>
        <th width='200px'> Cost </th>
        <th width='200px'> Payment Type </th>
        <th width='200px'> Delete </th></tr>
    ";

while($row2 = mysql_fetch_array($result2)){
    $id = $row2['expense_id'];
    $date = $row2['expense_date'];
    $info = $row2['expense_info'];
    $cost = $row2['expense_cost'];
    $type = $row2['payment_type'];

    $delBt = "<a
href='/ThaiCafeProject/DeleteExpense.php?id=$id'> Delete </a>";

    echo "<tr><td width='200px'> $date </td>
        <td width='450px'> $info </td>
        <td width='200px' align='center'> $cost </td>
        <td width='200px' align='center'> $type </td>
        <td width='200px' align='center'> $delBt";

    }
    echo "</tr></table>";

    } elseif(isset($_POST['back'])) {
        echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
    } elseif(isset($_POST['all'])) {
        include('ShowAllExpense.php');
    } elseif(isset($_POST['add'])) {
        echo("<script>location.href=
'/ThaiCafeProject/AddExpense.php?msg=$msg';</script>");
    }
}

```



```

        }

    ?>
</div>

</body>

<style type="text/css">
    #body{
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        color: black;
        background: #F5D0A9;
        margin: 0 auto;
        padding: 25 25px;
    }
</style>

<?php
    include ('Footer.php');
?>
</html>

```

[ShowAllExpense.php](#)

```

<?php
    include('myConnection.php');

    $query1 = "SELECT SUM(expense_cost) AS total FROM Expense;";
    $query2 = "SELECT * FROM Expense, PaymentType
        WHERE Expense.expense_paymentType =
PaymentType.payment_id
        ORDER BY expense_date DESC;";

    $result1 = mysql_query($query1);
    $row1 = mysql_fetch_assoc($result1);
    $frow = sprintf("%.2f", $row1['total']);

    $result2 = mysql_query($query2);

    echo("Total is $" . $frow);

    echo "<table style='margin: 2px auto' border='1' bordercolor='#FF8000'>

```

```

        <tr> <th width='100px'> Date </th>
        <th width='200px'> Expense Info </th>
        <th width='200px'> Cost </th>
        <th width='200px'> Payment Type </th>
        <th width='200px'> Delete </th></tr>";

while($row2 = mysql_fetch_array($result2)){

    $id = $row2['expense_id'];
    $date = $row2['expense_date'];
    $info = $row2['expense_info'];
    $cost = $row2['expense_cost'];
    $type = $row2['payment_type'];

    $delBt = "<a href='DeleteExpense.php?id=$id'> Delete </a>";

    echo "<tr><td width='200px'> $date </td>
        <td width='450px'> $info </td>
        <td width='200px' align='center'> $cost </td>
        <td width='200px' align='center'> $type </td>
        <td width='200px' align='center'> $delBt";

    }
    echo "</tr></table>";

?>

```

ShowInvoice.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])){
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }

?>
<html>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Show Invoice</title>

<?php
    include('Welcome.php');

```

[illegible]

```

@$in_t = $ty . '-' . $tm . '-' . $td;
@$paymentType = $_POST['invoice_paymentType'];

if(isset($_POST['submit'])) {

    if($paymentType == '*'){
        $query1 = "SELECT SUM(invoice_amount) AS total
FROM Invoice, PaymentType
PaymentType.payment_id
WHERE Invoice.invoice_paymentType =
AND invoice_date BETWEEN '$in_f' AND
'$in_t'";
        $query2 = "SELECT * FROM Invoice, PaymentType
WHERE Invoice.invoice_paymentType =
PaymentType.payment_id
AND invoice_date BETWEEN '$in_f' AND
'$in_t'
ORDER BY invoice_date DESC;";
    } else {
        $query1 = "SELECT SUM(invoice_amount) AS total
FROM Invoice, PaymentType
PaymentType.payment_id
WHERE Invoice.invoice_paymentType =
AND invoice_date BETWEEN '$in_f' AND
'$in_t'
AND Invoice.invoice_paymentType =
'$paymentType'";
        $query2 = "SELECT * FROM Invoice, PaymentType
WHERE Invoice.invoice_paymentType =
PaymentType.payment_id
AND invoice_date BETWEEN '$in_f' AND
'$in_t'
AND Invoice.invoice_paymentType =
'$paymentType'
ORDER BY invoice_date DESC;";
    }

    //echo ($query);
    $result1 = mysql_query($query1);
    $row1 = mysql_fetch_assoc($result1);
    $frow = sprintf("%.2f", $row1['total']);

    $result2 = mysql_query($query2);

```

```

        echo("Total from " . $in_f . " to " . $in_t . " is $" . $frow );

        // display
        echo "<table style='margin: 2px auto' border='1'
bordercolor='#FF8000'>
            <tr> <th width='100px'> Date </th>
                <th width='200px'> Cost </th>
                <th width='200px'> Payment Type </th>
                <th width='200px'> Delete </th></tr>
            ";

        while($row2 = mysql_fetch_array($result2)){
            $id = $row2['invoice_id'];
            $date = $row2['invoice_date'];
            $cost = $row2['invoice_amount'];
            $type = $row2['payment_type'];

            $delBt = "<a
href='/ThaiCafeProject/DeleteInvoice.php?id=$id'> Delete </a>";

            echo "<tr><td width='200px'> $date </td>
                <td width='200px' align='center'> $cost </td>
                <td width='200px' align='center'> $type </td>
                <td width='200px' align='center'> $delBt";
        }
        echo "</tr></table>";
    } elseif(isset($_POST['back'])) {
        echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
    } elseif(isset($_POST['all'])) {
        include('ShowAllInvoice.php');
    } elseif(isset($_POST['add'])) {
        echo("<script>location.href=
'/ThaiCafeProject/AddInvoice.php?msg=$msg';</script>");
    }
    ?>
</div>

</body>

<style type="text/css">
    #body{
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;

```

```

        color: black;
        background: #F5D0A9;
        margin: 0 auto;
        padding: 25 25px;
    }
</style>

<?php
    include ('Footer.php');
?>
</html>

```

ShowAllInvoice.php

```

<?php
    include('myConnection.php');

    $query1 = "SELECT SUM(expense_cost) AS total FROM Expense;";
    $query2 = "SELECT * FROM Expense, PaymentType
                WHERE Expense.expense_paymentType =
PaymentType.payment_id
                ORDER BY expense_date DESC;";

    $result1 = mysql_query($query1);
    $row1 = mysql_fetch_assoc($result1);
    $frow = sprintf("%.2f", $row1['total']);

    $result2 = mysql_query($query2);

    echo("Total is $" . $frow);

    echo "<table style='margin: 2px auto' border='1'
bordercolor='#FF8000'>
    <tr> <th width='100px'> Date </th>
    <th width='200px'> Expense Info </th>
    <th width='200px'> Cost </th>
    <th width='200px'> Payment Type </th>
    <th width='200px'> Delete </th></tr>";

    while($row2 = mysql_fetch_array($result2)){
        $id = $row2['expense_id'];
        $date = $row2['expense_date'];
        $info = $row2['expense_info'];
        $cost = $row2['expense_cost'];
    }

```

```

$type = $row2['payment_type'];

$delBt = "<a href='DeleteExpense.php?id=$id'> Delete </a>";

echo "<tr><td width='200px'> $date </td>
      <td width='450px'> $info </td>
      <td width='200px' align='center'> $cost </td>
      <td width='200px' align='center'> $type </td>
      <td width='200px' align='center'> $delBt";

    }

    echo "</tr></table>";

?>

```

ShowAllMenu.php

```

<?php

include('myConnection.php');

$query = "SELECT * FROM Menu";
$result = mysql_query($query);

// display
echo "<table style='margin: 2px auto' border='1' bordercolor='#FF8000'>
      <tr> <th width='450px'> Menu </th>
      <th width='200px'> Meat </th>
      <th width='200px'> Spicy </th>
      <th width='200px'> Price </th></tr>";

while($row = mysql_fetch_array($result)){

    $id = $row['menu_id'];
    $menu = $row['menu_name'];
    $meat = $row['meat_type'];
    $spicy = $row['spicy_level'];
    $price = $row['menu_price'];

    echo "<tr><td width='450px'> $menu </td>
          <td width='200px'> $meat </td>
          <td width='200px' align='center'> $spicy </td>
          <td width='200px' align='center'> $price </td>";

    }

    echo "</tr></table>";

?>

```

ShowAllMenuLogin.php

```
<?php
    include('myConnection.php');

    $query = "SELECT * FROM Menu";
    $result = mysql_query($query);

    // display
    echo "<table style='margin: 2px auto' border='1' bordercolor='#FF8000'>
        <tr> <th width='450px'> Menu </th>
        <th width='200px'> Meat </th>
        <th width='200px'> Spicy </th>
        <th width='200px'> Price </th>
        <th width='200px'> Delete </th></tr>";

    while($row = mysql_fetch_array($result)){

        $id = $row['menu_id'];
        $menu = $row['menu_name'];
        $meat = $row['meat_type'];
        $spicy = $row['spicy_level'];
        $price = $row['menu_price'];
        $delBt = "<a href='DeleteMenu.php?id=$id'> Delete </a>";

        echo "<tr><td width='450px'> $menu </td>
            <td width='200px'> $meat </td>
            <td width='200px' align='center'> $spicy </td>
            <td width='200px' align='center'> $price </td>
            <td width='200px' align='center'> $delBt </td></tr>";
    }

    echo "</tr></table>";
?>
```

SuccessfulAddExpense.php

```
<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])){
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>
```



```

<html>

<?php
    include ('Welcome.php');
?>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Successful Add Expense </title>

<div id="content">
    <div id="text">
        <?php
            echo "Expense has been added!";
        ?>
    </div>

    <form action="/ThaiCafeProject/SuccessfulAddExpense.php"
method="post">

        <input type="submit" name="add" value="Add More Expense"/>
        <input type="submit" name="showExpense" value="Show
Expense"/>

        <input type="submit" name="back" value="Back to Main Menu" />
        <?php
            if(isset($_POST['add'])) {
                echo("<script>location.href=
'/ThaiCafeProject/AddExpense.php?msg=$msg';</script>");
                // header('Location: addExpense.php');
            } elseif (isset($_POST['showExpense'])) {
                echo("<script>location.href=
'/ThaiCafeProject/ShowExpense.php?msg=$msg';</script>");
                //header('Location: showExpense.php');
            } elseif(isset($_POST['back'])) {
                echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
            }
        ?>
    </form>

</div>
</body>

<style type="text/css">
    #content {
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
    }

```

```

        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 10px 10px;
        text-align: center;
    }
    #text {
        padding: 10px;
    }
</style>

```

```

<?php
    include ('Footer.php');
?>
</html>

```

SuccessfulAddInvoice.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])){
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>
<html>

<?php
    include ('Welcome.php');
?>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Successful Add Invoice </title>

<div id="content">
    <div id="text">
        <?php
            echo "Invoice has been added!";
        ?>
    </div>
    <form action="/ThaiCafeProject/SuccessfulAddInvoice.php"
method="post">

```

```

        <input type="submit" name="add" value="Add More Invoice"/>
        <input type="submit" name="showInvoice" value="Show Invoice"/>
        <input type="submit" name="back" value="Back to Main Menu" />
    <?php
        if(isset($_POST['add'])){
            echo("<script>location.href=
'/ThaiCafeProject/AddInvoice.php?msg=$msg';</script>");
        } elseif (isset($_POST['showInvoice'])){
            echo("<script>location.href=
'/ThaiCafeProject/ShowInvoice.php?msg=$msg';</script>");
        } elseif(isset($_POST['back'])){
            echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
        }
    ?>
</form>

</div>
</body>

<style type="text/css">
    #content {
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 10px 10px;
        text-align: center;
    }
    #text {
        padding: 10px;
    }
</style>

<?php
    include ('Footer.php');
?>
</html>

```

[SuccessfulAddMenu.php](#)

```

<?php
    if(!isset($_SESSION)) {

```

```

        session_start();
    }

    if(isset($_SESSION['CurrentUser'])) {
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>
<html>

<?php
    include ('Welcome.php');
?>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Successful Add Menu </title>

<div id="content">
    <div id="text">
        <?php
            echo "New menu has been added!";
        ?>
    </div>

    <form action="/ThaiCafeProject/SuccessfulAddMenu.php"
method="post">

        <input type="submit" name="add" value="Add/Delete More Menu"/>
        <input type="submit" name="showMenu" value="Show Menu"/>
        <input type="submit" name="back" value="Back to Main Menu" />
        <?php
            if(isset($_POST['add'])) {
                echo("<script>location.href=
'/ThaiCafeProject/AddMenu.php?msg=$msg';</script>");
            } elseif (isset($_POST['showMenu'])) {
                echo("<script>location.href=
'/ThaiCafeProject/AddMenu.php?msg=$msg';</script>");
            } elseif(isset($_POST['back'])) {
                echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
            }
        ?>
    </form>

</div>
</body>

```

```

<style type="text/css">
    #content {
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 10px 10px;
        text-align: center;
    }
    #text {
        padding: 10px;
    }
</style>

```

```

<?php
    include ('Footer.php');
?>

</html>

```

SuccessfulDeleteExpense.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])) {
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>

<?php
    include ('Welcome.php');
?>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Successful Delete Expense </title>

<div id="content">
    <div id="text">

```

```

        <?php
            echo "Expense is deleted!";
        ?>
    </div>
    <form action="/ThaiCafeProject/SuccessfulDeleteExpense.php"
method="post">

        <input type="submit" name="add" value="Add More Expense"/>
        <input type="submit" name="showExpense" value="Show
Expense"/>

        <input type="submit" name="back" value="Back to Main Menu" />
        <?php
            if(isset($_POST['add'])){
                echo("<script>location.href=
'/ThaiCafeProject/AddExpense.php?msg=$msg';</script>");
            } elseif (isset($_POST['showExpense'])){
                echo("<script>location.href=
'/ThaiCafeProject/ShowExpense.php?msg=$msg';</script>");
            } elseif(isset($_POST['back'])){
                echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
            }
        ?>
    </form>

</div>
</body>

<style type="text/css">
    #content {
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 10px 10px;
        text-align: center;
    }
    #text {
        padding: 10px;
    }
</style>

<?php
    include ('Footer.php');

```

?>

</html>

SuccessfulDeleteInvoice.php

```
<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])) {
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>
<html>

<?php
    include ('Welcome.php');
?>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Successful Delete Invoice </title>

<div id="content">
    <div id="text">
        <?php
            echo "Invoice is deleted!";
        ?>
    </div>

    <form action="/ThaiCafeProject/SuccessfulDeleteInvoice.php"
method="post">

        <input type="submit" name="add" value="Add Invoice"/>
        <input type="submit" name="showInvoice" value="Show Invoice"/>
        <input type="submit" name="back" value="Back to Main Menu" />
        <?php
            if(isset($_POST['add'])) {
                echo("<script>location.href=
'/ThaiCafeProject/AddInvoice.php?msg=$msg';</script>");
            } elseif (isset($_POST['showInvoice'])) {
                echo("<script>location.href=
'/ThaiCafeProject/ShowInvoice.php?msg=$msg';</script>");
            } elseif(isset($_POST['back'])) {
```

```

                                echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
                                }
                                ?>
                                </form>

</div>
</body>

<style type="text/css">
    #content {
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 10px 10px;
        text-align: center;
    }
    #text {
        padding: 10px;
    }
</style>

<?php
    include ('Footer.php');
?>

</html>

```

SuccessfulDeleteMenu.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }

    if(isset($_SESSION['CurrentUser'])){
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>
<html>

```



```

<?php
    include ('Welcome.php');
?>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Successful Delete Menu </title>

<div id="content">
    <div id="text">
        <?php
            echo "Menu is deleted!";
        ?>
    </div>
    <form action="/ThaiCafeProject/SuccessfulDeleteMenu.php"
method="post">

        <input type="submit" name="add" value="Add/Delete More Menu"/>
        <input type="submit" name="showMenu" value="Show Menu"/>
        <input type="submit" name="back" value="Back to Main Menu" />
        <?php
            if(isset($_POST['add'])){
                echo("<script>location.href=
'/ThaiCafeProject/AddMenu.php?msg=$msg';</script>");
            } elseif (isset($_POST['showMenu'])){
                echo("<script>location.href=
'/ThaiCafeProject/AddMenu.php?msg=$msg';</script>");
            } elseif(isset($_POST['back'])){
                echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogin.php?msg=$msg';</script>");
            }
        ?>
    </form>

</div>
</body>

<style type="text/css">
    #content {
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 10px 10px;
        text-align: center;
    }

```

```

    }
    #text {
        padding: 10px;
    }
</style>

<?php
    include ('Footer.php');
?>

</html>

```

SuccessfulLogin.php

```

<?php
    if(!isset($_SESSION)) {
        session_start();
    }
    if(isset($_SESSION['CurrentUser'])) {
    } else {
        echo("<script>location.href=
'/ThaiCafeProject/Login.php?msg=$msg';</script>");
    }
?>

<?php
    include ('Welcome.php');
?>

<html>
<body bgcolor="#FBF5EF">
<title> Thai Cafe: Employee Login </title>

<div id="content">

    <form action="/ThaiCafeProject/SuccessfulLogin.php"
method="post">

        <b> Main Menu </b><br /><br />
        <input type="submit" name="addExpense" value="Add Expense"
/><br />
        <input type="submit" name="showExpense" value="Show Expense"
/><br />
        <input type="submit" name="addInvoice" value="Add Invoice" /><br
/>
        <input type="submit" name="showInvoice" value="Show Invoice"
/><br />

```

```

        <input type="submit" name="addMenu" value="Add/Delete Menu"
/><br /><br />
        <input type="submit" name="logout" value="Logout" />
    </form>
    <?php
        if(isset($_POST['addExpense'])){
            echo("<script>location.href=
'/ThaiCafeProject/AddExpense.php?msg=$msg';</script>");
            // header('Location: AddExpense.php');
        } elseif (isset($_POST['showExpense'])){
            echo("<script>location.href=
'/ThaiCafeProject/ShowExpense.php?msg=$msg';</script>");
            //header('Location: showExpense.php');
        } elseif (isset($_POST['addInvoice'])){
            echo("<script>location.href=
'/ThaiCafeProject/AddInvoice.php?msg=$msg';</script>");
            // header('Location: addInvoice.php');
        } elseif (isset($_POST['showInvoice'])){
            echo("<script>location.href=
'/ThaiCafeProject/ShowInvoice.php?msg=$msg';</script>");
            // header('Location: showInvoice.php');
        } elseif (isset($_POST['addMenu'])){
            echo("<script>location.href=
'/ThaiCafeProject/AddMenu.php?msg=$msg';</script>");
        } elseif (isset($_POST['logout'])){
            echo("<script>location.href=
'/ThaiCafeProject/SuccessfulLogout.php?msg=$msg';</script>");
        }
    ?>

</div>
</body>

<style type="text/css">
    #content{
        border: 1px solid #FBF5EF;
        background: #F5D0A9;
        font-family: 'Open Sans', sans-serif;
        font-weight: 400;
        font-size: 14px;
        margin: 0 auto;
        padding: 10px 0px;
        text-align: center;
    }
    input {
        width: 20em;

```

```

    }
</style>

<?php
    include ('Footer.php');
?>

</html>

```

SuccessfulLogout.php

```

<?php
    session_start();

    if($_SESSION['CurrentUser']){
        session_destroy();
        echo("<script>location.href=
'/ThaiCafeProject/Home.php?msg=$msg';</script>");
    }
?>

```

DeleteExpense.php

```

<?php
    include ('MyConnection.php');

    $expense_id = $_GET['id'];

    $delquery = "DELETE FROM Expense WHERE expense_id = '$expense_id'";
    mysql_query($delquery)
        or die(mysql_error());

    // redirect
    echo("<script>location.href=
'/ThaiCafeProject/SuccessfulDeleteExpense.php?msg=$msg';</script>");
    //header('Location: SuccessfulAddExpense.php');
?>

```

DeleteInvoice.php

```

<?php
    include ('myConnection.php');

    $invoice_id = $_GET['id'];

    $delquery = "DELETE FROM Invoice WHERE invoice_id = '$invoice_id'";
    mysql_query($delquery)

```

```

                                or die(mysql_error());
        echo("<script>location.href=
'/ThaiCafeProject/SuccessfulDeleteInvoice.php?msg=$msg';</script>");
?>

```

DeleteMenu.php

```

<?php
    include ('MyConnection.php');

    $menu_id = $_GET['id'];

    $delquery = "DELETE FROM Menu WHERE menu_id = '$menu_id'";
    mysql_query($delquery)
                                or die(mysql_error());

    // redirect
    echo("<script>location.href=
'/ThaiCafeProject/SuccessfulDeleteMenu.php?msg=$msg';</script>");
    //header('Location: SuccessfulAddExpense.php');
?>

```

ContactUs.php

```

<html>

<body bgcolor="#FBF5EF">
<title> Thai Cafe: Contact Us </title>
<?php
    include('Welcome.php');
?>
<div id="body">
    <font color="black">
        <b>
            7477 Baltimore Annapolis Blvd
            Glen Burnie, MD 21061 (<a
href="https://www.google.com/maps/place/
            Thai-Gour+Cafe/@39.165755,-
76.624146,16z/data=!4m2!3m1!1s0x89b7
            fcd8d39f1011:0x4dd3a64ff6ad18a5?hl=en">here</a>)
        <br><br>
        Hours: </b>
        Monday to Friday
        11:30 AM to 2:30 PM and
        4:30 PM to 10:00 PM
        <br>
        Saturday

```

```

12:00 PM to 10:00 PM
<br>
Sunday
3:00 PM to 8:30 PM
<br><b>
Call: </b> 410-761-8399, 410-761-5315
</font>
</div>
</body>

<?php
    include('Footer.php');
?>

<style type="text/css">
    #body{
        border: 1px solid #FBF5EF;
        text-align: center;
        font-family: 'Open Sans', sans-serif;
        font-size: 14px;
        background: #F5D0A9;
        height: 25%;
        padding: 100 0px;
    }
</style>
</html>

```