








Brief review





Brief review















```

@prefix exf: <urn:ex/Abs#> .

exf:Abs a rdfs:Class ;
  s231:hasInput exf:x ;
  s231:hasOutput exf:y ;
  rdfs:subClassOf s223:FunctionBlock,
    s231:FunctionBlock .

exf:x a rdf:Property
  rdfs:domain exf:Abs ;
  rdfs:range s223:FunctionInput .

exf:y a rdf:Property ;
  rdfs:domain exf:Abs ;
  rdfs:range s223:FunctionOutput .

_:00001 a s223:FunctionBlock,
  s231:FunctionBlock,
  exf:Abs ;
  s223:hasInput _:00002 ;
  s223:hasOutput _:00003 ;
  exf:x _:00002 ;
  exf:y _:00003 .

_:00002 a s223:FunctionInput,
  s223:Property .

_:00003 a s223:FunctionOutput,
  s223:Property .

```

```

class Add(ElementaryBlock):
    u1: float = 0.0
    u2: float = 0.0
    y: float = 0.0

    def eval(self, now):
        self.y = self.u1 + self.u2

```

```

// add.hpp

struct Add {
    double u1;
    double u2;
    double y;

    Add(void);
    void eval(time_t now);
};

// add.cpp

Add::Add(void) :
    u1(0.0), u2(0.0), y(0.0)
{ }

void Add::eval(time_t now) {
    y = u1 + u2;
}

```

```

@prefix exf: <urn:ex/Abs#> .

exf:Abs a rdfs:Class ;
  s231:hasInput exf:x ;
  s231:hasOutput exf:y ;
  rdfs:subClassOf s223:FunctionBlock,
    s231:FunctionBlock .

exf:x a rdf:Property
  rdfs:domain exf:Abs ;
  rdfs:range s223:FunctionInput .

exf:y a rdf:Property ;
  rdfs:domain exf:Abs ;
  rdfs:range s223:FunctionOutput .

_:00001 a s223:FunctionBlock,
  s231:FunctionBlock,
  exf:Abs ;
  s223:hasInput _:00002 ;
  s223:hasOutput _:00003 ;
  exf:x _:00002 ;
  exf:y _:00003 .

_:00002 a s223:FunctionInput,
  s223:Property .

_:00003 a s223:FunctionOutput,
  s223:Property .

```

```

@prefix exf: <urn:ex/Abs#> .
@prefix exg: <urn:ex/Min#> .

_:00001 a s223:FunctionInput ;
  s223:hasExternalReference [
    bacnet:device-identifier x;
    bacnet:object-identifier y;
    bacnet:property-identifier z;
  ] .

_:00002 a exf:Abs ;
  exf:x _:00001 ;
  exf:y _:00003 .

_:00004 a exg:Min ;
  exg:u1 _:00003 ;
  exg:u2 [ rdf:value 100.0 ] ;
  exg:y _:00005 .

```

```
@prefix exf: <urn:ex/Abs#> .
```

```
exf:Abs a rdfs:Class ;  
  s231:hasInput exf:x ;  
  s231:hasOutput exf:y ;  
  rdfs:subClassOf s223:FunctionBlock,  
    s231:FunctionBlock .
```

```
exf:x a rdf:Property ;  
  rdfs:domain exf:Abs ;  
  rdfs:range s223:FunctionInput .
```

```
exf:y a rdf:Property ;  
  rdfs:domain exf:Abs ;  
  rdfs:range s223:FunctionOutput .
```

```
exf:xShape a sh:NodeShape ;  
  sh:targetObjectsOf exf:x ;  
  sh:property [  
    sh:path qudt:hasQuantityKind ;  
    sh:hasValue qudtqk:Temperature ;  
    sh:minCount 1;  
    sh:maxCount 1;  
  ] .
```