
Figure 2 — candidate D: decision plane

NEW ENCODING. Hero: every one of the 450 cells plotted as its own write against its strongest rival; the diagonal is the ownership boundary. Then the grade funnel, then the dose response. Replaces bars + per-model scatter + dose + cumulative rank.

`fig2-D-decision.pdf  6.32 x 3.85 in  (455 x 277 pt)  shown at true size`




ACL text width 455 pt

Figure 2 — candidate E: unit grid

NEW ENCODING. Hero: the 450 cells themselves, one square each, coloured by the highest grade reached. Then the margin distribution as a raincloud, then the dose response.

fig2-E-units.pdf 6.32 x 4.15 in (455 x 299 pt) shown at true size




ACL text width 455 pt

Figure 2 — candidate B: hero layout

SAME CHARTS, ranked. The grade counts take a tall left panel; the three defending panels sit at the right.

fig2-B-hero.pdf 6.32 x 4.10 in (455 x 295 pt) shown at true size




ACL text width 455 pt

Figure 2 — candidate A: present composition

SAME CHARTS, same 2x2, re-authored at the real width so the page no longer enlarges it by 1.15.

fig2-A-grid.pdf 6.32 x 4.94 in (455 x 356 pt) shown at true size




ACL text width 455 pt

Figure 2 — candidate C: one row

SAME CHARTS in a single row: establish, stratify, stress, compare. Shortest on the page; the bar counts do not fit and are dropped.

fig2-C-row.pdf 6.32 x 2.35 in (455 x 169 pt) shown at true size




ACL text width 455 pt

Figure 4 — candidate C: dumbbells

NEW ENCODING. Per concept, the median own write and the median strongest rival joined, with every checkpoint behind them. Uses all 25 checkpoints instead of the three the heat maps pick.

fig4-C-dumbbell.pdf 6.32 x 2.60 in (455 x 187 pt) shown at true size



ACL text width 455 pt

Figure 4 — candidate B: paired matrices

SAME ENCODING, paired. The two checkpoints measured on both datasets, chest then COCO side by side. The present grid puts different checkpoints in the same column.

fig4-B-paired.pdf 6.32 x 2.82 in (455 x 203 pt) shown at true size




Figure 4 — candidate A: present six matrices

SAME ENCODING, re-authored at the real width; the cells grow with the canvas.

fig4-A-six.pdf 6.32 x 5.52 in (455 x 397 pt) shown at true size




ACL text width 455 pt

Figure 5 — candidate B: values outlined

The ceiling hatch runs under the values; an outline that follows the text colour lets a digit read over it.

fig5-B-halo.pdf 6.32 x 2.95 in (455 x 212 pt) shown at true size




ACL text width 455 pt

Figure 5 — candidate A: present encoding

Re-authored at the real width. The hatch still crosses the digits.

fig5-A-reader.pdf 6.32 x 2.95 in (455 x 212 pt) shown at true size




ACL text width 455 pt

Figure 6 — candidate B: one scale

All three ladders on one y scale, so the panels can be compared. The chest effects stay visibly small.

fig6-B-shared.pdf 6.32 x 3.39 in (455 x 244 pt) shown at true size




ACL text width 455 pt

Figure 6 — candidate A: a scale per panel

Present behaviour, re-authored at the real width. Each panel uses its own range.

`fig6-A-perpanel.pdf  6.32 x 3.39 in  (455 x 244 pt)  shown at true size`




ACL text width 455 pt

Figure 7 — candidate A: the flow

Re-authored at the real width.

`fig7-A-flow.pdf  6.32 x 3.79 in  (455 x 273 pt)  shown at true size`




ACL text width 455 pt

Figure A1 — candidate A: median matrices

Re-authored at the real width. Shows the same aggregate as Figure 7, in a different encoding.

figA1-A-median.pdf 6.32 x 3.21 in (455 x 231 pt) shown at true size




ACL text width 455 pt

Figures 7 + A1 — candidate M: merged

The flow and the median matrix in one figure; the appendix carries one figure fewer.

`fig7A1-M-merged.pdf  6.32 x 6.25 in  (455 x 450 pt)  shown at true size`




ACL text width 455 pt

Figure 3 — candidate A: the two examples

Re-authored at the real width.

`fig3-A-example.pdf  6.32 x 4.21 in  (455 x 303 pt)  shown at true size`



ACL text width 455 pt