Figure candidates at CVPR print size

Preview for the authors (not manuscript text)




Figure 1. Candidate T-A (teaser, one column, 83.3 mm). Majority minus mean reader accuracy against the readers' error correlation ϕ for all 108 nine-reader panels on yes/no items; curves, beta-binomial prediction at mean reader accuracy 60%, 75%, 90%; top axis, $N_{\text{eff}} = 9/(1+8\phi)$.




Figure 2. Candidate Fig. 5 (one column). (a) SLAKE-target: target minus control occlusion flip rate. (b) SLAKE-pairs: both answers of a pair correct.




Figure 3. Candidate T-B (teaser, full width, 174.6 mm). (a) Observed against beta-binomial predicted majority accuracy. (b) As T-A.




Figure 4. Candidate Fig. 3 (full width). (a) Independent and discussion panels of 9 minus the single reader. (b) The independent-panel difference split into mean panel reader minus single reader (Readers) and majority minus mean panel reader (Majority vote). (c) ϕ in round 0 and after discussion; top axis N_{eff}.




Figure 5. Candidate Fig. 4 (full width). (a) Single-reader accuracy with the original and the gray image; dashed, chance. (b) ϕ with each image. (c) Reader answers cross-tabulated by correctness with the original and the gray image. (d) Consensus errors whose majority answer is the gray-image majority answer; n, consensus errors.




Figure 6. Candidate Fig. 6 (full width). (a) Mean reader accuracy when each reader reads its own question-blind findings report from the column's perceiver, or the image. (b) ϕ of the 9 readers: image, own report, shared report.




Figure 7. Candidate Fig. 7 (one column). Change in ϕ when two readers of one model do not share the named component (matched within-model contrasts).




Figure 8. Candidate Fig. 8 (one column). Readers correct in round 0 and wrong after discussion, (a) by round-0 minority or majority, (b) by whether the round-0 answer differed from the same reader's gray-image answer.