

Figure candidates, round 2

Print size: one-column figures at the CVPR `\columnwidth` (83.3 mm), full-width figures at `\textwidth` (174.6 mm). Codes (1A, 3B, ...) match the message.


Fig. 1 (teaser): why nine agents are worth fewer than two




1A Voting gain against error correlation; beta-binomial curves; top axis N_{eff}.




1B Phase diagram: predicted voting gain over mean agent accuracy and ϕ; the 108 systems sit in the near-zero band.



1C Unit chart: nine agents per row, filled area = N_{eff}.




1D Correct agents per item (0 to 9): observed U shape against independent agents (binomial) and the beta-binomial with the observed ϕ.




1E Observed against predicted majority accuracy, with 1A.

Fig. 3: multi-agent gain and debate




3A Forest: gain, gain split, ϕ initial/final with N_{eff}.




3B Slope chart: single agent, Independent and Decentralized accuracy.

Fig. 4: the language prior




4A Forest and diverging bars: accuracy and ϕ with blank images, answer cross-tabulation, shared wrong answers.




4B Alluvial grid: correctness with the original image to correctness with the blank image.


Fig. 5: where the agents look



5A Forest: occlusion sensitivity and pair accuracy.




5B Scatter with 95% CI crosshairs: occlusion sensitivity against pair accuracy.




5C Qualitative: the occluded images as sent to the models, and a pair with opposite reference answers.


Fig. 6: perception and reasoning



6A Heat map of accuracy by perception and reasoning module; ϕ by report condition.




6B Bubble matrices: accuracy change from reading another module's report instead of the image.




6C Qualitative: one image, three query-agnostic reports (verbatim excerpts), and how many reasoning agents answer correctly from each.

Fig. 7: what makes two agents err together




7A Dot ladder of matched contrasts.




Circles: $|\Delta\phi|$, mean over models; rank 1 = largest reduction

7B Bump chart: rank of each component across data sets.

Fig. 8: conformity in debate



8A Forest: conformity by minority/majority and by blank-image agreement.



8B Alluvial: every answer from its initial to its final state, summed over models.