

Skipily Shop Integration – Basics (please read first)

These guides show you how to connect your existing online shop or your inventory/ERP system to **Skipily** – **without any coding**.

There are separate step-by-step guides:

- `01-WooCommerce.md`
 - `02-Shopify.md`
 - `03-0doo-ERP.md`
-

What actually gets connected? (in plain words)

Think of Skipily as a **marketplace on a map** where boat owners find businesses and products. For your shop to take part, two systems exchange data automatically – in **two directions**:

1. **Your products** → **Skipily** (so customers can find them) Whenever you create or change a product, it is "reported" to Skipily.
2. **Orders** ↔ **back**
 - **Skipily** → **your system**: When someone buys from you via Skipily, you instantly receive an order (via a **webhook**).
 - **Your system** → **Skipily**: When you ship, you report the **status + tracking number** back, so the customer can see the shipment.

Two technical terms – simply explained:

- **API** = a "power socket" at Skipily into which your system can push data (products) or pull data (orders).
- **Webhook** = a "doorbell". When something happens (e.g. a new order), Skipily automatically rings the bell at your system – you don't have to keep checking.

To connect everything we use a **no-code tool** as a "translator" between the systems: [Make.com](#) (the free plan is enough to start; alternative: Zapier). You click the connection together instead of programming it.

What you need ONCE (same for all guides)

1. **Your Skipily API key** (identifies your business)

- Sign in at <https://provider.skipily.app>
- Open **Settings** → **Integrations / API** → **Show/Create API key**
- It looks like a long string. **Keep it secret** (like a password).
- *Can't find the section?* → a short email to support@skipily.app and we'll enable it (requires the **Pro/Enterprise plan** or manual activation).

2. **The Skipily addresses** (you'll enter these later – collected here once):

Purpose	Address (URL)	Method
Create product	<code>https://vcjwlyqkfkszumdrfvtn.supabase.co/functions/v1/products-api</code>	POST
Update product	<code>.../products-api?id=PRODUCT-ID</code>	PUT
Fetch orders	<code>.../functions/v1/orders-api</code>	GET
Report shipment/tracking	<code>.../orders-api?id=ORDER-ID</code>	PUT

3. **Two "headers"** sent with EVERY call. Copy them 1:1 into Make/Zapier later:

```
Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSIsInJlZiOi6InZjandseXFrZmtzenVtZSJmdnRtIiwicm9sZSI6ImFub24iLCJpYXQiOi0jE3NjknMDQ4NTksImV4cCI6ImjA4NDY4MDg1OX0.V0lhRdvShU325xG18SSSTWdFfGEdeyX-7CAovE2vesQ
x-api-key: YOUR-SKIPILY-API-KEY
Content-Type: application/json
```

- The **Authorization** value is **public** and the same for everyone (the "door opener" to the Skipily gate).
- The **x-api-key** is **YOUR secret key** from step 1 (tells Skipily who you are).

Skipily product fields (which data moves over)

When creating/updating a product you can send these fields (all optional except **name**):

Skipily field	Meaning	Example
name	Product name (required)	"Impeller Jabsco 1210-0001"
sku	your item number	"IMP-1210"
part_number	part/manufacturer number	"1210-0001"
manufacturer	manufacturer	"Jabsco"
price	price (number)	24.90
currency	currency	"EUR"
stock_quantity	stock level	45
in_stock	available? (true/false)	true
shipping_cost	shipping cost	4.90
delivery_days	delivery time in days	3
ean	EAN/barcode	"400123..."
weight_kg	weight	0.3
description	description	"Original impeller ..."

Remember the **Skipily product ID** returned when creating (field `id`) – you need it to **update** later (PUT).

Orders: status & feedback

- **Order status** at Skipily: `pending` → `confirmed` → `shipped` → `delivered` (or `cancelled`).
- **Report shipment** (PUT `orders-api?id=...`), example content:

```
{ "status": "shipped", "tracking_number": "00340123...", "tracking_url": "https://..." }
```

Shortcut: import ready-made templates (blueprints)

Is there a ready-made Make template for Skipily? Not in the public template gallery (<https://www.make.com/en/templates>) yet – there you only find templates between well-known app pairs (e.g. "WooCommerce → Google Sheets"). Skipily is connected via the universal **HTTP module**, for which there is no gallery template.

However: Make can import ready-made scenarios as a file – so-called **blueprints**. We provide three ready Skipily blueprints (in the `blueprints/` folder next to this guide – or on request from support@skipily.app):

File	What it prepares
skipily-create-product.json	Part A – Skipily call "create product" (URL, headers, body ready)
skipily-receive-order.json	Part B – webhook that receives Skipily orders
skipily-report-shipment.json	Part C – Skipily call "report shipment + tracking"

How to import a blueprint (takes 1 minute):

1. In Make.com: **"Create a new scenario"**.
2. In the bottom toolbar click the **three dots "... (More)"** → **"Import Blueprint"** → choose the JSON file → **Save**.
3. Then just adjust **3 things** (also written as a note right on the module):
 - In the HTTP module, replace the placeholder for the `x-api-key` header with **your** Skipily API key.
 - **Add your shop module before/after** (e.g. "WooCommerce → Watch Products" before, or "Shopify → Create an Order" after – see the respective detail guide, Part A/B/C).
 - In the body, replace the `HERE-...` placeholders with the **fields of your shop** (by clicking the coloured "chips").

The import saves you typing the URL, headers and JSON skeleton – the detail guides still apply for connecting to your shop system.

The common thread (applies to all three systems)

1. **Get the API key** (above).
2. **Create a Make.com account** (free).
3. **Products → Skipily:** In Make build a "scenario": *trigger = new/changed product in your shop → action = call the Skipily API (products-api)*.
4. **Orders ← Skipily:** A second scenario in Make: *trigger = Skipily webhook (new order) → action = create the order in your shop/ERP*.
5. **Shipment → Skipily:** A third scenario: *trigger = shipment created → action = Skipily API `orders-api` (status "shipped" + tracking)*.
6. **Test** with a test product and a test order.

The three detail guides walk you through exactly these steps **click by click** for your system.

Important: Treat the `x-api-key` like a password. Anyone who has it can create products in your name. Don't share it by email/chat, don't show it in screenshots.