

Connect Shopify ↔ Skipily (step by step)

Prerequisite: First read `00-Skipily-Integration-Basics.md` and have your **Skipily API key** ready. You need a Shopify login with owner/admin rights.

We connect both via the free no-code tool **Make.com** – all by clicking, no programming.

 **Shortcut – ready-made template:** A finished Make template "Shopify ↔ Skipily" does not exist in the public gallery (yet), but we provide **importable blueprints** (folder `blueprints/`) that pre-fill the entire Skipily part (URL, headers, JSON): `skipily-create-product.json` (Part A), `skipily-receive-order.json` (Part B), `skipily-report-shipment.json` (Part C). **Import:** New scenario → bottom "..."
(More) → **"Import Blueprint"** → choose file. After that you only need to insert your `x-api-key`, add the Shopify module and map the fields – exactly what Parts A–C show.

What works in the end:

- New/changed product in Shopify → automatically appears on Skipily.
- Order on Skipily → automatically lands in Shopify.
- Shipment in Shopify (fulfillment) → status + tracking number go back to Skipily.

Allow **about 45 minutes**.

Part 0 – Preparation (10 min)

1. **Create a Make.com account:** <https://www.make.com> → "Get started free".
 2. Have your **Skipily API key** from the provider portal ready (see Basics).
 3. Make prepares the Shopify connection itself – you need to create **nothing** manually in Shopify. On the first Shopify module you are redirected to your shop and click **"Install"** to allow Make to read/write products and orders. (Have your **shop address** ready, e.g. `your-shop.myshopify.com`.)
-

Part A – Send products from Shopify to Skipily (15 min)

Goal: New/changed product in Shopify → automatically on Skipily.

1. In **Make.com** → **"Create a new scenario"** (top right).
2. Click **"+"** → search **"Shopify"** → module **"Watch Products"**.

- **"Add"** at Connection → enter shop address → **install/confirm** in Shopify.
 - For "Watch" choose **"Created or updated"**.
3. Next to it click **"+"** → **"HTTP"** → **"Make a request"** (the Skipily call):
- **URL:** `https://vcjwlyqkfkszumdrfvtn.supabase.co/functions/v1/products-api`
 - **Method:** `POST`
 - **Headers** (each "Add item"):
 - `Authorization` → `Bearer eyJhbGci...` (public value from the Basics)
 - `x-api-key` → **your Skipily API key**
 - `Content-Type` → `application/json`
 - **Body type:** `Raw` → **JSON (application/json)**
 - **Request content** (insert Shopify fields by clicking – the coloured "chips"):

```
{
  "name": "{{Title from Shopify}}",
  "sku": "{{Variant SKU from Shopify}}",
  "price": "{{Variant Price from Shopify}}",
  "currency": "EUR",
  "stock_quantity": "{{Inventory Quantity from Shopify}}",
  "in_stock": true,
  "description": "{{Body HTML / description from Shopify}}"
}
```

- 4. **Save** → **"Run once"** → create a test product in Shopify → scenario runs green → product appears on Skipily.
- 5. Bottom left, turn **"Scheduling" ON** (e.g. every 15 min).

Tip – keep changes clean: Store the `id` returned by Skipily per product (e.g. as a Shopify "metafield"). For later updates, use **PUT** on `.../products-api?id=THE-ID`. For the start, plain creation is enough.

Part B – Create Skipily orders in Shopify (12 min)

Goal: purchase via Skipily → order automatically in Shopify. Skipily "rings" via **webhook** at a Make address.

1. **New scenario** in Make.
2. First module **"Webhooks"** → **"Custom webhook"** → **"Add"** → name `Skipily orders` → **copy the URL**.

3. Store this URL in Skipily: **Provider portal** → **Settings** → **Integrations** → **"Webhook URL for orders"** → paste → save. (No field? URL to support@skipily.app – we'll enter it.)
4. Second module **"Shopify"** → **"Create an Order"**. Map the Skipily webhook fields (customer, items by SKU, quantity, price, shipping address).
5. **Save + Scheduling ON.**
6. **Test:** trigger a test order on Skipily → appears in Shopify.

Remember the Skipily order ID (`order_id` / `order_number` from the webhook) – store it as a Shopify "note" or "metafield" on the order. You need it in Part C.

Part C – Report shipment & tracking back to Skipily (10 min)

Goal: When you ship in Shopify (fulfillment with tracking), the customer sees "shipped" + tracking number on Skipily.

1. **New scenario** in Make.
2. First module **"Shopify"** → **"Watch Fulfillments"** (or "Watch Orders" filtered on completed shipments).
3. Second module **"HTTP"** → **"Make a request"**:
 - **URL:** `https://vcjwlyqkfkszumdrfvtn.supabase.co/functions/v1/orders-api?id={{Skipily order ID}}`
 - **Method:** `PUT`
 - **Headers:** the same three as in Part A.
 - **Body** → **Raw** → **JSON:**

```
{
  "status": "shipped",
  "tracking_number": "{{Tracking Number from Shopify}}",
  "tracking_url": "{{Tracking URL from Shopify}}"
}
```

4. **Save, Run once** (create a fulfillment), then **Scheduling ON.**

Done! Quick check

- ☐ Test product in Shopify → appears on Skipily (Part A)
- ☐ Test order on Skipily → appears in Shopify (Part B)

- ☐ Fulfillment in Shopify → Skipily shows "shipped" + tracking (Part C)

If something goes wrong

- **"401/403"**: `x-api-key` or `Authorization` value wrong/shifted – copy exactly again.
- **"400 – name required"**: the `name` field in the body is empty → re-map Shopify "Title".
- **Order without items**: in Shopify the **SKU** must match the product – map items via SKU.
- **Nothing runs: Scheduling ON?** Scenario active (green) in Make?
- **Help**: support@skipily.app (ideally with a screenshot of the Make error).