s to let yt-dlp extract it from your browser (say, Chrome) using `--cookies-from-browser` r config in location `~/.config/google-chrome`. In case you install Chrome using Flatpak, `p/com.google.Chrome`. To pass the cookies from this location use `--cookies-from-google-chrome/`

es, use the `--cookies` option, for example: `--cookies /path/to/cookies/file.txt`.

ext file without any third-party software by using yt-dlp's `--cookies-from-browser` `cookies` option, for example: `yt-dlp --cookies-from-browser chrome --cookies` he browser cookies and save them to the filepath specified after `--cookies`. The resulting `--cookies` option. Note though that this method exports your browser's cookies for ALL yt-dlp), so take care in not letting this text file fall into the wrong hands.

owser extension for exporting cookies, such as Get cookies.txt LOCALLY for Chrome or browser extension, be careful about what you install. If you had previously installed the) Chrome extension, it's recommended to uninstall it immediately; it has been reported as hrome Web Store.

in Mozilla/Netscape format and the first line of the cookies file must be either `# HTTP Cookie File`. Make sure you have correct newline format in the cookies file and convert nd with your OS, namely `CRLF` (`\r\n`) for Windows and `LF` (`\n`) for Unix and Unix-like `TP Error 400: Bad Request` when using `--cookies` is a good sign of invalid newline

media player?

stream media to stdout with `-o -`, and also tell your media player to read from stdin (it ing) and then pipe former to latter. For example, streaming to VLC can be achieved with:

```
tube.com/watch?v=BaW_jenozKcj" | vlc -
```