

Table of Content


Note

Index and Notes



www.t-firefly.com

Title: INDEX	
File: MB-JD4-RV1126-1109	REV: V0.0
Create Date: Thursday, September 24, 2020	Page Num: 1
Modify Date: Monday, May 31, 2021	Page Total: 17



www.t-firefly.com

Title:	
File: MB-JD4-RV1126-1109	REV: V0.0
Create Date: Thursday, September 24, 2020	Page Num: 2
Modify Date: Monday, May 31, 2021	Page Total: 17

I2C MAP

Port	Pin Name	Domain	Bus Name	Pull-up voltage	Slave Device	Slave Addr (MS 7Bits)	Slave Bus Capability	Note
I2C0	I2C0_SCL/GPIO0_B4_u I2C0_SDA/GPIO0_B5_u	PMUI01	I2C0_SCL_PMIC I2C0_SDA_PMIC	VCC3V3_SYS	RK809-2	0x20		PMIC
I2C1	I2C1_SCL/UART4_CTSN_M2/GPIO1_D3_u I2C1_SDA/UART4_RTSN_M2/GPIO1_D2_u	VCCIO4	I2C1_SCL I2C1_SDA	VCC1V8_D0VDD	IMX323	0X1a		CIF camera
					IMX327	0x34		MIPI camera



www.t-firefly.com

Title:	
File: MB-JD4-RV1126-1109	REV: V0.0
Create Date: Thursday, September 24, 2020	Page Num: 3
Modify Date: Monday, May 31, 2021	Page Total: 17

IO Power Domain Map

IO Domain	IO Group	Support of IO Voltage		Default Actual assigned IO Domain Voltage			Notes
		1.8V	3.3V	Net Name of Power Supply	Power Source	Voltage	
PMUIO0	GPIO0A	✓	✓	VCC1V8_PMU	RK809-2_LDO2	1.8V	
PMUIO1	GPIO0BC	✓	✓	VCC3V3_SYS	RK809-2_BUCK4	3.3V	
VCCIO1	GPIO0CD/GPIO1A	✓	✓	VCCIO_FLASH	RK809-2_LDO4	1.8V	GPIO0_B3/FLASH_VOL_SEL pin defined as a set pin for VCCIO1 voltage.
VCCIO2	GPIO1AB	✓	✓	VCCIO_SD	RK809-2_LDO8	3.3V	
VCCIO3	GPIO1BCD	✓	✓	VCCIO3_VDD	RK809-2_LDO4	1.8V	
VCCIO4	GPIO1D/GPIO2A	✓	✓	VCCIO4_VDD	RK809-2_LDO4	1.8V	
VCCIO5	GPIO2ABCD/GPIO3A	✓	✓	VCCIO5_VDD	RK809-2_SWOUT2	3.3V	
VCCIO6	GPIO3ABC	✓	✓	VCCIO6_VDD	RK809-2_LDO4	1.8V	
VCCIO7	GPIO3D/GPIO4A	✓	✓	VCCIO7_VDD	RK809-2_LDO4	1.8V	



www.t-firefly.com

Title:

File: MB-JD4-RV1126-1109

REV: V0.0



Create Date: Thursday, September 24, 2020

Page Num: 4

Modify Date: Monday, May 31, 2021

Page Total: 17

Rockchip Confidential



www.t-firefly.com

File: MB-JD4-RV1126-1109

REV: V0.0

Create Date: Thursday, September 24, 2020

Page Num: 6

Modify Date:	Monday, May 31, 2021
--------------	----------------------

Page Total: 17

WIFI/WIFI ac/BT MODULE



	Option2	Y1	Default:AP6255 Note: YES:框内要贴 NO:框内不贴
AP6255	Yes@SDIO2.0 No@SDIO3.0	37.4MHz	
AP6212A	NO	26MHz	

WIFI晶体的负载电容，依据选择的物料而定，达到最佳的频偏，20ppm之内，18pF不是固定值。

Note:VBAT电压范围3.0V~4.8V,
供电电流至少400mA

具体产品，天线按实际需求更换；

50 Ohm RF trace



www.t-firefly.com

Title: WIFI-AP6212A/AP6255


File: MB-JD4-RV1126-1109

REV: V0.1


Create Date:	Thursday, September 24, 2020
Modify Date:	Monday, May 31, 2021

Page Total: 17


TF CARD





USB2.0 HUB1








Option: Gang Mode Poly Fuse



OVCUR# pin for port configuration:
 Pulled-high to enable port;
 pulled-down to disable port;
 floating to set non-removable port.




10/100/1000M RMII ETHERNET




```
CFG_EXT=1:Use the external power source for the IO pad.
CFG_LDO1=1, CFG_LDO0=0: IO pad 1.8V
CFG_LDO1=0,CFG_LDO0=0: IO pad 3.3V
```


RGMII Power Source	CFG EXT	CFG LDO[1:0]
External 3.3V(default)	1'b1	2'b00
External 1.8V	1'b1	2'b10
Internal 1.8V	1'b0	2'b10




VCCIO_PHY Voltage Config





PHY Address Config







Pull-up for additional 2ns delay to TXC for data latching



Pull-up to disable PLL @ ALDPS mode




OPTION:GPHY




www.t-firefly.com

Title: Ethernet-GEPHY+POE	
File: MB-JD4-RV1128-1109	REV: V0.0
Create Date: Friday, September 25, 2020	Page Num: 11
Modify Date: Monday, May 31, 2021	Page Total: 17


DEBUG




RTC_BAT



LED










KEY






MIPI CSI

EXTENSION



MIPI DSI



www.t-firefly.com

Title: MIPIDSI

File: MB-JD4-RV1126-1109

REV: V0.1


Create Date:

Page Num: 15

Modify Date: Monday, May 31, 2021

Page Total: 17

Earphone



www.t-firefly.com

Title: AUDIO		
Create Date:	Page Num: 16	REV: V0.1
Modify Date: Monday, May 31, 2021	Page Total: 17	

