


ELIS v1.0.0 - Overview Document



Change Control

Modification	Details
Version 1.0.0	
Initial version	

TABLE OF CONTENTS

1. ACRONYMS	5
2. INTRODUCTION	6
3. CONTEXT	6
4. POPULATION PROCESS	8
4.1. Selection	8
4.2. Association of specifications to ABBs	11
5. THE DCAT-AP EXPRESSION OF THE ELIS CATALOGUE	11
5.1. The DCAT-AP representation of the EIRA CISSV-AP	11
6. ELIS V1.0.0 BETA	17
6.1. Excel version:.....	17
6.2. DCAT-AP version:.....	17
7. REFERENCES	18
8. ANNEX 1: DCAT-AP DOCUMENTATION	19
8.1. Query 1: List all the Records (entries) of the ELIS Catalogue.....	19
8.2. Query 2: List all the Interoperability Specification Configurations of one CISSV Interoperability Specification.....	19
8.3. Query 3: List all the EIRA ABBs of one CISSV Interoperability Specification	19
8.4. Query 4: List all the interoperability specifications and the Configuration Components Types	19
8.5. Code list “CISSV Entity Type”	20
8.6. Code list “Interoperability Specification Domain Type”	20
8.7. Code list “MIMEType”	20
8.8. EIRA v3.0.0	20

TABLE OF FIGURES

Figure 1: Mapping the EIRA CISSV-AP into DCAT-AP	12
Figure 2: ESPD ELIS DCAT-AP expression.....	13
Figure 3: Query 1 - Interoperability specifications.....	14
Figure 4: Query 2 - Interoperability Specification Configurations	15
Figure 5: Query 3 - EIRA ABBs of one Interoperability Specification.....	15
Figure 6: Query 4 – Configuration Component Types	16

TABLE OF TABLES

Table 1: EIRA interoperability specifications per view	7
Table 2: Sources of specifications	10

1. ACRONYMS

ABB	Architecture Building Block
CISSV	Core Interoperability Standards and Specifications Vocabulary
CLIS	CarTool Library of Interoperability Specifications
DCAT-AP	Data Catalog Vocabulary Application Profile
EIRA	European Interoperability Reference Architecture
EIRA CISSV-AP	EIRA Core Interoperability Standards and Specifications Vocabulary Application Profile
ELIS	EIRA Library of Interoperability Specifications
ESPD	European Single Procurement Document
RDF	Resource Description Framework
SKOS	Simple Knowledge Organisation System
SPARQL	SPARQL Protocol and RDF Query Language
Turtle	Terse RDF Triple Language

2. INTRODUCTION

This document represents one of the deliverables requested within TASK 03 of the current contract. It contains the following elements:

- A description of the context in which the EIRA Library of Interoperability Specifications (ELIS) has been developed.
- A description of the analysis performed prior to the population of the ELIS.
- A description of the process for the expression of the ELIS using the Data Catalogue Vocabulary Application Profile (DCAT-AP).
- The Microsoft Excel and DCAT-AP versions of the ELIS.

The ELIS is a library containing the standards and specifications defining the interoperability aspects of the architectural building blocks (ABBs) contained in the European Interoperability Reference Architecture (EIRA). The aim of this library is supporting solutions architects when modelling using EIRA.

For its development, the Cartool Library of Interoperability specifications (CLIS) was used as inspiration. While the CLIS is a library containing very basic information of only technical and semantic interoperability specifications, the ELIS includes much more detailed information of the specifications covering all the EIRA views (including legal and organisational) and, once implemented by a modelling tool, will provide more functionalities than the CLIS, too.

“The ELIS is a modelling tool-agnostic but not architecture-agnostic library of interoperability specifications”

In the following sections, the context in which the ELIS has been developed is explained, as well as the criteria and methodology followed for the inclusion of specifications in it, and the way it will be expressed using DCAT-AP.

3. CONTEXT

The ISA² programme of the European Commission supports the development of solutions that enable the cross-border delivery of interoperable public services in Europe. In order to ensure the interoperability of those services, the EIA action works as an integrator between the Member States and other departments of the European Commission for the development of a joint interoperability architecture for public services. The main output of this action is the European Interoperability Reference Architecture (EIRA[©]), which implements the European Interoperability Framework (EIF) in the Legal, Organisational, Semantic and Technical (LOST) views of interoperability.

EIRA introduces the concept of “interoperability specification” and defines it as “a document containing agreed normative statements for Solution Building Blocks used in an information exchange context. They

can refer to existing standards or specifications”¹. Additionally, interoperability specifications cover the four levels of interoperability defined in EIRA.

The following table defines the interoperability specifications used in [EIRA](#) per view:

Interoperability specification	Description
Legal interoperability specifications	Legal interoperability covers the broader environment of laws, policies, procedures and cooperation agreements needed to allow the seamless exchange of information between different organizations, regions and countries. Legal interoperability specifications support interoperability by addressing the core legal interoperability background for solutions
Organisational interoperability specifications	<p>This aspect of interoperability is concerned with how organisations, such as public administrations in different Member States, cooperate to achieve their mutually agreed goals. In practice, organisational interoperability implies integrating business processes and related data exchange. Organisational interoperability also aims to meet the requirements of the user community by making services available, easily identifiable, accessible and user-focused.</p> <p>Organisation interoperability specifications support</p>
Semantic interoperability specification	<p>Semantic interoperability enables organizations to process information from external sources in a meaningful manner. It ensures that the precise meaning of exchanged information is understood and preserved throughout exchanges between parties. In the context of the EIF, semantic interoperability encompasses the following aspects:</p> <ul style="list-style-type: none">- Semantic interoperability which is about the meaning of data elements and the relationship between them. It includes developing vocabulary to describe data exchanges, and ensures that data elements are understood in the same way by communicating parties- Syntactic interoperability which is about describing the exact format of the information to be exchanged in terms of grammar, format and schemas
Technical interoperability specification	Technical interoperability specifications support technical interoperability, at the infrastructure level, by addressing the core technical infrastructure interoperability background for solutions

Table 1: EIRA interoperability specifications per view

As an element of the EIRA©, the ELIS provides a set of interoperability specifications that can be used to define the different interoperability aspects of European public services. The ELIS will constitute a tool for

¹https://joinup.ec.europa.eu/sites/default/files/document/2017-01/how_does_eira_support_interoperability_v1_0_0.pdf

supporting architects on the process of modelling public services using EIRA, as it defines the interoperability aspects of the ABBs contained in it.

Additionally, it will also allow them, once implemented in a modelling tool, to work simultaneously with other local libraries, allowing the description of the interoperability of the building blocks of any other architecture with the specifications contained in the ELIS.

4. POPULATION PROCESS

The process through which the ELIS was populated with specifications consisted of the following steps:

- Selection of specifications
- Association of the selected specifications with the corresponding EIRA ABBs
- Research for additional information required within the EIRA CSSIV-AP (BETA), defined in the document “D03.02_Requirements for the Cartool Library of interoperability specifications”.

4.1. Selection

Certain sources of specifications have been identified as reusable for the population of the ELIS. These sources are considered trusted sources of information, and therefore the specifications extracted from them are considered sufficiently mature to be included in the European Library of Interoperability Specifications.

The table below lists the sources of specifications considered for the population of the ELIS:

Source	Description
Advice from experts	Experts in a domain covered by an EIRA ABB may be consulted for the provision of relevant specifications.
CAMSS List of standards	List of the specifications recommended by the member states. A specification recommended by 2 Member states is considered having sufficient interest for its inclusion in the ELIS. ²
Cartool Library of Interoperability specifications (CLIS)	Previous version of the ELIS, the CLIS is a library of interoperability specifications used in the Cartool to support architects when modelling solutions.

²<https://joinup.ec.europa.eu/collection/common-assessment-method-standards-and-specifications-camss/camss-list-standards>

CEF Technical specifications	The CEF building blocks offer basic capabilities that can be used in any European project to facilitate the delivery of digital public services across borders. ³ For each building block, there is a layer of technical specifications and standards that have to be complied with.
EIRA Solution Architecture Templates (SATs).⁴	<p>A Solution Architecture Template (SAT) is a specification extending the EIRA© providing support to solution architects in a specific solution domain in the form of a template that can be used to design related solutions. A SAT contains the following elements:</p> <ul style="list-style-type: none"> - A motivation in the form of principles and requirements. - A goal and a description of the supported functionalities. - A sub-set of the EIRA© core Architecture Building Blocks (ABBs) covering the four EIF layers. - A set of specific ABBs extending EIRA©'s views enabling specific functionalities to be provided by implementations derived from the SAT. - The interoperability specifications of selected ABBs and a narrative for each EIRA© view.
European Catalogue of ICT specifications for procurement (EUCat)	List of standards and technical specifications from the information and communication technologies (ICT) domain to be used in procurement. This list contains only standards and technical specifications which were selected against specific rules assessing the compliance with trade agreements and the EU regulation. It was based on national catalogues established by Member States and was submitted to public consultation. ⁵
European Interoperability Cartography (EIC)	At European level, the European interoperability cartography (EIC), available via the Joinup platform, is a valuable tool for identifying reusable interoperability solutions.
European Standards	Standard adopted by a European Standardization organization. ⁶ (CEN, CENELEC or ETSI).

³ <https://ec.europa.eu/cefdigital/wiki/display/CEFDIGITAL/What+is+a+building+Block>

⁴ <https://joinup.ec.europa.eu/collection/european-interoperability-reference-architecture-eira/about#SAT>

⁵ <https://joinup.ec.europa.eu/news/eu-catalogue-ict-standards>

⁶ <https://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2012:316:0012:0033:EN:PDF>

ICT Technical specifications identified by commission decision to be eligible for referencing in procurement⁷	The rules on European standardization allow the European Commission (EC) to identify ICT technical specifications - that are not national, European or international standards - to be eligible for referencing in public procurement. This allows public authorities to make use of the full range of specifications when buying IT hardware, software and services, allowing for more competition in the field and reducing the risk of lock-in to proprietary systems. Prior to their identification by the EC, these specifications must be assessed by the Multi Stakeholder Platform (MSP), which is an advisory body of the EC. The tool used by the MSP for the assessment of these specifications is CAMSS.
International standards	Standards adopted by an international standardization body (e.g. ISO ⁸)
Technical specifications assessed through CAMSSaaS⁹	CAMSS-as-a-Service consists of a service which aims at assessing standards and specifications on demand through the use of CAMSS Tools. The author of the assessments is the CAMSS Team.
Trans-European Solutions (TES)	TES cartography means a repository of Trans-European interoperability solutions for European public administrations provided by European Union institutions, presented in a common format and modelled using the European Interoperability Reference Architecture. ¹⁰

Table 2: Sources of specifications

For each specification, the sources are indicated within the excel version of the ELIS v1.0.0BETA (Annex I) as criteria of selection.

⁷ https://ec.europa.eu/growth/industry/policy/ict-standardisation/ict-technical-specifications_en

⁸ <https://www.iso.org/home.html>

⁹ <https://joinup.ec.europa.eu/release/camssaas/v100>

¹⁰ https://joinup.ec.europa.eu/sites/default/files/distribution/access_url/2018-07/f1aa6a1c-f241-4b03-86a4-fd6342629efe/CarTool%20v2.2.0%20Userguide.pdf

4.2. Association of specifications to ABBs

In EIRA, interoperability specifications can be used to define the interoperability aspects of any of its ABBs. This relationship is modelled using an “association” relationship.

ArchiMate® 3.0.0 is the specification defining the language used by EIRA 2.1.0 as a notation for modelling. It defines an association relationship as “an unspecified relationship, or one that is not represented by another ArchiMate relationship. An association relationship is always allowed between two elements, or between a relationship and an element. The association relationship can be used when drawing a first high-level model where relationships are initially denoted in a generic way, and later refined to show more specific relationship types”¹¹.

In order to associate the specifications with ABBs, this definition of the association relationship has been used. The specifications compliant with the criteria of selection have been studied and compared with the EIRA ABBs’ descriptions to find relationships between them.

The aforementioned EIRA ABBs having potential interoperability specification associated can be found on section 8.2 of the EIRA_v2_1_0_Overview¹².

In the context of this BETA version of the ELIS, the vast majority of ABBs in the S and T views of EIRA have been associated to at least one interoperability specification.

5. THE DCAT-AP EXPRESSION OF THE ELIS CATALOGUE

5.1. The DCAT-AP representation of the EIRA CISSV-AP

The fact that the catalogue is electronic means that it can be processed by a software application. Thus ELIS is expressed as an electronic catalogue so it can be consumed by software applications like Archi® and other architecture modelling and development tools. For its expression as a machine-readable artefact, the ELIS uses the DCAT-AP specification.

The DCAT Application profile for data portals in Europe (DCAT-AP¹³) is a specification based on W3C's Data Catalogue vocabulary (DCAT¹⁴) for describing public sector datasets in Europe. DCAT in turn was developed as an application profile of the ADMS vocabulary for the description of assets. Hence, DCAT-

¹¹ http://pubs.opengroup.org/architecture/archimate3-doc/chap05.html#_Toc489946003

¹² https://joinup.ec.europa.eu/sites/default/files/distribution/access_url/2018-02/b1859b84-3e86-4e00-a5c4-d87913cdcc6f/EIRA_v2_1_0_Overview.pdf

¹³ <https://joinup.ec.europa.eu/release/dcat-ap-v11>

¹⁴ <https://www.w3.org/TR/vocab-dcat/>

AP can be used to describe any type of asset (treated as a dataset, especially if you consider that metadata are also data).

The figure below shows the DCAT-AP classes and properties that are used to represent the EIRA CISSV-AP vocabulary:




Figure 1: Mapping the EIRA CISSV-AP into DCAT-AP

This other figure intends to represent how the DCAT-AP conceptual data model above would look like once implemented. This example uses the Interoperability Specification "ESPD", in the Domain eProcurement, to illustrate how it would be mapped into the DCAT-AP-based ELIS Catalogue instance:




Figure 2: ESPD ELIS DCAT-AP expression

Beware of the following:

- The ELIS Catalogue is instantiated using the DCAT-AP class Catalog;
- The ELIS Catalogue has as many entries as instances of DCAT-AP CatalogRecord(s). One CatalogRecord is composed of metadata about each entry in the ELIS Catalogue representing one CISSV Interoperability Specification;
- The Primary Topic of an ELIS Catalogue Record is always an Interoperability Specification, which are implemented as a DCAT-AP DataSet. One Interoperability Specification may be related to other CISSV Interoperability Records;
- The Primary Topic is always related to one Interoperability Specification Configuration, which is implemented as DataSet(s); One Interoperability Specification Configuration is always related to one or more Interoperability Specification.
- The Interoperability Specification Configuration is composed of one or more Interoperability Specification Configuration Components. An Interoperability Specification Configuration Component is always a Standard or an Interoperability Application Profile.

- One Interoperability Specification Application Profile is always based on one Standard, which is normally distributed in one or more different formats;
- One Interoperability Specification is related to one or more EIRA Interoperability Specifications;
- One EIRA Interoperability Specification aspect is represented via one SKOS Concept as defined in the EIRA Ontology;
- Notice that some entities are associated to code lists ([Interoperability Specification Domain](#), [MIME](#) and the [CISSV Type](#)). Additionally each EIRA Interoperability Specification can express its interoperability aspects via the association to one or other EIRA ABB as defined in the [EIRA Ontology](#) (expressed as SKOS Concepts).

The language chosen to represent the ELIS is the Terse RDF Triple Language (Turtle)¹⁵. Turtle is a textual syntax for Resource Description Framework (RDF) that allows an RDF graph to be completely written in a compact and natural text form, with abbreviations for common usage patterns and data types. Turtle provides levels of compatibility with the N-Triples [N-TRIPLES] format as well as the triple pattern syntax of the SPARQL W3C Recommendation.

This allows software applications to launch queries aiming at obtaining information more specific to EIRA (for instance, for Archi® to retrieve CAMSS assessments about one ABB). See these very simple examples of SPARQL queries:

- List all the interoperability specifications in the ELIS Catalogue:

```

1 PREFIX : <https://joinup.ec.europa.eu/collection/eira/ontology/1.0.0/elis#>
2 PREFIX dcat: <https://joinup.ec.europa.eu/node/69559#>
3 PREFIX dct: <http://purl.org/dc/terms/>
4 PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
5 PREFIX owl: <http://www.w3.org/2002/07/owl#>
6 PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
7 PREFIX xsd: <http://www.w3.org/2001/XMLSchema#>
8
9 #USER STORY: I, as a software architect, want to get the complete list of Interoperability Specifications catalogued in ELIS, so I can study
  the links between the Interoperability Specification components and the EIRA Building Blocks.
10
11 SELECT *
12 WHERE {
13     ?Catalog_Entry rdf:type dcat:CatalogRecord ;
14     dct:title ?InteroperabilitySpecification ;
15     dct:issued ?Entry_Creation_Date ;
16     dct:publisher ?Entry_Publisher |
17
18 }
```

Figure 3: Query 1 - Interoperability specifications

Find the full document [here](#).

¹⁵ <https://www.w3.org/TR/turtle/>

- List all the Interoperability Specification Configurations of every ELIS Catalogue entry (record):

```

1 PREFIX : <https://joinup.ec.europa.eu/collection/eira/ontology/1.0.0/elis#>
2 PREFIX dcat: <https://joinup.ec.europa.eu/node/69559#>
3 PREFIX ciissv-ap: <https://joinup.ec.europa.eu/collection/elis/1.0.0/refdata/ciissv-ap#>
4 PREFIX foaf: <http://xmlns.com/foaf/0.1/>
5 PREFIX dct: <http://purl.org/dc/terms/>
6 PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
7
8 #USER STORY: I, as a software architect, want to get the whole list of Interoperability Specification Configurations of one CISSV
   Interoperability Specification and its domain
9
10 SELECT *
11
12 WHERE {
13     ?Catalog_Record rdf:type dcat:CatalogRecord ;
14                     dct:title ?Record_Title ;
15                     foaf:primaryTopic ?PrimaryTopic .
16     ?PrimaryTopic dct:relation ?Interoperability_Specification_Configuration .
17     ?Interoperability_Specification_Configuration dct:type ciissv-ap:InteroperabilitySpecificationConfiguration ;
18     dct:theme ?Configuration_Domain
19 }
20

```

Figure 4: Query 2 - Interoperability Specification Configurations

Find the full document [here](#).

- List all the EIRA ABBs contained in the ELIS Catalogue for each Interoperability Specification:

```

1 PREFIX : <https://joinup.ec.europa.eu/collection/eira/ontology/1.0.0/elis#>
2 PREFIX dcat: <https://joinup.ec.europa.eu/node/69559#>
3 PREFIX ciissv-ap: <https://joinup.ec.europa.eu/collection/elis/1.0.0/refdata/ciissv-ap#>
4 PREFIX foaf: <http://xmlns.com/foaf/0.1/>
5 PREFIX dct: <http://purl.org/dc/terms/>
6 PREFIX eira: <http://data.europa.eu/dr8/v3.0.0>
7 PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
8 PREFIX xsd: <http://www.w3.org/2002/07/owl#>
9
10 #USER STORY: I, as a software architect, want to get the whole list of EIRA ABBS of one CIISV Interoperability Specification
11
12 SELECT *
13
14 WHERE {
15     ?ELIS_IOPSpec dct:type ciissv-ap:InteroperabilitySpecification;
16                 dct:title ?title ;
17                 dct:relation ?relations.
18     ?relations dct:type eira:InteroperabilitySpecification ;
19                 dct:relation ?eira_ABB.
20 }

```

Figure 5: Query 3 - EIRA ABBs of one Interoperability Specification

Find the full document [here](#).

- List all the interoperability specifications and the Configuration Components Types:

```

1 PREFIX : <https://joinup.ec.europa.eu/collection/eira/ontology/1.0.0/elis#>
2 PREFIX dcat: <https://joinup.ec.europa.eu/node/69559#>
3 PREFIX ciissv-ap: <https://joinup.ec.europa.eu/collection/elis/1.0.0/refdata/ciissv-ap#>
4 PREFIX foaf: <http://xmlns.com/foaf/0.1/>
5 PREFIX dct: <http://purl.org/dc/terms/>
6 PREFIX eira: <http://data.europa.eu/dr8/v3.0.0>
7 PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
8 PREFIX xsd: <http://www.w3.org/2002/07/owl#>
9 PREFIX dc: <http://purl.org/dc/elements/1.1/>
10
11 #USER STORY: I, as a software architect, want to get the whole list of Interoperability Specifications and their Configuration Component
Types
12
13 SELECT ?Catalog_Entry ?Title ?Configuration ?Domain ?Component ?Component_type
14
15 WHERE {
16   ?Catalog_Entry rdf:type dcat:CatalogRecord ;
17   dct:title ?Title ;
18   foaf:primaryTopic ?Interoperability_Specification.
19   ?Interoperability_Specification dct:type ciissv-ap:InteroperabilitySpecification;
20   dct:relation ?Configuration.
21   ?Configuration dct:type ciissv-ap:InteroperabilitySpecificationConfiguration ;
22   dct:theme ?Domain .
23   ?Configuration dct:relation ?Component.
24   optional {?Component dct:relation ?Component_Relation.}
25   optional {?Component_Relation dct:type ?Component_type}
26
27
28 }

```

Figure 6: Query 4 – Configuration Component Types

Find the full document [here](#).

6. ELIS v1.0.0 BETA

6.1. Excel version:

Disclaimer

The excel version of the ELIS has been included in this document for informational purposes, but it will not be published nor maintained. In addition, due to changes in the EIRA that have resulted in the release of EIRA v3.0.0 not all the ABBs from the T and S views of the ELIS have been covered. The ELIS will keep being populated in the future.



ELIS v1.01 BETA.xlsx

6.2. DCAT-AP version:

Disclaimer

In order to open the ELIS turtle (.ttl) file, please use the WordPad tool or a text editor.



elis-v1.0.0
BETA-catalog_v3.ttl

7. REFERENCES

- CAMSS. (2019, 01 14). *Joinup*. Retrieved from <https://joinup.ec.europa.eu/collection/common-assessment-method-standards-and-specifications-camss/camss-list-standards>
- CAMSS. (2019, 01 14). *Joinup*. Retrieved from <https://joinup.ec.europa.eu/release/camssaas/v100>
- CEF. (2019, 01 14). *CEFDIGITAL*. Retrieved from <https://ec.europa.eu/cefdigital/wiki/display/CEFDIGITAL/What+is+a+building+Block>
- EIA. (n.d.). Retrieved from https://joinup.ec.europa.eu/rdf_entity/http_e_f_fdata_ceuropa_ceu_fw21_ff5a0c940_b24a4_b421d_ba5e5_b1b2c917742b3
- EIA. (2019). *Controlled vocabulary for the European Interoperability Reference Architecture (EIRA) v3.0.0*.
- EIA. (2019, 01 14). *Joinup*. Retrieved from https://joinup.ec.europa.eu/sites/default/files/document/2017-01/how_does_eira_support_interoperability_v1_0_0.pdf
- EIRA SATs*. (n.d.). Retrieved from <https://joinup.ec.europa.eu/collection/european-interoperability-reference-architecture-eira/about>
- EUCAT. (2019, 14 01). *Joinup*. Retrieved from <https://joinup.ec.europa.eu/collection/ict-standards-procurement/ict>
- European Commission. (2018, January 21). *EIRA v2.1.0 Overview*. Retrieved from *Joinup*: https://joinup.ec.europa.eu/sites/default/files/distribution/access_url/2018-02/b1859b84-3e86-4e00-a5c4-d87913cdcc6f/EIRA_v2_1_0_Overview.pdf
- TES Cartography. (2019, 01 14). *Joinup*. Retrieved from https://joinup.ec.europa.eu/sites/default/files/distribution/access_url/2018-07/f1aa6a1c-f241-4b03-86a4-fd6342629efe/CarTool%20v2.2.0%20Userguide.pdf

8. ANNEX 1: DCAT-AP DOCUMENTATION

Disclaimer

In order to open the files embedded in the annex, please use the WordPad tool or a text editor.

8.1. Query 1: List all the Records (entries) of the ELIS Catalogue



Query1.sparql

8.2. Query 2: List all the Interoperability Specification Configurations of one CISSV Interoperability Specification



Query2.sparql

8.3. Query 3: List all the EIRA ABBs of one CISSV Interoperability Specification



Query3.sparql

8.4. Query 4: List all the interoperability specifications and the Configuration Components Types



Query4.sparql

8.5. Code list “CISSV Entity Type”



CISSV-EntityType.ttl

8.6. Code list “Interoperability Specification Domain Type”



ELIS-InteroperabilitySpecificationDomainType.ttl

8.7. Code list “MIMEType”



MIMEType.ttl

8.8. EIRA v3.0.0



EIRA_SKOS_v3.0.0.rdf