https://www.draftmeet.com/

78 96 96 92

Performance	Accessibility	Best Practices	SEO
78	96	96	92

There were issues affecting this run of Lighthouse:

- **Chrome extensions negatively affected this page's load performance. Try auditing the page in incognito mode or from a Chrome profile without extensions.**

78

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 50–89 90–100



METRICS

Expand view

First Contentful Paint 0.3 s	Largest Contentful Paint 0.5 s
▲ Total Blocking Time 480 ms	Cumulative Layout Shift 0
Speed Index 1.4 s	



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Legacy JavaScript — Est savings of 14 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP Unscored

URL	Wasted bytes
draftmeet.com 1st Party	13.6 KiB
...chunks/00tl72_aatcve.js (www.draftmeet.com)	13.6 KiB
00tl72_aatcve.js:1	`Array.prototype.at`
00tl72_aatcve.js:1	`Array.prototype.flat`
00tl72_aatcve.js:1	`Array.prototype.flatMap`
00tl72_aatcve.js:1	`Object.fromEntries`
00tl72_aatcve.js:1	`Object.hasOwn`
00tl72_aatcve.js:1	`String.prototype.trimEnd`

URL	Wasted bytes
00tl72_aatcve.js:1 `String.prototype.trimStart`	

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **230 ms**

Initial Navigation

https://www.draftmeet.com - **117 ms,** 12.22 KiB

...chunks/139u35trifi9h.css (www.draftmeet.com) - **230 ms,** 10.34 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
draftmeet.com 1st Party	10.3 KiB	0 ms
...chunks/139u35trifi9h.css (www.draftmeet.com)	10.3 KiB	

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size. Unscored

Statistic	Element	Value
Total elements		251
DOM depth	rect	9
Most children	body	24

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	30 ms
Element render delay	1,850 ms



h1.animate-fade-up.delay-100.text-5xl.sm:text-6xl.lg:text-7xl.font-extrabold.text-[var(--text-primary)].le...

3rd parties

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
hdokiejnpimakedhajhdlcegeplioahd	**0 KiB**	**450 ms**
chrome-extension://hdokiejnpimakedhajhdlcegeplioahd/web-client-content-script.js	0 KiB	450 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

Reduce unused JavaScript — Est savings of 330 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP Unscored

URL	Transfer Size	Est Savings
Unattributable	**1,117.0 KiB**	**288.5 KiB**
chrome-extension://hdokiejnpimakedhajhdlcegeplioahd/web-client-content-script.js	1,117.0 KiB	288.5 KiB
draftmeet.com 1st Party	**91.9 KiB**	**41.7 KiB**
...chunks/0v1e-xvp8idkr.js (www.draftmeet.com)	38.6 KiB	21.3 KiB
...chunks/00tl72_aatcve.js (www.draftmeet.com)	53.3 KiB	20.4 KiB

Avoid long main-thread tasks — 7 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT Unscored

URL	Start Time	Duration
Unattributable		**538 ms**
chrome-extension://hdokiejnpimakedhajhdlcegeplioahd/web-client-content-script.js	710 ms	432 ms
Unattributable	1,177 ms	55 ms
Unattributable	470 ms	51 ms
draftmeet.com 1st Party		**300 ms**
https://www.draftmeet.com	325 ms	124 ms
https://www.draftmeet.com	1,243 ms	60 ms
https://www.draftmeet.com	574 ms	59 ms
...chunks/0v1e-xvp8idkr.js (www.draftmeet.com)	633 ms	57 ms

Avoid non-composited animations — 19 animated elements found

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS

Unscored

Element

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color

summary.flex.items-center.justify-between.gap-4.px-6.py-4.cursor-pointer.list-none.font-semibold.text...

Unsupported CSS Property: color

div.animate-fade-up.delay-400.w-full.max-w-md

Unsupported CSS Property: color

Effect has unsupported timing parameters

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color



div.animate-fade-up.delay-300.flex.flex-wrap.justify-center.gap-3

Unsupported CSS Property: color

Effect has unsupported timing parameters

body

Unsupported CSS Property: color

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Element

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color

summary.flex.items-center.justify-between.gap-4.px-6.py-4.cursor-pointer.list-none.font-semibold.text...

Unsupported CSS Property: color

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color

summary.flex.items-center.justify-between.gap-4.px-6.py-4.cursor-pointer.list-none.font-semibold.text...

Unsupported CSS Property: color

summary.flex.items-center.justify-between.gap-4.px-6.py-4.cursor-pointer.list-none.font-semibold.text...

Unsupported CSS Property: color

button.w-9.h-9.flex.items-center.justify-center.rounded-xl.transition-all.bg-[var(--bg-card-hover)].hove...

Unsupported CSS Property: color

Unsupported CSS Property: box-shadow

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color

h1.animate-fade-up.delay-100.text-5xl.sm:text-6xl.lg:text-7xl.font-extrabold.text-[var(--text-primary)].le...

Unsupported CSS Property: color

Effect has unsupported timing parameters

summary.flex.items-center.justify-between.gap-4.px-6.py-4.cursor-pointer.list-none.font-semibold.text...

Element

Unsupported CSS Property: color

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color

p.animate-fade-up.delay-200.text-lg.sm:text-xl.text-[var(--text-secondary)].leading-relaxed.max-w-xl

Unsupported CSS Property: color

Effect has unsupported timing parameters

div.animate-fade-up.bg-[var(--bg-card)].border.border-[var(--border)].rounded-2xl.p-5.text-left.card-g...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-top-color

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20) Hide

Use efficient cache lifetimes

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. FCP LCP Unscored

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. Investigate the causes of layout shifts, such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Document request latency

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 22 ms)

Applies text compression

Duplicated JavaScript

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display

Consider setting `font-display` to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with font metric overrides. Unscored

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

Improve image delivery

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size FCP LCP Unscored

INP breakdown

Start investigating how to improve INP by looking at the longest subpart. Unscored

LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. Learn more about using modern HTTP. FCP LCP Unscored

Optimize viewport for mobile

Tap interactions may be delayed by up to 300 ms if the viewport is not optimized for mobile. Unscored

meta

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP LCP Unscored

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP LCP Unscored

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP Unscored

Avoids enormous network payloads — Total size was 242 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

URL	Transfer Size
draftmeet.com 1st Party	**233.5 KiB**
...chunks/00tl72_aatcve.js (www.draftmeet.com)	70.8 KiB
...media/83afe278b6a6bb3c-s.p.0q-301v4kxxnr.woff2 (www.draftmeet.com)	47.4 KiB
...chunks/0v1e-xvp8idkr.js (www.draftmeet.com)	38.7 KiB
...chunks/0iz4nfl_q3v80.js (www.draftmeet.com)	13.3 KiB
https://www.draftmeet.com	12.2 KiB
...chunks/13v6lmjxdl22n.js (www.draftmeet.com)	11.9 KiB
...chunks/139u35trifi9h.css (www.draftmeet.com)	10.3 KiB
...chunks/0zr2_awn3j2jo.js (www.draftmeet.com)	9.8 KiB
...chunks/00jfja.rvg4w4.js (www.draftmeet.com)	9.6 KiB
/favicon.ico?favicon.0x3dzn~oxb6tn.ico (www.draftmeet.com)	9.3 KiB

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

JavaScript execution time — 0.7 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
draftmeet.com 1st Party	**1,085 ms**	**164 ms**	**17 ms**
https://www.draftmeet.com	876 ms	27 ms	4 ms
...chunks/00tl72_aatcve.js (www.draftmeet.com)	151 ms	84 ms	8 ms
...chunks/0v1e-xvp8idkr.js (www.draftmeet.com)	58 ms	52 ms	5 ms
Unattributable	**833 ms**	**262 ms**	**235 ms**
`chrome-extension://hdokiejnpimakedhajhdlcegeplioahd/web-client-content-script.js`	501 ms	259 ms	235 ms
`Unattributable`	332 ms	3 ms	0 ms

Minimizes main-thread work — 1.9 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Category	Time Spent
Other	707 ms
Style & Layout	472 ms
Script Evaluation	437 ms
Script Parsing & Compilation	259 ms
Rendering	47 ms
Parse HTML & CSS	12 ms
Garbage Collection	7 ms

Image elements have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache Unscored

96

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

CONTRAST

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

Failing Elements
p.text-xs.font-semibold.tracking-widest.text-[var(--accent)].uppercase.mb-3
section.px-6.py-24.border-y.border-[var(--border)]
span.text-xs.font-bold.tracking-widest.text-[var(--accent)].uppercase
section.px-6.py-24.border-y.border-[var(--border)]
span.text-xs.font-bold.tracking-widest.text-[var(--accent)].uppercase
section.px-6.py-24.border-y.border-[var(--border)]
span.text-xs.font-bold.tracking-widest.text-[var(--accent)].uppercase
section.px-6.py-24.border-y.border-[var(--border)]
span.inline-flex.items-center.gap-2.px-4.py-1.5.rounded-full.bg-[var(--bg-card)].border.border-[var(--b...

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable. Unscored

Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints. Unscored

The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering. Unscored

Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering. Unscored

User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps. Unscored

The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content. Unscored

HTML5 landmark elements are used to improve navigation

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements. Unscored

Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content. Unscored

Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels. Unscored

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. Unscored

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (21) Hide

`[aria-*]` attributes match their roles

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. Learn how to match ARIA attributes to their roles.

`[aria-hidden="true"]` is not present on the document `<body>`

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. Learn how `aria-hidden` affects the document body.

`[role]`s have all required `[aria-*]` attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more about roles and required attributes.

`[role]` values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles.

`[aria-*]` attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes.

`[aria-*]` attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes.

Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.

Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels.

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes.

`[aria-hidden="true"]` elements do not contain focusable descendents

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how `aria-hidden` affects focusable elements.

Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. Learn more about prohibited ARIA roles.

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

`<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute.

`<html>` element has a valid value for its `[lang]` attribute

Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the `lang` attribute.

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible.

Touch targets have sufficient size and spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.

Document has a main landmark.

One main landmark helps screen reader users navigate a web page. Learn more about landmarks.

Deprecated ARIA roles were not used

Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles.

NOT APPLICABLE (38) Hide

`[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. Unscored

`button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to make command elements more accessible. Unscored

Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. Unscored

ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels. Unscored

ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name `meter` elements. Unscored

ARIA `progressbar` elements have accessible names

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label `progressbar` elements. Unscored

Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. Unscored

`[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. Unscored

Elements with the `role=text` attribute do not have focusable descendents.

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the `role=text` attribute. Unscored

ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. Unscored

ARIA `tooltip` elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name `tooltip` elements. Unscored

ARIA `treeitem` elements have accessible names

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling `treeitem` elements. Unscored

The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. Unscored

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. Unscored

Definition list items are wrapped in `<dl>` elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. Unscored

ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. Unscored

No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. Unscored

`<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. Unscored

`<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute. Unscored

Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. Unscored

`<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. Unscored

Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable. Unscored

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

  Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more about proper list structure. Unscored

- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

  Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. Learn more about proper list structure. Unscored

- The document does not use `<meta http-equiv="refresh">`

  Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag. Unscored

- `<object>` elements have alternate text

  Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. Learn more about alt text for `object` elements. Unscored

- Select elements have associated label elements.

  Form elements without effective labels can create frustrating experiences for screen reader users. Learn more about the `select` element. Unscored

- Skip links are focusable.

  Including a skip link can help users skip to the main content to save time. Learn more about skip links. Unscored

- No element has a `[tabindex]` value greater than 0

  A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the `tabindex` attribute. Unscored

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

  Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more about the `headers` attribute. Unscored

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

  Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more about table headers. Unscored

- `[lang]` attributes have a valid value

  Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn how to use the `lang` attribute. Unscored

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

  When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more about video captions. Unscored

- Tables have different content in the summary attribute and `<caption>`.

  The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. Learn more about summary and caption. Unscored

- All heading elements contain content.

  A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. Learn more about headings. Unscored

- Uses ARIA roles only on compatible elements

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. Learn more about ARIA roles. Unscored

- Image elements do not have `[alt]` attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the `alt` attribute. Unscored

- Identical links have the same purpose.

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. Learn more about identical links. Unscored

96

Best Practices

USER EXPERIENCE

- Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.

	URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
draftmeet.com 1st Party			
img.logo-light.rounded-lg	/_next/image?url=%2Flogo-light.png&w=64&q=75 (www.draftmeet.com)	32 x 32 (1.00)	64 x 70 (0.91)

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. Learn how to use a CSP to prevent XSS Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

- Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. Learn more about using a strong HSTS policy. Unscored

Description	Directive	Severity
No `includeSubDomains` directive found	`includeSubDomains`	Medium
No `preload` directive found	`preload`	Medium

- Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. Learn more about deploying the COOP header. Unscored

Description	Directive	Severity
No COOP header found		High

Mitigate DOM-based XSS with Trusted Types

The `require-trusted-types-for` directive in the `Content-Security-Policy` (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. Learn more about mitigating DOM-based XSS with Trusted Types. Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (12) Hide

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.

Avoids third-party cookies

Third-party cookies may be blocked in some contexts. Learn more about preparing for third-party cookie restrictions.

Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers.Learn more about user-friendly input fields.

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission.

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications.

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images.

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. Learn more about the doctype declaration.

Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.

No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

No issues in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more about source maps. Unscored

URL	Map URL
chrome-extension://hdokiejnpimakedhajhdlcegeplioahd/web-client-content-script.js Error: Failed fetching source map (null)	chrome-extension://hdokiejnpimakedhajhdlcegeplioahd/web-client-content-script.js.map

NOT APPLICABLE (3) Hide

Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. Learn more. Unscored

Mitigate clickjacking with XFO or CSP

The `X-Frame-Options` (XFO) header or the `frame-ancestors` directive in the `Content-Security-Policy` (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. Learn more about mitigating clickjacking. Unscored

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. Learn more about this JavaScript library detection diagnostic audit. Unscored

92

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CRAWLING AND INDEXING

robots.txt is not valid — 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more about robots.txt.

Line #	Content	Error
1	<!DOCTYPE html><html lang="en" class="inter_2fe1ab3d-module__-T-KAq__variable"><head><meta charSet="utf-8"/><meta name="viewport" content="width=device-width, initial-scale=1"/><link rel="preload" href="/_next/static/media/83afe278b6a6bb3c-s.p.0q-301v4kxxnr.woff2" as="font" crossorigin="" type="font/woff2"/><link rel="preload" as="image" imageSrcSet="/_next/image?url=%2Flogo-light.png&w=32&q=75 1x, /_next/image?url=%2Flogo-light.png&w=64&q=75 2x"/><link rel="stylesheet" href="/_next/static/chunks/139u35trifi9h.css" data-precedence="next"/><link rel="preload" as="script" fetchPriority="low" href="/_next/static/chunks/0zr2_awn3j2jo.js"/><script src="/_next/static/chunks/00jfja.rvg4w4.js" async=""></script><script	Unknown directive

Line #	Content	Error
	src="/_next/static/chunks/00tl72_aatcve.js" async=""></script><script src="/_next/static/chunks/0v1e-xvp8idkr.js" async=""></script><script src="/_next/static/chunks/turbopack-12b2ec7yqa7g8.js" async=""></script><script src="/_next/static/chunks/0pbh99r~3~mrp.js" async=""></script><script src="/_next/static/chunks/0iz4nfl_q3v80.js" async=""></script><script src="/_next/static/chunks/13v6lmjxdl22n.js" async=""></script><meta name="next- size-adjust" content=""/><title>DraftMeet: Free Calendly Alternative with Automatic Google Meet</title><meta name="description" content="Create one-time or permanent booking links, auto-generate Google Meet events, and manage availability in one place. The free Calendly alternative built for speed."/> <meta name="keywords" content="Calendly alternative,free Calendly alternative,scheduling software,booking link tool,one-time booking link,meeting scheduler,Google Meet scheduling,Google Calendar sync,appointment scheduling software,scheduling tool for freelancers,booking page creator,automatic Google Meet,online booking tool,scheduling link,self-service scheduling"/><meta name="robots" content="index, follow"/><link rel="canonical" href="https://www.draftmeet.com"/><meta name="google-site-verification" content="2CACV__s0LZoR8P2xyPxHh0Es8GBtRtxfKI3zEJDzDo"/><meta property="og:title" content="DraftMeet: Free Calendly Alternative with Automatic Google Meet"/><meta property="og:description" content="Share a booking link, let clients self- schedule, and auto-create Google Meet events. No back-and-forth. Free to start — built for founders & freelancers."/><meta property="og:url" content="https://www.draftmeet.com"/><meta property="og:image" content="https://www.draftmeet.com/og-image.png"/><meta property="og:image:width" content="1200"/><meta property="og:image:height" content="630"/><meta property="og:image:alt" content="DraftMeet — Smart Scheduling"/><meta property="og:type" content="website"/><meta name="twitter:card" content="summary_large_image"/><meta name="twitter:title" content="DraftMeet: Free Calendly Alternative with Automatic Google Meet"/><meta name="twitter:description" content="One-time booking links. Permanent booking pages. Automatic Google Meet. The free Calendly alternative for freelancers and founders."/><meta name="twitter:image" content="https://www.draftmeet.com/og- image.png"/><link rel="icon" href="/favicon.ico?favicon.0x3dzn~oxb6tn.ico" sizes="256x256" type="image/x-icon"/><script src="/_next/static/chunks/03~yq9q893hmn.js" noModule=""></script></head><body> <!--$--><!--/$--> <script type="application/ld+json"> [{"@context":"https://schema.org","@type":"SoftwareApplication","name":"DraftMee t","url":"https://www.draftmeet.com","applicationCategory":"BusinessApplication" ,"operatingSystem":"Web","description":"DraftMeet is a free Calendly alternative that lets you create one-time and permanent booking links, auto-generate Google Meet events, sync with Google Calendar, and view booking analytics.","offers": {"@type":"Offer","price":"0","priceCurrency":"USD","description":"Free plan available"},"featureList":["One-time booking links","Permanent booking pages with custom slug","Automatic Google Meet event creation","Google Calendar integration","Booking analytics dashboard","Webhooks and API access","Working hours and availability management","Custom questions per booking link"]}, {"@context":"https://schema.org","@type":"Organization","name":"DraftMeet","url" :"https://www.draftmeet.com","logo":"https://www.draftmeet.com/logo-light.png"}] </script><script type="application/ld+json"> {"@context":"https://schema.org","@type":"FAQPage","mainEntity": [{"@type":"Question","name":"How do I create a one-time booking link?","acceptedAnswer":{"@type":"Answer","text":"In DraftMeet, open any event type and generate a one-time link. It expires automatically after the first booking is completed — perfect for sending to a single client without exposing your permanent booking page."}},{"@type":"Question","name":"Does DraftMeet automatically create Google Meet links?","acceptedAnswer": {"@type":"Answer","text":"Yes. When a guest books a meeting, DraftMeet automatically creates a Google Meet event and sends the video conference link to both parties in the confirmation email. No manual step required."}}, {"@type":"Question","name":"What is the best free Calendly alternative?","acceptedAnswer":{"@type":"Answer","text":"DraftMeet offers one- time booking links, permanent booking pages, automatic Google Meet creation, and booking analytics on its free plan — features Calendly reserves for paid tiers."}},{"@type":"Question","name":"Can I connect DraftMeet to Google Calendar?","acceptedAnswer":{"@type":"Answer","text":"Yes. DraftMeet syncs with Google Calendar to read your real-time availability, prevent double-bookings, and automatically write new booking events to your calendar with a Google Meet link attached."}},{"@type":"Question","name":"What is the difference between a one-time booking link and a permanent booking page?","acceptedAnswer": {"@type":"Answer","text":"A one-time booking link expires after a single use — ideal for cold outreach or one-off consultations. A permanent booking page lives at a fixed URL and can be shared publicly or embedded on your website indefinitely. DraftMeet supports both."}}]}</script><main class="min-h-screen flex flex-col bg-page-gradient overflow-x-hidden"><nav class="sticky top-0 z-30 flex items-center justify-between px-6 py-4 border-b border-[var(--border)] bg- [var(--bg-page)]/80 backdrop-blur-md animate-fade-in"><div class="flex items-	

Line #	Content	Error
	center gap-2.5"><img alt="DraftMeet logo" width="32" height="32" decoding="async" data-nimg="1" class="logo-light rounded-lg" style="color:transparent" srcSet="/_next/image?url=%2Flogo-light.png&w=32&q=75 1x, /_next/image?url=%2Flogo-light.png&w=64&q=75 2x" src="/_next/image?url=%2Flogo-light.png&w=64&q=75"/><img alt="DraftMeet logo" loading="lazy" width="32" height="32" decoding="async" data-nimg="1" class="logo-dark rounded-lg" style="color:transparent" srcSet="/_next/image?url=%2Flogo-dark.png&w=32&q=75 1x, /_next/image?url=%2Flogo-dark.png&w=64&q=75 2x" src="/_next/image?url=%2Flogo-dark.png&w=64&q=75"/>DraftMeet <button aria-label="Toggle theme" class="w-9 h-9 flex items-center justify-center rounded-xl transition-all bg-[var(--bg-card-hover)] hover:bg-[var(--border)] text-[var(--text-secondary)] hover:text-[var(--text-primary)] ring-1 ring-[var(--border)]">🌙</button></nav><section class="relative flex flex-col items-center justify-center text-center px-6 py-28 gap-8 min-h-[92vh]"><div class="absolute top-[-60px] left-1/2 -translate-x-1/2 w-[800px] h-[600px] rounded-full blur-[160px] pointer-events-none orb-pulse" style="background:radial-gradient(circle, rgba(91,53,232,0.55) 0%, rgba(59,106,232,0.25) 40%, transparent 70%)"> <div class="absolute bottom-[10%] right-[10%] w-[400px] h-[400px] rounded-full blur-[140px] pointer-events-none orb-pulse" style="background:radial-gradient(circle, rgba(56,191,255,0.35), transparent 70%);animation-delay:2s"> <div class="absolute top-[30%] left-[5%] w-[250px] h-[250px] rounded-full blur-[120px] pointer-events-none orb-pulse" style="background:radial-gradient(circle, rgba(91,53,232,0.2), transparent 70%);animation-delay:1s"> <svg xmlns="http://www.w3.org/2000/svg" width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-sparkles" aria-hidden="true"><path d="M11.017 2.814a1 1 0 0 1 1.966 0l1.051 5.558a2 2 0 0 0 1.594 1.594l5.558 1.051a1 1 0 0 1 0 1.966l-5.558 1.051a2 2 0 0 0-1.594 1.594l-1.051 5.558a1 1 0 0 1-1.966 0l-1.051-5.558a2 2 0 0 0-1.594-1.594l-5.558-1.051a1 1 0 0 1 0-1.966l5.558-1.051a2 2 0 0 0 1.594-1.594z"></path><path d="M20 2v4"></path><path d="M22 4h-4"></path><circle cx="4" cy="20" r="2"></circle></svg>Coming Soon — Join the waitlist<h1 class="animate-fade-up delay-100 text-5xl sm:text-6xl lg:text-7xl font-extrabold text-[var(--text-primary)] leading-[1.08] tracking-tight">Smart scheduling links without the chaos</h1> Share a booking link, let clients self-schedule from your real-time availability, and get a Google Meet event created automatically. The<!-- --> free Calendly alternative <!-- -->built for founders, freelancers, and remote teams. <svg xmlns="http://www.w3.org/2000/svg" width="12" height="12" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-shield text-[var(--accent)]" aria-hidden="true"><path d="M20 13c0 5-3.5 7.5-7.66 8.95a1 1 0 0 1-.67-.01C7.5 20.5 4 18 4 13V6a1 1 0 0 1 1-1c2 0 4.5-1.2 6.24-2.72a1.17 1.17 0 0 1 1.52 0C14.51 3.81 17 5 19 5a1 1 0 0 1 1 1z"></path></svg>No credit card required<svg xmlns="http://www.w3.org/2000/svg" width="12" height="12" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-zap text-[var(--accent)]" aria-hidden="true"><path d="M4 14a1 1 0 0 1-.78-1.63l9.9-10.2a.5.5 0 0 1 .86.46l-1.92 6.02A1 1 0 0 0 13 10h7a1 1 0 0 1 .78 1.63l-9.9 10.2a.5.5 0 0 1-.86-.46l1.92-6.02A1 1 0 0 0 11 14z"></path></svg>Instant Google Meet<svg xmlns="http://www.w3.org/2000/svg" width="12" height="12" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-sparkles text-[var(--accent)]" aria-hidden="true"><path d="M11.017 2.814a1 1 0 0 1 1.966 0l1.051 5.558a2 2 0 0 0 1.594 1.594l5.558 1.051a1 1 0 0 1 0 1.966l-5.558 1.051a2 2 0 0 0-1.594 1.594l-1.051 5.558a1 1 0 0 1-1.966 0l-1.051-5.558a2 2 0 0 0-1.594-1.594l-5.558-1.051a1 1 0 0 1 0-1.966l5.558-1.051a2 2 0 0 0 1.594-1.594z"></path><path d="M20 2v4"></path><path d="M22 4h-4"></path><circle cx="4" cy="20" r="2"></circle></svg>Free early access <form class="flex flex-col sm:flex-row gap-2 w-full"><input type="email" required="" placeholder="Enter your email" class="flex-1 px-4 py-3	

Line #	Content	Error
	rounded-xl bg-[var(--bg-input)] border border-[var(--border)] text-[var(--text-primary)] placeholder:text-[var(--text-secondary)] text-sm focus:outline-none focus:ring-2 focus:ring-[var(--border-accent)] disabled:opacity-50" value=""/> <button type="submit" class="px-6 py-3 rounded-xl bg-brand-gradient text-white font-semibold text-sm shadow-lg shadow-[rgba(59,106,232,0.3)] hover:opacity-90 transition-all disabled:opacity-50 whitespace-nowrap">Notify Me</button></form> Be the first to know when we launch. No spam, ever. </section><section class="px-6 py-24 max-w-6xl mx-auto w-full"> Features <h2 class="text-3xl sm:text-4xl font-bold text-[var(--text-primary)]">Everything you need.<!-- --> Nothing you don't. </h2> One-time booking links. Permanent scheduling pages. Google Calendar sync. Booking analytics. Webhooks. API keys. All free. <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-link2 lucide-link-2" aria-hidden="true" style="color:#5B35E8"><path d="M9 17H7A5 5 0 0 1 7 7h2"></path> <path d="M15 7h2a5 5 0 1 1 0 10h-2"></path><line x1="8" x2="16" y1="12" y2="12"> </line></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">One-Time Booking Links</h3> Each link expires after a single booking — zero double-bookings, zero misuse. <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-refresh-cw" aria-hidden="true" style="color:#3B6AE8"><path d="M3 12a9 9 0 0 1 9-9 9.75 9.75 0 0 1 6.74 2.74L21 8"></path><path d="M21 3v5h-5"></path><path d="M21 12a9 9 0 0 1-9 9 9.75 9.75 0 0 1-6.74-2.74L3 16"></path><path d="M8 16H3v5"></path></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">Permanent Booking Pages</h3> A reusable page at your own custom slug — share it everywhere, forever. <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-calendar-check" aria-hidden="true" style="color:#38BFFF"><path d="M8 2v4"></path><path d="M16 2v4"></path><rect width="18" height="18" x="3" y="4" rx="2"></rect><path d="M3 10h18"></path><path d="m9 16 2 2 4-4"></path></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">Google Calendar Sync</h3> Syncs your real-time availability and auto-creates Google Meet events on every booking. <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-clock4 lucide-clock-4" aria-hidden="true" style="color:#5B35E8"><circle cx="12" cy="12" r="10"></circle> <path d="M12 6v6l4 2"></path></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">Availability Management</h3> Set working hours, buffer times, and custom date overrides to stay in control. <div class="w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration-200"	

Line #	Content	Error
	style="background:rgba(59,106,232,0.12)"><svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-chart-column" aria-hidden="true" style="color:#3B6AE8"><path d="M3 3v16a2 2 0 0 0 2 2h16"></path><path d="M18 17V9"></path><path d="M13 17V5"></path><path d="M8 17v-3"></path></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">Booking Analytics</h3> Track booking volume, cancellation rates, and top event types over time. <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-webhook" aria-hidden="true" style="color:#38BFFF"><path d="M18 16.98h-5.99c-1.1 0-1.95.94-2.48 1.9A4 4 0 0 1 2 17c.01-.7.2-1.4.57-2"></path><path d="m6 17 3.13-5.78c.53-.97.1-2.18-.5-3.1a4 4 0 1 1 6.89-4.06"></path><path d="m12 6 3.13 5.73C15.66 12.7 16.9 13 18 13a4 4 0 0 1 0 8"></path></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">Webhooks</h3> Real-time POST notifications on every booking event — connect any tool. <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-key-round" aria-hidden="true" style="color:#5B35E8"><path d="M2.586 17.414A2 2 0 0 0 2 18.828V21a1 1 0 0 0 1 1h3a1 1 0 0 0 1-1v-1a1 1 0 0 1 1-1h1a1 1 0 0 0 1-1v-1a1 1 0 0 1 1-1h.172a2 2 0 0 0 1.414-.586l.814-.814a6.5 6.5 0 1 0-4-4z"></path><circle cx="16.5" cy="7.5" r=".5" fill="currentColor"></circle></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">API Keys</h3> Developer-friendly REST API to integrate DraftMeet into your own products. <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-message-square" aria-hidden="true" style="color:#3B6AE8"><path d="M22 17a2 2 0 0 1-2 2H6.828a2 2 0 0 0-1.414.586l-2.202 2.202A.71.71 0 0 1 2 21.286V5a2 2 0 0 1 2-2h16a2 2 0 0 1 2 2z"></path></svg> <h3 class="font-semibold text-[var(--text-primary)] text-sm">Custom Questions</h3> Collect exactly the guest info you need with per-link custom fields. </section><section class="px-6 py-24 border-y border-[var(--border)]" style="background:var(--bg-deep, var(--bg-card))"> How it works <h2 class="text-3xl sm:text-4xl font-bold text-[var(--text-primary)]">Eliminate the back-and-forth in 3 steps</h2> Share your availability link. Guest self-schedules. Google Meet event is created automatically. Done. <svg xmlns="http://www.w3.org/2000/svg" width="28" height="28" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-link2 lucide-link-2 text-white" aria-hidden="true"><path d="M9 17H7A5 5 0 0 1 7 7h2"></path><path d="M15 7h2a5 5 0 1 1 0 10h-2"></path><line x1="8" x2="16" y1="12" y2="12"></line></svg> 01<h3 class="font-bold text-[var(--text-primary)] text-base">Create a booking link</h3> Generate a one-time or permanent scheduling link from your dashboard in seconds. <div class="w-16 h-16	

Line #	Content	Error
	rounded-2xl bg-brand-gradient flex items-center justify-center shadow-lg shadow-[rgba(59,106,232,0.3)] animate-float" style="animation-delay:0.8s"><svg xmlns="http://www.w3.org/2000/svg" width="28" height="28" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-calendar-check text-white" aria-hidden="true"><path d="M8 2v4"></path><path d="M16 2v4"></path><rect width="18" height="18" x="3" y="4" rx="2"></rect><path d="M3 10h18"></path><path d="m9 16 2 2 4-4"></path></svg> 02<h3 class="font-bold text-[var(--text-primary)] text-base">Guest self-schedules</h3> They pick from your real-time availability — no account or download needed. <svg xmlns="http://www.w3.org/2000/svg" width="28" height="28" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-zap text-white" aria-hidden="true">	
	<path d="M4 14a1 1 0 0 1-.78-1.63l9.9-10.2a.5.5 0 0 1 .86.46l-1.92 6.02A1 1 0 0 0 13 10h7a1 1 0 0 1 .78 1.63l-9.9 10.2a.5.5 0 0 1-.86-.46l1.92-6.02A1 1 0 0 0 11 14z"></path></svg> 03<h3 class="font-bold text-[var(--text-primary)] text-base">Google Meet created</h3> A Google Meet event lands in both inboxes automatically. You're ready to go. </section><section class="px-6 py-24 max-w-3xl mx-auto w-full"> FAQ <h2 class="text-3xl sm:text-4xl font-bold text-[var(--text-primary)]">Frequently asked questions</h2> <details class="animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl group overflow-hidden" style="animation-delay:0s"><summary class="flex items-center justify-between gap-4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text-[var(--accent)] transition-colors select-none focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(--accent)]">How do I create a one-time booking link?<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-chevron-down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180" aria-hidden="true"><path d="m6 9 6 6 6-6"></path></svg></summary> In DraftMeet, open any event type and generate a one-time link. It expires after the first booking — perfect for sending to a single client without exposing your permanent booking page. </details><details class="animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl group overflow-hidden" style="animation-delay:0.08s"><summary class="flex items-center justify-between gap-4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text-[var(--accent)] transition-colors select-none focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(--accent)]">Does DraftMeet automatically create Google Meet links?<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-chevron-down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180" aria-hidden="true"><path d="m6 9 6 6 6-6"></path></svg></summary> Yes. When a guest books, DraftMeet auto-creates a Google Meet event and sends the conference link to both parties. No manual step required — the meeting is ready the moment it's booked. </details><details class="animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl group overflow-hidden" style="animation-delay:0.16s"><summary class="flex items-center justify-between gap-4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text-[var(--accent)] transition-colors select-none focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(--accent)]">What is the best free Calendly alternative?<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-chevron-down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180" aria-hidden="true"><path d="m6 9 6 6 6-6">	
	</path></svg></summary> DraftMeet gives you one-time booking links, permanent booking pages, automatic Google Meet creation, and booking analytics on its free plan — features Calendly locks behind paid tiers.	

Line #	Content	Error
	</details><details class="animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl group overflow-hidden" style="animation-delay:0.24s"><summary class="flex items-center justify-between gap-4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text-[var(--accent)] transition-colors select-none focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(--accent)]"> What's the difference between a one-time link and a permanent booking page?<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-chevron-down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180" aria-hidden="true"><path d="m6 9 6 6 6-6"></path></svg> </summary> A one-time link expires after a single use — ideal for cold outreach or one-off consultations. A permanent booking page lives at a fixed URL you can share anywhere, indefinitely. DraftMeet supports both. </details><details class="animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl group overflow-hidden" style="animation-delay:0.32s"><summary class="flex items-center justify-between gap-4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text-[var(--accent)] transition-colors select-none focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(--accent)]">Can I connect DraftMeet to Google Calendar?<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-chevron-down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180" aria-hidden="true"><path d="m6 9 6 6 6-6"></path></svg></summary> Yes. DraftMeet syncs with Google Calendar to read your real-time availability, prevent double-bookings, and write new bookings directly to your calendar — each with a Google Meet link attached. </details> </section> <section class="relative px-6 py-28 flex flex-col items-center gap-7 text-center overflow-hidden border-t border-[var(--border)]"> <svg xmlns="http://www.w3.org/2000/svg" width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-sparkles" aria-hidden="true"><path d="M11.017 2.814a1 1 0 0 1 1.966 0l1.051 5.558a2 2 0 0 0 1.594 1.594l5.558 1.051a1 1 0 0 1 0 1.966l-5.558 1.051a2 2 0 0 0-1.594 1.594l-1.051 5.558a1 1 0 0 1-1.966 0l-1.051-5.558a2 2 0 0 0-1.594-1.594l-5.558-1.051a1 1 0 0 1 0-1.966l5.558-1.051a2 2 0 0 0 1.594-1.594z"></path><path d="M20 2v4"> </path><path d="M22 4h-4"></path><circle cx="4" cy="20" r="2"></circle> </svg>Limited early access<h2 class="text-3xl sm:text-4xl font-bold text-[var(--text-primary)]">Start scheduling in<!-- --> under 2 minutes</h2> Join the waitlist and be the first to get free early access to DraftMeet — the scheduling tool that eliminates back-and-forth for good. <form class="flex flex-col sm:flex-row gap-2 w-full"><input type="email" required="" placeholder="Enter your email" class="flex-1 px-4 py-3 rounded-xl bg-[var(--bg-input)] border border-[var(--border)] text-[var(--text-primary)] placeholder:text-[var(--text-secondary)] text-sm focus:outline-none focus:ring-2 focus:ring-[var(--border-accent)] disabled:opacity-50" value=""/><button type="submit" class="px-6 py-3 rounded-xl bg-brand-gradient text-white font-semibold text-sm shadow-lg shadow-[rgba(59,106,232,0.3)] hover:opacity-90 transition-all disabled:opacity-50 whitespace-nowrap">Notify Me</button></form> </section><footer class="px-6 py-8 border-t border-[var(--border)] flex flex-col sm:flex-row items-center justify-between gap-4 text-[var(--text-secondary)] text-xs max-w-6xl mx-auto w-full"> <img alt="DraftMeet" loading="lazy" width="20" height="20" decoding="async" data-nimg="1" class="logo-light rounded" style="color:transparent" srcSet="/_next/image?url=%2Flogo-light.png&w=32&q=75 1x, /_next/image?url=%2Flogo-light.png&w=48&q=75 2x" src="/_next/image?url=%2Flogo-light.png&w=48&q=75"/><img alt="DraftMeet" loading="lazy" width="20" height="20" decoding="async" data-nimg="1" class="logo-dark rounded" style="color:transparent" srcSet="/_next/image?url=%2Flogo-dark.png&w=32&q=75 1x, /_next/image?url=%2Flogo-dark.png&w=48&q=75 2x" src="/_next/image?url=%2Flogo-dark.png&w=48&q=75"/>DraftMeet·© <!-- -->2026<!-- --> All rights reserved. <a	

Line #	Content	Error
	class="hover:text-[var(--text-primary)] transition-colors"	
	href="/privacy">Privacy Policy</a><a class="hover:text-[var(--text-primary)]	
	transition-colors" href="/terms">Terms of Service</a> </footer></main><!-	
	-$--><!--/$--><script src="/_next/static/chunks/0zr2_awn3j2jo.js" id="_R_"	
	async=""></script><script>(self.__next_f=self.__next_f||[]).push([0])</script>	
	<script>self.__next_f.push([1,"1:\"$Sreact.fragment\"\n2:I[27502,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\"],\"ThemeProvider\"]\n3:I[5825,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\"],\"default\"]\n4:I[3523,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\"],\"default\"]\na:I[43480,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\"],\"default\",1]\n:HL[\"/_next/static/chunks/139u35trifi9h.css\",\"style\"]\	
	n:HL[\"/_next/static/media/83afe278b6a6bb3c-s.p.0q-301v4kxxnr.woff2\",\"font\",	
	{\"crossOrigin\":\"\",\"type\":\"font/woff2\"}]\n5:T6cf,"])</script>	
	<script>self.__next_f.push([1,"	
	{\"@context\":\"https://schema.org\",\"@type\":\"FAQPage\",\"mainEntity\":	
	[{\"@type\":\"Question\",\"name\":\"How do I create a one-time booking link?	
	\",\"acceptedAnswer\":{\"@type\":\"Answer\",\"text\":\"In DraftMeet, open any	
	event type and generate a one-time link. It expires automatically after the	
	first booking is completed — perfect for sending to a single client without	
	exposing your permanent booking page.\"}},	
	{\"@type\":\"Question\",\"name\":\"Does DraftMeet automatically create Google	
	Meet links?\",\"acceptedAnswer\":{\"@type\":\"Answer\",\"text\":\"Yes. When a	
	guest books a meeting, DraftMeet automatically creates a Google Meet event and	
	sends the video conference link to both parties in the confirmation email. No	
	manual step required.\"}},{\"@type\":\"Question\",\"name\":\"What is the best	
	free Calendly alternative?\",\"acceptedAnswer\":	
	{\"@type\":\"Answer\",\"text\":\"DraftMeet offers one-time booking links,	
	permanent booking pages, automatic Google Meet creation, and booking analytics	
	on its free plan — features Calendly reserves for paid tiers.\"}},	
	{\"@type\":\"Question\",\"name\":\"Can I connect DraftMeet to Google Calendar?	
	\",\"acceptedAnswer\":{\"@type\":\"Answer\",\"text\":\"Yes. DraftMeet syncs with	
	Google Calendar to read your real-time availability, prevent double-bookings,	
	and automatically write new booking events to your calendar with a Google Meet	
	link attached.\"}},{\"@type\":\"Question\",\"name\":\"What is the difference	
	between a one-time booking link and a permanent booking page?	
	\",\"acceptedAnswer\":{\"@type\":\"Answer\",\"text\":\"A one-time booking link	
	expires after a single use — ideal for cold outreach or one-off consultations. A	
	permanent booking page lives at a fixed URL and can be shared publicly or	
	embedded on your website indefinitely. DraftMeet supports both.\"}}]}"])	
	</script><script>self.__next_f.push([1,"0:{\"P\":null,\"c\":	
	[\"\",\"\"],\"q\":\"\",\"i\":false,\"f\":[[[\"\",{\"children\":[\"__PAGE__\",	
	{}]},\"$undefined\",\"$undefined\",16],[[\"$\",\"$1\",\"c\",{\"children\":	
	[[[\"$\",\"link\",\"0\",	
	{\"rel\":\"stylesheet\",\"href\":\"/_next/static/chunks/139u35trifi9h.css\",\"pr	
	ecedence\":\"next\",\"crossOrigin\":\"$undefined\",\"nonce\":\"$undefined\"}],	
	[\"$\",\"script\",\"script-0\",	
	{\"src\":\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"async\":true,\"nonce\":\"$u	
	ndefined\"}],[\"$\",\"script\",\"script-1\",	
	{\"src\":\"/_next/static/chunks/0iz4nfl_q3v80.js\",\"async\":true,\"nonce\":\"$u	
	ndefined\"}]],[\"$\",\"html\",null,	
	{\"lang\":\"en\",\"className\":\"inter_2fe1ab3d-module__-T-	
	KAq__variable\",\"children\":[\"$\",\"body\",null,{\"children\":	
	[[\"$\",\"script\",null,	
	{\"type\":\"application/ld+json\",\"dangerouslySetInnerHTML\":{\"__html\":\"	
	[{\\\"@context\\\":\\\"https://schema.org\\\",\\\"@type\\\":\\\"SoftwareApplicat	
	ion\\\",\\\"name\\\":\\\"DraftMeet\\\",\\\"url\\\":\\\"https://www.draftmeet.com	
	\\\",\\\"applicationCategory\\\":\\\"BusinessApplication\\\",\\\"operatingSystem	
	\\\":\\\"Web\\\",\\\"description\\\":\\\"DraftMeet is a free Calendly	
	alternative that lets you create one-time and permanent booking links, auto-	
	generate Google Meet events, sync with Google Calendar, and view booking	
	analytics.\\\",\\\"offers\\\":	
	{\\\"@type\\\":\\\"Offer\\\",\\\"price\\\":\\\"0\\\",\\\"priceCurrency\\\":\\\"U	
	SD\\\",\\\"description\\\":\\\"Free plan available\\\"},\\\"featureList\\\":	
	[\\\"One-time booking links\\\",\\\"Permanent booking pages with custom	
	slug\\\",\\\"Automatic Google Meet event creation\\\",\\\"Google Calendar	
	integration\\\",\\\"Booking analytics dashboard\\\",\\\"Webhooks and API	
	access\\\",\\\"Working hours and availability management\\\",\\\"Custom	
	questions per booking link\\\"]},	
	{\\\"@context\\\":\\\"https://schema.org\\\",\\\"@type\\\":\\\"Organization\\\",	
	\\\"name\\\":\\\"DraftMeet\\\",\\\"url\\\":\\\"https://www.draftmeet.com\\\",\\\	
	"logo\\\":\\\"https://www.draftmeet.com/logo-light.png\\\"}]\"}}],	
	[\"$\",\"$L2\",null,{\"children\":[\"$\",\"$L3\",null,	
	{\"parallelRouterKey\":\"children\",\"error\":\"$undefined\",\"errorStyles\":\"$	

Line #	Content	Error
	undefined\",\"errorScripts\":\"$undefined\",\"template\":[\"$\",\"$L4\",null,	
	{}],\"templateStyles\":\"$undefined\",\"templateScripts\":\"$undefined\",\"notFo	
	und\":[[[\"$\",\"title\",null,{\"children\":\"404: This page could not be	
	found.\"}],[\"$\",\"div\",null,{\"style\":{\"fontFamily\":\"system-ui,\\\"Segoe	
	UI\\\",Roboto,Helvetica,Arial,sans-serif,\\\"Apple Color Emoji\\\",\\\"Segoe UI	
	Emoji\\\"\",\"height\":\"100vh\",\"textAlign\":\"center\",\"display\":\"flex\",\	
	"flexDirection\":\"column\",\"alignItems\":\"center\",\"justifyContent\":\"cente	
	r\"},\"children\":[\"$\",\"div\",null,{\"children\":[[\"$\",\"style\",null,	
	{\"dangerouslySetInnerHTML\":	
	{\"__html\":\"body{color:#000;background:#fff;margin:0}.next-error-h1{border-	
	right:1px solid rgba(0,0,0,.3)}@media (prefers-color-scheme:dark)	
	{body{color:#fff;background:#000}.next-error-h1{border-right:1px solid	
	rgba(255,255,255,.3)}}\"}}],[\"$\",\"h1\",null,{\"className\":\"next-error-	
	h1\",\"style\":{\"display\":\"inline-block\",\"margin\":\"0 20px 0	
	0\",\"padding\":\"0 23px 0	
	0\",\"fontSize\":24,\"fontWeight\":500,\"verticalAlign\":\"top\",\"lineHeight\":	
	\"49px\"},\"children\":404}],[\"$\",\"div\",null,{\"style\":	
	{\"display\":\"inline-block\"},\"children\":[\"$\",\"h2\",null,{\"style\":	
	{\"fontSize\":14,\"fontWeight\":400,\"lineHeight\":\"49px\",\"margin\":0},\"chil	
	dren\":\"This page could not be found.\"}]}]]}]}]],	
	[[],\"forbidden\":\"$undefined\",\"unauthorized\":\"$undefined\"}]}]]}]]}]}],	
	{\"children\":[[\"$\",\"$1\",\"c\",{\"children\":[[[\"$\",\"script\",null,	
	{\"type\":\"application/ld+json\",\"dangerouslySetInnerHTML\":	
	{\"__html\":\"$5\"}}],\"$L6\"],[\"$L7\"],\"$L8\"]}],	
	{},null,false,null]},null,false,null],\"$L9\",false]],\"m\":\"$undefined\",\"G\"	
	:[\"$a\",	
	[\"$Lb\"]],\"S\":true,\"h\":null,\"s\":\"$undefined\",\"l\":\"$undefined\",\"p\"	
	:\"$undefined\",\"d\":\"$undefined\",\"b\":\"6qY-FSNeoH3NNM1X8ETvT\"}\n])	
	</script><script>self.__next_f.push([1,"c:I[97434,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\",\"/_next/static/chunks/13v6lmjxdl22n.js\"],\"Image\"]\nd:I[54785,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\",\"/_next/static/chunks/13v6lmjxdl22n.js\"],\"ThemeToggle\"]\ne:I[21912,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\",\"/_next/static/chunks/13v6lmjxdl22n.js\"],\"default\"]\n18:I[46516,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\"],\"OutletBoundary\"]\n19:\"$Sreact.suspense\"\n1b:I[46516,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\"],\"ViewportBoundary\"]\n1d:I[46516,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\"],\"MetadataBoundary\"]\n"])</script><script>self.__next_f.push([1,"6:	
	[\"$\",\"main\",null,{\"className\":\"min-h-screen flex flex-col bg-page-	
	gradient overflow-x-hidden\",\"children\":[[\"$\",\"nav\",null,	
	{\"className\":\"sticky top-0 z-30 flex items-center justify-between px-6 py-4	
	border-b border-[var(--border)] bg-[var(--bg-page)]/80 backdrop-blur-md animate-	
	fade-in\",\"children\":[[\"$\",\"div\",null,{\"className\":\"flex items-center	
	gap-2.5\",\"children\":[[\"$\",\"$Lc\",null,{\"src\":\"/logo-	
	light.png\",\"alt\":\"DraftMeet	
	logo\",\"width\":32,\"height\":32,\"className\":\"logo-light rounded-	
	lg\",\"priority\":true}],[\"$\",\"$Lc\",null,{\"src\":\"/logo-	
	dark.png\",\"alt\":\"DraftMeet	
	logo\",\"width\":32,\"height\":32,\"className\":\"logo-dark rounded-lg\"}],	
	[\"$\",\"span\",null,{\"className\":\"text-lg font-bold text-[var(--text-	
	primary)] tracking-tight\",\"children\":\"DraftMeet\"}]]}],[\"$\",\"$Ld\",null,	
	{\"compact\":true}]]}],[\"$\",\"section\",null,{\"className\":\"relative flex	
	flex-col items-center justify-center text-center px-6 py-28 gap-8 min-h-	
	[92vh]\",\"children\":[[\"$\",\"div\",null,{\"className\":\"absolute top-[-60px]	
	left-1/2 -translate-x-1/2 w-[800px] h-[600px] rounded-full blur-[160px] pointer-	
	events-none orb-pulse\",\"style\":{\"background\":\"radial-gradient(circle,	
	rgba(91,53,232,0.55) 0%, rgba(59,106,232,0.25) 40%, transparent 70%)\"}}],	
	[\"$\",\"div\",null,{\"className\":\"absolute bottom-[10%] right-[10%] w-[400px]	
	h-[400px] rounded-full blur-[140px] pointer-events-none orb-pulse\",\"style\":	
	{\"background\":\"radial-gradient(circle, rgba(56,191,255,0.35), transparent	
	70%)\",\"animationDelay\":\"2s\"}}],[\"$\",\"div\",null,	
	{\"className\":\"absolute top-[30%] left-[5%] w-[250px] h-[250px] rounded-full	
	blur-[120px] pointer-events-none orb-pulse\",\"style\":{\"background\":\"radial-	
	gradient(circle, rgba(91,53,232,0.2), transparent	
	70%)\",\"animationDelay\":\"1s\"}}],[\"$\",\"div\",null,	
	{\"className\":\"relative z-10 flex flex-col items-center gap-7 max-w-	
	3xl\",\"children\":[[\"$\",\"span\",null,{\"className\":\"animate-scale-in	
	inline-flex items-center gap-2 px-4 py-1.5 rounded-full badge-shimmer text-white	
	text-xs font-semibold tracking-wide shadow-lg\",\"children\":	
	[[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",	
	{\"d\":\"M11.017 2.814a1 1 0 0 1 1.966 0l1.051 5.558a2 2 0 0 0 1.594 1.594l5.558	
	1.051a1 1 0 0 1 0 1.966l-5.558 1.051a2 2 0 0 0-1.594 1.594l-1.051 5.558a1 1 0 0	
	1-1.966 0l-1.051-5.558a2 2 0 0 0-1.594-1.594l-5.558-1.051a1 1 0 0 1 0-	

Line #	Content	Error
	1.96615.558-1.051a2 2 0 0 0 1.594-1.594z\",\"key\":\"1s2grr\"}],[\"path\",	
	{\"d\":\"M20 2v4\",\"key\":\"1rf3ol\"}],[\"path\",{\"d\":\"M22 4h-	
	4\",\"key\":\"gwowj6\"}],[\"circle\",	
	{\"cx\":\"4\",\"cy\":\"20\",\"r\":\"2\",\"key\":\"6kqj1y\"}]],\"className\":\"lu	
	cide-sparkles\",\"size\":13}],\"Coming Soon — Join the waitlist\"]}],	
	[\"$\",\"h1\",null,{\"className\":\"animate-fade-up delay-100 text-5xl sm:text-	
	6xl lg:text-7xl font-extrabold text-[var(--text-primary)] leading-[1.08]	
	tracking-tight\",\"children\":[\"Smart scheduling links\",[\"$\",\"br\",null,	
	{}],[\"$\",\"span\",null,{\"className\":\"text-gradient-	
	brand\",\"children\":\"without the chaos\"}]]}],[\"$\",\"p\",null,	
	{\"className\":\"animate-fade-up delay-200 text-lg sm:text-xl text-[var(--text-	
	secondary)] leading-relaxed max-w-xl\",\"children\":[\"Share a booking link, let	
	clients self-schedule from your real-time availability, and get a Google Meet	
	event created automatically. The\",\" \",[\"$\",\"strong\",null,	
	{\"className\":\"text-[var(--text-primary)] font-semibold\",\"children\":\"free	
	Calendly alternative\"}],\" \",\"built for founders, freelancers, and remote	
	teams.\"]}],[\"$\",\"div\",null,{\"className\":\"animate-fade-up delay-300 flex	
	flex-wrap justify-center gap-3\",\"children\":[[\"$\",\"span\",\"No credit card	
	required\",{\"className\":\"inline-flex items-center gap-1.5 px-3 py-1 rounded-	
	full bg-[var(--bg-card)] border border-[var(--border)] text-[var(--text-	
	secondary)] text-xs font-medium\",\"children\":[[\"$\",\"$Le\",null,	
	{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M20 13c0 5-3.5 7.5-7.66	
	8.95a1 1 0 0 1-.67-.01C7.5 20.5 4 18 4 13V6a1 1 0 0 1 1-1c2 0 4.5-1.2 6.24-	
	2.72a1.17 1.17 0 0 1 1.52 0C14.51 3.81 17 5 19 5a1 1 0 0 1 1	
	1z\",\"key\":\"oel41y\"}]],\"className\":\"lucide-shield text-[var(--	
	accent)]\",\"size\":12}],\"No credit card	
	required\"]}],\"$Lf\",\"$L10\"]}],\"$L11\"]}],\"$L12\"]}],\"$L13\",\"$L14\",\"$L	
	15\",\"$L16\",\"$L17\"]}]\n"])</script><script>self.__next_f.push([1,"7:	
	[\"$\",\"script\",\"script-0\",	
	{\"src\":\"/_next/static/chunks/13v6lmjxdl22n.js\",\"async\":true,\"nonce\":\"$u	
	ndefined\"}]\n8:[\"$\",\"$L18\",null,{\"children\":[\"$\",\"$19\",null,	
	{\"name\":\"Next.MetadataOutlet\",\"children\":\"$@1a\"}]}]\n9:	
	[\"$\",\"$1\",\"h\",{\"children\":[null,[\"$\",\"$L1b\",null,	
	{\"children\":\"$L1c\"}],[\"$\",\"div\",null,{\"hidden\":true,\"children\":	
	[\"$\",\"$L1d\",null,{\"children\":[\"$\",\"$19\",null,	
	{\"name\":\"Next.Metadata\",\"children\":\"$L1e\"}]}]}],[\"$\",\"meta\",null,	
	{\"name\":\"next-size-adjust\",\"content\":\"\"}]]}]\nb:[\"$\",\"link\",\"0\",	
	{\"rel\":\"stylesheet\",\"href\":\"/_next/static/chunks/139u35trifi9h.css\",\"pr	
	ecedence\":\"next\",\"crossOrigin\":\"$undefined\",\"nonce\":\"$undefined\"}]\n"	
	])</script><script>self.__next_f.push([1,"1f:I[44127,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\",\"/_next/static/chunks/13v6lmjxdl22n.js\"],\"WaitlistForm\"]\n27:I[97075,	
	[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.	
	js\",\"/_next/static/chunks/13v6lmjxdl22n.js\"],\"\"]\nf:	
	[\"$\",\"span\",\"Instant Google Meet\",{\"className\":\"inline-flex items-	
	center gap-1.5 px-3 py-1 rounded-full bg-[var(--bg-card)] border border-[var(--	
	border)] text-[var(--text-secondary)] text-xs font-medium\",\"children\":	
	[[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M4	
	14a1 1 0 0 1-.78-1.63l9.9-10.2a.5.5 0 0 1 .86.46l-1.92 6.02A1 1 0 0 0 13 10h7a1	
	1 0 0 1 .78 1.63l-9.9 10.2a.5.5 0 0 1-.86-.46l1.92-6.02A1 1 0 0 0 11	
	14z\",\"key\":\"1xq2db\"}]],\"className\":\"lucide-zap text-[var(--	
	accent)]\",\"size\":12}],\"Instant Google Meet\"]}]\n10:[\"$\",\"span\",\"Free	
	early access\",{\"className\":\"inline-flex items-center gap-1.5 px-3 py-1	
	rounded-full bg-[var(--bg-card)] border border-[var(--border)] text-[var(--text-	
	secondary)] text-xs font-medium\",\"children\":[[\"$\",\"$Le\",null,	
	{\"ref\":\"$undefined\",\"iconNode\":\"$6:props:children:1:props:children:3:prop	
	s:children:0:props:children:0:props:iconNode\",\"className\":\"lucide-sparkles	
	text-[var(--accent)]\",\"size\":12}],\"Free early access\"]}]\n11:	
	[\"$\",\"div\",null,{\"className\":\"animate-fade-up delay-400 w-full max-w-	
	md\",\"children\":[[\"$\",\"$L1f\",null,{}],[\"$\",\"p\",null,	
	{\"className\":\"text-xs text-[var(--text-secondary)] mt-3\",\"children\":\"Be	
	the first to know when we launch. No spam, ever.\"}]]}]\n12:[\"$\",\"div\",null,	
	{\"className\":\"absolute bottom-8 left-1/2 -translate-x-1/2 animate-float	
	opacity-40\",\"children\":[\"$\",\"div\",null,{\"className\":\"w-5 h-8 rounded-	
	full border-2 border-[var(--border)] flex items-start justify-center pt-	
	1.5\",\"children\":[\"$\",\"div\",null,{\"className\":\"w-1 h-2 rounded-full bg-	
	[var(--accent)] animate-fade-in\"}]}]}]\n"])</script>	
	<script>self.__next_f.push([1,"13:[\"$\",\"section\",null,{\"className\":\"px-6	
	py-24 max-w-6xl mx-auto w-full\",\"children\":[[\"$\",\"div\",null,	
	{\"className\":\"text-center mb-14 animate-fade-up\",\"children\":	
	[[\"$\",\"p\",null,{\"className\":\"text-xs font-semibold tracking-widest text-	
	[var(--accent)] uppercase mb-3\",\"children\":\"Features\"}],[\"$\",\"h2\",null,	
	{\"className\":\"text-3xl sm:text-4xl font-bold text-[var(--text-	
	primary)]\",\"children\":[\"Everything you need.\",\" \",[\"$\",\"span\",null,	
	{\"className\":\"text-gradient-brand\",\"children\":\"Nothing you don't.\"}]]}],	
	[\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] mt-3 text-base	

Line #	Content	Error
	max-w-xl mx-auto\",\"children\":\"One-time booking links. Permanent scheduling pages. Google Calendar sync. Booking analytics. Webhooks. API keys. All free.\"}]]}],[\"$\",\"div\",null,{\"className\":\"grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4\",\"children\":[[\"$\",\"div\",\"One-Time Booking Links\",{\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl p-5 text-left card-glow-hover group cursor-default\",\"style\":{\"animationDelay\":\"0s\"},\"children\":[[\"$\",\"div\",null,{\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration-200\",\"style\":{\"background\":\"rgba(91,53,232,0.12)\"},\"children\":[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M9 17H7A5 5 0 0 0 1 7 7h2\",\"key\":\"8i5ue5\"}],[\"path\",{\"d\":\"M15 7h2a5 5 0 1 1 0 10h-2\",\"key\":\"1b9ql8\"}],[\"line\",{\"x1\":\"8\",\"x2\":\"16\",\"y1\":\"12\",\"y2\":\"12\",\"key\":\"1jonct\"}]],\"className\":\"lucide-link2 lucide-link-2\",\"size\":20,\"style\":{\"color\":\"#5B35E8\"},\"strokeWidth\":1.8}]}],[\"$\",\"h3\",null,{\"className\":\"font-semibold text-[var(--text-primary)] text-sm\",\"children\":\"One-Time Booking Links\"}],[\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] text-xs mt-1.5 leading-relaxed\",\"children\":\"Each link expires after a single booking — zero double-bookings, zero misuse.\"}]]}],[\"$\",\"div\",\"Permanent Booking Pages\",{\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl p-5 text-left card-glow-hover group cursor-default\",\"style\":{\"animationDelay\":\"0.05s\"},\"children\":[[\"$\",\"div\",null,{\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration-200\",\"style\":{\"background\":\"rgba(59,106,232,0.12)\"},\"children\":[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M3 12a9 9 0 0 1 9-9 9.75 9.75 0 0 1 6.74 2.74L21 8\",\"key\":\"v9h5vc\"}],[\"path\",{\"d\":\"M21 3v5h-5\",\"key\":\"1q7to0\"}],[\"path\",{\"d\":\"M21 12a9 9 0 0 1-9 9 9.75 9.75 0 0 1-6.74-2.74L3 16\",\"key\":\"3uifl3\"}],[\"path\",{\"d\":\"M8 16H3v5\",\"key\":\"1cv678\"}]],\"className\":\"lucide-refresh-cw\",\"size\":20,\"style\":{\"color\":\"#3B6AE8\"},\"strokeWidth\":1.8}]}],[\"$\",\"h3\",null,{\"className\":\"font-semibold text-[var(--text-primary)] text-sm\",\"children\":\"Permanent Booking Pages\"}],[\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] text-xs mt-1.5 leading-relaxed\",\"children\":\"A reusable page at your own custom slug — share it everywhere, forever.\"}]]}],[\"$\",\"div\",\"Google Calendar Sync\",{\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl p-5 text-left card-glow-hover group cursor-default\",\"style\":{\"animationDelay\":\"0.1s\"},\"children\":[[\"$\",\"div\",null,{\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration-200\",\"style\":{\"background\":\"rgba(56,191,255,0.12)\"},\"children\":[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M8 2v4\",\"key\":\"1cmpym\"}],[\"path\",{\"d\":\"M16 2v4\",\"key\":\"4m81vk\"}],[\"rect\",{\"width\":\"18\",\"height\":\"18\",\"x\":\"3\",\"y\":\"4\",\"rx\":\"2\",\"key\":\"1hopcy\"}],[\"path\",{\"d\":\"M3 10h18\",\"key\":\"8toen8\"}],[\"path\",{\"d\":\"m9 16 2 2 4-4\",\"key\":\"19s6y9\"}]],\"className\":\"lucide-calendar-check\",\"size\":20,\"style\":{\"color\":\"#38BFFF\"},\"strokeWidth\":1.8}]}],[\"$\",\"h3\",null,{\"className\":\"font-semibold text-[var(--text-primary)] text-sm\",\"children\":\"Google Calendar Sync\"}],[\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] text-xs mt-1.5 leading-relaxed\",\"children\":\"Syncs your real-time availability and auto-creates Google Meet events on every booking.\"}]]}]}],\"$L20\",\"$L21\",\"$L22\",\"$L23\",\"$L24\"]}]]}]\n"])</script><script>self.__next_f.push([1,"14:[\"$\",\"section\",null,{\"className\":\"px-6 py-24 border-y border-[var(--border)]\",\"style\":{\"background\":\"var(--bg-deep, var(--bg-card))\"},\"children\":[\"$\",\"div\",null,{\"className\":\"max-w-4xl mx-auto\",\"children\":[[\"$\",\"div\",null,{\"className\":\"text-center mb-14 animate-fade-up\",\"children\":[[\"$\",\"p\",null,{\"className\":\"text-xs font-semibold tracking-widest text-[var(--accent)] uppercase mb-3\",\"children\":\"How it works\"}],[\"$\",\"h2\",null,{\"className\":\"text-3xl sm:text-4xl font-bold text-[var(--text-primary)]\",\"children\":\"Eliminate the back-and-forth in 3 steps\"}],[\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] mt-3 text-base max-w-lg mx-auto\",\"children\":\"Share your availability link. Guest self-schedules. Google Meet event is created automatically. Done.\"}]]}],[\"$\",\"div\",null,{\"className\":\"grid grid-cols-1 sm:grid-cols-3 gap-8 relative\",\"children\":[[\"$\",\"div\",null,{\"className\":\"hidden sm:block absolute top-8 left-[calc(16.67%+1rem)] right-[calc(16.67%+1rem)] h-px bg-gradient-to-r from-transparent via-[var(--border-accent)] to-transparent\"}],[[\"$\",\"div\",\"01\",{\"className\":\"animate-fade-up flex flex-col items-center text-center gap-4\",\"style\":{\"animationDelay\":\"0s\"},\"children\":[[\"$\",\"div\",null,{\"className\":\"w-16 h-16 rounded-2xl bg-brand-gradient flex items-center	

Line #	Content	Error
	justify-center shadow-lg shadow-[rgba(59,106,232,0.3)] animate- float\",\"style\":{\"animationDelay\":\"0s\"},\"children\":[\"$\",\"$Le\",null, {\"ref\":\"$undefined\",\"iconNode\":\"$13:props:children:1:props:children:0:pro ps:children:0:props:children:props:iconNode\",\"className\":\"lucide-link2 lucide-link-2 text-white\",\"size\":28,\"strokeWidth\":1.8}]}], [\"$\",\"span\",null,{\"className\":\"text-xs font-bold tracking-widest text- [var(--accent)] uppercase\",\"children\":\"01\"}],[\"$\",\"h3\",null, {\"className\":\"font-bold text-[var(--text-primary)] text- base\",\"children\":\"Create a booking link\"}],[\"$\",\"p\",null, {\"className\":\"text-[var(--text-secondary)] text-sm leading- relaxed\",\"children\":\"Generate a one-time or permanent scheduling link from your dashboard in seconds.\"}]]}],[\"$\",\"div\",\"02\", {\"className\":\"animate-fade-up flex flex-col items-center text-center gap- 4\",\"style\":{\"animationDelay\":\"0.15s\"},\"children\":[[\"$\",\"div\",null, {\"className\":\"w-16 h-16 rounded-2xl bg-brand-gradient flex items-center justify-center shadow-lg shadow-[rgba(59,106,232,0.3)] animate- float\",\"style\":{\"animationDelay\":\"0.8s\"},\"children\": [\"$\",\"$Le\",null, {\"ref\":\"$undefined\",\"iconNode\":\"$13:props:children:1:props:children:2:pro ps:children:0:props:children:props:iconNode\",\"className\":\"lucide-calendar- check text-white\",\"size\":28,\"strokeWidth\":1.8}]}],[\"$\",\"span\",null, {\"className\":\"text-xs font-bold tracking-widest text-[var(--accent)] uppercase\",\"children\":\"02\"}],[\"$\",\"h3\",null,{\"className\":\"font-bold text-[var(--text-primary)] text-base\",\"children\":\"Guest self-schedules\"}], [\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] text-sm leading- relaxed\",\"children\":\"They pick from your real-time availability — no account or download needed.\"}]]}],[\"$\",\"div\",\"03\",{\"className\":\"animate-fade- up flex flex-col items-center text-center gap-4\",\"style\": {\"animationDelay\":\"0.3s\"},\"children\":[[\"$\",\"div\",null, {\"className\":\"w-16 h-16 rounded-2xl bg-brand-gradient flex items-center justify-center shadow-lg shadow-[rgba(59,106,232,0.3)] animate- float\",\"style\":{\"animationDelay\":\"1.6s\"},\"children\": [\"$\",\"$Le\",null, {\"ref\":\"$undefined\",\"iconNode\":\"$f:props:children:0:props:iconNode\",\"cl assName\":\"lucide-zap text-white\",\"size\":28,\"strokeWidth\":1.8}]}], [\"$\",\"span\",null,{\"className\":\"text-xs font-bold tracking-widest text- [var(--accent)] uppercase\",\"children\":\"03\"}],[\"$\",\"h3\",null, {\"className\":\"font-bold text-[var(--text-primary)] text- base\",\"children\":\"Google Meet created\"}],[\"$\",\"p\",null, {\"className\":\"text-[var(--text-secondary)] text-sm leading- relaxed\",\"children\":\"A Google Meet event lands in both inboxes automatically. You're ready to go.\"}]]}]]]}]]}]}]\n"])</script> <script>self.__next_f.push([1,"15:[\"$\",\"section\",null,{\"className\":\"px-6 py-24 max-w-3xl mx-auto w-full\",\"children\":[[\"$\",\"div\",null, {\"className\":\"text-center mb-12 animate-fade-up\",\"children\": [[\"$\",\"p\",null,{\"className\":\"text-xs font-semibold tracking-widest text- [var(--accent)] uppercase mb-3\",\"children\":\"FAQ\"}],[\"$\",\"h2\",null, {\"className\":\"text-3xl sm:text-4xl font-bold text-[var(--text- primary)]\",\"children\":\"Frequently asked questions\"}]]}], [\"$\",\"div\",null,{\"className\":\"flex flex-col gap-3\",\"children\": [[\"$\",\"details\",\"How do I create a one-time booking link?\", {\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(-- border)] rounded-2xl group overflow-hidden\",\"style\": {\"animationDelay\":\"0s\"},\"children\":[[\"$\",\"summary\",null, {\"className\":\"flex items-center justify-between gap-4 px-6 py-4 cursor- pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text- [var(--accent)] transition-colors select-none focus-visible:outline-2 focus- visible:outline-offset-2 focus-visible:outline-[var(--accent)]\",\"children\": [[\"$\",\"span\",null,{\"children\":\"How do I create a one-time booking link? \"}],[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\", {\"d\":\"m6 9 6 6 6-6\",\"key\":\"qrunsl\"}]],\"className\":\"lucide-chevron- down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180\",\"size\":16,\"aria-hidden\":\"true\"}]]}], [\"$\",\"p\",null,{\"className\":\"px-6 pb-5 text-sm text-[var(--text- secondary)] leading-relaxed border-t border-[var(--border)] pt- 4\",\"children\":\"In DraftMeet, open any event type and generate a one-time link. It expires after the first booking — perfect for sending to a single client without exposing your permanent booking page.\"}]]}], [\"$\",\"details\",\"Does DraftMeet automatically create Google Meet links?\", {\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(-- border)] rounded-2xl group overflow-hidden\",\"style\": {\"animationDelay\":\"0.08s\"},\"children\":[[\"$\",\"summary\",null, {\"className\":\"flex items-center justify-between gap-4 px-6 py-4 cursor- pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text- [var(--accent)] transition-colors select-none focus-visible:outline-2 focus- visible:outline-offset-2 focus-visible:outline-[var(--accent)]\",\"children\":	

Line #	Content	Error
	[[\"$\",\"span\",null,{\"children\":\"Does DraftMeet automatically create Google Meet links?\"}],[\"$\",\"$Le\",null, {\"ref\":\"$undefined\",\"iconNode\":\"$15:props:children:1:props:children:0:pro ps:children:0:props:children:1:props:iconNode\",\"className\":\"lucide-chevron- down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180\",\"size\":16,\"aria-hidden\":\"true\"}]]}], [\"$\",\"p\",null,{\"className\":\"px-6 pb-5 text-sm text-[var(--text- secondary)] leading-relaxed border-t border-[var(--border)] pt- 4\",\"children\":\"Yes. When a guest books, DraftMeet auto-creates a Google Meet event and sends the conference link to both parties. No manual step required — the meeting is ready the moment it's booked.\"}]]}],[\"$\",\"details\",\"What is the best free Calendly alternative?\",{\"className\":\"animate-fade-up bg-[var(- -bg-card)] border border-[var(--border)] rounded-2xl group overflow- hidden\",\"style\":{\"animationDelay\":\"0.16s\"},\"children\": [[\"$\",\"summary\",null,{\"className\":\"flex items-center justify-between gap- 4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text- primary)] hover:text-[var(--accent)] transition-colors select-none focus- visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(-- accent)]\",\"children\":[[\"$\",\"span\",null,{\"children\":\"What is the best free Calendly alternative?\"}],[\"$\",\"$Le\",null, {\"ref\":\"$undefined\",\"iconNode\":\"$15:props:children:1:props:children:0:pro ps:children:0:props:children:1:props:iconNode\",\"className\":\"lucide-chevron- down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180\",\"size\":16,\"aria-hidden\":\"true\"}]]}], [\"$\",\"p\",null,{\"className\":\"px-6 pb-5 text-sm text-[var(--text- secondary)] leading-relaxed border-t border-[var(--border)] pt- 4\",\"children\":\"DraftMeet gives you one-time booking links, permanent booking pages, automatic Google Meet creation, and booking analytics on its free plan — features Calendly locks behind paid tiers.\"}]]}],\"$L25\",\"$L26\"]}]]}]\n"]) </script><script>self.__next_f.push([1,"16:[\"$\",\"section\",null, {\"className\":\"relative px-6 py-28 flex flex-col items-center gap-7 text- center overflow-hidden border-t border-[var(--border)]\",\"children\": [[\"$\",\"div\",null,{\"className\":\"absolute inset-0 pointer-events-none orb- pulse\",\"style\":{\"background\":\"radial-gradient(ellipse at center, rgba(91,53,232,0.08) 0%, transparent 70%)\"}}],[\"$\",\"div\",null, {\"className\":\"relative z-10 flex flex-col items-center gap-7 max-w-xl animate-fade-up\",\"children\":[[\"$\",\"span\",null,{\"className\":\"inline- flex items-center gap-2 px-4 py-1.5 rounded-full bg-[var(--bg-card)] border border-[var(--border-accent)] text-[var(--accent)] text-xs font- semibold\",\"children\":[[\"$\",\"$Le\",null, {\"ref\":\"$undefined\",\"iconNode\":\"$6:props:children:1:props:children:3:prop s:children:0:props:children:0:props:iconNode\",\"className\":\"lucide- sparkles\",\"size\":13}],\"Limited early access\"]}],[\"$\",\"h2\",null, {\"className\":\"text-3xl sm:text-4xl font-bold text-[var(--text- primary)]\",\"children\":[\"Start scheduling in\",\" \",[\"$\",\"span\",null, {\"className\":\"text-gradient-brand\",\"children\":\"under 2 minutes\"}]]}], [\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] text-base leading-relaxed\",\"children\":\"Join the waitlist and be the first to get free early access to DraftMeet — the scheduling tool that eliminates back-and-forth for good.\"}],[\"$\",\"div\",null,{\"className\":\"w-full max-w- md\",\"children\":[\"$\",\"$L1f\",null,{}]}]}]}]}]\n"])</script> <script>self.__next_f.push([1,"17:[\"$\",\"footer\",null,{\"className\":\"px-6 py-8 border-t border-[var(--border)] flex flex-col sm:flex-row items-center justify-between gap-4 text-[var(--text-secondary)] text-xs max-w-6xl mx-auto w- full\",\"children\":[[\"$\",\"div\",null,{\"className\":\"flex items-center gap- 2\",\"children\":[[\"$\",\"$Lc\",null,{\"src\":\"/logo- light.png\",\"alt\":\"DraftMeet\",\"width\":20,\"height\":20,\"className\":\"log o-light rounded\"}],[\"$\",\"$Lc\",null,{\"src\":\"/logo- dark.png\",\"alt\":\"DraftMeet\",\"width\":20,\"height\":20,\"className\":\"logo -dark rounded\"}],[\"$\",\"span\",null,{\"className\":\"font-semibold text- [var(--text-primary)]\",\"children\":\"DraftMeet\"}],[\"$\",\"span\",null, {\"className\":\"mx-2 opacity-40\",\"children\":\"·\"}],[\"$\",\"span\",null, {\"children\":[\"© \",2026,\" All rights reserved.\"]}]]}],[\"$\",\"div\",null, {\"className\":\"flex gap-6\",\"children\":[[\"$\",\"$L27\",null, {\"href\":\"/privacy\",\"className\":\"hover:text-[var(--text-primary)] transition-colors\",\"children\":\"Privacy Policy\"}],[\"$\",\"$L27\",null, {\"href\":\"/terms\",\"className\":\"hover:text-[var(--text-primary)] transition-colors\",\"children\":\"Terms of Service\"}]]}]]}]\n"])</script> <script>self.__next_f.push([1,"20:[\"$\",\"div\",\"Availability Management\", {\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(-- border)] rounded-2xl p-5 text-left card-glow-hover group cursor- default\",\"style\":{\"animationDelay\":\"0.15000000000000002s\"},\"children\": [[\"$\",\"div\",null,{\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration- 200\",\"style\":{\"background\":\"rgba(91,53,232,0.12)\"},\"children\": [\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"circle\",	

Line #	Content	Error
	{\"cx\":\"12\",\"cy\":\"12\",\"r\":\"10\",\"key\":\"1mglay\"}],[\"path\", {\"d\":\"M12 6v6l4 2\",\"key\":\"mmk7yg\"}]],\"className\":\"lucide-clock4 lucide-clock-4\",\"size\":20,\"style\": {\"color\":\"#5B35E8\"},\"strokeWidth\":1.8}]}],[\"$\",\"h3\",null, {\"className\":\"font-semibold text-[var(--text-primary)] text- sm\",\"children\":\"Availability Management\"}],[\"$\",\"p\",null, {\"className\":\"text-[var(--text-secondary)] text-xs mt-1.5 leading- relaxed\",\"children\":\"Set working hours, buffer times, and custom date overrides to stay in control.\"}]]}]\n21:[\"$\",\"div\",\"Booking Analytics\", {\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(-- border)] rounded-2xl p-5 text-left card-glow-hover group cursor- default\",\"style\":{\"animationDelay\":\"0.2s\"},\"children\": [[\"$\",\"div\",null,{\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration- 200\",\"style\":{\"background\":\"rgba(59,106,232,0.12)\"},\"children\": [\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M3 3v16a2 2 0 0 0 2 2h16\",\"key\":\"c24i48\"}],[\"path\",{\"d\":\"M18 17V9\",\"key\":\"2bz60n\"}],[\"path\",{\"d\":\"M13 17V5\",\"key\":\"1frdt8\"}], [\"path\",{\"d\":\"M8 17v-3\",\"key\":\"17ska0\"}]],\"className\":\"lucide- chart-column\",\"size\":20,\"style\": {\"color\":\"#3B6AE8\"},\"strokeWidth\":1.8}]}],[\"$\",\"h3\",null, {\"className\":\"font-semibold text-[var(--text-primary)] text- sm\",\"children\":\"Booking Analytics\"}],[\"$\",\"p\",null, {\"className\":\"text-[var(--text-secondary)] text-xs mt-1.5 leading- relaxed\",\"children\":\"Track booking volume, cancellation rates, and top event types over time.\"}]]}]\n22:[\"$\",\"div\",\"Webhooks\", {\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(-- border)] rounded-2xl p-5 text-left card-glow-hover group cursor- default\",\"style\":{\"animationDelay\":\"0.25s\"},\"children\": [[\"$\",\"div\",null,{\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration- 200\",\"style\":{\"background\":\"rgba(56,191,255,0.12)\"},\"children\": [\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M18 16.98h-5.99c-1.1 0-1.95.94-2.48 1.9A4 4 0 0 1 2 17c.01-.7.2-1.4.57- 2\",\"key\":\"q3hayz\"}],[\"path\",{\"d\":\"m6 17 3.13-5.78c.53-.97.1-2.18-.5- 3.1a4 4 0 1 1 6.89-4.06\",\"key\":\"1go1hn\"}],[\"path\",{\"d\":\"m12 6 3.13 5.73C15.66 12.7 16.9 13 18 13a4 4 0 0 1 0 8\",\"key\":\"qlwsc0\"}]],\"className\":\"lucide- webhook\",\"size\":20,\"style\":{\"color\":\"#38BFFF\"},\"strokeWidth\":1.8}]}], [\"$\",\"h3\",null,{\"className\":\"font-semibold text-[var(--text-primary)] text-sm\",\"children\":\"Webhooks\"}],[\"$\",\"p\",null,{\"className\":\"text- [var(--text-secondary)] text-xs mt-1.5 leading-relaxed\",\"children\":\"Real- time POST notifications on every booking event — connect any tool.\"}]]}]\n23: [\"$\",\"div\",\"API Keys\",{\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl p-5 text-left card-glow-hover group cursor-default\",\"style\": {\"animationDelay\":\"0.30000000000000004s\"},\"children\":[[\"$\",\"div\",null, {\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration-200\",\"style\": {\"background\":\"rgba(91,53,232,0.12)\"},\"children\":[\"$\",\"$Le\",null, {\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M2.586 17.414A2 2 0 0 0 2 18.828V21a1 1 0 0 0 1 1h3a1 1 0 0 0 1-1v-1a1 1 0 0 1 1-1h1a1 1 0 0 0 1-1v-1a1 1 0 0 1 1-1h.172a2 2 0 0 0 1.414-.586l.814-.814a6.5 6.5 0 1 0-4- 4z\",\"key\":\"1s6t7t\"}],[\"circle\", {\"cx\":\"16.5\",\"cy\":\"7.5\",\"r\":\".5\",\"fill\":\"currentColor\",\"key\":\ "w0ekpg\"}]],\"className\":\"lucide-key-round\",\"size\":20,\"style\": {\"color\":\"#5B35E8\"},\"strokeWidth\":1.8}]}],[\"$\",\"h3\",null, {\"className\":\"font-semibold text-[var(--text-prim"])</script> <script>self.__next_f.push([1,"ary)] text-sm\",\"children\":\"API Keys\"}], [\"$\",\"p\",null,{\"className\":\"text-[var(--text-secondary)] text-xs mt-1.5 leading-relaxed\",\"children\":\"Developer-friendly REST API to integrate DraftMeet into your own products.\"}]]}]\n24:[\"$\",\"div\",\"Custom Questions\",{\"className\":\"animate-fade-up bg-[var(--bg-card)] border border- [var(--border)] rounded-2xl p-5 text-left card-glow-hover group cursor- default\",\"style\":{\"animationDelay\":\"0.35000000000000003s\"},\"children\": [[\"$\",\"div\",null,{\"className\":\"w-10 h-10 rounded-xl flex items-center justify-center mb-4 transition-transform group-hover:scale-110 duration- 200\",\"style\":{\"background\":\"rgba(59,106,232,0.12)\"},\"children\": [\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":[[\"path\",{\"d\":\"M22 17a2 2 0 0 1-2 2H6.828a2 2 0 0 0-1.414.586l-2.202 2.202A.71.71 0 0 1 2 21.286V5a2 2 0 0 1 2-2h16a2 2 0 0 1 2 2z\",\"key\":\"18887p\"}]],\"className\":\"lucide-message- square\",\"size\":20,\"style\":{\"color\":\"#3B6AE8\"},\"strokeWidth\":1.8}]}], [\"$\",\"h3\",null,{\"className\":\"font-semibold text-[var(--text-primary)] text-sm\",\"children\":\"Custom Questions\"}],[\"$\",\"p\",null, {\"className\":\"text-[var(--text-secondary)] text-xs mt-1.5 leading-	

Line #	Content	Error
	relaxed\",\"children\":\"Collect exactly the guest info you need with per-link custom fields.\"}]]}]\n25:[\"$\",\"details\",\"What's the difference between a one-time link and a permanent booking page?\",{\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl group overflow-hidden\",\"style\":{\"animationDelay\":\"0.24s\"},\"children\":[[\"$\",\"summary\",null,{\"className\":\"flex items-center justify-between gap-4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text-[var(--accent)] transition-colors select-none focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(--accent)]\",\"children\":[[\"$\",\"span\",null,{\"children\":\"What's the difference between a one-time link and a permanent booking page?\"}],[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":\"$15:props:children:1:props:children:0:pro ps:children:0:props:children:1:props:iconNode\",\"className\":\"lucide-chevron-down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180\",\"size\":16,\"aria-hidden\":\"true\"}]]}],[\"$\",\"p\",null,{\"className\":\"px-6 pb-5 text-sm text-[var(--text-secondary)] leading-relaxed border-t border-[var(--border)] pt-4\",\"children\":\"A one-time link expires after a single use — ideal for cold outreach or one-off consultations. A permanent booking page lives at a fixed URL you can share anywhere, indefinitely. DraftMeet supports both.\"}]]}]\n26:[\"$\",\"details\",\"Can I connect DraftMeet to Google Calendar?\",{\"className\":\"animate-fade-up bg-[var(--bg-card)] border border-[var(--border)] rounded-2xl group overflow-hidden\",\"style\":{\"animationDelay\":\"0.32s\"},\"children\":[[\"$\",\"summary\",null,{\"className\":\"flex items-center justify-between gap-4 px-6 py-4 cursor-pointer list-none font-semibold text-sm text-[var(--text-primary)] hover:text-[var(--accent)] transition-colors select-none focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-[var(--accent)]\",\"children\":[[\"$\",\"span\",null,{\"children\":\"Can I connect DraftMeet to Google Calendar?\"}],[\"$\",\"$Le\",null,{\"ref\":\"$undefined\",\"iconNode\":\"$15:props:children:1:props:children:0:pro ps:children:0:props:children:1:props:iconNode\",\"className\":\"lucide-chevron-down shrink-0 text-[var(--text-secondary)] transition-transform duration-200 group-open:rotate-180\",\"size\":16,\"aria-hidden\":\"true\"}]]}],[\"$\",\"p\",null,{\"className\":\"px-6 pb-5 text-sm text-[var(--text-secondary)] leading-relaxed border-t border-[var(--border)] pt-4\",\"children\":\"Yes. DraftMeet syncs with Google Calendar to read your real-time availability, prevent double-bookings, and write new bookings directly to your calendar — each with a Google Meet link attached.\"}]]}]\n])</script>	
	<script>self.__next_f.push([1,"1c:[[\"$\",\"meta\",\"0\",{\"charSet\":\"utf-8\"}],[\"$\",\"meta\",\"1\",{\"name\":\"viewport\",\"content\":\"width=device-width, initial-scale=1\"}]]\n"])</script>	
	<script>self.__next_f.push([1,"28:I[6000,[\"/_next/static/chunks/0pbh99r~3~mrp.js\",\"/_next/static/chunks/0iz4nfl_q3v80.js\"],\"IconMark\"]\n1a:null\n"])</script><script>self.__next_f.push([1,"1e:[[\"$\",\"title\",\"0\",{\"children\":\"DraftMeet: Free Calendly Alternative with Automatic Google Meet\"}],[\"$\",\"meta\",\"1\",{\"name\":\"description\",\"content\":\"Create one-time or permanent booking links, auto-generate Google Meet events, and manage availability in one place. The free Calendly alternative built for speed.\"}],[\"$\",\"meta\",\"2\",{\"name\":\"keywords\",\"content\":\"Calendly alternative,free Calendly alternative,scheduling software,booking link tool,one-time booking link,meeting scheduler,Google Meet scheduling,Google Calendar sync,appointment scheduling software,scheduling tool for freelancers,booking page creator,automatic Google Meet,online booking tool,scheduling link,self-service scheduling\"}],[\"$\",\"meta\",\"3\",{\"name\":\"robots\",\"content\":\"index, follow\"}],[\"$\",\"link\",\"4\",{\"rel\":\"canonical\",\"href\":\"https://www.draftmeet.com\"}],[\"$\",\"meta\",\"5\",{\"name\":\"google-site-verification\",\"content\":\"2CACV__s0LZoR8P2xyPxHh0Es8GBtRtxfKI3zEJDzDo\"}],[\"$\",\"meta\",\"6\",{\"property\":\"og:title\",\"content\":\"DraftMeet: Free Calendly Alternative with Automatic Google Meet\"}],[\"$\",\"meta\",\"7\",{\"property\":\"og:description\",\"content\":\"Share a booking link, let clients self-schedule, and auto-create Google Meet events. No back-and-forth. Free to start — built for founders \u0026 freelancers.\"}],[\"$\",\"meta\",\"8\",{\"property\":\"og:url\",\"content\":\"https://www.draftmeet.com\"}],[\"$\",\"meta\",\"9\",{\"property\":\"og:image\",\"content\":\"https://www.draftmeet.com/og-image.png\"}],[\"$\",\"meta\",\"10\",{\"property\":\"og:image:width\",\"content\":\"1200\"}],[\"$\",\"meta\",\"11\",{\"property\":\"og:image:height\",\"content\":\"630\"}],[\"$\",\"meta\",\"12\",{\"property\":\"og:image:alt\",\"content\":\"DraftMeet — Smart Scheduling\"}],[\"$\",\"meta\",\"13\",{\"property\":\"og:type\",\"content\":\"website\"}],[\"$\",\"meta\",\"14\",{\"name\":\"twitter:card\",\"content\":\"summary_large_image\"}],	

Line #	Content	Error
	[\"$\",\"meta\",\"15\",{\"name\":\"twitter:title\",\"content\":\"DraftMeet: Free Calendly Alternative with Automatic Google Meet\"}],[\"$\",\"meta\",\"16\",{\"name\":\"twitter:description\",\"content\":\"One-time booking links. Permanent booking pages. Automatic Google Meet. The free Calendly alternative for freelancers and founders.\"}],[\"$\",\"meta\",\"17\",{\"name\":\"twitter:image\",\"content\":\"https://www.draftmeet.com/og-image.png\"}],[\"$\",\"link\",\"18\",{\"rel\":\"icon\",\"href\":\"/favicon.ico?favicon.0x3dzn~oxb6tn.ico\",\"sizes\":\"256x256\",\"type\":\"image/x-icon\"}],[\"$\",\"$L28\",\"19\",{}]]\n"])</script></body></html>	

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid

Run the Structured Data Testing Tool to validate structured data. Learn more about Structured Data. Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Hide

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

- Document has a meta description

Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.

- Links have descriptive text

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

- Links are crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable

- Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

- Document has a valid `hreflang`

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more about `hreflang`.

- Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. Learn more about canonical links.

- Captured at Apr 9, 2026, 7:24 AM GMT+5:30
- Initial page load
- Emulated Desktop with Lighthouse 13.0.2
- Custom throttling
- Single page session
- Using Chromium 146.0.0.0 with devtools

Generated by **Lighthouse** 13.0.2 | File an issue