Hochschule Fulda
University of Applied Sciences

GLOBAL DISTRIBUTED SOFTWARE DEVELOPMENT

AI5088

Master Team Project Summer 2026 - Milestone 4

SkillBridge

17.07.2026

Team Lead | Backend Lead
Anish Bade
Email: anish.bade@informatik.hs-fulda.de

GitHub Master
Subham Gaurav

Frontend Lead
Hrishav Banik

Frontend Lead
Nitya Vadhel

History Table	
Initial Submission Date	**Revision Date**

Supervisor: Prof. Dr. Rainer Todtenhöfer

Table of Contents

1. Product Summary 3
    Final Committed P1 Functions 3
2. Usability Test Plan 4
    Likert Scale Questionnaire 5
    Usability Test Participants 5
    Usability Test Summary 5
3. QA Test Plan 6
    Integration Test Plan Using pytest 7
    QA Test Summary 7
4. Code Review 7
    Code Review Findings 8
5. Self-check on Best Practices for Security 9
6. Self-check: Adherence to Original Non-functional Specs 10

1. Product Summary

SkillBridge is a tutoring platform for Hochschule Fulda students. The main goal of the product is to help students find suitable tutors inside the university community. Students can search for tutors by subject or keyword, view approved tutor profiles and contact tutors through the platform. Tutors can create their own profiles, add subjects and skills and communicate with students after approval. Admins manage tutor approvals, reports, moderation and communication with tutors.

SkillBridge is useful because it creates a trusted tutoring environment only for Hochschule Fulda users. The platform focuses on verified users, approved tutor profiles, secure communication and simple tutor discovery. One unique part of the product is that it combines tutor search, profile approval, messaging and moderation in one university-focused platform.

Product URL: https://skillbridgeacademy.duckdns.org/

Final Committed P1 Functions

The following list is our final Priority 1 function commitment for final delivery:

1. Guest users can access the public landing page.
2. Guest users can search approved tutor profiles.
3. Guest users can view limited tutor preview information.
4. Students can register only with a Hochschule Fulda email address.
5. Students can log in and access student functions.
6. Tutors can register and access tutor-specific functions.
7. Admins can log in and access admin-specific functions.
8. The system supports role-based access for students, tutors, admins, and super admins.
9. Students can search tutors by subject or keyword.
10. Search results show only approved and visible tutor profiles.
11. Students can open tutor profile details from the search results.
12. Tutors can create and edit their tutor profiles.
13. Tutors can add subjects, skill badges, bio, languages, teaching style, and availability.
14. Admins can approve or reject tutor profiles.
15. Unapproved tutor profiles and content do not appear in public or student search results.
16. Students can send messages to tutors.
17. Tutors can reply to student messages.
18. Admins can send messages to approved tutors.
19. Tutors can send messages to admins.
20. Students can report tutor profiles, messages, or uploaded content.
21. Admins can access a dashboard for pending tutor approvals and reported content.
22. Admins can deactivate or delete inappropriate users, profiles, or content.
23. Uploaded media is checked for valid file type and file size.
24. Invalid uploaded files are rejected with an error message.
25. Search input is validated for a maximum of 40 alphanumeric characters.
26. User passwords are stored securely using hashing.
27. Protected pages and backend endpoints are restricted by user role.

28. Main pages are responsive on desktop and mobile devices.
29. The application is deployed on the final deployment server.
30. The frontend, backend, and database are integrated.
31. Tutors can create services containing images and videos.

2. Usability Test Plan

Test 1 objectives

The selected function for usability testing is Find a Tutor / Tutor Search. This function was selected because it is one of the most important P1 functions of SkillBridge and directly supports the main purpose of the product.

The test checks whether users can easily find the tutor search function, enter a subject or keyword, understand the search results and open a suitable tutor profile. The goal is to measure user satisfaction with the tutor search process and identify usability problems before final delivery.

Test background and setup

System setup: The test will be performed on the deployed SkillBridge application. The frontend is built with Angular, the backend uses FastAPI and the database stores tutor profile and subject information. The system is accessed through a web browser using the deployed URL.

Starting point: Each tester starts from the SkillBridge landing page. The tester is asked to use the Find a Tutor or tutor search function without help from the team.

Intended users: The intended users are Hochschule Fulda students who are looking for academic help from tutors. For this usability test, at least Four external testers will be used. The testers must not be members of the project team.

URL of the system to be tested: https://skillbridgeacademy.duckdns.org/

What is measured: For Milestone 4, the main focus is user satisfaction. User satisfaction is measured using Likert-scale questions after the tester completes the task. The team will also record whether the tester completed the task successfully and any short comments from the tester.

Usability Task description

The following instruction will be given to each tester:

> “You are a student looking for help in a subject such as Python, Java, Mathematics or Databases. Open the SkillBridge website. Use the Find a Tutor or tutor search function to search for a tutor. Look at the search results and open one tutor profile that looks suitable for your need. After completing the task, answer the short questionnaire.”

Effectiveness measurement

Effectiveness will be measured by checking whether the tester can complete the task without help. The task is considered successful if the tester can search for a tutor and open a tutor profile from the results.

Efficiency measurement

Efficiency will be measured by observing how quickly the tester completes the task and whether the tester needs extra help or unnecessary steps. The team will record short notes if the tester seems confused or takes too long.

Likert Scale Questionnaire

Scale: 1 = Strongly disagree; 2 = Disagree; 3 = Neutral; 4 = Agree; 5 = Strongly agree.

Table 3: Test 1 Likert Questionnaire

#	Likert Scale Question	1	2	3	4	5
1	I was able to find the tutor search function easily.	☐	☐	☐	☐	☐
2	The search function was simple and easy to use.	☐	☐	☐	☐	☐
3	I understood how to enter a subject or keyword for my search.	☐	☐	☐	☐	☐
4	The search results were clear and easy to understand.	☐	☐	☐	☐	☐
5	The tutor profile gave me enough information to decide whether the tutor was suitable.	☐	☐	☐	☐	☐
6	I was satisfied with the overall process of finding a tutor.	☐	☐	☐	☐	☐

Usability Test Participants

Table 4: Test 1 Participants

Tester	Team member?	Task completed?	Q1 Score	Q2 Score	Q3 Score	Q4 Score	Q5 Score	Q6 Score	Notes
Tester 1: Global_health_tester	No	Yes	2	2	3	1	2	1	The function should be improved.
Tester 2: Food_tech_tester	No	Yes	2	1	2	2	1	2	No additional comment.
Tester 3: Front_Team	Yes	Yes	5	4	5	5	4	4	No additional comment.
Tester 4: MBA_tester	No	Yes	4	4	4	1	1	2	No additional comment.
Tester 5: Food_Pharma	No	Yes	4	3	3	2	2	1	No additional comment.
Tester 6: Deploy_team	Yes	Yes	5	4	3	5	3	3	not provided enough information.

Test 2 objectives

The selected function for usability testing is Service Creation with Images and Video. This function was selected because it is an important P1 function of SkillBridge and supports the main purpose of the product by allowing tutors to create and offer tutoring services to students.

The test checks whether users can easily find the service creation function, enter service information, add a service title and description, upload or attach images, add a video and submit the service successfully. The goal is to measure user satisfaction with the service creation process and identify usability problems before final delivery.

Test background and setup

System setup: The test will be performed on the deployed SkillBridge application. The frontend is built with Angular, the backend uses FastAPI, and the database stores Service information, tutor information, images and video-related data. The system is accessed through a web browser using the deployed URL.

Starting point: Each tester starts from the SkillBridge landing page. The tester is asked to use the service creation function without help from the team.The tester starts from the SkillBridge landing page and logs in before creating a service.

Intended users: The intended users are Hochschule Fulda students who want to offer tutoring or learning content through SkillBridge. For this usability test, at least Four external testers will be used. The testers must not be members of the project team.

URL of the system to be tested: https://skillbridgeacademy.duckdns.org/

What is measured: For Milestone 4, the main focus is user satisfaction. User satisfaction is measured using Likert-scale questions after the tester completes the task. The team will also record whether the tester completed the task successfully and any short comments from the tester.

Usability Task description

The following instruction will be given to each tester:

> “You are a tutor who wants to create a service on SkillBridge. Open the SkillBridge website. Find the service creation function and create a service by entering a suitable service title, description, subject or category and other required information. Add at least one image and one video to the service. After completing the task, answer the short questionnaire.”

Effectiveness measurement

Effectiveness will be measured by checking whether the tester can complete the task without help. The task is considered successful if the tester can find the service creation function, enter the required service information, add an image and video where required and create or submit the service.

Efficiency measurement

Efficiency will be measured by observing how quickly the tester completes the task and whether the tester needs extra help or unnecessary steps. The team will record short notes if the tester seems confused, misses required fields, has difficulty uploading images or videos or takes too long.

Likert Scale Questionnaire

Scale: 1 = Strongly disagree; 2 = Disagree; 3 = Neutral; 4 = Agree; 5 = Strongly agree.

Table 5: Test 2 Likert Questionnaire

#	Likert Scale Question	1	2	3	4	5
1	I was able to find the Service creation function easily.	☐	☐	☐	☐	☐
2	The Service creation form was clear and easy to understand.	☐	☐	☐	☐	☐
3	I understood what information I needed to enter for the Service.	☐	☐	☐	☐	☐
4	Adding an image to the Service was easy.	☐	☐	☐	☐	☐
5	Adding a video or video link to the Service was easy.	☐	☐	☐	☐	☐
6	The system clearly showed whether the Service was created successfully.	☐	☐	☐	☐	☐
7	I was satisfied with the overall process of creating a Service.	☐	☐	☐	☐	☐

Usability Test Participants

Table 6: Test 2 Participants

Tester	Team member?	Task completed ?	Q1 Score	Q2 Score	Q3 Score	Q4 Score	Q5 Score	Q6 score	Q7 Score	Notes
Tester 1: Global_health_tester	No	Yes	3	2	2	2	2	2	1	No additional comment.
Tester 2: Food_tech_tester	No	Yes	1	2	1	1	1	2	1	No additional comment.
Tester 3: Front_Team	Yes	Yes	4	5	4	5	5	4	5	No additional comment.
Tester 4: MBA_tester	No	Yes	1	1	2	3	3	2	1	No additional comment.
Tester 5: Food_Pharma	No	Yes	2	3	2	4	1	1	3	No additional comment.
Tester 6: Deploy_team	Yes	Yes	4	5	4	4	4	2	3	No success notification or popup


Tester	Team member?	Task completed ?	Q1 Score	Q2 Score	Q3 Score	Q4 Score	Q5 Score	Q6 score	Q7 Score	Notes
Tester 1: Global_health_tester	No	Yes	3	2	2	2	2	2	1	No additional comment.
										was displayed


Usability Test Summary

The usability test was performed with six testers, of whom four were not members of the project team and two were team members. The main goal was to evaluate whether users could easily use the Find a Tutor function and the Service Creation function with images and videos. The results showed that most testers were able to complete the Find a Tutor task, while the Service Creation task was more difficult for several non-team testers. The ratings also showed that team members found both functions easier to use than non-team testers.

The main feedback from testers was that the tutor profiles and service information did not provide enough details, some search results were unclear and the system did not clearly confirm when a service was created successfully. Based on this feedback, the team will improve the clarity of search results, provide more detailed tutor and service information, simplify the service creation process and add a clear success confirmation after a service is created.

Non-team testers gave considerably lower ratings than team members, indicating that users without previous knowledge of SkillBridge experienced greater difficulty understanding the interface.


Test 1 Average rating (1-5)
Overall satisfaction
Profile info sufficient
Search results clear
Enter subject/keyword
Search simple to use
Find tutor search
0.00
0.50
1.00
1.50
2.00
2.50
3.00
3.50


Test 2 Average rating (1-5)
Overall satisfaction
Success feedback
Add video/link
Add image
Required information clear
Form clear
Find course creation
0.00
0.50
1.00
1.50
2.00
2.50
3.00

Average score per question


All testers · Likert scale from 1 (strongly disagree) to 5 (strongly agree)


Questions are ordered from the lowest to the highest average rating.



Interpretation: the lowest-rated areas were success confirmation, overall satisfaction, and tutor-profile information.

The highest-rated area was finding the tutor search function, with an average score of 3.67 out of 5.


Test 1: Average rating for each question
Comparison of project-team members and non-team testers
I was able to find the tutor search function easily.
5.00
3.00
The search function was simple and easy to use.
4.00
2.50
I understood how to enter a subject or keyword for my search.
4.00
3.00
The search results were clear and easy to understand.
5.00
1.50
The tutor profile gave me enough information to decide whether the tutor was suitable.
3.50
1.50
I was satisfied with the overall process of finding a tutor.
3.50
1.50
0
1
2
3
4
5
Average Likert rating (1 = Strongly disagree, 5 = Strongly agree)
Project-team members (n=2)
Non-team testers (n=4)


Test 2: Average rating for each question
Comparison of project-team members and non-team testers
I was able to find the services creation function easily.
4.00
1.75
The services creation form was clear and easy to understand.
5.00
2.00
I understood what information I needed to enter for the services.
4.00
1.75
Adding an image to the services was easy.
4.50
2.50
Adding a video or video link to the services was easy.
4.50
1.75
The system clearly showed whether the services was created successfully.
3.00
1.75
I was satisfied with the overall process of creating services.
4.00
1.50
0
1
2
3
4
5
Average Likert rating (1 = Strongly disagree, 5 = Strongly agree)
Project-team members (n=2)
Non-team testers (n=4)

3. QA Test Plan

Test objectives

The selected function for QA testing is also Find a Tutor / Tutor Search. The QA test checks whether the search function works correctly, handles valid and invalid input and shows the correct result or error message. The test also checks browser compatibility on two different browsers.

HW and SW setup including URL

Hardware: Laptop or desktop computer with internet access.

Software: Google Chrome, Mozilla Firefox, Angular frontend, FastAPI backend, MySQL database, NGINX reverse proxy and deployed SkillBridge application.

Testing tools: Manual browser testing will be used for frontend behavior. Backend and integration tests will be performed using pytest where possible.

URL: https://skillbridgeacademy.duckdns.org/

Feature to be tested: The feature to be tested is the Find a Tutor / Tutor Search function. This includes entering a search term, validating search input, retrieving tutor results from the backend, displaying approved tutor profiles and handling cases where no result is found.

QA Test Plan

Table 7: QA Test Plan

Test #	Test title	Test description	Test input	Expected correct output	Google Chrome Test Result	Mozilla Firefox Test Result
1	Valid subject search	Search using a valid subject keyword.	Python	The system shows approved tutors related to Python or a valid results page.	PASS	PASS
2	Valid name or keyword search	Search using a normal valid keyword.	Math	The system displays approved tutor profiles matching the keyword.	PASS	PASS
3	Invalid special characters	Search using special characters.	Python!!!	The system rejects the input or shows a validation error message.	PASS	PASS

4	More than 40 characters	Search using more than 40 characters.	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa	The system rejects the input or limits it according to validation rules.	PASS	PASS
5	Empty search input	Submit search without typing anything.	Empty input	The system shows a validation message or a controlled default result page.	PASS	PASS
6	No matching tutor	Search for a subject that does not exist.	UnknownSubjectXYZ	The system shows a clear no-results message.	PASS	PASS
7	Approved tutor only	Search for a subject with approved and unapproved tutors in the database.	Java	Only approved tutor profiles are shown. Pending or rejected tutors are hidden.	PASS	PASS
8	Teaching Style validation	Enter only special characters into the Teaching Style field and save the profile.	^%&^%&&^*&^&*%^^%&	The system should reject meaningless input or display a validation error.	PASS	PASS
9	Empty Bio field	Leave the Bio field empty and save the profile.	Empty	The profile saves successfully if the Bio field is optional.	PASS	PASS
10	Profile photo upload	Upload a valid image as the tutor profile picture.	JPG/PNG image	The profile photo uploads successfully and is displayed correctly.	PASS	PASS
11	Show Profile checkbox	Enable and disable the "Show your profile in tutor search results" option.	Checked / Unchecked	The checkbox state is saved correctly after clicking Save Changes.	PASS	PASS
12	Accepting Requests checkbox	Enable and disable the "Allow students to book sessions" option.	Checked / Unchecked	The availability preference is saved successfully.	PASS	PASS

13	Responsive profile page	Open and edit the tutor profile on a mobile device and a laptop.	Mobile browser and laptop browser	All profile elements remain usable and properly aligned on both devices.	PASS	PASS
14	Profile data persistence	Modify tutor profile information and refresh the page.	Change Full Name or Academic Program	The updated information remains after refreshing the page.	PASS	PASS
15	Cross-device consistency	Compare the tutor profile after editing it on both mobile and laptop.	Same tutor account	The same profile information is displayed consistently on both devices.	PASS	PASS

Integration Test Plan Using pytest

The backend search API will also be tested using pytest integration tests. These tests will check whether the API returns correct responses and applies validation before processing the search request.

Table 8: Integration Test Plan Using pytest

Test #	Integration test title	Test description	Test input	Expected API result	Result
IT-1	Valid search API test	Send a valid search query to the tutor search endpoint.	Python	API returns status 200 and a list of approved matching tutors.	PASS
IT-2	Invalid character validation test	Send a query with invalid special characters.	Python!!!	API returns validation error or controlled error response.	PASS
IT-3	Length validation test	Send a query longer than 40 characters.	41+ characters	API rejects the query or returns validation error.	PASS
IT-4	Approved tutor filter test	Search when approved and pending tutors exist.	Java	API returns only approved tutors.	PASS

QA Test Summary

All 15 planned manual QA tests passed on the tested mobile and laptop environments. The tests confirmed correct search validation, approved-tutor filtering, tutor-profile persistence, media upload behaviour and responsive operation. The pytest integration-test results are reported separately in Table 8.

4. Code Review

Coding style chosen

For backend code, the team follows Python PEP 8 style guidelines. For frontend code, the team follows Angular and TypeScript style guidelines. The team uses clear function names, meaningful variable names, consistent indentation, and comments for important logic. Backend files should include useful comments for API logic, validation and database operations. Frontend files should include clear component and service structure.

Peer-to-peer code review process

Each team member submitted 2–3 important functions for review. The reviewed code was related to P1 features, especially search, messaging, tutor profile workflow, admin dashboard and validation. Reviews were performed by another team member. The purpose of the review was to improve code quality, check readability, check comments and identify possible bugs before final delivery.

The reviews were done using GitHub Pull requests and Screenshots. Screenshots or copies of review comments are included after this section as evidence.

Code Review Table

Table 9: Code Review Table

Developer	Role	Functions reviewed	Reviewer	Review method	Status
Anish Bade	Team Lead / Backend Lead	Tutor search API, search input validation, message send endpoint, Tags added to service and tutor	Hrishav Banik , Nitya Vadhel	Screenshot	Done
Subham Gaurav	GitHub Master	Deployment workflow, backend integration check, GitHub organization/config code	Anish Bade	Screenshot	Done
Hrishav Banik	Frontend Lead	Student dashboard, booked-session retrieval, chat list, chat opening, service booking action, and booking API endpoints	Subham Gaurav	Screenshot	Done
Nitya Vadhel	Frontend Lead	Admin dashboard component, tutor approval UI, messaging UI	Hrishav Banik	Screenshot	Done

Code Review Findings

Table 10: Code Review Findings


#	Code area	Review comment	Action taken
1	Booking API endpoints	Confirm that the updated session_booking and get_booked_sessions endpoints match the backend routes.	The endpoints were checked and confirmed to match the backend API routes.
2	Local storage usage	Confirm whether user and student information should still be retrieved from localStorage or from an authentication service.	It was confirmed that localStorage is currently being used to provide access to user and student information across the application.
3	Search results UI	Result cards should show tutor name, subject tags, short bio, and action button clearly.	Done.
4	Messaging	Message timestamps should be shown consistently.	The order was fixed through the timestamp available in api get call.
5	Admin dashboard	Pending tutor approvals should be easy to find.	Made changes to frontend


6	Comments and headers	Important functions should include short comments explaining their purpose.	New Functions was questioned through comments


Code Review Evidence

Attach or paste the following evidence here:


1. Code Review of Hrishav Banik reviewed by Anish Bade:








Open
booking session #46
Commit 30342ae
hrishav1511 wants to merge 1 commit into feature/frontend-main from skillbridge-session-boo
0 / 11 viewed
Ready to merge
Submit review
Filter files...
skillbridge-fe/src/app
resources/Modals
book-session
book-session.component.html
book-session.component.scss
book-session.component.ts
service-card
service-card.component.html
service-card.component.spe...
service-card.component.ts
student/dashboard/service-list
service-list.component.html
service-list.component.ts
tutor/my-profile
my-profile.component.html
my-profile.component.scss
my-profile.component.ts
...app/resources/Modals/service-card/service-card.component.html
+10 -2
Viewed
@@ -112,11 +112,15 @@ <h2 class="md-header">
multiple
(change)="onImagesSelected($event)">
- <div class="preview-list" *ngIf="selectedImageFiles.length || existingImageUrls.length">
+ <div class="preview-list" *ngIf="selectedImageFiles.length">
<div class="preview-item" *ngFor="let image of selectedImageFiles; let i = index">
<img [src]="getPreviewUrl(image)" [alt]="image.name">
<button type="button" class="remove-btn" (click)="removeImage(i)">×</button>


+ <div class="preview-list" *ngIf="existingImageUrls.length">
+ Already uploaded images
<div class="preview-item" *ngFor="let url of existingImageUrls; let i = index">
<img [src]="url" [alt]="'existing-image-' + i">
<button type="button" class="remove-btn" (click)="removeExistingImage(i)">×</button>
@@ -133,11 +137,15 @@ <h2 class="md-header">
multiple
(change)="onVideosSelected($event)">
- <div class="preview-list" *ngIf="selectedVideoFiles.length || existingVideoUrls.length">
+ <div class="preview-list" *ngIf="selectedVideoFiles.length">
<div class="preview-item video-item" *ngFor="let video of selectedVideoFiles; let i = index">
<video [src]="getPreviewUrl(video)" controls></video>
<button type="button" class="remove-btn" (click)="removeVideo(i)">×</button>







2. Code Review of Anish Bade reviewed by Hrishav Banik:


Code
Issues
Pull requests 1
Actions
Projects
Security and quality
Insights
Settings
Service Booking #41
Open
anish-hsf wants to merge 1 commit into main from be-anish/feat-service-booking
Ready to merge
Code
Preview
Conversation 0
Commits 1
Checks 0
Files changed 7
+108
All commits
0 / 7 viewed
Submit review
Filter files...
skillbridge-be/src/skillbridge
api
api_v1/endpoints
service.py
repositories
service.py
schemas
service.py
validators
service.py
database/models/sqlalchemy
service_bookings.py
services.py
students.py
skillbridge-be/src/skillbridge/api/api_v1/endpoints/service.py
+35
Viewed
@@ -6,6 +6,9 @@
from skillbridge.api.repositories.service import ServiceRepository
from skillbridge.api.repositories.auth.token import get_current_user
from skillbridge.api.schemas.service import (
CreateServiceBookingInput,
CreateServiceBookingOutput,
CreateServiceBookingResponse,
CreateServiceInput,
CreateServiceOutput,
CreateServiceResponse,
@@ -27,6 +30,7 @@
)
from skillbridge.api.validators.base import BaseValidator
from skillbridge.api.validators.service import (
CreateServiceBookingInputValidator,
CreateServiceInputValidator,
UpdateServiceInputValidator,
)
@@ -268,3 +272,34 @@ async def delete_service(
data=deleted["data"].to_dict() if deleted.get("data") else None,
)



Service Booking #41
Ready to merge
Code
Open
anish-hsf wants to merge 1 commit into main from be-anish/feat-service-booking
Conversation 0
Commits 1
Checks 0
Files changed 7
+108
anish-hsf commented 38 minutes ago
No description provided.
create service booking: db table and api
c59cc00
No conflicts with base branch
Merging can be performed automatically.
Merge pull request
You can also merge this with the command line. View command line instructions.
Still in progress? Convert to draft
Add a comment
Write
Preview
Add your comment here...
Markdown is supported
Paste, drop, or click to add files
Reviewers
No reviews
Still in progress? Convert to draft
Assignees
No one—assign yourself
Labels
None yet
Projects
None yet
Milestone
No milestone
Development
Successfully merging this pull request may close these issues.
None yet
Notifications
Customize
Subscribe
You're not receiving notifications from this thread.




Review with comment:





Fix:


github.com/anish-hsf/SkillBridge/commit/adcfa74c348c2caf387217c18835697911ca49c2
Finish update
Filter files...
skillbridge-be
src/skillbridge
api
api_v1/endpoints
service_booking.py
filters
service_booking.py
schemas
service_booking.py
database/models/sqlalch...
service_bookings.py
services.py
tests
test_service_booking_re...
Top
Search within code
skillbridge-be/src/skillbridge/api/api_v1/endpoints/service_booking.py
+38 -2
booking_outputs = []
for item in data["data"]:
booking_payload = item.to_dict()
service_data = None
student_data = None
if getattr(item, "service_booking_service", None):
service = item.service_booking_service
service_payload = service.to_dict()
tutor = None
if getattr(service, "service_tutor", None) and service.service_tutor.tutor_ura:
user = service.service_tutor.tutor_ura[0].ura_user
tutor = UserOutput(
full_name=user.full_name,
email=user.email,
phone=user.phone,
status=user.status,
has_registered=user.has_registered,
is_verified=user.is_verified,
id=user.id,
)
service_payload["tutor"] = tutor
service_data = ServiceOutput(**service_payload)
if getattr(item, "service_booking_student", None):
student = item.service_booking_student
student_payload = student.to_dict()
student_data = StudentOutput(**student_payload)
booking_payload["service"] = service_data
booking_payload["student"] = student_data
booking_outputs.append(ServiceBookingOutput(**booking_payload))
return PaginatedServiceBookings(
success=data["success"],
message=data["message"],


3. Code Review of Subham reviewed by Anish Bade





Open
Gaurav labs #42
hrishav1511 wants to merge 11 commits into main from gaurav_labs
Updated logic for video Insertion 6fab8d4
Fix cloud alembic migration chain 6e40ea1
Fix cloud alembic migration chain c2a94f9
Fix cloud service media migrations bfbe626
Updated ec1d75d
Added the check for the video size 226483c
Added the enum Advanced 830b8ea
updated 3264ebc
Merged conflicts e2fd821
No conflicts with base branch
Merging can be performed automatically.
Merge pull request
You can also merge this with the command line. View command line instructions.
Still in progress? Convert to draft
Add a comment
Write
Preview
Add your comment here...
Markdown is supported
Paste, drop, or click to add files
Close pull request
Comment
Remember, contributions to this repository should follow our GitHub Community Guidelines.
Projects
None yet
Milestone
No milestone
Development
Successfully merging this pull request may close these issues.
None yet
Notifications
Customize
Unsubscribe
You're receiving notifications because you authored the thread.
2 participants
Lock conversation


Merged
Gaurav labs #42
hrishav1511 merged 11 commits into main from gaurav_labs
gauravlabs added 11 commits 2 days ago
Updated the branch 57ed549
Added Images and videos 11d3298
Updated logic for video Insertion 6fab8d4
Fix cloud alembic migration chain 6e40ea1
Fix cloud alembic migration chain c2a94f9
Fix cloud service media migrations bfbe626
Updated ec1d75d
Added the check for the video size 226483c
Added the enum Advanced 830b8ea
updated 3264ebc
Merged conflicts e2fd821
hrishav1511 merged commit 375be3f into main now
Revert
Pull request successfully merged and closed
You're all set — the gaurav_labs branch can be safely deleted.
Delete branch
Add a comment
Write
Preview
Add your comment here...
No one—assign yourself
Labels
None yet
Projects
None yet
Milestone
No milestone
Development
Successfully merging this pull request may close these issues.
None yet
Notifications
Customize
Unsubscribe
You're receiving notifications because you modified the open/close state.
2 participants
Lock conversation


Review with code:



Resolution:



4. Code Review of Hrishav Banik By Subham Gaurav



p1 features revision #49

Merged gauravlabs merged 1 commit into feature/frontend-main from feature/p1 3 minutes ago

Conversation 3 Commits 1 Checks 0 Files changed 5

All commits

skillbridge-fe/src/app/resources/apiLists.ts

```
@@ -12,6 +12,7 @@ export const apiLists = {
12  12      chat_specific_msg:'chat/rooms/',
13  13      chat_room_list:'chat/rooms',
14  14      servicelist:'service/services/',
15      -   session_booking:'service/create/booking/',
```

Comment on line L15 — Resolved

```
15  +   session_booking:'service-booking/create/',
16  +   get_booked_sessions:'service-booking/service-bookings/',
16  17  
17  18  }
```

skillbridge-fe/src/app/student/dashboard/service-list/service-list.component.html

```
@@ -57,7 +57,7 @@ <h3>No services found</h3>
57  57    <!-- List -->
58  58    <div class="services-list" *ngIf="!loading && !error && services.length > 0">
59  59      <article
60      -       class="service-card"
60  +       class="service-card" (click)="bookSession(service)"
61  61        *ngFor="let service of services; trackBy: trackById"
62  62        tabindex="0"
63  63        role="button"
```

skillbridge-fe/src/app/student/dashboard/dashboard.component.ts

```
@@ -24,32 +24,36 @@
  weekDays = ['Sun', 'Mon', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat'];
  calendarWeeks: CalendarCell[][] = [];
  loggedInUser: any | null;
- chatlist: any[]=[];
- selectedlistype:String ='Tutor'
- constructor(private http: HttpClient, private dialog:Dialog, private route:Router,
-   private loadingservice:LoadingServiceService
+ chatlist: any[] = [];
+ selectedlistype: String = 'Tutor'
+ student_ID: any = localStorage.getItem('student_id');


  Comment on line R29 Resolved

+ booked_session_list: any = []
+ today = new Date();
+ constructor(private http: HttpClient, private dialog: Dialog, private route: Router,
+   private loadingservice: LoadingServiceService
  ) {
-   this.loggedInUser=JSON.parse(localStorage.getItem('userData')|| '{}')
+   this.loggedInUser = JSON.parse(localStorage.getItem('userData')|| '{}')
    console.log('user ==>', this.loggedInUser);
  }

  ngOnInit(): void {
    this.buildCalendar();
    // this.getData();
-   if(this.loggedInUser['role'] !== 'guest'){
+   if (this.loggedInUser['role'] !== 'guest') {
-   this.getchatlist()
- }
+     this.getchatlist()
+     this.getBookings()
+   }
    console.log('user ==>', this.loggedInUser);


  }
```

5. Code Review of Anish by Nitya Vadhel



5. Self-check on Best Practices for Security

The team checked the main security concerns for SkillBridge. The system protects user data, tutor profiles, messages, uploaded files and admin functions.

Table 11: Security Best Practices

Asset protected	Major threat	Protection method
User passwords	Password theft or database leak	Passwords are hashed before being stored in the database. Plain text passwords are not stored.
User accounts	Unauthorized access	Login and role-based access control are used. Protected pages and APIs are restricted by role.
Tutor profiles	Fake, incomplete, or inappropriate profiles	Tutor profiles must be approved by an admin before they appear in search results.
Messages	Unauthorized messaging or spam	Only authenticated users can send messages. Messaging with deleted or suspended accounts is restricted.
Admin dashboard	Unauthorized admin access	Admin pages and admin APIs are restricted to admin or super admin roles.
Uploaded files	Invalid, oversized, or unsupported files	File type and file size validation are used before upload. Invalid files are rejected.
Search input	Invalid input or injection attempts	Search input is validated before processing. The search bar allows only up to 40 alphanumeric characters.
Reports and moderation data	Misuse or loss of moderation information	Reports are stored for admin review and can be marked as resolved after action.

Password protection confirmation

The team confirms that user passwords are not stored as plain text in the database. Passwords are stored using secure hashing.

Input validation confirmation

The team confirms that input validation is applied to important user inputs. The search bar input is validated to allow only alphanumeric characters and a maximum length of 40 characters. Media upload inputs are validated for file type and maximum file size. Registration input is checked so that only Hochschule Fulda email addresses can be used.

6. Self-check: Adherence to Original Non-functional Specs

The team leads reviewed the original non-functional specifications from the high-level application document. Each item is marked as DONE ON TRACK or ISSUE.

Table 12: Adherence to Original Non-functional Specifications

#	Original non-functional specification	Status	Comment

1	Application shall be developed, tested and deployed using tools and servers approved by Class CTO and as agreed in Milestone 0. Application delivery shall be from the chosen cloud server.	ON TRACK	SkillBridge is developed using the agreed stack: Angular frontend, FastAPI backend, MySQL database, NGINX, and AWS EC2 deployment server.
2	Application shall be optimised for standard desktop/laptop browsers, e.g. must render correctly on the two latest versions of the two major browsers.	ON TRACK	The application will be tested on Google Chrome and Mozilla Firefox. Search and main pages are included in the QA test plan for both browsers.
3	All or selected application functions must render well on mobile devices.	ON TRACK	Main P1 pages such as home, search, search results, profile, messaging, and dashboards are being checked for responsive layout on smaller screens.
4	Data shall be stored in the database on the team's deployment cloud server.	ON TRACK	SkillBridge stores main application data in MySQL on the deployment environment. Main data includes users, roles, tutor profiles, subjects, messages, reports, and approvals.
5	No more than 50 concurrent users shall be accessing the application at any time.	DONE	The project is designed for a small academic demo f environment and does not target more than 50 concurrent users.
6	Privacy of users shall be protected, and all privacy policies will be appropriately communicated to the users.	ON TRACK	User data is protected through authentication, role-based access, password hashing, and restricted access to private user functions. Privacy communication text will be included where required.
7	The language used shall be English. No localisation is needed.	DONE	The SkillBridge user interface, documentation, and milestone reports are written in English.
8	Application shall be very easy to use and intuitive.	ON TRACK	Usability testing is planned for the Find a Tutor function with at least six testers who are not team members. Feedback will be used to improve the interface.
9	The application should follow established architecture patterns.	ON TRACK	The project follows a separated frontend, backend, and database architecture using Angular, FastAPI, and MySQL. Backend code is organized using API routes, services/repositories, schemas, and models.
10	Application code and its repository shall be easy to inspect and maintain.	ON TRACK	The GitHub repository is organized into frontend, backend, deployment, and documentation areas. Code review and cleanup are part of the M4 plan.
11	No e-mail clients shall be allowed.	DONE	SkillBridge does not use an external email client as part of the application functionality. Communication is handled through in-site messaging.
12	Pay functionality, if any, such as paying for goods and services, shall not be implemented nor simulated in UI.	ISSUE	Earlier planning included a demo payment flow, but the original non-functional specification says payment must not be implemented or simulated in the UI. The team will remove payment UI from the final P1 commitment and final delivery.
13	Site security: basic best practices shall be applied, as covered in class, for the main data items.	ON TRACK	Password hashing, role-based access, protected routes, search validation, and media upload validation are being implemented and tested.
14	Application shall be media-rich, including images, video, etc. Media formats shall be standard as used in the market today.	ON TRACK	SkillBridge supports media-related tutor profile content and validates standard formats such as images and documents. File type and file size validation are included.
15	Modern SE processes and practices shall be used as specified in class, including collaborative and continuous software development.	ON TRACK	The team uses GitHub, branches, commits, code reviews, deployment workflow, and team-based implementation. M4 includes documented peer-to-peer code reviews.
16	For code development and management, as well as documentation like formal milestones required in class, each team shall use their own GitHub to be set up by class instructors and started by each team during Milestone 0.	DONE	The team uses the instructor-approved GitHub repository for source code, workflows, and milestone documents.
17	The application UI, WWW and mobile, shall prominently display the exact text on all pages: "Fulda University of Applied Sciences Software Engineering Project, Summer 2026, For Demonstration Only" at the top of the WWW page.	ON TRACK	The required demonstration-only text will be placed at the top of all pages in the application layout so users know the system is for demonstration only.