Intern Profile Dashboard | Cloud Computing Tasks | Create S3 bucket | S3 | us- Console Home | Console Console Home | Console Console Home | Console

us-west-2.console.aws.amazon.com/s3/bucket/create?region=us-west-2

google skill boost -... Wadhwani Entrepre... JioHotstar - Watch... Sony LIV - Watch In... NotebookLM Stream Realtime | G... Imported from Chr... Imported from Edge All Bookmarks

aws Search [Alt+S] United States (Oregon) Hrishikesh (5424-7888-4662) Hrishikesh

EC2 IAM Aurora and RDS VPC Billing and Cost Manage... S3 Support DynamoDB Simple Notification Service CloudWatch Lambda Amazon EventBridge Route 53 CloudFront Elastic Container Service GuardDuty Security Hub

Amazon S3 > Buckets > Create bucket

Create bucket Info

Buckets are containers for data stored in S3.

General configuration

AWS Region

US West (Oregon) us-west-2

Bucket type | Info

- General purpose
  Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
- Directory
  Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name | Info

cloud-intern-rishi

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more

Copy settings from existing bucket - *optional*

Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

- ACLs disabled (recommended)
  All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.
- ACLs enabled
  Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Intern Profile Dashboard | Cloud Computing Tasks | Create S3 bucket | S3 | us- Console Home | Console Console Home | Console Console Home | Console

us-west-2.console.aws.amazon.com/s3/bucket/create?region=us-west-2

google skill boost -... Wadhwani Entrepre... JioHotstar - Watch... Sony LIV - Watch In... NotebookLM Stream Realtime | G... Imported from Chr... Imported from Edge All Bookmarks

aws Search [Alt+S] United States (Oregon) Hrishikesh (5424-7888-4662) Hrishikesh

EC2 IAM Aurora and RDS VPC Billing and Cost Manage... S3 Support DynamoDB Simple Notification Service CloudWatch Lambda Amazon EventBridge Route 53 CloudFront Elastic Container Service GuardDuty Security Hub

Amazon S3 > Buckets > Create bucket

ACLs disabled (recommended)
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

ACLs enabled
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership
Bucket owner enforced

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more

- [ ] **Block *all* public access**
  Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.
  - [ ] **Block public access to buckets and objects granted through *new* access control lists (ACLs)**
    S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
  - [ ] **Block public access to buckets and objects granted through *any* access control lists (ACLs)**
    S3 will ignore all ACLs that grant public access to buckets and objects.
  - [ ] **Block public access to buckets and objects granted through *new* public bucket or access point policies**
    S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
  - [ ] **Block public and cross-account access to buckets and objects through *any* public bucket or access point policies**
    S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

⚠ **Turning off block all public access might result in this bucket and the objects within becoming public**
AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

- [ ] I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Bucket Versioning

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Intern Profile Dashboard | | Cloud Computing Tasks | A | Create S3 bucket | S3 | us- | Console Home | Console H | Console Home | Console H | Console Home | Console H

us-west-2.console.aws.amazon.com/s3/bucket/create?region=us-west-2

google skill boost -... | Wadhwani Entrepre... | JioHotstar - Watch... | Sony LIV - Watch In... | NotebookLM | Stream Realtime | G... | Imported from Chr... | Imported from Edge | All Bookmarks

aws | Search [Alt+S] | United States (Oregon) | Hrishikesh (5424-7888-4662) | Hrishikesh

EC2 | IAM | Aurora and RDS | VPC | Billing and Cost Manage... | S3 | Support | DynamoDB | Simple Notification Service | CloudWatch | Lambda | Amazon EventBridge | Route 53 | CloudFront | Elastic Container Service | GuardDuty | Security Hub

Amazon S3 > Buckets > Create bucket

Tags - *optional*

You can use bucket tags to analyze, manage and specify permissions for a bucket. Learn more

You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. Learn more

No tags associated with this bucket.

Add new tag

You can add up to 50 tags.

Default encryption Info

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type | Info

Secure your objects with two separate layers of encryption. For details on pricing, see **DSSE-KMS pricing** on the **Storage** tab of the Amazon S3 pricing page.

- (●) Server-side encryption with Amazon S3 managed keys (SSE-S3)
- ( ) Server-side encryption with AWS Key Management Service keys (SSE-KMS)
- ( ) Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more

- ( ) Disable
- (●) Enable

▶ **Advanced settings**

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Intern Profile Dashboard | Cloud Computing Tasks | cloud-intern-rishi - S3 buc Console Home | Console H Console Home | Console H Console Home | Console H

us-west-2.console.aws.amazon.com/s3/buckets/cloud-intern-rishi?region=us-west-2&tab=objects

google skill boost -... Wadhwani Entrepre... JioHotstar - Watch... Sony LIV - Watch In... NotebookLM Stream Realtime | G... Imported from Chr... Imported from Edge All Bookmarks

aws Search [Alt+S] United States (Oregon) Hrishikesh (5424-7888-4662) Hrishikesh

EC2 IAM Aurora and RDS VPC Billing and Cost Manage... S3 Support DynamoDB Simple Notification Service CloudWatch Lambda Amazon EventBridge Route 53 CloudFront Elastic Container Service GuardDuty Security Hub

Amazon S3 > Buckets > cloud-intern-rishi

cloud-intern-rishi Info

Objects | Metadata | Properties | Permissions | Metrics | Management | Access Points

Objects (0)

Copy S3 URI | Copy URL | Download | Open | Delete | Actions | Create folder | Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix

Name	Type	Last modified	Size	Storage class

No objects

You don't have any objects in this bucket.

Upload

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Intern Profile Dashboard | | Cloud Computing Tasks | A | Upload objects - S3 bucke | Console Home | Console H | Console Home | Console H | Console Home | Console H

us-west-2.console.aws.amazon.com/s3/upload/cloud-intern-rishi?region=us-west-2

google skill boost -... | Wadhwani Entrepre... | JioHotstar - Watch... | Sony LIV - Watch In... | NotebookLM | Stream Realtime | G... | Imported from Chr... | Imported from Edge | All Bookmarks

aws | Search [Alt+S] | United States (Oregon) | Hrishikesh (5424-7888-4662) | Hrishikesh

EC2 | IAM | Aurora and RDS | VPC | Billing and Cost Manage... | S3 | Support | DynamoDB | Simple Notification Service | CloudWatch | Lambda | Amazon EventBridge | Route 53 | CloudFront | Elastic Container Service | GuardDuty | Security Hub

Amazon S3 > Buckets > cloud-intern-rishi > Upload

Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (1 total, 4.5 KB)

All files and folders in this table will be uploaded.

Remove | Add files | Add folder

Find by name

< 1 >

Name	Folder	Type	Size
index.html	-	text/html	4.5 KB

Destination Info

Destination

s3://cloud-intern-rishi

▸ **Destination details**
Bucket settings that impact new objects stored in the specified destination.

▸ **Permissions**
Grant public access and access to other AWS accounts.

▸ **Properties**
Specify storage class, encryption settings, tags, and more.

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Intern Profile Dashboard | Cloud Computing Tasks | cloud-intern-rishi - S3 buc Console Home | Console H Console Home | Console H Console Home | Console H

us-west-2.console.aws.amazon.com/s3/buckets/cloud-intern-rishi?region=us-west-2&tab=permissions

google skill boost -... Wadhwani Entrepre... JioHotstar - Watch... Sony LIV - Watch In... NotebookLM Stream Realtime | G... Imported from Chr... Imported from Edge All Bookmarks

aws Search [Alt+S] United States (Oregon) Hrishikesh (5424-7888-4662) Hrishikesh

EC2 IAM Aurora and RDS VPC Billing and Cost Manage... S3 Support DynamoDB Simple Notification Service CloudWatch Lambda Amazon EventBridge Route 53 CloudFront Elastic Container Service GuardDuty Security Hub

Amazon S3 > Buckets > cloud-intern-rishi

Successfully edited bucket policy.

Bucket policy

Edit Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more

Copy


```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadAccess",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::cloud-intern-rishi/*"
    }
  ]
}
```


Object Ownership

Edit

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Intern Profile Dashboard | Cloud Computing Tasks | cloud-intern-rishi - S3 buc Console Home | Console Console Home | Console Console Home | Console

us-west-2.console.aws.amazon.com/s3/buckets/cloud-intern-rishi?region=us-west-2&tab=properties

google skill boost -... Wadhwani Entrepre... JioHotstar - Watch... Sony LIV - Watch In... NotebookLM Stream Realtime | G... Imported from Chr... Imported from Edge All Bookmarks

aws Search [Alt+S] United States (Oregon) Hrishikesh (5424-7888-4662) Hrishikesh

EC2 IAM Aurora and RDS VPC Billing and Cost Manage... S3 Support DynamoDB Simple Notification Service CloudWatch Lambda Amazon EventBridge Route 53 CloudFront Elastic Container Service GuardDuty Security Hub

Amazon S3 > Buckets > cloud-intern-rishi

Transfer acceleration
Disabled

Object Lock

Edit

Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. Object Lock works only in versioned buckets. Learn more

Object Lock
Disabled

Requester pays

Edit

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. Learn more

Requester pays
Disabled

Static website hosting

Edit

Use this bucket to host a website or redirect requests. Learn more

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about Amplify Hosting or View your existing Amplify apps

Create Amplify app

S3 static website hosting
Disabled

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Intern Profile Dashboard | | Cloud Computing Tasks | A | Edit static website hosting | Console Home | Console H | Console Home | Console H | Console Home | Console H

us-west-2.console.aws.amazon.com/s3/bucket/cloud-intern-rishi/property/website/edit?region=us-west-2

google skill boost -... | Wadhwani Entrepre... | JioHotstar - Watch... | Sony LIV - Watch In... | NotebookLM | Stream Realtime | G... | Imported from Chr... | Imported from Edge | All Bookmarks

aws | Search [Alt+S] | United States (Oregon) | Hrishikesh (5424-7888-4662) | Hrishikesh

EC2 | IAM | Aurora and RDS | VPC | Billing and Cost Manage... | S3 | Support | DynamoDB | Simple Notification Service | CloudWatch | Lambda | Amazon EventBridge | Route 53 | CloudFront | Elastic Container Service | GuardDuty | Security Hub

Amazon S3 > Buckets > cloud-intern-rishi > Edit static website hosting

Edit static website hosting Info

Static website hosting

Use this bucket to host a website or redirect requests. Learn more

Static website hosting

- ○ Disable
- ● Enable

Hosting type

- ● Host a static website
  Use the bucket endpoint as the web address. Learn more
- ○ Redirect requests for an object
  Redirect requests to another bucket or domain. Learn more

ⓘ For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access

Index document

Specify the home or default page of the website.

index.html

Error document - *optional*

This is returned when an error occurs.

error.html

Redirection rules – *optional*

Redirection rules, written in JSON, automatically redirect webpage requests for specific content. Learn more

1

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Intern Profile Da | Cloud Computin | Task Submission | cloud-intern-rish | Console Home | Console Home | Console Home | Cloud Enthusiast

us-west-2.console.aws.amazon.com/s3/buckets/cloud-intern-rishi?region=us-west-2&tab=properties

google skill boost -... | Wadhwani Entrepre... | JioHotstar - Watch... | Sony LIV - Watch In... | NotebookLM | Stream Realtime | G... | Imported from Chr... | Imported from Edge | All Bookmarks

aws | Search [Alt+S] | United States (Oregon) | Hrishikesh (5424-7888-4662) | Hrishikesh

EC2 | IAM | Aurora and RDS | VPC | Billing and Cost Manage... | S3 | Support | DynamoDB | Simple Notification Service | CloudWatch | Lambda | Amazon EventBridge | Route 53 | CloudFront | Elastic Container Service | GuardDuty | Security Hub

Amazon S3 > Buckets > cloud-intern-rishi

Successfully edited static website hosting.

Disabled

Requester pays

Edit

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. Learn more

Requester pays
Disabled

Static website hosting

Edit

Use this bucket to host a website or redirect requests. Learn more

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about Amplify Hosting or View your existing Amplify apps

Create Amplify app

S3 static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. Learn more
http://cloud-intern-rishi.s3-website-us-west-2.amazonaws.com

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences


Intern Profile Da
Cloud Computin
Task Submission
cloud-intern-rish
Console Home |
Console Home |
Console Home |
Cloud Enthusiast
Not secure
cloud-intern-rishi.s3-website-us-west-2.amazonaws.com
google skill boost -...
Wadhwani Entrepre...
JioHotstar - Watch...
Sony LIV - Watch In...
NotebookLM
Stream Realtime | G...
Imported from Chr...
Imported from Edge
All Bookmarks
Cloud Enthusiast
Home
About
Projects
Tools
Contact
Cloud Enthusiast
Exploring Cloud Computing, DevOps and Modern Infrastructure
View Projects