main.py M

bobbyhadz.com

main.py > ...

```python
def greet(name):
    return 'Hello ' + name


print(greet('Alice'))
```

borislav@borislav:~/Desktop/bobbyhadz_...

```
(venv) ➜  bobbyhadz_python git:(main) ✗ python main.py
Hello Alice
(venv) ➜  bobbyhadz_python git:(main) ✗
```

```python
# This function greets the user by name
def greet_user(name):
    if name:  # Check if the name is not empty
        print("Hello, " + name + "!")
        print("Welcome to Python 🐍")
    else:
        print("No name entered. Please try again.")

# Call the function
greet_user("Ava")
```

```
➜ gfg cat show_time.py
#!/usr/bin/python
# defining a function return the current time

import time

class ShowTime:
    def __init__(self):
        pass

    @classmethod
    def show_time(self):
        return time.ctime()


if __name__ == '__main__':
    print(ShowTime.show_time())

➜ gfg python show_time.py
Thu Apr 27 23:35:02 2023
➜ gfg
```

main.py

```python
def greet(name, greeting='Hello'):
    return f'{greeting}, {name}!'

# Using positional arguments
result1 = greet('Alice', 'Hey')
print(result1)

# Using keyword arguments
result2 = greet(name='Bob', greeting='Hi')
print(result2)

# Using a default value
result3 = greet('Charlie')
print(result3)
```

Ln: 15, Col: 1

Run Share Command Line Arguments

```
Hey, Alice!
Hi, Bob!
Hello, Charlie!
```

```python
def greetings():
    # Ask for the user's name
    user_name = input("What's your name? ")

    message = "Welcome to Python Tutorial. Let's learn together!"

    # Print the message with a cute twist
    print(f"🌟 Hey {user_name}, {message} 🌟")

# Call the function
greetings()
```

File Edit View Navigate Code Refactor Run Tools VCS

Basic Python Programs 〉 Name print.py

check the num is even or odd.py | Name print.py

```python
#Print Your Name
Name=input('enter your name:')
print('Your Name is',Name)
```

Run: Name print

```
C:\Python\python.exe "C:/Users/ritik/
enter your name:Ritik
Your Name is Ritik

Process finished with exit code 0
```

```
>>> def default_argument(user="Aashina"):
        print("hello",(user))


>>> default_argument()
hello Aashina
>>> default_argument("world")
hello world
>>> |
```

```
Python 3.7.2 (v3.7.2:9a3ffc0492, Dec 24 2018, 02:44:43)
[Clang 6.0 (clang-600.0.57)] on darwin
Type "help", "copyright", "credits" or "license()" for mo
re information.
>>> name = "Oscar"
>>> print("My name is " + name)
My name is Oscar
>>> print("Hello, " + name)
Hello, Oscar
>>> |
```