
AWS - SNS, SQS, SES TASK

Submitted by Hrishinandan

Amazon SNS


Task 1: Create a Standard SNS topic named student-topic and view its ARN


- Created a Standard SNS topic named student-topic.
- Viewed its ARN on the topic details page.



Task 2: Subscribe your email and confirm the subscription


- Created an Email subscription to student-topic (status: Pending confirmation).
- Confirmed it using the email link; AWS showed "Subscription confirmed!"






Task 3: Publish a message 'Hello from Amazon SNS' and verify email delivery


- Published the message "Hello from Amazon SNS" to student-topic.
- Verified the email arrived in Gmail.






Task 4: Add another email subscriber and publish another message

- Added a second email subscriber and published another message to student-topic.
- Verified delivery in both subscribers' inboxes.






Task 5: Publish a message using the AWS CLI

- Published a message to student-topic using the aws sns publish command.
- Verified the email was received in Gmail.

```
~ $ aws sts get-caller-identity

~ $ aws sns list-topics --region ap-southeast-2
{
    "Topics": [
        {
            "TopicArn": "arn:aws:sns:ap-southeast-2:233082642594:student-topic"
        }
    ]
}
~ $ aws sns publish \
>   --topic-arn "YOUR_TOPIC_ARN" \
>   --message "Hello from AWS CLI - SNS Task 5" \
>   --subject "SNS CLI Lab Test" \
>   --region ap-southeast-2


aws: [ERROR]: An error occurred (InvalidParameter) when calling the Publish operation: Invalid parameter: TopicArn Reason: An ARN r
 have at least 6 elements, not 1
~ $ aws sns publish   --topic-arn "arn:aws:sns:ap-southeast-2:233082642594:student-topic"   --message "Hello from AWS CLI - SNS Tas
"   --subject "SNS CLI Lab Test"   --region ap-southeast-2
{
    "MessageId": "cf69696b-9081-5dc7-b11d-0a3136ca9269"
}
~ $
```



Amazon SQS


Task 1: Create a Standard queue named student-queue

- Created a Standard SQS queue named student-queue.
- The console confirmed the queue was created successfully.




Task 2: Send three messages: Hello, AWS, SQS


- Sent three messages (Hello, AWS, SQS) to student-queue.
- The console confirmed the message was sent.




Task 3: Receive the messages from the console

- Polled student-queue and listed the received messages.
- Opened messages to view their bodies.








Task 4: Delete the messages and verify the queue is empty


- Deleted all messages from student-queue.
- Verified the queue is empty (Messages available: 0).



Task 5: Send a message using the AWS CLI and receive it from the console

- Sent a message using the aws sqs send-message command.
- Received the same message from the console.


```
~ $ aws sts get-caller-identity
{
    "UserId": "AROATMRGO4CRJIXSLSZ3B:0468d458-6051-7048-b749-0e4732c0554b",
    "Account": "233082642594",
    "Arn": "arn:aws:sts::233082642594:assumed-role/AccountFullAccessRole/0468d458-6051-7048-b749-0e4732c0554b"
}
~ $ aws sqs send-message   --queue-url "https://sqs.ap-southeast-2.amazonaws.com/233082642594/student-queue"   --message-body "Hello
 from AWS CLI"
{
    "MD5OfMessageBody": "c32f78f1faebbb7e89d1640ecc6d161e",
    "MessageId": "303d1750-3aba-4f98-b4a9-3187cd0ac228"
}
~ $
```



Amazon SES


Task 1: Verify an email address

- Created an email identity in SES and verified it through the email link.
- The identity status shows Verified.




Task 2: Send a plain text email between verified addresses

- Sent a plain text email from the SES console.
- Verified the email was received in Gmail.



Task 3: Send an HTML email with a heading and paragraph


- Sent an email with an HTML heading and paragraphs from SES.
- Verified the email was delivered to Gmail.



Task 4: Send an email using the AWS CLI

- Sent an email using the aws ses send-email command (MessageId returned).
- Verified the email was received in Gmail.





Task 5: View sending statistics in the SES dashboard

- Opened the SES dashboard and viewed the sending statistics.
- The Sends chart shows the successful send requests.

