

Synthetic Question Answering

Road Social

Depth Papers

1. Description
2. Consequence
3. Key Entity
4. Where
5. Why
6. Temporal Grounding
7. View Point QA
8. Adversarial QA
9. Counterfactual QA
10. Advisory QA
11. Intero Speech QA

Prompt → very simple
straight forward
Provided template
Questions.

VideoLM


What are those templates?

Refined and
annotated those QA pairs

Video tags :-

Prompt :- What is the prompt?

(Q) For descriptive / Abstract QA pairs, how are you
deciding one GT? there can be multiple
right. If model gives an answer, which does not
mean the ground truth, but meaning is same
does it mean it's a correct Answer?
What's the metric?



- Categorized QA into predefined tasks
- Added tagging

(Q) How did you generalize the "Template based Questions"? I mean, every new video. Can have a new question that's not in the Template so when do you say that the set of template questions is done? As you manually looked/watched 5 videos from each cluster, how do you represent the whole data? So right, so how do you say, it's done?

- Prompt - Appendix
- Removed QA pairs with name and specifics
- Added Category score - How and what are you doing?
- Annotation review low score

- Tagging :- Sent this, get top 6 most relevant QA tasks.

→ They changed the template to fit any case.

- Tags :- to my

- Prompt: Claude 3.5 Sonnet

→ QA Pairs

Inputs { → Video Caption } → Video description output

→ Video Prompt

→ Answer

QA Refinement Prompt

Input → QA Pairs → following criteria →
verify video-centricity

QA prompt → Page 25

Template questions → 19

Use of speculative language - Weekly,
Potentially - etc

QA Categorization

- Centered along the same 18 question set of
template questions.

cont pg 34.

→ Incompatible QA Removal → giving Claude 3.5 all the
QA pairs and removing the incompatible ones

Video classification

→ they have an hard code of each question type from
this set of 18 QA pairs, for which this
overall pipeline for QA gen heavily relied on

→ Provided many examples in each prompt.