In [2]:
```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [3]:
```
df = pd.read_csv("mymoviedb.csv",lineterminator="\n")
```

In [4]:
```
df.head(5)
```

Out[4]:

	Release_Date	Title	Overview	Popularity	Vote_Count	Vote_Average	Original_Language	Genre	
0	2021-12-15	Spider-Man: No Way Home	Peter Parker is unmasked and no longer able to...	5083.954	8940	8.3	en	Action, Adventure, Science Fiction	https://image.tmdb.o
1	2022-03-01	The Batman	In his second year of fighting crime, Batman u...	3827.658	1151	8.1	en	Crime, Mystery, Thriller	https://image.tmdb.org
2	2022-02-25	No Exit	Stranded at a rest stop in the mountains durin...	2618.087	122	6.3	en	Thriller	https://image.tmdb.org/
3	2021-11-24	Encanto	The tale of an extraordinary family, the Madri...	2402.201	5076	7.7	en	Animation, Comedy, Family, Fantasy	https://image.tmdb.org
4	2021-12-22	The King's Man	As a collection of history's worst tyrants and...	1895.511	1793	7.0	en	Action, Adventure, Thriller, War	https://image.tmdb.org

In [5]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 9827 entries, 0 to 9826
Data columns (total 9 columns):
 #   Column             Non-Null Count  Dtype  
---  ------             --------------  -----  
 0   Release_Date       9827 non-null   object 
 1   Title              9827 non-null   object 
 2   Overview           9827 non-null   object 
 3   Popularity         9827 non-null   float64
 4   Vote_Count         9827 non-null   int64  
 5   Vote_Average       9827 non-null   float64
 6   Original_Language  9827 non-null   object 
 7   Genre              9827 non-null   object 
 8   Poster_Url         9827 non-null   object 
dtypes: float64(2), int64(1), object(6)
memory usage: 691.1+ KB
```

In [6]:
```
df.duplicated().sum()
```

Out[6]:
```
np.int64(0)
```

In [7]:
```
df.isnull().sum()
```

Out[7]:
```
Release_Date         0
Title                0
Overview             0
Popularity           0
Vote_Count           0
Vote_Average         0
Original_Language    0
Genre                0
Poster_Url           0
dtype: int64
```

In [8]:
```
df.columns
```

Out[8]:
```
Index(['Release_Date', 'Title', 'Overview', 'Popularity', 'Vote_Count',
       'Vote_Average', 'Original_Language', 'Genre', 'Poster_Url'],
      dtype='object')
```

In [9]:
```
df['Vote_Count'].sum()
```

Out[9]:
```
np.int64(13687100)
```

In [10]:
```
df.describe()
```

Out[10]:

	Popularity	Vote_Count	Vote_Average
count	9827.000000	9827.000000	9827.000000
mean	40.326088	1392.805536	6.439534
std	108.873998	2611.206907	1.129759
min	13.354000	0.000000	0.000000
25%	16.128500	146.000000	5.900000
50%	21.199000	444.000000	6.500000
75%	35.191500	1376.000000	7.100000
max	5083.954000	31077.000000	10.000000

In [11]:
```
df.columns
```

Out[11]:
```
Index(['Release_Date', 'Title', 'Overview', 'Popularity', 'Vote_Count',
       'Vote_Average', 'Original_Language', 'Genre', 'Poster_Url'],
      dtype='object')
```

#EXPLORATION SUMMERY WE HAVE A DATA FRAME CONSISTING OF 9827 ROWS AND 9 COLUMNS. OUR DATASET LOOKS A BIT TIDY WITH NO NANS NOR DUPLICATED VALUES. RELEASE_DATE COLUMN NEEDS TO BE CASTED INTO DATE TIME AND TO EXTRACT ONLY THE YEAR VALUES. OVERVIEW ORIGINAL LANGUAGE AND POSTER URL WOULD NOT BE SO USEFUL DURING ANALYSIS, SO WE WILL DROP THEM. THERE IS NOTICABLE OUTLIERS IN POPULARITY COLUMNS. VOTE AVERAGE BETTER BE CATEGORISED FOR PROPER ANALYSIS. GENRE COLUMNS HAS COMMA SAPERATED VALUES AND WHITE SPACES THAT NEEDS TO BE HANDLED AND CASTED INTO CATEGORY.EXPLORATION SUMMERY.

In [12]:
```
df.head(1)
```

Out[12]:

	Release_Date	Title	Overview	Popularity	Vote_Count	Vote_Average	Original_Language	Genre	
0	2021-12-15	Spider-Man: No Way Home	Peter Parker is unmasked and no longer able to...	5083.954	8940	8.3	en	Action, Adventure, Science Fiction	https://image.tmdb.org/t/p/c

In [13]:
```
df["Release_Date"] = pd.to_datetime(df["Release_Date"])

print(df["Release_Date"].dtypes)
```

```
datetime64[ns]
```

In [14]:
```
df["Release_Date"] = df["Release_Date"].dt.year
df["Release_Date"].dtypes
```

Out[14]:
```
dtype('int32')
```

In [15]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 9827 entries, 0 to 9826
Data columns (total 9 columns):
 #   Column             Non-Null Count  Dtype  
---  ------             --------------  -----  
 0   Release_Date       9827 non-null   int32  
 1   Title              9827 non-null   object 
 2   Overview           9827 non-null   object 
 3   Popularity         9827 non-null   float64
 4   Vote_Count         9827 non-null   int64  
 5   Vote_Average       9827 non-null   float64
 6   Original_Language  9827 non-null   object 
 7   Genre              9827 non-null   object 
 8   Poster_Url         9827 non-null   object 
dtypes: float64(2), int32(1), int64(1), object(5)
memory usage: 652.7+ KB
```

In [16]:
```
df.drop(
    columns = ["Poster_Url","Overview","Original_Language"],
    inplace = True
)
```

In [17]:
```
df.head(4)
```

Out[17]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	8.3	Action, Adventure, Science Fiction
1	2022	The Batman	3827.658	1151	8.1	Crime, Mystery, Thriller
2	2022	No Exit	2618.087	122	6.3	Thriller
3	2021	Encanto	2402.201	5076	7.7	Animation, Comedy, Family, Fantasy

In [18]:
```
df.rename(columns={'Release_year': 'Release_Year'}, inplace = True)
```

In [19]:
```
def categories_col(df, col, labels):
    edges = [df[col].describe()["min"],
             df[col].describe()["25%"],
             df[col].describe()["50%"],
             df[col].describe()["75%"],
             df[col].describe()["max"]]

    df[col] = pd.cut(df[col], edges , labels = labels, duplicates = "drop")
    return df
```

In [20]:
```
labels = ["not_popular","below_avg","average","popular"]

categories_col(df,"Vote_Average", labels)

df["Vote_Average"].unique()
```

Out[20]:
```
['popular', 'below_avg', 'average', 'not_popular', NaN]
Categories (4, object): ['not_popular' < 'below_avg' < 'average' < 'popular']
```

In [21]:
```
df.head()
```

Out[21]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action, Adventure, Science Fiction
1	2022	The Batman	3827.658	1151	popular	Crime, Mystery, Thriller
2	2022	No Exit	2618.087	122	below_avg	Thriller
3	2021	Encanto	2402.201	5076	popular	Animation, Comedy, Family, Fantasy
4	2021	The King's Man	1895.511	1793	average	Action, Adventure, Thriller, War

In [22]:
```
df["Vote_Average"].value_counts()
```

Out[22]:
```
Vote_Average
not_popular    2467
popular        2450
average        2412
below_avg      2398
Name: count, dtype: int64
```

In [23]:
```
df.dropna(inplace = True)

df.isna().sum()
```

Out[23]:
```
Release_Date    0
Title           0
Popularity      0
Vote_Count      0
Vote_Average    0
Genre           0
dtype: int64
```

In [24]:
```
df.head()
```

Out[24]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action, Adventure, Science Fiction
1	2022	The Batman	3827.658	1151	popular	Crime, Mystery, Thriller
2	2022	No Exit	2618.087	122	below_avg	Thriller
3	2021	Encanto	2402.201	5076	popular	Animation, Comedy, Family, Fantasy
4	2021	The King's Man	1895.511	1793	average	Action, Adventure, Thriller, War

we'd split genres into a list and then explode our dataframe to have only one genre per row for each movie

In [25]:
```
df["Genre"] = df["Genre"].str.split(", ")

df = df.explode("Genre").reset_index(drop = True)
df.head()
```

Out[25]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action
1	2021	Spider-Man: No Way Home	5083.954	8940	popular	Adventure
2	2021	Spider-Man: No Way Home	5083.954	8940	popular	Science Fiction
3	2022	The Batman	3827.658	1151	popular	Crime
4	2022	The Batman	3827.658	1151	popular	Mystery

In [27]:
```
#Casting column into category

df["Genre"] = df["Genre"].astype("category")
df["Genre"].dtypes
```

Out[27]:
```
CategoricalDtype(categories=['Action', 'Adventure', 'Animation', 'Comedy', 'Crime',
                  'Documentary', 'Drama', 'Family', 'Fantasy', 'History',
                  'Horror', 'Music', 'Mystery', 'Romance', 'Science Fiction',
                  'TV Movie', 'Thriller', 'War', 'Western'],
 , ordered=False, categories_dtype=object)
```

In [28]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 25552 entries, 0 to 25551
Data columns (total 6 columns):
 #   Column        Non-Null Count  Dtype   
---  ------        --------------  -----   
 0   Release_Date  25552 non-null  int32   
 1   Title         25552 non-null  object  
 2   Popularity    25552 non-null  float64 
 3   Vote_Count    25552 non-null  int64   
 4   Vote_Average  25552 non-null  category
 5   Genre         25552 non-null  category
dtypes: category(2), float64(1), int32(1), int64(1), object(1)
memory usage: 749.6+ KB
```

In [29]:
```
df.nunique()
```

Out[29]:
```
Release_Date     100
Title           9415
Popularity      8088
Vote_Count      3265
Vote_Average       4
Genre             19
dtype: int64
```

In [30]:
```
df.head()
```

Out[30]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action
1	2021	Spider-Man: No Way Home	5083.954	8940	popular	Adventure
2	2021	Spider-Man: No Way Home	5083.954	8940	popular	Science Fiction
3	2022	The Batman	3827.658	1151	popular	Crime
4	2022	The Batman	3827.658	1151	popular	Mystery

Data Visualization

In [41]:
```
sns.set_style("whitegrid")
```

What is the most frequent genre of movies released on Netflix?

In [42]:
```
df["Genre"].describe()
```

Out[42]:
```
count     25552
unique       19
top       Drama
freq       3715
Name: Genre, dtype: object
```

In [43]:
```
sns.catplot(y="Genre", data = df, kind="count",
            order = df["Genre"].value_counts().index,
            color = "#4287f5")
plt.title("Genre column distribution")
plt.show()
```



Which has highest votes in vote avg column?

In [44]:
```
sns.catplot(y="Vote_Average", data = df, kind="count",
            order = df["Vote_Average"].value_counts().index,
            color = "#4287f5")
plt.title("Vote distribution")
plt.show()
```



What movie got the highest popularity? what's its genre

In [45]:
```
df[df["Popularity"] == df["Popularity"].max()]
```

Out[45]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action
1	2021	Spider-Man: No Way Home	5083.954	8940	popular	Adventure
2	2021	Spider-Man: No Way Home	5083.954	8940	popular	Science Fiction

What movie got the lowest popularity? what's its genre

In [46]:
```
df[df["Popularity"] == df["Popularity"].min()]
```

Out[46]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
25546	2021	The United States vs. Billie Holiday	13.354	152	average	Music
25547	2021	The United States vs. Billie Holiday	13.354	152	average	Drama
25548	2021	The United States vs. Billie Holiday	13.354	152	average	History
25549	1984	Threads	13.354	186	popular	War
25550	1984	Threads	13.354	186	popular	Drama
25551	1984	Threads	13.354	186	popular	Science Fiction

Which year has the most filmmed movies?

In [47]:
```
df["Release_Date"].hist()
plt.title("Release_Date column distribution")
plt.show()
```



In [ ]: