
# Bug Report

## Assumptions

- The URL for Signup is captured from the signup URL ‘https://app.qa.nesto.ca/signup’ by reading the network
- The following bugs are in the API called from signup page, valid inputs and length policies are enforced in client side validations only which is not recommended without building validation parity in API layer
- The signin page is used to validate the account information created using signup api

---


## Phone number field accepts arbitrary alphabetic characters




Phone numbers like '+160466214106786876868' are allowed under length 32

---

## User creation permitted without mandatory First/Last Name




The values fall back to “Unknown” and “Name” for both fields, API sends a 201


When user logs in to the portal, they see the avatar broken
Top right avatar appears like the following




---

## Inconsistency between Client-Side and API Password Validation Policies

UI - "Passwords must be between 12 and 32 characters and contain one uppercase letter, one lowercase letter and one number."




From API, there are 2 primary checks

1. Length > 12
2. At least one character.

a value like "232ghjhytfgd" is accepted from API but not from UI


---

## Non-Canadian region codes accepted by API, value defaulted to geolocated value if it doesn’t match


The ISO 3166-2 region codes that are not part of drop down on frontend are allowed from the list of states in US

Non-US codes like BY (Bavaria) are not accepted, so this filter accepts US region values

This behavior is not possible from UI, there is no option to select a US region from drop down and it is not documented






## Empty payload POST request causes 500 Internal Server Error




## Account creation allowed with passwordSpecified=false

The account is created, API returns a 201 but when user tries to login, an error thrown with 400




---


## Zero-width invisible characters allowed in Name fields break UI rendering

```
{
    "firstName": "\u200C\u200C\u200C",
    "lastName": "\u200C\u200D\u200C",
    "email": "assignment+{{randomNumber}}@harmeet.test",
    "phone": "+160466214106786876868",
    "region": "AB",
    "language": "en",
    "leadDistributeConsentAgreement": true,
    "password": "232ghjhytfgd",
    "passwordSpecified": true,
    "createdAt": "LOGIN",
    "postalCode": "T3J4A4",
    "partialPostalCode": ""
```

Response Headers 10 JSON 201 Created 695ms 2.50KB


```
{
  "account": {
    "id": 1047626,
    "rid": "1026d4ac9924145ac252caf47ca43a241047626",
    "role": "borrower",
    "email": "assignment+351@harmeet.test",
    "disabled": false,
    "deleted": false,
    "created": "2026-11-10T11:49:49Z",
    "updated": "2026-11-10T11:49:49Z",
    "tenant": {
      "id": 1,
```


UI




---

## Right-to-Left (RTL) Override character (\u202E) alters text display direction

POST https://app.qa.nesto.ca/api/accounts Send


Params Body Headers Auth Vars JSON Prettify


```
{
    "firstName": "\u202E This is ",
    "lastName": "\u202E a test",
    "email": "assignment+{{randomNumber}}@harmeet.test
",
    "phone": "+160466214106786876868",
    "region": "AB",
    "language": "en",
    "leadDistributeConsentAgreement": true
```



Response Headers 10 JSON 201 Created 800ms 2.51KB


```
{
  "account": {
    "id": 1047628,
    "rid": "51df74e35368376ac638e67b764027c81047628",
    "role": "borrower",
    "email": "assignment+1111@harmeet.test",
    "disabled": false,
    "deleted": false,
    "created": "2026-11-10T11:57:54Z"
```


What the user sees on login (signin screen)




Settings screen on signin page




---

## Invalid passwords should not throw 401 Unauthorized response

This is a signup flow, any password provided by the caller should return a 400 - Bad Request or 422 - Unprocessable Entry. 401 applies to an existing account with the wrong password.

