

SOFTWARE TESTING SAMPLES from TURKCELL

Turkcell Technology





COURSE CONTENT



- > Functional Tests and samples
- ➤ NonFunctional Tests and samples



Functional vs. NonFunctional



- Functional Tests
 - A specific action or function
 - Requirements document
 - Use cases / User stories
 - NonFunctional Tests
 - Not related to a specific function
 - Overall quality
 - Suitability Perspective



Functional vs. NonFunctional Example



- An application that allows your clients to send informative SMS to their customers
- There are business requirements and also metrics and parameters for the expectations



Functional vs. NonFunctional Example





Clients will upload the sending list through a web page



Clients will be able to see the status and pause/cancel the process at any time



Clients have foreign workers and customers



All clients should be able to use the app at the same time



Limitation for the count of customers in the sending list



Clients should not see each other's process



Lists can be updated before the sending process starts



It is expected to increase the number of clients by 100% in a year



Functional Tests




- Business Requirements of the application
- A Black Box type of testing
- Testing types that can be a part of functional tests;
 - Unit Test
 - Smoke Test
 - Sanity Test
 - Integration Test, etc.



Smoke Test



Smoke Testing is preliminary testing to reveal simple failures severe enough to reject a prospective software release. A subset of test cases that cover the most important functionality of a component or system is selected and run, to ascertain if crucial functions of a program correctly work. (*wikipedia)





Smoke Test



If the functional test starts before smoke tests;

- Increasing test effort
- Increasing test duration
- Decreasing test quality



NonFunctional Tests



- Nonfunctional requirements of the application
- To check the readiness of the system
- Executed after functional tests
- Effective by using testing tools
- A great influence on customer and user satisfaction



NonFunctional Test Types



- Performance Test
- Migration Test
- Compatibility Test
- Localization Test
- Security Test
- Usability Test
- etc.



Performance Test



- Interchangeable names; Load, Stress, Volume tests, etc.
- Stability of the system
- Identifying the points that needs performance tuning
- Neoload is being used in Turkcell
 - CRM screens deployed on 60 servers
 - 1000 virtual users
 - Starts with code freeze date
 - Test and Prod env.



Neoload



- A load testing tool by Neotys.
- Tool that measures performance and behaviour of the system under load.
- Used for testing web applications, Web services, flex applications Oracle forms and Silverlight applications.
- Uses Java Script for script enhancements.
- ~10 min to record a new scenario




Neoload Testing Process




- Create a script that mimics a single user activity on the applications
- Enhance the script by using pass by values, variables and assertions
- Validate the script
- Set the population and define a scenario
- Monitor the server parameters
- Run the load test
- Analyze the results.


Neoload Testing Process and Report















Migration Test



- What is Data Migration & Why do we need it?
- What is the difference between migration and functional testing



Test Plan for MigrationTesting



- Definition of clients requirements
- Data validation in source system
- Testing of migration codes
- Testing data after migration
- Test in client sides
- Rollback testing






Testing Data After Migration




Preparing scripts to control data

- ▶ Data Validation
- Data Verification



Testing Data After Migration





Compatibility Test



- Compatibility of the software with target environments
 - Browser
 - Hardware
 - Networks
 - Mobile Devices
 - Operating System
 - Versions



CMS* Compatibility



Which browser, which version?



Which db?










Compatilibity examples





Localization Test



- Customizing for foreign markets
 - Language, timezone, alphabet, week days, etc.

- CMS application is being used in 8 operators in
- 7 different countries
 - Arabic and Cyrilic characters
 - Calendar
 - Friday vs Sunday
 - LTR vs RTL

Localization Test examples



- Ability to send non-ascii characters in SMS
- Customers sending opt-in SMS
 - EVET 50
 - ???? نعم 50 •
- Transaction dates, db settings for different calendars
- Working days, proper times for contacting the customer



Usability Test



- User friendliness check
 - Learnability
 - Efficiency
 - Memorability
 - Errors
 - Satisfaction
- Functionality does not have a value if cannot be used



Decide Which Nonfunctional Tests to Perform!!



- You are asked to develop a web portal for the university that will enable students / instructors to;
 - Take online exams, see the results
 - Add / drop courses
 - Update personal information, take transcripts
 - Submit homeworks and papers



Decide Which Nonfunctional Tests to Perform!!



- Consider the following constraints for nonfunctional testing;
 - Population
 - Foreign students
 - The risk for online exams
 - Access from outside of the campus
 - Usage on different platforms
 - Possibility to share this portal with other universities

