

☐ Mandatory

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

INTRODUCTION

Pi is a collection of REST APIs that provides many required capabilities to build a modern stock market investment and trading platform. Using these API endpoints, you can execute orders in real time (equities, commodities, currency), stream live market data over WebSockets, and more.

To use these APIs, you need to register your App with us to generate your apiKey and apiSecret.

For registering your app follow below step,

- 1. Login to Wall <https://wall.flattrade.in>
- 2. Navigate to Pi in top menu bar and click on “CREATE NEW API KEY”



- 3. Select the order volume to create api key,

Order Volume

Will you place more than 10 orders per second?

☐ Yes

☐ No

←

NEXT

Yes	More than 10 orders per second
No	Less than 10 orders per second

follow the step based on the Order Volume,

3.1 LESS THAN 10 ORDERS PER SECOND

Base URL

<https://piconnect.flattrade.in/PiConnectAPI>

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data


3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

3.2 MORE THAN 10 ORDERS PER SECOND.

3.1 LESS THAN 10 ORDERS PER SECOND



3.1.2 Enter your IP Configuration (Primary IP is required, Secondary is optional) → Click Next

Primary IP Address	for Api request
Secondry IP Address	for Api request [optional]

3.1.3 Fill out the URL Configuration:

App Name	Your App Name
App ShortName	Short Name of your APP
Redirect URL	URL to which we need to redirect after successful login authentication.

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Note: Code to generate the token will be sent as parameter to this URL

Postback URL URL to which you will be reciving order updates for the orders placed through API.

Description Short description about your app

3.1.4 Review the Configuration Summary, tick the box to accept Terms & Conditions, and Submit

3.1.5 Your request will show as Pending — once approved, your API key is ready!

History Record


Search					
S.No	App Name	Redirect Url	PostbackUrl	ApiKey	Status
1	Myapp	local:8080?	-	-	Pending Approval ⓘ

3.1.6 Your API key is now generated!

API Key Details

Search							
	S.No	App Name	Redirect Url	PostbackUrl	ApiKey	SecretKey	Status
●	1	Myapp	local:123?	-	41bba39ad3144412a5bec7717d883e0a ⓘ	👁	Approved ⓘ

3.1.7 Click the eye 👁 icon to reveal your Secret Key — Copy both API and Secret Key and start building!



3.2 MORE THAN 10 ORDERS PER SECOND

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

High Order Volume

Will you place more than 10 orders per second?

☐ Yes

☐ No

←

NEXT

3.2.1 Enter your IP Configuration (Primary IP is required, Secondary is optional) → Click Next

Primary IP Address for Api request

Secondary IP Address for Api request [optional]

3.2.2 Fill out the URL Configuration:

App Name Your App Name

App ShortName Short Name of your APP

Redirect URL URL to which we need to redirect after successful login authentication.
Note: Code to generate the token will be sent as parameter to this URL

Postback URL URL to which you will be reciving order updates for the orders placed through API.

Description Short description about your app

3.2.3 Next, upload your Strategy, Algorithm Details and choose Segments → Click Upload.

Strategy Enter your strategy for your API key

Segment Select the segment for your API key

File Upload file for the selected segment

3.2.4 Review the Configuration Summary, tick the box to accept Terms & Conditions, and Submit.

3.2.5 Your request will be in Pending status — once approved, your API key will be generated.

- 1.5 Order Margin
- 1.6 Basket Margin
- 1.7 Order Book
- 1.8 Multi Leg Order Book
- 1.9 Single Order History
- 1.10 Trade Book
- 1.11 Position Book
- 1.12 Product Conversion
- 1.13 Place GTT Order
- 1.14 Modify GTT Order
- 1.15 Cancel GTT Order
- 1.16 Get Pending GTT Order
- 1.17 Get Enabled GTTs
- 1.18 Place OCO Order
- 1.19 Modify OCO Order
- 1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

- 2.1 Holdings
- 2.2 Limits

3. MARKET INFO

- 3.1 Get Index List
- 3.2 Get Top List Names
- 3.3 Get Top List
- 3.4 Get Time Price Data
- 3.5 Get EOD Chart Data
- 3.6 Get Option Chain
- 3.7 Get Option Greek

History Record


S.No	App Name	Redirect Url	PostbackUrl	ApiKey	Status	Trader
1	Myapp	http://localhost:8080?	-	-	Pending Verify	Algo Trader

3.2.6 Your API key is now generated!

API Key Details

S.No	App Name	Redirect Url	PostbackUrl	ApiKey	SecretKey	Status	Trader
1	Myapp	http://localhost:8080?	-	a0955e8495a643799fb08314d08145e9		Approved	Algo Trader

3.1.7 Click the eye icon to reveal your Secret Key – Copy both API and Secret Key and you’re good to go!



Don't have an account? [Sign up now!](#)

LOGIN FLOW

APIKey and APISecert is used to generate a access token (JKey) that will be used in all our APIs to perform trading.

The access token generation process starts with an Authentication process initiated from a a web browser. You need to authorize the program using your client ID (UCC), trading password and PAN/year of birth.

Whether your program runs on a GUI or a console, you always have to access the web browser to create an access token which then allows you to use the API.

The access token has a validity of 24 hours so you only have to generate access tokenonce during the day.
(Note: Access tokens are cleared between 5 to 6 AM in the morning. We recommend you regenerate your access token after 6 AM).

Once you generate your access token, you can store it and bypass authentication for subsequent connects.

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek



Token Generation Steps

Step	Description
1	Open the Authorization URL <code>https://auth.flattrade.in/?app_key=APIKEY</code> in browser Note: replace APIKEY text in this URL with the Apikey allocated for you in the <u>above step 4</u>
2	Enter your Client id (UCC), Password, PAN/DOB and submit
3	After you are authorized in our authentication portal, the authorization screen will redirect to your URL with request_token (<code>https://yourRedirectURL.com/?request_code=requestCodeValue</code>) <u>Note:</u> Redirect URL is pre-registered with us against each API Key. If you have different redirect URL for PROD and TESTING, then each environment should have different API Key registered with us <u>request_code:</u> It is an one-time code obtained during the login flow. This code's lifetime is only a few minutes and it is meant to be exchanged for a token immediately after obtaining

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Step	Description
4	Call to <code>https://authapi.flattrade.in/trade/apitoken</code> in POST method to validate <code>request_code</code> and get the token <pre>{ "api_key": "xcvvwegfhgh4454646", "request_code": "xxdfddfdfsdfs84okkdlfelfdfdfd345fsf", "api_secret": "sdfdsfsdfsfsXXXXXXX" }</pre> NOTE: 1. Please refer this document for a detailed walkthrough on how to handle the security key parameter to get the token. 2. Token will be returned only if the request originates from the registered private static IP for the API key. <u>api_key</u>: The public API key <u>request_code</u>: It is an one-time code obtained during the login flow. This code's lifetime is only a few minutes and it is meant to be exchanged for a token immediately after obtaining <u>api_secret</u>: SHA-256 hash of (api_key + request_token + api_secret).
5	You will get a response with following values. This token can be used in appropriate end points to get more details of the user <u>On Sucess:</u> <pre>{ "token": "dsfsf84okkdlfelfdfdfd3454545454ssdfs", "client": "CCODE123", "status": "Ok", "emsg": "" }</pre>

POSTMAN COLLECTIONS

To Download the Postman Collections 

To test the API in Postman, you need to define the required variable fields such as the base URL, clientid, jkey on the API specification.

Sample:

```
BaseUrl - https://piconnect.flattrade.in/PiConnectAPI
ClientId - FT0000
jKey - GHUDWU53H32MTHPA536Q32WR
```

ORDER AND TRADES

PLACE ORDERS

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

To get place order you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/PlaceOrder

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.
Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Login users account ID
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
trgprc		Only to be sent in case of SL / SL-M order.
dscqty*		Disclosed quantity (Max 10% for NSE, and 50% for MCX) [If dscqty is junk value other than numbers].
prd*	C - CNC/ M - NRML / H - CO / B - BO / I - MIS / F - MTF	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*	LMT /SL-LMT	
ret*	DAY / EOS / IOC	Retention type [ret should be DAY / EOS / IOC else reject]
remarks		Any tag by user to mark order.
ordersource	API	Used to generate exchange info fields.

Here is a curl example

```
curl --location 'https://BaseUrl/PlaceOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "qty": "50",
  "prc": "1400",
  "prd": "H",
  "trantype": "B",
  "prctyp": "LMT",
  "ret": "DAY"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response:

```
{
  "request_time": "10:48:03 20-05-2020",
  "stat": "Ok",
  "norenordno": "20052000000017"
}
```

Sample Error Response :

```
{
  "stat": "Not_Ok",
  "request_time": "20:40:01 19-05-2020",
  "emsg": "Error Occurred : 2 \"invalid input\""
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)
amo*	Yes	The message "Invalid AMO" will be displayed if the "amo" field is not sent with a "Yes" value. If amo is not required, do not send this field.
tsym2		Trading symbol of second leg, mandatory for price type 2L and 3L (use url encoding to avoid special char error for symbols like M&M)
trantype2		Transaction type of second leg, mandatory for price type 2L and 3L
qty2		Quantity for second leg, mandatory for price type 2L and 3L
prc2		Price for second leg, mandatory for price type 2L and 3L
tsym3		Trading symbol of third leg, mandatory for price type 3L (use url encoding to avoid special char error for symbols like M&M)
trantype3		Transaction type of third leg, mandatory for price type 3L
qty3		Quantity for third leg, mandatory for price type 3L
prc3		Price for third leg, mandatory for price type 3L

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Place order success or failure indication.
request_time		Response received time
norenordno		It will be present only on successful Order placement to OMS.

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
emsg		This will be present only if Order placement fails

MODIFY ORDER

To get Modify order you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/ModifyOrder

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
exch*		Exchange
norenordno*		Noren order number, which needs to be modified
prctyp	LMT / SL-LMT	This can be modified
prc*		Modified / New price [If prc is junk value other than numbers] "Order price cannot be zero".
qty*		Modified / New Quantity Quantity to Fill / Order Qty - This is the total qty to be filled for the order. Its Open Qty/Pending Qty plus Filled Shares (cumulative for the order) for the order. * Please do not send only the pending qty in this field [If qty is junk value other than numbers].
tsym*		Unque id of contract on which order was placed. Can't be modified, must be the same as that of original order. (use url encoding to avoid special char error for symbols like M&M)
ret*	DAY / EOS / IOC	Retention type [ret should be DAY / EOS / IOC else reject]

Here is a curl example

```
curl --location 'https://BaseUrl/ModifyOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "qty": "50",
  "prc": "1400",
  "prctyp": "LMT",
  "ret": "DAY",
  "norenordno": "123456789"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time":"14:14:08 26-05-2020",
  "stat":"Ok",
  "result":"20052600000103"
}
```

Sample Failure Response :

```
{
  "request_time":"16:03:29 28-05-2020",
  "stat":"Not_Ok",
  "emsg":"Rejected : ORA:Order not found"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
trgprc		New trigger price in case of SL-LMT
uid*		User id of the logged in user.
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)

RESPONSE DETAILS

Response data will be in json format with below fields

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Modify order success or failure indication.
result		Noren Order number of the order modified.
request_time		Response received time
emsg		This will be present only if Order modification fails

CANCEL ORDER

To get Cancel Order you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/CancelOrder

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

```
# Here is a curl example

curl --location 'https://BaseUrl/CancelOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
    "uid": "FZ00000",
    "norenordno": "123456789"
}&jKey=GHUDWU53H32MTHPA536Q32WR '
```

```
Sample Success Response :
{
  "request_time":"14:14:10 26-05-2020",
  "stat":"Ok",
  "result":"20052600000103"
}
Sample Failure Response :
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
norenordno*		Noren order number, which needs to be modified
uid*		User id of the logged in user.

RESPONSE DETAILS

Response data will be in json format with below fields

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Cancel order success or failure indication.
result		Noren Order number of the canceled order.
request_time		Response received time
emsg		This will be present only if Order cancelation fails

EXIT SNO ORDER

To get Exit SNO Order you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/ExitSNOOrder

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
norenordno*		Noren order number, which needs to be modified
prd*	H / B	Allowed for only H and B products (Cover order and bracket order)
uid*		User id of the logged in user.

RESPONSE DETAILS

```
{
  "request_time": "16:01:48 28-05-2020",
  "stat": "Not_Ok",
  "emsg": "Rejected : ORA:Order not found to Cancel"
}
```

```
# Here is a curl example

curl --location 'https://BaseUrl/ExitSNOOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "prd": "H",
  "norenordno": "123456789"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Response data will be in json format with below fields

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Cancel order success or failure indication.
dmsg		Display message, (will be present only in case of success).
request_time		Response received time
emsg		This will be present only if Order cancelation fails

ORDER MARGIN

To get Order Margin you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/GetOrderMargin

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Login users account ID
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity [If qty is junk value other than numbers].

Here is a curl example

```
curl --location 'https://BaseURL/GetOrderMargin' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "qty": "50",
  "prc": "1400",
  "prd": "H",
  "trantype": "B",
  "prctyp": "LMT",
  "norenordno": "123456789"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
trgprc		Only to be sent in case of SL / SL-M order.
prd*	C / M / H	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*	LMT /SL- LMT	
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
rorgqty		Optional field. Application only for modify order, open order quantity
fillshares		Optional field. Application only for modify order, quantity already filled.
rorgprc		Optional field. Application only for modify order, open order price
orgtrgprc		Optional field. Application only for modify order, open order trigger price
norenordno		Optional field. Application only for H or B order modification
snonum		Optional field. Application only for H or B order modification

RESPONSE DETAILS

Response data will be in json format with below fields

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Place order success or failure indication.
request_time		Response received time
remarks		This field will be available only on success.
cash		Total credits available for order

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
marginused		Total margin used.
emsg		This will be present only if Order placement fails

BASKET MARGIN

To get Basket Margin you need to make a POST call to the following url :
<https://piconnect.flattrade.in/PiConnectAPI/GetBasketMargin>

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Login users account ID
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
trgprc		Only to be sent in case of SL / SL-M order.
prd*	C / M / H	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)

Here is a curl example 

```
curl --location 'https://BaseUrl/GetBasketMargin' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "qty": "50",
  "prc": "1400",
  "prd": "H",
  "trantype": "B",
  "prctyp": "LMT",
  "norenordno": "123456789"
}&jKey=GHUDWU53H32MTHPA536Q32WR '
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*	LMT / SL-LMT	
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
rorgqty		Optional field. Application only for modify order, open order quantity
fillshares		Optional field. Application only for modify order, quantity already filled.
rorgprc		Optional field. Application only for modify order, open order price
orgtrgprc		Optional field. Application only for modify order, open order trigger price
norenordno		Optional field. Application only for H or B order modification
snonum		Optional field. Application only for H or B order modification
basketlists		Optional field. Array of json objects. (object fields given in below table)

Json Fields of object in values Array	Possible value	Description
exch*	NSE / NFO / BSE / MCX	Exchange (Select from 'exarr' Array provided in User Details response)
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
trgprc		Only to be sent in case of SL / SL-M order.

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields of object in values Array	Possible value	Description
prd*	C / M / H	Product name (Select from 'prarr' Array provided in User Details response, and if same is allowed for selected, exchange. Show product display name, for user to select, and send corresponding prd in API call)
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*	LMT /SL- LMT	
introp_key		Optional field.
introp_exch		Optional field.

RESPONSE DETAILS

Response data will be in json format with below fields

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Place order success or failure indication.
request_time		Response received time
remarks		This field will contain rejection reason.
marginused		Total margin used.
marginusedtrade		Margin used after trade.
emsg		This will be present only if Order placement fails

ORDER BOOK

To get Order Book you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/OrderBook

QUERY PARAMETERS

Here is a curl example

```
curl --location 'https://BaseUrl/OrderBook' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000"
}'--&jKey=GHUDWU53H32MTHPA536Q32WR '
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Parameter

Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
prd	H / M / ...	Product name

RESPONSE DETAILS

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
qty*		Order Quantity [If qty is junk value other than numbers].
prd		Display product alias name, using prarr returned in user details.
status		Order status
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp	LMT	Price type
fillshares		Total Traded Quantity of this order
avgprc		Average trade price of total traded quantity
rejreason		If order is rejected, reason in text form
exchordid		Exchange Order Number
cancelqty		Canceled quantity for order which is in status cancelled.

Sample Success Output :

Success response :

```
[
{
  "stat" : "Ok",
  "exch" : "NSE" ,
  "tsym" : "ACC-EQ" ,
  "norenordno" : "20062500000001223",
  "prc" : "127230",
  "qty" : "100",
  "prd" : "C",
  "status": "Open",
  "trantype" : "B",
  "prctyp" : "LMT",
  "fillshares" : "0",
  "avgprc" : "0",
  "exchordid" : "250620000000343421",
  "uid" : "VIDYA",
  "actid" : "CLIENT1",
  "ret" : "DAY",
  "amo" : "Yes"
},
```

```
{
  "stat" : "Ok",
  "exch" : "NSE" ,
  "tsym" : "ABB-EQ" ,
  "norenordno" : "20062500000002543",
  "prc" : "127830",
  "qty" : "50",
  "prd" : "C",
  "status": "REJECT",
  "trantype" : "B",
  "prctyp" : "LMT",
  "fillshares" : "0",
  "avgprc" : "0",
  "rejreason" : "Insufficient funds"
  "uid" : "VIDYA",
  "actid" : "CLIENT1",
  "ret" : "DAY",
  "amo" : "No"
}
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
remarks		Any message Entered during order entry.
dscqty*		Order disclosed quantity [If dscqty is junk value other than numbers].
trgprc		Order trigger price
ret*	DAY / EOS / IOC	Order validity [ret should be DAY / EOS / IOC else reject]
uid		
actid		
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)
amo*	Yes	The message "Invalid AMO" will be displayed if the "amo" field is not sent with a "Yes" value. If amo is not required, do not send this field.
pp		Price precision
ti		Tick size
ls		Lot size
token		Contract Token
orddtm		
ordenttm		
extm		
snoordt		0 for profit leg and 1 for stoploss leg
snonum		This field will be present for product H and B; and only if it is profit/sl order.
dname		Broker specific contract display name.
rorgqty		To be used in get margin from modify window.
rorgprc		To be used in get margin from modify window.
orgtrgprc		To be used in get margin from modify window, for H/B products only

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
orgblprc		To be used in get margin from modify window, for H/B products only
algo_name		Algo Name
C		CUST_FIRM_C

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

MULTI LEG ORDER BOOK

To get Multi Leg Order Book you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/MultiLegOrderBook

QUERY PARAMETERS

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
prd	H / M / ...	Product name

RESPONSE DETAILS

Response data will be in json Array of objects with below fields in case of success.

Here is a curl example

```
curl --location 'https://BaseURL/MultiLegOrderBook' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000"
}'--jKey=GHUDWU53H32MTHPA536Q32WR '
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
qty*		Order Quantity [If qty is junk value other than numbers].
prd		Display product alias name, using prarr returned in user details.
status		Order status
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp	LMT	Price type
fillshares		Total Traded Quantity of this order
avgprc		Average trade price of total traded quantity
rejreason		If order is rejected, reason in text form
exchordid		Exchange Order Number
cancelqty		Canceled quantity for order which is in status cancelled.
remarks		Any message Entered during order entry.
dscqty*		Order disclosed quantity [If dscqty is junk value other than numbers].
trgprc		Order trigger price
ret*	DAY / EOS / IOC	Order validity [ret should be DAY / EOS / IOC else reject]
uid		
actid		
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
amo*	Yes	The message "Invalid AMO" will be displayed if the "amo" field is not sent with a "Yes" value. If amo is not required, do not send this field.
pp		Price precision
ti		Tick size
ls		Lot size
tsym2		Trading symbol of second leg, mandatory for price type 2L and 3L
trantype2		Transaction type of second leg, mandatory for price type 2L and 3L
qty2		Quantity for second leg, mandatory for price type 2L and 3L
prc2		Price for second leg, mandatory for price type 2L and 3L
tsym3		Trading symbol of third leg, mandatory for price type 3L
trantype3		Transaction type of third leg, mandatory for price type 3L
qty3		Quantity for third leg, mandatory for price type 3L
prc3		Price for third leg, mandatory for price type 3L
fillshares2		Total Traded Quantity of 2nd Leg
avgprc2		Average trade price of total traded quantity for 2nd leg
fillshares3		Total Traded Quantity of 3rd Leg
avgprc3		Average trade price of total traded quantity for 3rd leg

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

SINGLE ORDER HISTORY

▲

▼

1.5	Order Margin
1.6	Basket Margin
1.7	Order Book
1.8	Multi Leg Order Book
1.9	Single Order History
1.10	Trade Book
1.11	Position Book
1.12	Product Conversion
1.13	Place GTT Order
1.14	Modify GTT Order
1.15	Cancel GTT Order
1.16	Get Pending GTT Order
1.17	Get Enabled GTTs
1.18	Place OCO Order
1.19	Modify OCO Order
1.20	Cancel OCO Order
2.	HOLDINGS AND LIMITS
2.1	Holdings
2.2	Limits
3.	MARKET INFO
3.1	Get Index List
3.2	Get Top List Names
3.3	Get Top List
3.4	Get Time Price Data
3.5	Get EOD Chart Data
3.6	Get Option Chain
3.7	Get Option Greek

<https://pi.flattrade.in/docs>

To get Single Order History you need to make a POST call to the following url :
<https://piconnect.flattrade.in/PiConnectAPI/SingleOrdHist>

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
norenordno*		Noren Order Number

RESPONSE DETAILS

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
qty*		Order Quantity [If qty is junk value other than numbers].
prd		Display product alias name, using prarr returned in user details.
status		Order status
rpt		Report Type (fill/complete etc)
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp	LMT	Price type

Here is a curl example 

```
curl --location 'https://BaseURL/SingleOrdHist' \
--header 'Content-Type: application/json' \
--data 'jData={"uid":"FZ00000",
"norenordno":"20121300065716"}&jKey=GHUDWU53H32MTHPA536Q32WR '
```

Sample Success Output :

```
[
{
"stat": "Ok","norenordno": "20121300065716",
"uid": "DEM01",
"actid": "DEM01",
"exch": "NSE",
"tsym": "ACCELYA-EQ",
"qty": "180",
"trantype": "B",
"prctyp": "LMT",
"ret": "DAY",
"token": "7053",
"pp": "2",
"ls": "1",
"ti": "0.05",
"prc": "800.00",
"avgprc": "800.00",
"dscqty": "0",
"prd": "M",
"status": "COMPLETE",
"rpt": "Fill",
"fillshares": "180",
"noentm": "19:59:32 13-12-2020",
"exch_tm": "00:00:00 01-01-1980",
"remarks": "WC TEST Order",
"exchordid": "6858"
},
{
"stat": "Ok",
"norenordno": "20121300065716",
"uid": "DEM01",
"actid": "DEM01",
"exch": "NSE",
"tsym": "ACCELYA-EQ",
"qty": "180",
"trantype": "B",
"prctyp": "LMT",
"ret": "DAY",
"token": "7053",
"pp": "2",
"ls": "1",
"ti": "0.05",
"prc": "800.00",
"dscqty": "0",
"prd": "M",
"status": "OPEN",
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
fillshares		Total Traded Quantity of this order
avgprc		Average trade price of total traded quantity
rejreason		If order is rejected, reason in text form
exchordid		Exchange Order Number
cancelqty		Canceled quantity for order which is in status cancelled.
remarks		Any message Entered during order entry.
dscqty*		Order disclosed quantity [If dscqty is junk value other than numbers].
trgprc		Order trigger price
ret*	DAY / EOS / IOC	Order validity [ret should be DAY / EOS / IOC else reject]
uid		
actid		
bpprc		Book Profit Price applicable only if product is selected as B (Bracket order)
blprc		Book loss Price applicable only if product is selected as H and B (High Leverage and Bracket order)
trailprc		Trailing Price applicable only if product is selected as H and B (High Leverage and Bracket order)
amo*	Yes	The message "Invalid AMO" will be displayed if the "amo" field is not sent with a "Yes" value. If amo is not required, do not send this field.
pp		Price precision
ti		Tick size
ls		Lot size
token		Contract Token
orddtm		
ordenttm		
extm		

Response data will be in json format with below fields in case of failure:

```
"rpt": "New",
"noentm": "19:59:32 13-12-2020",
"exch_tm": "00:00:00 01-01-1980",
"remarks": "WC TEST Order",
"exchordid": "6858"
},
{
  "stat": "Ok",
  "norenordno": "20121300065716",
  "uid": "DEM01",
  "actid": "DEM01",
  "exch": "NSE",
  "tsym": "ACCELYA-EQ",
  "qty": "180",
  "trantype": "B",
  "prctyp": "LMT",
  "ret": "DAY",
  "token": "7053",
  "pp": "2",
  "ls": "1",
  "ti": "0.05",
  "prc": "800.00",
  "dscqty": "0",
  "prd": "M",
  "status": "PENDING",
  "rpt": "PendingNew",
  "noentm": "19:59:32 13-12-2020",
  "remarks": "WC TEST Order"
},
{
  "stat": "Ok",
  "norenordno": "20121300065716",
  "uid": "DEM01",
  "actid": "DEM01",
  "exch": "NSE",
  "tsym": "ACCELYA-EQ",
  "qty": "180",
  "trantype": "B",
  "prctyp": "LMT",
  "ret": "DAY",
  "token": "7053",
  "pp": "2",
  "ls": "1",
  "ti": "0.05",
  "prc": "800.00",
  "prd": "M",
  "status": "PENDING",
  "rpt": "NewAck",
  "noentm": "19:59:32 13-12-2020",
  "remarks": "WC TEST Order"
}
]
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

TRADE BOOK

To get Trade Book you need to make a POST call to the following url :
<https://piconnect.flattrade.in/PiConnectAPI/TradeBook>

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account Id of logged in user

RESPONSE DETAILS

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Order book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract on which order is placed.
norenordno		Noren Order Number
qty*		Order Quantity [If qty is junk value other than numbers].

Here is a curl example 

```
curl --location 'https://BaseURL/TradeBook' \
--header 'Content-Type: application/json' \
--data 'jData={
    "uid": "FZ00000",
    "actid": "FZ00000",
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Output :

```
[
{
  "stat": "Ok",
  "norenordno": "20121300065715",
  "uid": "GURURAJ",
  "actid": "GURURAJ",
  "exch": "NSE",
  "prctyp": "LMT",
  "ret": "DAY",
  "prd": "M",
  "flid": "102",
  "fltm": "01-01-1980 00:00:00",
  "trantype": "S",
  "tsym": "ACCELYA-EQ",
  "qty": "180",
  "token": "7053",
  "fillshares": "180",
  "flqty": "180",
  "pp": "2",
  "ls": "1",
  "ti": "0.05",
  "prc": "800.00",
  "flprc": "800.00",
  "norentm": "19:59:32 13-12-2020",
  "exch_tm": "00:00:00 01-01-1980",
  "remarks": "WC TEST Order",
  "exchordid": "6857"
},
{
  "stat": "Ok",
  "norenordno": "20121300065716",
```

▲

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

▼

Json Fields	Possible value	Description
prd		Display product alias name, using prarr returned in user details.
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp	LMT	Price type
fillshares		Total Traded Quantity of this order
avgprc		Average trade price of total traded quantity
exchordid		Exchange Order Number
remarks		Any message Entered during order entry.
ret*	DAY / EOS / IOC	Order validity [ret should be DAY / EOS / IOC else reject]
uid		
actid		
pp		Price precision
ti		Tick size
ls		Lot size
cstFrm		Custom Firm
fltm		Fill Time
flid		Fill ID
flqty		Fill Qty
flprc		Fill Price
ordersource		Order Source
token		Token

```
"uid": "GURURAJ",
"actid": "GURURAJ",
"exch": "NSE",
"prctyp": "LMT",
"ret": "DAY",
"prd": "M",
"flid": "101",
"fltm": "01-01-1980 00:00:00",
"trantype": "B",
"tsym": "ACCELYA-EQ",
"qty": "180",
"token": "7053",
"fillshares": "180",
"flqty": "180",
"pp": "2",
"ls": "1",
"ti": "0.05",
"prc": "800.00",
"flprc": "800.00",
"norentm": "19:59:32 13-12-2020",
"exch_tm": "00:00:00 01-01-1980",
"remarks": "WC TEST Order",
"exchordid": "6858"
}
]
```

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

POSITIONS BOOK

To get Positions Book you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/PositionBook

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account Id of logged in user

RESPONSE DETAILS

Response data will be in json Array of objects with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Position book success or failure indication.
exch		Exchange Segment
tsym		Trading symbol / contract.
token		Contract token
uid		User Id
actid		Account Id
prd		Product name to be shown.
netqty		Net Position quantity
netavgprc		Net position average price
daybuyqty		Day Buy Quantity

Here is a curl example

```
curl --location 'https://BaseURL/PositionBook' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "stat":"Ok",
  "uid":"POORNA",
  "actid":"POORNA",
  "exch":"NSE",
  "tsym":"ACC-EQ",
  "prarr":"C",
  "pp":"2",
  "ls":"1",
  "ti":"5.00",
  "mult":"1",
  "prcftr":"1.000000",
  "daybuyqty":"2",
  "daysellqty":"2",
  "daybuyamt":"2610.00",
  "daybuyavgprc":"1305.00",
  "daysellamt":"2610.00",
  "daysellavgprc":"1305.00",
  "cfbuyqty":"0",
  "cfsellqty":"0",
  "cfbuyamt":"0.00",
  "cfbuyavgprc":"0.00",
  "cfsellamt":"0.00",
  "cfsellavgprc":"0.00",
  "openbuyqty":"0",
  "opensellqty":"23",
  "openbuyamt":"0.00",
  "openbuyavgprc":"0.00",
  "opensellamt":"30015.00",
  "opensellavgprc":"1305.00",
  "netqty":"0",
  "netavgprc":"0.00",
  "lp":"0.00",
  "urmtom":"0.00",
  "rpn1":"0.00",
  "cforgavgprc":"0.00"
}
]
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
daysellqty		Day Sell Quantity
daybuyavgprc		Day Buy average price
daysellavgprc		Day buy average price
daybuyamt		Day Buy Amount
daysellamt		Day Sell Amount
cfbuyqty		Carry Forward Buy Quantity
cforgavgprc		Original Avg Price
cfsellqty		Carry Forward Sell Quantity
cfbuyavgprc		Carry Forward Buy average price
cfsellavgprc		Carry Forward Buy average price
cfbuyamt		Carry Forward Buy Amount
cfsellamt		Carry Forward Sell Amount
totsellavgprc		Total Sell Avg Price
lp		LTP
rpnl		RealizedPNL
urmtom		UnrealizedMTOM. (Can be recalculated in LTP update : = netqty * (lp from web socket - netavgprc) * prcfttr
bep		Break even price
openbuyqty		
opensellqty		
openbuyamt		
opensellamt		
openbuyavgprc		
opensellavgprc		
mult		
pp		
prcfttr		gn*pn/(gd*pd).
ti		Tick size
ls		Lot size
instname		Instrument Name

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "request_time": "14:14:11 26-05-2020",
  "emsg": "Error Occurred : 5 \"no data\""
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
request_time		This will be present only in a failure response.

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Position book request failure indication.
request_time		Response received time.
emsg		Error message

PRODUCT CONVERSION

To get Product Conversion you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/ProductConversion

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
exch*		Exchange
tsym*		Unique id of contract on which order was placed. Can't be modified, must be the same as that of original order. (use url encoding to avoid special char error for symbols like M&M)
qty*		Quantity to be converted [If qty is junk value other than numbers].
uid*		User id of the logged in user.
actid*		Account id

Here is a curl example

```
curl --location 'https://BaseUrl/ProductConversion' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "qty": "50",
  "prc": "1400",
  "prd": "H",
  "trantype": "B",
  "prctyp": "LMT",
  "prevprd": "C",
  "postype": "Day"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time": "10:52:12 02-06-2020",
  "stat": "Ok"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Invalid Input : Invalid Position Type"
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
prd*		Product to which the user wants to convert position.
prevprd*		Original product of the position.
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
postype*	Day / CF	Converting Day or Carry forward position
ordersource	API	For Logging

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Position conversion success or failure indication.
emsg		This will be present only if Position conversion fails.

PLACE GTT ORDER

To Place GTT Order Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/PlaceGTTOrder

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		User id of the logged in user
tsym*		Trading symbol
exch*		Exchange Segment
ai_t*		Alert Type

Here is a curl example

```
curl --location 'https://BaseURL/PlaceGTTOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "validity": "DAY",
  "qty": "50",
  "prc": "1400",
  "prd": "H",
  "trantype": "B",
  "prctyp": "LMT",
  "prevprd": "C",
  "ret": "DAY",
  "dscqty": "10"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

```
Sample Success Response :
[
{
  "request_time":"10:02:06 15-04-2021",
  "stat":"Oi created",
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
validity*	DAY or GTT	Validity
d		Data to be compared with LTP
remarks*		Any message Entered during order entry.
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*	LMT / SL-LMT / DS / 2L / 3L	
prd*	C / M / H	Product name
ret*	DAY / EOS / IOC	Retention type [ret should be DAY / EOS / IOC else reject]
actid*		Login users account ID
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
dscqty*		Disclosed quantity (Max 10% for NSE, and 50% for MCX) [If dscqty is junk value other than numbers].

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		GTT order success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

MODIFY GTT ORDER

To Modify GTT Order Request you need to make a POST call to the following url:

https://piconnect.flattrade.in/PiConnectAPI/ModifyGTTOrder

```
"Al_id": "21041500000010"
}
]
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

Here is a curl example

```
curl --location 'https://BaseUrl/ModifyGTTOrder' \
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
uid*		User id of the logged in user
tsym*		Trading symbol
exch*		Exchange Segment
ai_t*		Alert Type, should be original alert type, can't be modified
al_id		Alert Id
validity*	DAY or GTT	Validity
d		Data to be compared with LTP
remarks*		Any message Entered during order entry.
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*	LMT / SL-LMT / DS / 2L / 3L	
prd*	C / M / H	Product name
ret*	DAY / EOS / IOC	Retention type [ret should be DAY / EOS / IOC else reject]
actid*		Login users account ID
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
dscqty*		Disclosed quantity (Max 10% for NSE, and 50% for MCX) [If dscqty is junk value other than numbers].

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		GTT order success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input

```
--header 'Content-Type: application/json' \
--data 'jsonData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "validity": "DAY",
  "qty": "50",
  "prc": "1400",
  "prd": "H",
  "trantype": "B",
  "prctyp": "LMT",
  "prevprd": "C",
  "ret": "DAY",
  "dscqty": "10"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "request_time":"12:15:18 15-04-2021",
  "stat":"Oi Replacedt",
  "Al_id":"21041500000008"
}
]
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
		2) Session Expired

CANCEL GTT ORDER

To Cancel GTT Order Request you need to make a POST call to the following url:
<https://piconnect.flattrade.in/PiConnectAPI/CancelGTTOrder>

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json		
Fields	Possible value	Description
uid		User id of the logged in user
al_id		Alert Id

RESPONSE DETAILS

Response data will have below fields.

Json		
Fields	Possible value	Description
stat		GTT order success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

GET PENDING GTT ORDER

Here is a curl example 

```
curl --location 'https://BaseUrl/CancelGTTOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "al_id": "21041500000013"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
"request_time":"12:20:01 15-04-2021",
"stat":"Oi delete success",
"Al_id":"21041500000013"
}
]
```

Sample Failure Response :

```
{
"stat":"Not_Ok",
"emsg":"Session Expired : Invalid Session Key"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

To Get Pending GTT Order Request you need to make a POST call to the following url:
<https://piconnect.flattrade.in/PiConnectAPI/GetPendingGTTOrder>

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json		
Fields	Possible value	Description
uid*		User id of the logged in user

RESPONSE DETAILS

Response data will have below fields.

Json		
Fields	Possible value	Description
stat		alert success or failure indication.
ai_t		Alert type
al_id		Alert Id
tsym		Trading symbol
exch		Exchange Segment
token		Contract token
remarks		Any message Entered during order entry.
validity	DAY or GTT	Validity
d		Data to be compared with LTP
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp	LMT / SL-LMT / DS / 2L / 3L	
prd	C / M / H	Product name
ret*	DAY / EOS / IOC	Retention type [ret should be DAY / EOS / IOC else reject]
actid		Login users account ID

Here is a curl example 

```
curl --location 'https://BaseUrl/GetPendingGTTOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "stat":"Ok",
  "ai_t":"LTP_A",
  "Al_id":"21041500000002",
  "tsym":"ACC-EQ",
  "exch":"NSE",
  "Token":"22",
  "Remarks":"test",
  "validity":"DAY",
  "actid":"MOHINI",
  "trantype":"B",
  "prctyp":"LMT",
  "Qty":1,
  "Prc":"1305.00",
  "C":"C",
  "prd":"C",
  "ordersource":"API",
  "d":"1900.00",
  "oivariable":[
    {
      "var_name": "x",
      "d": "5645"
    }
  ]
}]
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

GET ENABLED GTTS

To Get Enabled GTTs Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/GetEnabledGTTs

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		User id of the logged in user

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		GTT order success or failure indication.
request_time		This will be present only in a successful response.
ai_ts		Array of alert types

Here is a curl example

```
curl --location 'https://BaseUrl/GetEnabledGTTs' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "stat": "Ok",
  "request_time": "04062021121503",
  "ai_ts":
  [
    {"ai_t": "ATP"},
    {"ai_t": "LTP"}
  ]
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

PLACE OCO ORDER

To Place OCO Order Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/PlaceOC0Order

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		User id of the logged in user.
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
exch*		Exchange
validity*	DAY or GTT	Validity
ai_t*		Alert type
exchsym		Exchange symbol
oivariable		Array Object, details given below.
place_order_params*		List of place order Params fields.
place_order_params_leg2*		List of Place order params fields for leg2.

OIVARIABLE FORMAT

Json Fields	Possible value	Description
d*		Data to be compared with LTP
var_name*	x or y	Variable Name

Input Sample: 

```
curl --location 'https://BaseUrl/PlaceOC0Order' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "ai_t": "LMT_BOS_O",
  "remarks": "admn",
  "validity": "GTT",
  "tsym": "ACC-EQ",
  "exch": "NSE",
  "oivariable": [
    {
      "d": "20000",
      "var_name": "x"
    },
    {
      "d": "30000",
      "var_name": "y"
    }
  ],
  "place_order_params": {
    "tsym": "ACC-EQ",
    "exch": "NSE",
    "trantype": "B",
    "prctyp": "LMT",
    "prd": "C",
    "ret": "DAY",
    "actid": "FZ00000",
    "uid": "FZ00000",
    "ordersource": "WEB",
    "qty": "1",
    "prc": "200"
  },
  "place_order_params_leg2": {
    "tsym": "ACC-EQ",
    "exch": "NSE",
    "trantype": "S",
    "prctyp": "LMT",
    "prd": "C",
    "ret": "DAY",
    "actid": "FZ00000",
    "uid": "FZ00000",
    "ordersource": "WEB",
    "qty": "1",
    "prc": "200"
  }
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

PLACE_ORDER_PARAMS FORMAT

Json Fields	Possible value	Description
tsym*		Trading symbol of the scrip (contract)
exch*		Exchange
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*		Price Type
prd*		Product
ret*	DAY / EOS / IOC	Retention type [ret should be DAY / EOS / IOC else reject]
actid*		Acct Id
uid*		User Id
ordersource	MOB / WEB / TT	Used to generate exchange info fields.
remarks		Any tag by user to mark order.
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
trgprc		New trigger price in case of SL-LMT

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		OCO orders success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

```
}  
&jKey=652c99c82d7edcd4f472869786074c90bd27dfd0c68635c2e53db0ed08cbea0f'
```

Sample Success Response :

```
{  
  "request_time": "18:56:26 08-10-2021",  
  "stat": "OI created",  
  "al_id": "21100800000009"  
}
```

Sample Failure Response :

```
{  
  "stat": "Not_Ok",  
  "emsg": "Session Expired : Invalid Session Key"  
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

MODIFY OCO ORDER

To Modify OCO Order Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/ModifyOCOOrder

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		User id of the logged in user.
tsym*		Unique id of contract on which order to be placed. (use url encoding to avoid special char error for symbols like M&M)
exch*		Exchange
validity*	DAY or GTT	Validity
ai_t*		Alert type
al_id*		Alert id
exchsym		Exchange symbol
oivariable		Array Object, details given below.
place_order_params		Array Object, details given below.

OIVARIABLE FORMAT

Json Fields	Possible value	Description
d*		Data to be compared with LTP
var_name*	x or y	Variable Name

Here is a curl example

```
curl --location 'https://BaseUrl/ModifyOCOOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "validity": "DAY"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time": "11:14:52 11-10-2021",
  "stat": "OI replaced",
  "al_id": "21101100000001"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

PLACE_ORDER_PARAMS FORMAT

Json Fields	Possible value	Description
tsym*		Trading symbol of the scrip (contract)
exch*		Exchange
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp*		Price Type
prd*		Product
ret*	DAY / EOS / IOC	Retention type [ret should be DAY / EOS / IOC else reject]
actid*		Acct Id
uid*		User Id
ordersource	MOB / WEB / TT	Used to generate exchange info fields.
remarks		Any tag by user to mark order.
qty*		Order Quantity [If qty is junk value other than numbers].
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
trgprc		New trigger price in case of SL-LMT

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		OCO order success or failure indication. i."stat": "OI replaced" - incase of success ii."stat": "Invalid OI" - incase of failure
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

▲

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

▼

CANCEL OCO ORDER

To Cancel OCO Order Request you need to make a POST call to the following url:
<https://piconnect.flattrade.in/PiConnectAPI/CancelOCOOrder>

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json		
Fields	Possible value	Description
uid		User id of the logged in user.
al_id*		Alert Id

RESPONSE DETAILS

Response data will have below fields.

Json		
Fields	Possible value	Description
stat		OCO order success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

HOLDINGS AND LIMITS

HOLDINGS

Here is a curl example 

```
curl --location 'https://BaseURL/CancelOCOOrder' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "al_id": "21083000000040"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time":"17:41:02 30-08-2021",
  "stat":"Oi delete success"
  ,"al_id":"21083000000040"
}
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

To get Holdings you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/Holdings

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account id of the logged in user.
prd*		Product name

RESPONSE DETAILS

Response data will be in json format with below fields in case of Success:

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Holding request success or failure indication.
exch_tsym		Array of objects exch_tsym objects as defined below.
holdqty		Holding quantity
dpqty		DP Holding quantity
npoadqty		Non Poa display quantity
colqty		Collateral quantity
benqty		Beneficiary quantity
unplgdqty		Unpledged quantity
brkcolqty		Broker Collateral
btstqty		BTST quantity
btstcolqty		BTST Collateral quantity
usedqty		Holding used today
upldprc		Average price uploaded along with holdings

Notes:

Here is a curl example

```
curl --location 'https://BaseURL/Holdings' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "prd": "C"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "stat": "Ok",
  "exch_tsym": [
    {
      "exch": "NSE",
      "token": "13",
      "tsym": "ABB-EQ"
    }
  ],
  "holdqty": "2000000",
  "colqty": "200",
  "btstqty": "0",
  "btstcolqty": "0",
  "usedqty": "0",
  "upldprc" : "1800.00"
},
{
  "stat": "Ok",
  "exch_tsym": [
    {
      "exch": "NSE",
      "token": "22",
      "tsym": "ACC-EQ"
    }
  ],
  "holdqty": "2000000",
  "colqty": "200",
  "btstqty": "0",
  "btstcolqty": "0",
  "usedqty": "0",
  "upldprc" : "1400.00"
}
]
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Invalid Input : Missing uid or actid or prd."
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Valuation : $btstqty + holdqty + brkcolqty + unplgdqty + benqty + \text{Max}(npoadqty, dpqty) - usedqty$

Salable: $btstqty + holdqty + unplgdqty + benqty + dpqty - usedqty$

Exch_tsym object:

Json Fields of object in values		
Array	Possible value	Description
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading symbol of the scrip (contract)
token		Token of the scrip (contract)
pp		Price precision
ti		Tick size
ls		Lot size

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Position book request failure indication.
request_time		Response received time.
emsg		Error message

LIMITS

To get Limits you need to make a POST call to the following url : <https://piconnect.flattrade.in/PiConnectAPI/Limits>

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Here is a curl example 

```
curl --location 'https://BaseURL/Limits' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time": "18:07:31 29-05-2020",
  "stat": "Ok",
  "cash": "150000000000000.00",
  "payin": "0.00",
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
uid*		Logged in User Id
actid*		Account id of the logged in user.

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Limits request success or failure indication.
actid		Account id
prd		Product name
seg	CM / FO / FX	Segment
exch		Exchange
-----Cash Primary Fields-----		
cash		Cash Margin available
payin		Total Amount transferred using Payins today
payout		Total amount requested for withdrawal today
-----Cash Additional Fields-----		
brkcollamt		Prevalued Collateral Amount
unclearedcash		Uncleared Cash (Payin through cheques)
daycash		Additional leverage amount / Amount added to handle system errors - by broker.
-----Margin Utilized-----		
marginused		Total margin / fund used today
mtomcurper		Mtom current percentage
-----Margin Used components-----		
cbu		CAC Buy used
csc		CAC Sell Credits
rpnl		Current realized PNL
unmtom		Current unrealized mtom

```
"payout":"0.00",
"brkcollamt":"0.00",
"unclearedcash":"0.00",
"daycash":"0.00",
"turnoverlmt":"5000000000000.00",
"pendordvallmt":"20000000000000.00",
"turnover":"3915000.00",
"pendordval":"2871000.00",
"marginused":"3945540.00",
"mtomcurper":"0.00",
"urmtom":"30540.00",
"grexpo":"3915000.00",
"uzpnl_e_i":"15270.00",
"uzpnl_e_m":"61080.00",
"uzpnl_e_c":"-45810.00"
}
Sample Failure Response :
{
  "stat":"Not_Ok",
  "emsg":"Server Timeout : "
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
marprt		Covered Product margins
span		Span used
expo		Exposure margin
premium		Premium used
varelm		Var Elm Margin
grexpo		Gross Exposure
grexpo_d		Gross Exposure derivative
scripbskmar		Scrip basket margin
addscripbskmrg		Additional scrip basket margin
brokerage		Brokerage amount
collateral		Collateral calculated based on uploaded holdings
cash_coll		Cash Collateral
grcoll		Valuation of uploaded holding pre haircut
-----Additional Risk Limits-----		
turnoverlmt		
pendordvallmt		
-----Additional Risk Indicators-----		
turnover		Turnover
pendordval		Pending Order value
-----Margin used detailed breakup fields-----		
rzpnl_e_i		Current realized PNL (Equity Intraday)
rzpnl_e_m		Current realized PNL (Equity Margin)
rzpnl_e_c		Current realized PNL (Equity Cash n Carry)
rzpnl_d_i		Current realized PNL (Derivative Intraday)
rzpnl_d_m		Current realized PNL (Derivative Margin)
rzpnl_f_i		Current realized PNL (FX Intraday)
rzpnl_f_m		Current realized PNL (FX Margin)
rzpnl_c_i		Current realized PNL (Commodity Intraday)
rzpnl_c_m		Current realized PNL (Commodity Margin)

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
uzpnl_e_i		Current unrealized MTOM (Equity Intraday)
uzpnl_e_m		Current unrealized MTOM (Equity Margin)
uzpnl_e_c		Current unrealized MTOM (Equity Cash n Carry)
uzpnl_d_i		Current unrealized MTOM (Derivative Intraday)
uzpnl_d_m		Current unrealized MTOM (Derivative Margin)
uzpnl_f_i		Current unrealized MTOM (FX Intraday)
uzpnl_f_m		Current unrealized MTOM (FX Margin)
uzpnl_c_i		Current unrealized MTOM (Commodity Intraday)
uzpnl_c_m		Current unrealized MTOM (Commodity Margin)
span_d_i		Span Margin (Derivative Intraday)
span_d_m		Span Margin (Derivative Margin)
span_f_i		Span Margin (FX Intraday)
span_f_m		Span Margin (FX Margin)
span_c_i		Span Margin (Commodity Intraday)
span_c_m		Span Margin (Commodity Margin)
expo_d_i		Exposure Margin (Derivative Intraday)
expo_d_m		Exposure Margin (Derivative Margin)
expo_f_i		Exposure Margin (FX Intraday)
expo_f_m		Exposure Margin (FX Margin)
expo_c_i		Exposure Margin (Commodity Intraday)
expo_c_m		Exposure Margin (Commodity Margin)
premium_d_i		Option premium (Derivative Intraday)
premium_d_m		Option premium (Derivative Margin)
premium_f_i		Option premium (FX Intraday)
premium_f_m		Option premium (FX Margin)
premium_c_i		Option premium (Commodity Intraday)
premium_c_m		Option premium (Commodity Margin)
varelm_e_i		Var Elm (Equity Intraday)

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
varelm_e_m		Var Elm (Equity Margin)
varelm_e_c		Var Elm (Equity Cash n Carry)
marprt_e_h		Covered Product margins (Equity High leverage)
marprt_e_b		Covered Product margins (Equity Bracket Order)
marprt_d_h		Covered Product margins (Derivative High leverage)
marprt_d_b		Covered Product margins (Derivative Bracket Order)
marprt_f_h		Covered Product margins (FX High leverage)
marprt_f_b		Covered Product margins (FX Bracket Order)
marprt_c_h		Covered Product margins (Commodity High leverage)
marprt_c_b		Covered Product margins (Commodity Bracket Order)
scripbskmar_e_i		Scrip basket margin (Equity Intraday)
scripbskmar_e_m		Scrip basket margin (Equity Margin)
scripbskmar_e_c		Scrip basket margin (Equity Cash n Carry)
addscripbskmrg_d_i		Additional scrip basket margin (Derivative Intraday)
addscripbskmrg_d_m		Additional scrip basket margin (Derivative Margin)
addscripbskmrg_f_i		Additional scrip basket margin (FX Intraday)
addscripbskmrg_f_m		Additional scrip basket margin (FX Margin)
addscripbskmrg_c_i		Additional scrip basket margin (Commodity Intraday)
addscripbskmrg_c_m		Additional scrip basket margin (Commodity Margin)
brkage_e_i		Brokerage (Equity Intraday)
brkage_e_m		Brokerage (Equity Margin)
brkage_e_c		Brokerage (Equity CAC)
brkage_e_h		Brokerage (Equity High Leverage)

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
brkage_e_b		Brokerage (Equity Bracket Order)
brkage_d_i		Brokerage (Derivative Intraday)
brkage_d_m		Brokerage (Derivative Margin)
brkage_d_h		Brokerage (Derivative High Leverage)
brkage_d_b		Brokerage (Derivative Bracket Order)
brkage_f_i		Brokerage (FX Intraday)
brkage_f_m		Brokerage (FX Margin)
brkage_f_h		Brokerage (FX High Leverage)
brkage_f_b		Brokerage (FX Bracket Order)
brkage_c_i		Brokerage (Commodity Intraday)
brkage_c_m		Brokerage (Commodity Margin)
brkage_c_h		Brokerage (Commodity High Leverage)
brkage_c_b		Brokerage (Commodity Bracket Order)
mr_fx_u		MR fx used
mr_sell		MR sell credit
mr_t1sell		MR t1 sell credit
mr_eqt_a		MR equity allocated
mr_der_a		MR derivatives allocated
mr_fx_a		MR fx allocated
mr_com_a		MR commodity allocated
request_time		request_time
emsg		This will be present only in a failure response.

GET INDEX LIST

To get Index List you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/GetIndexList

QUERY PARAMETERS

```
# Here is a curl example

curl --location 'https://BaseUrl/GetIndexList' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "exch": "NSE"
```

}&jKey=GHUDWU53H32MTHPA536Q32WR '

Sample Output:

```
{
  "request_time": "20:12:29 13-12-2020",
  "values": [
    {
      "idxname": "HangSeng BeES-NAV",
      "token": "26016"
    },
    {
      "idxname": "India VIX",
      "token": "26017"
    },
    {
      "idxname": "Nifty 50",
      "token": "26000"
    },
    {
      "idxname": "Nifty IT",
      "token": "26008"
    },
    {
      "idxname": "Nifty Next 50",
      "token": "26013"
    },
    {
      "idxname": "Nifty Bank",
      "token": "26009"
    },
    {
      "idxname": "Nifty 500",
      "token": "26004"
    },
    {
      "idxname": "Nifty 100",
      "token": "26012"
    },
    {
      "idxname": "Nifty Midcap 50",
      "token": "26014"
    },
    {
      "idxname": "Nifty Realty",
      "token": "26018"
    }
  ]
}
```

Parameter

Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
exch*		Exchange

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Limits request success or failure indication.
values		Array Of Basket, Criteria pair.
request_time		This will be present only in a successful response.
emsg		This will be present only in case of errors.

BASKET, CRITERIA PAIR OBJECT :

Json Fields	Possible value	Description
idxname		Index Name
token		Index token used to subscribe

GET TOP LIST NAMES

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

To get Top List Names you need to make a POST call to the following url :
`https://piconnect.flattrade.in/PiConnectAPI/TopListName`

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
exch*		Exchange

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	TopListNames success or failure indication.
values		Array Of Basket, Criteria pair.
request_time		This will be present only in a successful response.
emsg		This will be present only in case of errors.

BASKET, CRITERIA PAIR OBJECT :

Json Fields	Possible value	Description
bskt		Basket name
crt		criteria

```
# Here is a curl example

curl --location 'https://BaseUrl/TopListName' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "exch": "NSE"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

```
Sample Success Response :
{
  "request_time":"13:08:22 03-06-2020",
  "values":[
    {
      "bskt":"NSEBL",
      "crt":"VOLUME"
    },
    {
      "bskt":"NSEBL",
      "crt":"LTP"
    },
    {
      "bskt":"NSEBL",
      "crt":"VALUE"
    },
    {
      "bskt":"NSEEQ",
      "crt":"VOLUME"
    },
    {
      "bskt":"NSEEQ",
      "crt":"LTP"
    },
    {
      "bskt":"NSEEQ",
      "crt":"VALUE"
    },
    {
      "bskt":"NSEALL",
      "crt":"VOLUME"
    },
    {
      "bskt":"NSEALL",
      "crt":"LTP"
    },
    {
      "bskt":"NSEALL",
      "crt":"VALUE"
    }
  ]
}

Sample Failure Response :
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Ontion Greek

GET TOP LIST

To get Top List you need to make a POST call to the following url :

<https://piconnect.flattrade.in/PiConnectAPI/TopList>

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
exch*		Exchange
tb*	T or B	Top or Bottom
bskt*		bskt
crt*		criteria

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	TopList success or failure indication.
values		Array of top / bottom contracts object
request_time		This will be present only in a successful response.
emsg		This will be present only in case of errors.

TOP / BOTTOM CONTRACTS OBJECT:

```
# Here is a curl example
```

```
curl --location 'https://BaseURL/TopList' \  
--header 'Content-Type: application/json' \  
--data 'jData={  
    "uid": "FZ00000",  
    "exch": "NSE",  
    "tb": "T",  
    "bskt": "NSEALL",  
    "crt": "LTP"  
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "stat": "Ok",
  "request_time": "15:44:45 03-06-2020",
  "values": [
    {
      "tsym": "AIRAN-EQ",
      "lp": "950.00",
      "c": "915.00",
      "v": "42705",
      "value": "40185405.00",
      "oi": "0",
      "Pc": "3.83"
    },
    {
      "tsym": "SHRENIK-EQ",
      "lp": "1850.00",
      "c": "1785.00",
      "v": "206846",
      "value": "368806418.00",
      "oi": "0",
      "Pc": "3.64"
    },
    {
      "tsym": "REMSONSIND-EQ",
      "lp": "6000.00",
      "c": "5795.00",
      "v": "3948",
      "value": "22752324.00",
      "oi": "0",
      "pc": "3.54"
    },
    {
      "tsym": "AXISNIFTY-EQ",
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
tsym		Trading symbol
lp		LTP
c		Previous Close price
v		volume
value		Total traded value
oi		Open interest
pc		LTP percentage change

GET TIME PRICE DATA (CHART DATA)

To get Time Price Data (Chart data) you need to make a POST call to the following url : <https://piconnect.flattrade.in/PiConnectAPI/TPSeries>

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
exch*		Exchange
token*		
st		Start time (seconds since 1 jan 1970)
et		End Time (seconds since 1 jan 1970)
intrv	1 / 3 / 5 / 10 / 15 / 30 / 60 / 120	chart intervals

```
"lp": "106700.00",
"c": "103301.00",
"v": "422",
"value": "43825544.00",
"oi": "0",
"Pc": "3.29"
}
]
}
]
Sample Failure Response :
{
  "stat": "Not_Ok",
  "emsg": "Invalid Input : Missing uid or exch or bskt or tb or crt"
}
```

Here is a curl example 

```
curl --location 'https://BaseUrl/TPSeries' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "exch": "NSE",
  "token": "23456",
  "st": "12315",
  "et": "4874564",
  "intrv": "1"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "stat": "Ok",
  "time": "02-06-2020 15:46:23",
  "into": "0.00",
  "inth": "0.00",
  "intl": "0.00",
  "intc": "0.00",
  "intvwap": "0.00",
  "intv": "0",
  "intoi": "0",
  "v": "980515",
  "oi": "128702"
},
{
  "stat": "Ok",
  "time": "02-06-2020 15:45:23",
  "into": "0.00",
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

RESPONSE DETAILS

Response data will be in json format in case for failure.

Json Fields	Possible value	Description
stat	Not_Ok	TPData failure indication.
emsg		This will be present only in case of errors.

Response data will be in json format in case for success.

Json Fields	Possible value	Description
stat	Ok	TPData success indication.
time		DD/MM/CCYY hh:mm:ss
into		Interval open
inth		Interval high
intl		Interval low
intc		Interval close
intvwap		Interval vwap
intv		Interval volume
v		volume
intoi		Interval io change
oi		oi

```
"inth": "0.00",
"intl": "0.00",
"intc": "0.00",
"intvwap": "0.00",
"intv": "0",
"intoi": "0",
"v": "980515",
"oi": "128702"
},
{
  "stat": "Ok",
  "time": "02-06-2020 15:44:23",
  "into": "0.00",
  "inth": "0.00",
  "intl": "0.00",
  "intc": "0.00",
  "intvwap": "0.00",
  "intv": "0",
  "intoi": "0",
  "v": "980515",
  "oi": "128702"
},
{
  "stat": "Ok",
  "time": "02-06-2020 15:43:23",
  "into": "1287.00",
  "inth": "1287.00",
  "intl": "0.00",
  "intc": "1287.00",
  "intvwap": "128702.00",
  "intv": "4",
  "intoi": "128702",
  "v": "980515",
  "oi": "128702"
},
{
  "stat": "Ok",
  "time": "02-06-2020 15:42:23",
  "into": "0.00",
  "inth": "0.00",
  "intl": "0.00",
  "intc": "0.00",
  "intvwap": "0.00",
  "intv": "0",
  "intoi": "0",
  "v": "980511",
  "oi": "128702"
}
]
Sample Failure Response :
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

https://pi.flattrade.in/docs

GET EOD CHART DATA

To get EOD chart data you need to make a POST call to the following url :
<https://piconnect.flattrade.in/PiConnectAPI/EODChartData>

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list.
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
sym*		Symbol name
from*		From date
to*		To date

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
time		DD/MM/CCYY hh:mm:ss
into		Interval open
inth		Interval high
intl		Interval low
intc		Interval close
ssboe		Date,Seconds in 1970 format
intv		Interval volume

GET OPTION CHAIN

Here is a curl example 

```
curl --location 'https://BaseUrl/EODChartData' \
--header 'Content-Type: application/json' \
--data 'jData={
  "sym": "NSE:RELIANCE-EQ",
  "from": "1624838400",
  "to": "1663718400"}&jKey=GHUDWU53H32MTHPA536Q32WR '
```

Sample Success Response :

```
[
  "{
    "time": "21-SEP-2022",
    "into": "2496.75",
    "inth": "2533.00",
    "intl": "2495.00",
    "intc": "2509.75",
    "ssboe": "1663718400",
    "intv": "4249172.00"
  }",
  "{
    "time": "15-SEP-2022",
    "into": "2583.00",
    "inth": "2603.55",
    "intl": "2556.75",
    "intc": "2562.70",
    "ssboe": "1663200000",
    "intv": "4783723.00"
  }",
  "{
    "time": "28-JUN-2021",
    "into": "2122.00",
    "inth": "2126.50",
    "intl": "2081.00",
    "intc": "2086.00",
    "ssboe": "1624838400",
    "intv": "9357852.00"
  }"
]
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

To get Option Chain you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/GetOptionChain

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
tsym*		Trading symbol of any of the option or future. Option chain for that underlying will be returned. (use url encoding to avoid special char error for symbols like M&M)
exch*		Exchange (UI need to check if exchange in NFO / CDS / MCX / or any other exchange which has options, if not don't allow)
strprc*		Mid price for option chain selection
cnt*		Number of strike to return on one side of the mid price for PUT and CALL. (example cnt is 4, total 16 contracts will be returned, if cnt is is 5 total 20 contract will be returned)

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Market watch success or failure indication.
values		Array of json objects. (object fields given in below table)
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

Here is a curl example

```
curl --location 'https://BaseURL/GetOptionChain' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "strprc": "2567",
  "cnt": "5"
}&jKey=GHUDWU53H32MTHPA536Q32WR '
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields of
object in values

Array	Possible value	Description
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading symbol of the scrip (contract)
token		Token of the scrip (contract)
optt		Option Type
strprc		Strike price
pp		Price precision
ti		Tick size
ls		Lot size

GET OPTION GREEK

To get Option greek you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/GetOptionGreek

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
exd		Expiry Date
strprc		Strike Price
sptprc		Spot Price
int_rate		Init Rate
volatility		Volatility
optt		Option Type

Here is a curl example

```
curl --location 'https://BaseURL/GetOptionGreek' \
--header 'Content-Type: application/json' \
--data 'jData={
  "exd": "2021-07-28",
  "strprc": "2567",
  "sptprc": "2668",
  "int_rate": "0.05",
  "volatility": "0.2",
  "optt": "C"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

```
Sample Success Response :
{
  "request_time":"17:22:58 28-07-2021",
  "stat":"OK",
  "cal_price":"1441",
  "put_price":"0.417071",
  "cal_delta":"0.997304",
  "put_delta":"-0.002696",
  "cal_gamma":"0.000001",
  "put_gamma":"0.000001",
  "cal_theta":"-31.535015",
  "put_theta":"-31.401346",
  "cal_rho":"0.000119",
  "put_rho":"-0.016590",
  "cal_vego":"0.006307",
  "put_vego":"0.006307"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat		Success or failure indication.
request_time		This will be present only in a successful response.
cal_price		Cal Price
put_price		Put Price
cal_delta		Cal Delta
put_delta		Put Delta
cal_gamma		Cal Gamma
put_gamma		Put Gamma
cal_theta		Cal Theta
put_theta		Put Theta
cal_rho		Cal Rho
put_rho		Put Rho
cal_vego		Cal Vego
put_vego		Put Vego

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Invalid Input : jData is Missing."
}
```

EXCH MSG

To get Exch Msg you need to make a POST call to the following url :
<https://piconnect.flattrade.in/PiConnectAPI/ExchMsg>

Here is a curl example 

```
curl --location 'https://BaseUrl/ExchMsg' \
--header 'Content-Type: application/json' \
--data 'jData={"uid": "FZ00000", "exch": "NSE"}&jKey=GHUDWU53H32MTHPA536Q32WR '
```

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
uid*		Logged in User Id
exch		Exchange (Select from 'exarr' Array provided in User Details response)

RESPONSE DETAILS

Response data will be in json format with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok	Whi Exch Msg success or failure indication.
exchmsg		It will be present only in a successful response.
exchtm		Exchange Time

Response data will be in json format with below fields in case of failure:

Json Fields	Possible value	Description
stat	Not_Ok	Order book failure indication.
request_time		Response received time.
emsg		Error message

GET BROKER MSG

To get Broker Msg you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/GetBrokerMsg

QUERY PARAMETERS

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Here is a curl example

```
curl --location 'https://BaseUrl/GetBrokerMsg' \
--header 'Content-Type: application/json' \
--data 'jData={
    "uid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
"stat": "Ok",
"norentm": "02-05-1975 08:48:52",
"msgtyp": "Admin Message",
"dmsg": "Test Msg All Message Recovery2"
},
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
uid*		Logged in User Id

RESPONSE DETAILS

Response data will be in json format with below fields in case of success.

Json Fields	Possible value	Description
stat	Ok	Broker Msg success or failure indication.
dmsg		This will be present only in case of success. Number of days to expiry will be present in same.
norentm		Noren Time

SPAN CALCULATOR

To get Span Calculator you need to make a POST call to the following url :
https://piconnect.flattrade.in/PiConnectAPI/SpanCalc

QUERY PARAMETERS

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list

Json Fields	Possible value	Description
actid*		Any Account id, preferably actual account id if sending from post login screen
pos*		Array of json objects. (object fields given in below table)

Json Fields of object in values Array	Possible value	Description
exch	NFO, CDS, MCX ...	Exchange

```
{
  "stat": "Ok",
  "norentm": "02-05-1975 08:48:52",
  "msgtyp": "Admin Message",
  "dmsg": "Test Msg All Message Recovery2"
}
```

Here is a curl example 

```
curl --location 'https://BaseURL/SpanCalc' \
--header 'Content-Type: application/json' \
--data 'jData={
  "actid": "FZ00000",
  "pos": [
    {
      "exch": "NFO",
      "instname": "OPTSTK",
      "symname": "ACC",
      "expd": "2020-10-29",
      "optt": "CE",
      "strprc": "11900.00",
      "buyqty": "0",
      "sellqty": "0",
      "netqty": "100"
    }
  ]
}&jKey=GHUDWU53H32MTHPA536Q32WR '
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields of object in values Array	Possible value	Description
instname	FUTSTK, FUTIDX, OPTSTK, FUTCUR...	Instrument name
symname	USDINR, ACC, ABB, NIFTY..	Symbol name
expd	2020-10-29	YYYY-MM-DD format
optt	CE, PE	Option Type
strprc	11900.00, 71.0025	Strike price
buyqty		Buy Open Quantity
sellqty		Sell Open Quantity
netqty		Net traded quantity

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Market watch success or failure indication.
span		Span value
expo		Exposure margin
span_trade		Span value ignoring input fields buyqty, sellqty
expo_trade		Exposure margin ignoring input fields buyqty, sellqty

ALERTS

SET ALERT

To Set Alert Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/SetAlert

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list

Here is a curl example 

```
curl --location 'https://BaseUrl/SetAlert' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "ai_t": "",
  "validity": "DAY",
  "remarks": ""
}
```

}&jKey=GHUDWU53H32MTHPA536Q32WR'

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Parameter

Name	Possible value	Description
jKey*		Key Obtained on login success.
Json Fields	Possible value	Description
uid*		User id of the logged in user.
tsym*		Trading symbol
exch*		Exchange Segment
ai_t*		Alert Type
validity*	DAY or GTT	Validity
d		Data to be compared with LTP
remarks*		Any message Entered during order entry.

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		alert success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

CANCEL ALERT

To Cancel Alert Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/CancelAlert

REQUEST DETAILS

Parameter

Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Sample Success Response :

```
[
{
"request_time":"11:22:26 08-04-2021",
"stat":"Oi created",
"al_id":"21040800000004"
}
]
```

Sample Failure Response :

```
{
"stat":"Not_Ok",
"emsg":"Session Expired : Invalid Session Key"
}
```

Here is a curl example

```
curl --location 'https://BaseURL/CancelAlert' \
--header 'Content-Type: application/json' \
--data 'jData={
    "uid": "FZ00000",
    "actid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
uid		User id of the logged in user.
al_id*		Alert Id

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		alert success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

MODIFY ALERT

To Modify Alert Request you need to make a POST call to the following url:
<https://piconnect.flattrade.in/PiConnectAPI/ModifyAlert>

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		User id of the logged in user.
tsym*		Trading symbol
exch*		Exchange Segment
ai_t*		Alert Type, should be original alert type, can't be modified.
al_id		Alert Id

```
"request_time":"15:03:33 08-04-2021",
"stat":"Oi delete success",
"al_id":"21040800000008"
}
]
```

Sample Failure Response :

```
{
"stat":"Not_Ok",
"emsg":"Session Expired : Invalid Session Key"
}
```

Here is a curl example

```
curl --location 'https://BaseURL/ModifyAlert' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "exch": "NSE",
  "tsym": "ACC-EQ",
  "ai_t": "",
  "validity": "DAY",
  "remarks": ""
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
"request_time":"16:36:42 08-04-2021",
"stat":"Oi Replaced",
"al_id":"210408000000013"
}
]
```

Sample Failure Response :

```
{
"stat":"Not_Ok",
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
validity*	DAY or GTT	Validity
d		Data to be compared with LTP
remarks*		Any message Entered during order entry.

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		alert success or failure indication.
request_time		This will be present only in a successful response.
al_id		Alert Id
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

GET PENDING ALERT

To Get Pending Alert Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/GetPendingAlert

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		User id of the logged in user.

RESPONSE DETAILS

Response data will have below fields.

```
"emsg":"Session Expired : Invalid Session Key"
}
```

Here is a curl example

```
curl --location 'https://BaseURL/GetPendingAlert' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "Stat":"ok",
  "ai_t":"LTP_A",
  "al_id":"21040800000008",
  "tsym":"ACC-EQ",
  "exch":"NSE"
  "token":"22",
  "remarks":"test",
  "validity":"DAY",
  "d":"95000.00"
}
]
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields		
Possible value	Description	
stat	alert success or failure indication.	
ai_t	Alert type	
al_id	Alert Id	
tsym	Trading symbol	
exch	Exchange Segment	
token	Contract token	
remarks	Any message Entered during order entry.	
validity	DAY or GTT	Validity
d	Data to be compared with LTP	
emsg	This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired	

GET ENABLED ALERT TYPES

To Get Enabled Alert Types Request you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/GetEnabledAlertTypes

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields		
Possible value	Description	
uid*	User id of the logged in user.	

RESPONSE DETAILS

Response data will have below fields.

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

Here is a curl example

```
curl --location 'https://BaseUrl/GetEnabledAlertTypes' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "stat": "Ok",
  "request_time": "04062021121503",
  "ai_ts": [
    {"ai_t": "ATP"},
    {"ai_t": "LTP"},
    {"ai_t": "Perc. Change"}
  ]
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
stat		alert success or failure indication.
request_time		This will be present only in a successful response.
ai_ts		Array of alert types

FUNDS

GET MAX PAYOUT AMOUNT:

To get max Payout Amount you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/GetMaxPayoutAmount

REQUEST DETAILS

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		User id of the logged in user.
actid*		Login users account ID

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		success or failure indication.
request_time		This will be present only in a successful response.
actid		Account id
payout		Maximum payout amount

Here is a curl example

```
curl --location 'https://BaseURL/GetMaxPayoutAmount' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time":"15:52:26 10-05-2021",
  112
  "stat":"Ok",
  "actid":"C-GURURAJ",
  "payout":"21200.20"
}
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

▲

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

▼

https://pi.flattrade.in/docs

FUNDS PAYOUT REQUEST

To get Funds Payout Request you need to make a POST call to the following url:
<https://piconnect.flattrade.in/PiConnectAPI/FundsPayOutReq>

REQUEST DETAILS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields		
	Possible value	Description
uid*		User id of the logged in user.
actid*		Login users account ID
payout*		payout amount
remarks		Any message Entered during order entry.

RESPONSE DETAILS

Response data will have below fields.

Json Fields		
	Possible value	Description
stat		Tran status
request_time		This will be present only in a successful response.
Tran status		Tran id

GET PAYIN REPORT

To get Payin Report you need to make a POST call to the following url:
<https://piconnect.flattrade.in/PiConnectAPI/GetPayinReport>

REQUEST DETAILS

Here is a curl example 

```
curl --location 'https://BaseUrl/FundsPayOutReq' \
--header 'Content-Type: application/json' \
--data 'jData={
  "actid": "FZ00000",
  "actid": "FZ00000",
  "payout": ""
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time":"15:52:27 10-05-2021",
  "trn_id":"20211300000030",
  "stat":"W"
}
```

Sample Failure Response :

```
{
  "stat":"Not_Ok",
  "emsg":"Session Expired : Invalid Session Key"
}
```

Here is a curl example 

```
curl --location 'https://BaseUrl/GetPayinReport' \
--header 'Content-Type: application/json' \
--data 'jData={
  "actid": "FZ00000",
  "from_date": "",

```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields		
Possible value	Description	
actid*		Login users account ID
from_date*		From date
to_date*		To date

RESPONSE DETAILS

Response data will have below fields.

Json Fields		
Possible value	Description	
stat		success or failure indication.
actid		This will be present only in a successful response.
trans_ref_num		transaction reference number (number which defines each transaction)
tran_status	ADD_FUND_S T_COMPLETE _STR	This is used to indicate the status of transaction
amt		Amount

GET PAYOUT REPORT

To get Funds Payout Request you need to make a POST call to the following url:
<https://piconnect.flattrade.in/PiConnectAPI/GetPayoutReport>

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

```
"to_date": ""
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
{
  "stat": "Ok",
  "actid": "GURURAJ",
  "trans_ref_num": "20211250000001",
  "tran_status": "Complete",
  "amt": "10000.00"
},
{
  "stat": "Ok",
  "actid": "GURURAJ",
  "trans_ref_num": "20211250000002",
  "tran_status": "Complete",
  "amt": "10000.00"
}
]
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

Here is a curl example 

```
curl --location 'https://BaseURL/GetPayoutReport' \
--header 'Content-Type: application/json' \
--data 'jData={
  "actid": "FZ00000",
  "from_date": "",
  "to_date": ""
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
[
```

▲

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

▼

Json Fields	Possible value	Description
actid*		Login users account ID
from_date*		From date
to_date*		To date

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		success or failure indication.
actid		This will be present only in a successful response.
trans_ref_num		transaction reference number (number which defines each transaction)
tran_status	WITHDRAW_ ST_COMPLET E_STR	This is used to indicate the status of transaction
amt		Amount

CANCEL PAYOUT

To Cancel Payout you need to make a POST call to the following url:
https://piconnect.flattrade.in/PiConnectAPI/CancelPayout

REQUEST DETAILS

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

```
{
  "stat": "Ok",
  "actid": "GURURAJ",
  "trans_ref_num": "20211270000002",
  "tran_status": "Complete",
  "amt": "-1000.00"
},
{
  "stat": "Ok",
  "actid": "GURURAJ",
  "trans_ref_num": "20211270000003",
  "tran_status": "Complete",
  "amt": "-100.00"
},
{
  "stat": "Ok",
  "actid": "GURURAJ",
  "trans_ref_num": "20211270000004",
  "tran_status": "Complete",
  "amt": "-1000.00"
},
{
  "stat": "Ok",
  "actid": "GURURAJ",
  "trans_ref_num": "20211270000005",
  "tran_status": "Complete",
  "amt": "-100.00"
}
]
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "Session Expired : Invalid Session Key"
}
```

Here is a curl example 

```
curl --location 'https://BaseUrl/CancelPayout' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "actid": "FZ00000",
  "trans_ref_num": ""
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "request_time": "18:59:25 12-05-2021",
  "stat": "Ok",
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
actid*		Login users account ID
uid*		User id of the logged in user.
trans_ref_num*		transaction reference number (number which defines each transaction)
brkname		Broker name

RESPONSE DETAILS

Response data will have below fields.

Json Fields	Possible value	Description
stat		success or failure indication.
actid		This will be present only in a successful response.
tran_status		This is used to indicate the status of transaction
request_time		This will be present only in a successful response.

WEB SOCKET API

Connect to wss://piconnect.flattrade.in/PiConnectWSAPI/

GENERAL GUIDELINES

- 1) As soon as connection is done, a connection request should be sent with User id and login session id.
- 2) All input and output messages will be in json format.

CONNECT

REQUEST

Json Fields	Possible value	Description
t	a	‘a’ represents connect task

```
"actid": "GURURAJ",
"tran_status": "88"
}
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "request_time": "18:58:47 12-05-2021",
  "emsg": "Error Occurred : -103 20211300000033 is Already Canceled"
}
```

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '

{
  "t": "a",
  "uid": "FZ00000",
  "actid": "FZ00000",
  "source": "API",
  "accesstoken": "GHUDWU53H32MTHPA536Q32WR"
}
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields		
Possible value	Description	
uid	User ID	
actid	Account id	
source	API	Source should be same as login request.
accesstoken	User Session Token	

RESPONSE

Json Fields		
Possible value	Description	
t	ak	‘ak’ represents connect acknowledgement
uid	User ID	
s	Ok or Not_Ok(in case of invalid user id or session id)	

SUBSCRIBE TOUCHLINE

REQUEST

Json Fields		
Possible value	Description	
t	t	‘t’ represents touchline task
k	One or more scriplist for subscription. Example NSE 22#BSE 508123#NSE NIFTY	

SUBSCRIPTION ACKNOWLEDGEMENT

Number of Acknowledgements for a single subscription will be the same as the number of scrips mentioned in the key (k) field

Json Fields		
Possible value	Description	
t	tk	‘tk’ represents touchline acknowledgement
e	NSE, BSE, NFO ..	Exchange name
tk	22	Scrip Token

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
  "t": "t",
  "k": "NSE|22#BSE|508123#NSE|10#BSE|2879"
}'
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
pp	2 for NSE, BSE 4 for CDS USDINR	Price precision
ts		Trading Symbol
ti		Tick size
ls		Lot size
lp		LTP
pc		Percentage change
v		volume
o		Open price
h		High price
l		Low price
c		Close price
ap		Average trade price
oi		Open interest
poi		Previous day closing Open Interest
toi		Total open interest for underlying
bq1		Best Buy Quantity 1
bp1		Best Buy Price 1
sq1		Best Sell Quantity 1
sp1		Best Sell Price 1
ft		Feed time
ord_msg		Order message

TOUCHLINE SUBSCRIPTION UPDATES

Accept for t, e, and tk other fields may / may not be present.

Json Fields	Possible value	Description
t	tf	‘tf’ represents touchline feed
e	NSE, BSE, NFO ..	Exchange name
tk	22	Scrip Token

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
lp		LTP
pc		Percentage change
v		volume
o		Open price
h		High price
l		Low price
c		Close price
ap		Average trade price
oi		Open interest
poi		Previous day closing Open Interest
toi		Total open interest for underlying
bq1		Best Buy Quantity 1
bp1		Best Buy Price 1
sq1		Best Sell Quantity 1
sp1		Best Sell Price 1
ft		Feed time

UNSUBSCRIBE TOUCHLINE

REQUEST

Json Fields	Possible value	Description
t	u	‘u’ represents Unsubscribe Touchline
k		One or more scriplist for unsubscription. Example NSE 22#BSE 508123

RESPONSE

Json Fields	Possible value	Description
t	uk	‘uk’ represents Unsubscribe Touchline acknowledgement

Here is a curl example 

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
    "t": "uk",
    "k": "NSE|22#BSE|508123#NSE|10#BSE|2879"
}'
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
k		One or more scriplist for unsubscription. Example NSE 22#BSE 508123

SUBSCRIBE DEPTH

REQUEST

Json Fields	Possible value	Description
t	d	‘d’ represents depth subscription
k		One or more scriplist for subscription. Example NSE 22#BSE 508123

SUBSCRIPTION DEPTH ACKNOWLEDGEMENT

Number of Acknowledgements for a single subscription will be the same as the number of scrips mentioned in the key (k) field.

Json Fields	Possible value	Description
t	dk	‘dk’ represents depth acknowledgement
e	NSE, BSE, NFO ..	Exchange name
tk	22	Scrip Token
lp		LTP
pc		Percentage change
v		volume
o		Open price
h		High price
l		Low price
c		Previous Close price
cp		Close price
ap		Average trade price

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
  "t": "d",
  "k": "NSE|22#BSE|508123#NSE|10#BSE|2879"
}'
```

Sample Message :

```
{
  "t": "df",
  "e": "NSE",
  "tk": "22",
  "o": "1166.00",
  "h": "1179.00",
  "l": "1145.35",
  "c": "1152.65",
  "ap": "1159.74",
  "v": "819881",
  "tbq": "120952",
  "tsq": "131730",
  "bp1": "1156.00",
  "sp1": "1156.50",
  "bp2": "1155.80",
  "sp2": "1156.55",
  "bp3": "1155.75",
  "sp3": "1156.65",
  "bp4": "1155.70",
  "sp4": "1156.70",
  "bp5": "1155.65",
  "sp5": "1156.75",
  "bq1": "4",
  "sq1": "10",
  "bq2": "67",
  "sq2": "63",
  "bq3": "83",
  "sq3": "1",
  "bq4": "139",
  "sq4": "53",
  "bq5": "393",
  "sq5": "94"
```

}

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json

Fields

Possible value

Description

l

l

t

t

b

b

b

b

b

b

b

b

b

b

b

b

b

b

b

b

b

s

s

s

s

s

s

s

s

s

Last trade time

Last trade quantity

Total Buy Quantity

Total Sell Quantity

Best Buy Quantity 1

Best Buy Quantity 2

Best Buy Quantity 3

Best Buy Quantity 4

Best Buy Quantity 5

Best Buy Price 1

Best Buy Price 2

Best Buy Price 2

Best Buy Price 3

Best Buy Price 4

Best Buy Price 5

Best Buy Orders 1

Best Buy Orders 2

Best Buy Orders 2

Best Buy Orders 3

Best Buy Orders 4

Best Buy Orders 5

Best Sell Quantity 1

Best Sell Quantity 2

Best Sell Quantity 2

Best Sell Quantity 3

Best Sell Quantity 4

Best Sell Quantity 5

Best Sell Price 1

Best Sell Price 2

Best Sell Price 2

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json		
Fields	Possible value	Description
sp3		Best Sell Price 3
sp4		Best Sell Price 4
sp5		Best Sell Price 5
so1		Best Sell Orders 1
so2		Best Sell Orders 2
so3		Best Sell Orders 3
so4		Best Sell Orders 4
so5		Best Sell Orders 5
lc		Lower Circuit Limit
uc		Upper Circuit Limit
52h		52 week high low in other exchanges, Life time high low in mcx
52l		52 week high low in other exchanges, Life time high low in mcx
oi		Open interest
poi		Previous day closing Open Interest
toi		Total open interest for underlying
ft		Feed time

DEPTH SUBSCRIPTION UPDATES

Json		
Fields	Possible value	Description
t	df	'df' represents depth feed
e	NSE, BSE, NFO ..	Exchange name
tk	22	Scrip Token
lp		LTP
pc		Percentage change
v		volume
o		Open price
h		High price

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
l		Low price
c		Previous Close price
cp		Close price
ap		Average trade price
ltx		Last trade time
ltq		Last trade quantity
tbq		Total Buy Quantity
tsq		Total Sell Quantity
bq1		Best Buy Quantity 1
bq2		Best Buy Quantity 2
bq3		Best Buy Quantity 3
bq4		Best Buy Quantity 4
bq5		Best Buy Quantity 5
bp1		Best Buy Price 1
bp2		Best Buy Price 2
bp3		Best Buy Price 3
bp4		Best Buy Price 4
bp5		Best Buy Price 5
bo1		Best Buy Orders 1
bo2		Best Buy Orders 2
bo3		Best Buy Orders 3
bo4		Best Buy Orders 4
bo5		Best Buy Orders 5
sq1		Best Sell Quantity 1
sq2		Best Sell Quantity 2
sq3		Best Sell Quantity 3
sq4		Best Sell Quantity 4
sq5		Best Sell Quantity 5
sp1		Best Sell Price 1
sp2		Best Sell Price 2

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
sp3		Best Sell Price 3
sp4		Best Sell Price 4
sp5		Best Sell Price 5
so1		Best Sell Orders 1
so2		Best Sell Orders 2
so3		Best Sell Orders 3
so4		Best Sell Orders 4
so5		Best Sell Orders 5
lc		Lower Circuit Limit
uc		Upper Circuit Limit
52h		52 week high low in other exchanges, Life time high low in mcx
52l		52 week high low in other exchanges, Life time high low in mcx
oi		Open interest
poi		Previous day closing Open interest
toi		Total open interest for underlying
ft		Feed time
ue		(LPP) Exchange high range
le		(LPP) Exchange Low range

UNSUBSCRIBE DEPTH

REQUEST

Json Fields	Possible value	Description
t	ud	‘ud’ represents Unsubscribe depth
k		One or more scriplist for unsubscription. Example NSE 22#BSE 508123

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
  "t": "ud",
  "k": "NSE|22#BSE|508123#NSE|10#BSE|2879"
}'
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

RESPONSE

Json Fields	Possible value	Description
t	udk	‘udk’ represents unsubscribe depth acknowledgement
k		One or more scriplist for unsubscription. Example NSE 22#BSE 508123

SUBSCRIBE ORDER UPDATE

REQUEST

Json Fields	Possible value	Description
t	o	‘o’ represents order update subscription task
actid		Account id based on which order updated to be sent.

IMPORTANT NOTE

There is no subscription acknowledgement for order update subscription.

ORDER UPDATE SUBSCRIPTION UPDATES

Json Fields	Possible value	Description
t	om	‘om’ represents touchline feed
norenordno		Noren Order Number
uid		User Id
actid		Account ID
exch		Exchange
tsym		Trading symbol
qty		Order Quantity
prc		Order Price
pcode		Product
status		Order status (New, Replaced, Complete, Rejected etc)

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
  "t": "o",
  "actid": "FZ00000"
}'
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
reporttype		Order event for which this message is sent out. (Fill, Rejected, Canceled)
trantype	Order transaction type, buy or sell	
prctyp		Order price type (LMT, SL-LMT)
ret	Order Retention type [DAY / EOS / IOC...]	
fillshares		Total Filled shares for this order
avgprc		Average fill price
fltm		Fill Time (present only when reporttype is Fill)
flid		Fill ID (present only when reporttype is Fill)
flqty		Fill Qty (present only when reporttype is Fill)
flprc		Fill Price (present only when reporttype is Fill)
rejreason		Order rejection reason, if rejected
exchordid		Exchange Order ID
cancelqty		Canceled quantity, in case of canceled order
remarks		User added tag, while placing order
dscqty		Disclosed quantity
trgprc		Trigger price for SL orders
snonum		This will be present for child orders in case of cover and bracket orders, if present needs to be sent during exit
snoordt		This will be present for child orders in case of cover and bracket orders, it will indicate whether the order is profit or stoploss
blprc		This will be present for cover and bracket parent order. This is the differential stop loss trigger price to be entered.
bpprc		This will be present for bracket parent order. This is the differential profit price to be entered.
trailprc		This will be present for cover and bracket parent order. This is required if trailing ticks is to be enabled.

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
exch_tm		This will have the exchange update time Format: dd-mm-YYYY hh:MM:ss
amo		This field will be present if the order is After Market Order.Data will be "Yes"
tm		Timestamp
ntm		Nano Timestamp
kidid		Kid Id
sno_fillid		BO Sequence Id
rejby		If an order is rejected,it will indicate from where it got rejected
dname		Broker specific contract display name,present only if applicable
handlinst		DMA/TOUCH/WO
ordentm		Order entry time
uidc		UI_DEV_CODE
os		Order Source
ai		Algo Id

UNSUBSCRIBE ORDER UPDATE

REQUEST

Json Fields	Possible value	Description
t	uo	‘uo’ represents Unsubscribe Order update

RESPONSE

Json Fields	Possible value	Description
t	uok	‘uok’ represents Unsubscribe Order update acknowledgement

Here is a curl example



```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
    "t": "uo"
}'
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

SUBSCRIBE POSITION UPDATE

REQUEST

Json		
Fields	Possible value	Description
t	p	‘p’ represents position subscription
uid		User id

RESPONSE

Json		
Fields	Possible value	Description
t	pk	‘pk’ represents position subscription
uid		User id

On successful connection establishment, position updates will be received if it is made available in the startup (-position_update).

POSITION UPDATE SUBSCRIPTION UPDATES

Json		Possible	
Fields		value	Description
t		pm	‘pm’ represents position update
exch			Exchange segment
token			Contract token
uid			User id
actid			Account id
prd			Product name to be shown
daybuyqty			Day Buy Quantity
daysellqty			Day Sell Quantity
daybuyamt			Day Buy Amount
daysellamt			Day Sell Amount
cfbuyqty			Carry Forward Buy Quantity
cfsellqty			Carry Forward Sell Quantity

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
    "t": "p",
    "actid": "FZ00000"
}'
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
cfbuyamt		Carry Forward Buy Amount
cfsellamt		Carry Forward Sell Amount
openbuyqty		Open Buy Quantity
opensellqty		Open Sell Quantity
openbuyamt		Open Buy Amount
opensellamt		Open Sell Amount
instname		Instrument Name
upload_prc		Upload Price
buyavgprc		Buy Average Price[(daybuyamt + cfbuyamt) / (daybuyqty + cfbuyqty)]
sellavgprc		Sell Average Price[(daysellamt + cfsellamt) / (daysellqty + cfsellqty)]
rpnl		Realized Panel
netqty		Net Quantity [daybuyqty + cfbuyqty - daysellqty - cfsellqty]
totbuyamt		Total Buy Amount
totsellamt		Total Sell Amount
totbuyavgprc		Total Buy Avg Price
totsellavgprc		Total Sell Avg Price
child_orders		Array Object ,Details given below

CHILD_ORDERS FORMAT

Json Fields	Possible value	Description
exch		Exchange segment
token		Contract token
tsym		Trading symbol/contract
daybuyqty		Day Buy Quantity
daysellqty		Day Sell Quantity
daybuyamt		Day Buy Amount
daysellamt		Day Sell Amount

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
cfbuyqty		CF Buy Quantity
cfsellqty		CF Sell Quantity
cfbuyamt		CF Buy Amount
cfsellamt		CF Sell Amount
openbuyqty		Open Buy Quantity
opensellqty		Open Sell Quantity
openbuyamt		Open Buy Amount
opensellamt		Open Sell Amount
rpnl		Realized Panel
netqty		Net Quantity[daybuyqty + cfbuyqty - daysellqty - cfsellqty]
upload_prc		Upload Price
totbuyamt		Total Buy Amount
totsellamt		Total Sell Amount
totbuyavgprc		Total Buy Avg Price
totsellavgprc		Total Sell Avg Price
buyavgprc		Buy Average Price
sellavgprc		Sell Average Price

UNSUBSCRIBE POSITION UPDATE

REQUEST

Json Fields	Possible value	Description
t	up	‘up’ represents Unsubscribe Position update

RESPONSE

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/'
--data '{
    "t": "up"
}'
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
t	upk	‘upk’ represents Unsubscribe Position update acknowledgement

HEARTBEAT

To keep the connection alive, a heartbeat message should be sent every 30 seconds.

REQUEST

Json Fields	Possible value	Description
t	h	‘h’ represents Heartbeat task

RESPONSE

Json Fields	Possible value	Description
t	hk	‘hk’ represents Heartbeat acknowledgment
hk		timmmstamps in seconds

USER DETAILS

USER DETAILS

To get User details you need to make a POST call to the following url :
`https://piconnect.flattrade.in/PiConnectAPI/UserDetails`

QUERY PARAMETERS

Here is a curl example

```
curl --location 'wss://piconnect.flattrade.in/PiConnectWSAPI/' \
--data '{
  "t": "h"
}'
```

Here is a curl example

```
curl --location 'https://BaseUrl/UserDetails' \
--header 'Content-Type: application/json' \
--data '{
  "uid": "FZ00000"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response:

```
{
  "request_time": "20:20:04 19-05-2020",
  "prarr": [
    { "prd": "C",
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json feilds	Possible value	Description
uid*		Logged in User Id

RESPONSE DETAILS

Response data will be in json format with below fields

Json Fields	Possible value	Description
stat	Ok or Not_Ok	User details success or failure indication.
exarr		Json array of strings with enabled exchange names
orarr		Json array of strings with enabled price types for user
prarr		Json array of Product Obj with enabled products, as defined below.
brkname		Broker id
brnchid		Branch id
email		
actid		
m_num		Mobile Number
uprev		Always it will be an INVESTOR, other types of user not allowed to login using this API.
access_type		Access Type
request_time		It will be present only in a successful response.
emsg		This will be present only in case of errors.

PRODUCT OBJ FORMAT

```
“s_prdt_ali” : “Delivery”,
“exch” : [“NSE”, “BSE”]
},
{ “prd”:“I”,
“s_prdt_ali” : “Intraday”,
“exch” : [“NSE”, “BSE”, “NFO”]
},
, { “prd”:“H”,
“s_prdt_ali” : “High Leverage”,
“exch” : [“NSE”, “BSE”, “NFO”]
},
{ “prd”:“B”,
“s_prdt_ali” : “Bracket Order”,
“exch” : [“NSE”, “BSE”, “NFO”]
}
],
"exarr": [
"NSE",
"NFO"
],
"orarr": [
"LMT",
"SL-LMT",
"DS",
"2L",
"3L",
"4L"
],
"brkname": "VIDYA",
"brnchid": "VIDDU",
"email": "gururaj@gmail.com",
"actid": "GURURAJ",
"uprev": "INVESTOR",
"stat": "Ok"
}
Sample Failure Response:
{
"stat": "Not_Ok",
"emsg": "Session Expired : Invalid Session Key"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
prd		Product name
s_prdt_ali		Product display name
exch		Json array of strings with enabled, allowed exchange names

SCRIPS

SEARCH SCRIPS

To get Search scrips you need to make a POST call to the following url :
<https://piconnect.flattrade.in/PiConnectAPI/SearchScrip>

QUERY PARAMETERS

Parameter Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json feilds	Possible value	Description
uid*		Logged in User Id
stext*		Search Text
exch		Exchange (Select from ‘exarr’ Array provided in User Details response)

RESPONSE DETAILS

Response data will be in json format with below fields

Here is a curl example

```
curl --location 'https://BaseUrl/SearchScrip' \
--header 'Content-Type: application/json' \
--data 'jData={
  "uid": "FZ00000",
  "stext": "NIFTY",
  "exch": "NSE"
}&jKey=GHUDWU53H32MTHPA536Q32WR'
```

Sample Success Response :

```
{
  "stat": "Ok",
  "values": [
    {
      "exch": "NSE",
      "token": "18069",
      "tsym": "REL100NAV-EQ"
    },
    {
      "exch": "NSE",
      "token": "24225",
      "tsym": "RELAX0-EQ"
    },
    {
      "exch": "NSE",
      "token": "4327",
      "tsym": "RELAX0FOOT-EQ"
    },
    {
      "exch": "NSE",
      "token": "18068",
      "tsym": "RELBANKNAV-EQ"
    },
    {
      "exch": "NSE",
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Market watch success or failure indication.
values		Array of json objects. (object fields given in below table)
emsg		This will be present only in case of errors. That is : 1) Invalid Input 2) Session Expired

Json Fields	Possible value	Description
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading symbol of the scrip (contract)
token		Token of the scrip (contract)
pp		Price precision
ti		Tick size
ls		Lot size

```
"token": "2882",
"tsym": "RELCAPITAL-EQ"
},
{
  "exch": "NSE",
  "token": "18070",
  "tsym": "RELCONSNV-EQ"
},
{
  "exch": "NSE",
  "token": "18071",
  "tsym": "RELDIVNAV-EQ"
},
{
  "exch": "NSE",
  "token": "18072",
  "tsym": "RELGOLDNAV-EQ"
},
{
  "exch": "NSE",
  "token": "2885",
  "tsym": "RELIANCE-EQ"
},
{
  "exch": "NSE",
  "token": "15068",
  "tsym": "RELIGARE-EQ"
},
{
  "exch": "NSE",
  "token": "553",
  "tsym": "RELINFRA-EQ"
},
{
  "exch": "NSE",
  "token": "18074",
  "tsym": "RELV20NAV-EQ"
}
]
```

Sample Failure Response :

```
{
  "stat": "Not_Ok",
  "emsg": "No Data : "
}
```

GET QUOTES

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

<https://pi.flattrade.in/docs>

To get place order you need to make a POST call to the following url :
`https://piconnect.flattrade.in/PiConnectAPI/GetQuotes`

QUERY PARAMETERS

Parameter		
Name	Possible value	Description
jData*		Should send json object with fields in below list
jKey*		Key Obtained on login success.

Json Fields	Possible value	Description
uid*		Logged in User Id
exch		Exchange
token		Contract Token

RESPONSE DETAILS

Response data will be in json format with below fields.

Json Fields	Possible value	Description
stat	Ok or Not_Ok	Watch list update success or failure indication.
request_time		It will be present only in a successful response.
exch	NSE, BSE, NFO ...	Exchange
tsym		Trading Symbol
cname		Company Name
symname		Symbol Name
seg		Segment
instname		Intrument Name
isin		ISIN
pp		Price precision
ls		Lot Size
ti		Tick Size
mult		Multiplier
uc		Upper circuit limit
lc		Lower circuit limit

Here is a curl example 

```
curl \
jData={"uid":"FZ00000", "exch":"NSE",
"token":"22"}&jKey=GHUDWU53H32MTHPA536Q32WR
```

Sample Success Response :

```
{
"request_time":"12:05:21 18-05-2021",
"stat":"Ok"
,"exch":"NSE",
"tsym":"ACC-EQ",
"cname":"ACC LIMITED",
"symname":"ACC",
"seg":"EQT",
"instname":"EQ",
"isin":"INE012A01025",
"pp":"2",
"ls":"1",
"ti":"0.05",
"mult":"1",
"uc":"2093.95",
"lc":"1713.25",
"prcftr_d":"(1 / 1 ) * (1 / 1)",
"token":"22",
"lp":"0.00",
"h":"0.00",
"l":"0.00",
"v":"0",
"ltq":"0",
"lqt":"05:30:00",
"bp1":"2000.00",
"sp1":"0.00",
"bp2":"0.00",
"sp2":"0.00",
"bp3":"0.00",
"sp3":"0.00",
"bp4":"0.00",
"sp4":"0.00",
"bp5":"0.00",
"sp5":"0.00",
"bq1":"2",
"sq1":"0",
"bq2":"0",
"sq2":"0",
"bq3":"0",
"sq3":"0",
"bq4":"0",
"sq4":"0",
"bq5":"0",
"sq5":"0",
"bo1":"2",
"so1":"0",
"bo2":"0",
"so2":"0",
"bo3":"0",
"so3":"0",
```

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
prcfr_d		Price factor ((GN / GD) * (PN/PD))
token		Token
lp		LTP
h		Day High Price
l		Day Low Price
v		Volume
ltq		Last trade quantity
ltt		Last trade time
ltd	dd-mm-yy	Last Trade Date
bp1		Best Buy Price 1
sp1		Best Sell Price 1
bp2		Best Buy Price 2
sp2		Best Sell Price 2
bp3		Best Buy Price 3
sp3		Best Sell Price 3
bp4		Best Buy Price 4
sp4		Best Sell Price 4
bp5		Best Buy Price 5
sp5		Best Sell Price 5
bq1		Best Buy Quantity 1
sq1		Best Sell Quantity 1
bq2		Best Buy Quantity 2
sq2		Best Sell Quantity 2
bq3		Best Buy Quantity 3
sq3		Best Sell Quantity 3
bq4		Best Buy Quantity 4
sq4		Best Sell Quantity 4
bq5		Best Buy Quantity 5
sq5		Best Sell Quantity 5
bo1		Best Buy Orders 1
so1		Best Sell Orders 1

```
"bo4": "0",
"so4": "0",
"bo5": "0",
"so5": "0"
}
Sample Failure Response :
{
  "stat": "Not_Ok",
  "request_time": "10:50:54 10-12-2020",
  "emsg": "Error Occurred : 5 \"no data\""
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
bo2		Best Buy Orders 2
so2		Best Sell Orders 2
bo3		Best Buy Orders 3
so3		Best Sell Orders 3
bo4		Best Buy Orders 4
so4		Best Sell Orders 4
bo5		Best Buy Orders 5
so5		Best Sell Orders 5
und_exch		Underlying Exch seg
und_tk		Underlying Token
ord_msg		Order Message
sptprc		Spot Price [#]
issuecap		issue capital
e_date		end date

POSTBACK / WEBHOOK

You will be reciving order updates for the orders placed through API.

RESPONSE DETAILS

Response data will be in json format with below fields

Json Fields	Possible value	Description
norenordno		Noren Order Number
uid		User Id
actid		Account ID
exch		Exchange
tsym		Trading symbol
qty*		Order Quantity [If qty is junk value other than numbers].

Sample:

```
{  "norenordno": "23010500000376",  "kidid": "1",  "uid": "ASHWATHINV123",  "actid": "ASHWATHINV",  "exch": "NSE", "tsym": "ACC-EQ",  "qty": "1",  "rorgqty": "0",  "ipaddr": "117.248.82.174",  "ordenttm": "1672921211",  "sno_fillid": "",  "trantype": "B",  "prctyp": "LMT",  "ret": "DAY",  "amo": "Yes",  "token": "22",  "prc": "2500.00",  "pcode": "C",  "remarks": "",  "status": "OPEN",  "rpt": "New",
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
prc*		Order Price [If prc is junk value other than numbers] "Order price cannot be zero".
prd		Product
status		Order status (New, Replaced, Complete,Rejected etc)
reporttype		Order event for which this message is sent out.(Fill, Rejected, Canceled)
trantype*	B / S	B -> BUY, S -> SELL [transtype should be 'B' or 'S' else reject].
prctyp		Order price type (LMT, SL-LMT)
ret*	DAY / EOS / IOC	Order Retention type [ret should be DAY / EOS / IOC else reject]
fillshares		Total Filled shares for this order
avgprc		Average fill price
fltm		Fill Time(present only when reporttype is Fill)
flid		Fill ID (present only when reporttype is Fill)
flqty		Fill Qty(present only when reporttype is Fill)
flprc		Fill Price(present only when reporttype is Fill)
rejreason		Order rejection reason, if rejected
exchordid		Exchange Order ID
cancelqty		Canceled quantity, in case of canceled order
remarks		User added tag, while placing order
dscqty*		Disclosed quantity [If dscqty is junk value other than numbers].
trgprc		Trigger price for SL orders
snonum		This will be present for child orders in case of cover and

```
"ls": "1",
"ti": "0.05",
"rprc": "2500.00",
"dscqty": "0",
"norentm": "17:50:11 05-01-2023",
"checksum": "619521a541ff3e634ecb02147f0cb77e822ea415c9b79259cd5e40592a73b810"
}
```

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Json Fields	Possible value	Description
		bracket orders, if present needs to be sent during exit
snoordt		This will be present for child orders in case of cover and bracket orders, it will indicate whether the order is profit or stoploss
blprc		This will be present for cover and bracket parent order. This is the differential stop loss trigger price to be entered.
bpprc		This will be present for bracket parent order. This is the differential profit price to be entered.
trailprc		This will be present for cover and bracket parent order. This is required if trailing ticks is to be enabled.
exch_tm		This will have the exchange update time Format: dd-mm-YYYY hh:MM:SS
amo*	Yes	The message "Invalid AMO" will be displayed if the "amo" field is not sent with a "Yes" value. If amo is not required, do not send this field.
tm		TimeStamp
kidid		Kid Id
sno_fillid		BO Sequence Id
checksum	sha256 [noren_order_num +noren_time_stamp+vendor_key]	CheckSum, (Make sure checksum matches to avoid any third party sending false order updates to your url endpoint)

SCRIP MASTER

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

Scrip Groups

NSE - Equity	DOWNLOAD ⬇
NSE - Equity Derivatives	DOWNLOAD ⬇
NSE - Index Derivatives	DOWNLOAD ⬇
NSE - Currency Derivatives	DOWNLOAD ⬇
MCX - Commodity	DOWNLOAD ⬇
BSE - Equity	DOWNLOAD ⬇
BSE - Index Derivatives	DOWNLOAD ⬇
BSE - Equity Derivatives	DOWNLOAD ⬇

ORDER API RATE LIMIT

Time Frame	Rate Limit
Per Second	10
Per Minute	40

API RATE LIMIT

Time Frame	Rate Limit
Per Second	40
Per Minute	200

CHANGE LOG

API & WEBSOCKET CONFIGURATION UPDATE

▲

▼

1.5 Order Margin

1.6 Basket Margin

1.7 Order Book

1.8 Multi Leg Order Book

1.9 Single Order History

1.10 Trade Book

1.11 Position Book

1.12 Product Conversion

1.13 Place GTT Order

1.14 Modify GTT Order

1.15 Cancel GTT Order

1.16 Get Pending GTT Order

1.17 Get Enabled GTTs

1.18 Place OCO Order

1.19 Modify OCO Order

1.20 Cancel OCO Order

2. HOLDINGS AND LIMITS

2.1 Holdings

2.2 Limits

3. MARKET INFO

3.1 Get Index List

3.2 Get Top List Names

3.3 Get Top List

3.4 Get Time Price Data

3.5 Get EOD Chart Data

3.6 Get Option Chain

3.7 Get Option Greek

This release introduces breaking changes to API and WebSocket endpoints. Clients must update their configuration as described below.

1. BASE URL ENDPOINT CHANGE

The Base URL for all REST API requests has been changed from one URL endpoint "PiConnectTP" to **new URL endpoint "PiConnectAPI"**.

All existing REST endpoints (Holdings, Orders, Positions, etc.) must now be accessed using the updated Base URL.

2. WEBSOCKET URL ENDPOINT CHANGE

The WebSocket connection URL has been changed from the old URL endpoint "PiConnectWSTp" to **new URL endpoint "PiConnectWSAPI"**.

Connections made to the old WebSocket URL will be rejected.

3. SOCKET CONNECTION PAYLOAD CHANGE

The socket connection initialization payload has been updated as follows.

SUMMARY OF CHANGES

Item	Change	Description
Base URL	Endpoint	REST API base endpoint updated
WebSocket URL	Endpoint	WebSocket endpoint updated
Payload Field	"t": "c" → "t": "a"	Socket connection type updated
Auth Field	"susertoken" → "accesstoken"	Authentication token field renamed

Action Required:

- Update Base URL configuration in the application
- Update WebSocket connection URL
- Use the updated socket connection payload

OLD Base URL → NEW Base URL

https://piconnect.flattrade.in/PiConnectTP/
↓
https://piconnect.flattrade.in/PiConnectAPI/

OLD Socket URL → NEW Socket URL

wss://piconnect.flattrade.in/PiConnectWSTp/
↓
wss://piconnect.flattrade.in/PiConnectWSAPI/

Previous Payload:

```
{
  "t": "c",
  "uid": "FZ00000",
  "actid": "FZ00000",
  "source": "API",
  "susertoken": "GHUDWU53H32MTHPA536Q32WR"
}
```

Updated Payload:

```
{
  "t": "a",
  "uid": "FZ00000",
  "actid": "FZ00000",
  "source": "API",
  "accesstoken": "GHUDWU53H32MTHPA536Q32WR"
}
```