



DISCUSSION AND EXPERIENCE SHARING SESSION ON ROHINGYA REFUGEE RESPONSE IN BANGLADESH

**HRRP Office
January 2nd 2019**

AGENDA

1. WELCOME AND INTRODUCTION (13:00-13:10)
2. COORDINATION MECHANISM AND SHELTER SECTOR STRATEGY (13:10-13:25)
3. COMMUNITY-BASED APPROACH IN EMERGENCY RESPONSE (13:25-13:40)
4. OVERVIEW OF DRR PROGRAM AND LESSON LEARNED (13:40-13:55)
5. TOWARD PHASE III - MID-TERM SHELTER SOLUTIONS (13:55-14:05)
6. DISCUSSION (14:05-14:30)
7. AoB

SHELTER AND NON-FOOD ITEMS



SHELTER/NFI SECTOR
STRUCTURE, OBJECTIVES AND STRATEGY IN
THE ROHINGYA RESPONSE


INDEX

1. BACKGROUND
2. COORDINATION MECHANISM
3. SNFI SECTOR STRUCTURE
4. SNFI SECTOR STRATEGY

BACKGROUND



TIMELINE





NEPAL

ARUNACHAL
PRADESH

SIK

BHUTAN

ASSAM

NAG.

BIHAR

MEGHALAYA

MANIPUR

YUNNAN

BANGLADESH

MIZORAM

JHARKHAND

Chittagong

MYANMAR
(BURMA)

LAOS

CHHATTISGARH

ODISHA

Visakhapatnam

Yangon

THAILAND

Bangkok

*Bay of
Bengal*



Chittagong

**Kutapalong
Refugee Camp**



Ukhia

Palong Khali

Raja Palong

Naikhongchhari

Ghandung

Kutupalong Balukhali Expansion Site

631,000

Camp 14 / Hakimpara

30,191

Camp 15 / Jamtoli

47,285

Camp 16 / Bagghona / Potibonia

22,339

Jalia

Palong

Camp 23 / Shamlapur

12,801

Baharchhata

Teknaf

Nhilla

Camp 22 / Unchiprang

22,587

Camp 25 / Alikhali

9,550

Camp 26 / Nayapara

46,361

Camp 24 / Leda

34,969


Teknaf

Camp 27 / Jadimura

14,127



0 1.25 2.5 Km



Bay
of
Bengal

MYANMAR


Draft New Camp Boundary
Cox's Bazar: Camp Boundary in Reference to Zone Boundary with
Population and HHs figure NPM R8(as of 25 Jan 2018)



SITE MANAGEMENT
SECTOR
COX'S BAZAR



INTER SECTOR
COORDINATION
GROUP




Data Source : RRRRC, Site Planning, Site management Sector, ISCG, NPM R8 Projection: BUTM, Grid: MRGS 100,000

Disclaimer : The boundaries and names shown and the designation used on this map do not imply official endorsement or acceptance by the United Nations

ID 0081

COORDINATION MECHANISM




Dhaka

Dhaka



GOVERNMENT OF BANGLADESH

HUMANITARIAN STAKEHOLDERS




STRATEGIC EXECUTIVE GROUP (SEG)



Cox's Bazar

Cox's Bazar

Dedicated GoB lead for Rohingya Crisis



Senior Coordinator

ISCG | INTER SECTOR COORDINATION GROUP

Secretariat

Field Coordination

Emergency Coordination


Information Management & Analysis

PSEA


Host Communities engagement

HEADS OF SUB-OFFICES (HoSO)

SECTOR COORDINATORS (SC)



INTER SECTOR WORKING GROUPS



The Dhaka & Cox's Bazar Humanitarian architecture works to support the Government of Bangladesh's response to the Rohingya Crisis. This Support extends at all the above noted levels in both Dhaka and Cox's Bazar.

STRATEGIC OBJECTIVES



1. Provide timely lifesaving assistance and protection, as well as improve the living conditions of Rohingya refugees⁵⁷ and affected host communities.



2. Ensure well-being and dignity of Rohingya refugees⁵⁸ and the affected host communities.



3. Support environmentally sustainable solutions.



4. Building confidence and resilience of Rohingya refugees⁵⁹ and the affected host communities.

AT A GLANCE



920,900

Total number of Rohingya Refugees in Cox's Bazar

(Refugee population estimates from NPM)



708,400

Cumulative arrivals since 25 August 2017



617,000


Rohingya refugees in Kutupalon Extension Site



14,500

Rohingya refugees in host communities

OVERALL FUNDING



\$361.9M
Funding received

\$588.9M

Funding shortfall

OTHER SOURCES OF FUNDING

\$ 42.4M funded outside JRP

\$ 480M by World Bank

\$ 200M by ADB


Over the next **3** years



\$950.8M

Funding requested through JRP
(March - December 2018)


FUNDING BY DONOR (USD)



Source: FTS and Sector as of 27 Sep 2018


Source: FTS and Sector as of 27 Sep 2018

FUNDING BY SECTOR




Source: FTS and Sector as of 27 Sep. 2018

PEOPLE TARGETED VS REACHED



SHELTER/NFI SECTOR STRUCTURE AND STRATEGY





SHELTER / NFI SECTOR COORDINATION TEAM

COORDINATOR

Hani Chatila

+880 187 274 8678

sheltercxb.coord@gmail.com

CO-COORDINATOR

Ratan Kumar Podder

+880 173 031 8574

sheltercxb.coord1@gmail.com

TECHNICAL COORDINATOR

Tonja Klansek

+880 185 941 6931

sheltercxb.tech1@gmail.com

IM OFFICER

Gaurab Pradhan

+880 187 274 1793

sheltercxb.im@gmail.com

SECTOR ASSOCIATE

Bijoy Kumar Barua

+880 175 550 2662

sheltercxb.natassoc@gmail.com


Government of Bangladesh: RRRC

Sector Co-Lead Agencies: IOM / Caritas

Sector Co-Coordinator: Hani Chatila, sheltercxb.coord@gmail.com, Ratan Podder, sheltercxb.coord1@gmail.com

Number of JRP partners: 23

FUNDING



\$34.4M Funded through JRP



\$137M Requested


REACHED VS TARGETED


900,000
Reached

900,000
People targeted



948,000
People in Need






Phase 1 (up to Feb 2018) - Acute emergency shelter kits of one tarpaulin and rope per household to support the refugee's own efforts to construct rudimentary makeshift shelters from bamboo and sticks.

Phase 2 (Nov 2017 to Apr 2018) - Site improvements, shelter upgrades and technical guidance to meet the objective of improving living standards in the settlements and host communities. Improved drainage, access, establishment of ground cover, soil stabilization and reinforcement contribute to DRR.

Phase 3 (Post-monsoon) - The response will incrementally move towards the provision of more appropriate and viable shelter solutions, which are intended to last for a longer timeframe. The ability to provide adequate shelter which meets international standards will be conditional on the availability of land and decongestion of settlements, as well as clear guidance from the government on acceptable building standards and materials.

Shelter Options - Time-lapse



Phase 1

Emergency Shelter/NFI Kit (essential items - appx 8kg) Cost 3,100 BDT – (appx 40 USD)								
#	Item description	Unit	No.	Unit cost/BDT	Cost/BDT	Specification description	Picture	Note
1	Tarpaulin (4m x 5m, 4m x 6m shelter grade)	piece	1	2,000	2,000	UNHCR approved standards OR SIMILAR specifications as below: Tarpaulin Size: the finished size of each sheet is 4m x 5m or 4m x 6m +/- 1 %. Colour: preferably white or blue/grey, sun reflective on both sides. Inner black fibres to ensure opacity. Red Cross Specs: http://itemscatalogue.redcross.int/upload/products_data/files/HSSETARP.pdf UNHCR Specs: http://www.unhcr.org/53fc56bd9.pdf (weight appx: 4kg/pcs – 6 kg/pcs)		Essential Item.
2	Rope	Kg	1	500	500	Polypropylene or similar, diameter. 6 mm diameter, length: approx. 30m, in a roll, preferred colour: black/blue/dark green. Woven with 2 or 3 strands, with the possibility of being unravelled. (weight appx: 1kg/pcs)		Essential.
3	Floor mat	piece	2	300	600	1.80m x 0.90m minimum, Pure virgin polypropylene (PP) multifilament 500 deniers minimum, 450g/m² minimum (weight appx: 0.8 kg/pcs – 1kg/pcs)		Essential.

Phase 2

UPGRADE SHELTER KIT (USK)								
#	Item description	Unit	No.	Unit cost/BDT	Cost/BDT	Specification description	Picture	Note
TARPAULIN PURPOSE – To provide water, wind, sand protection / coverage. Also to provide privacy and dignity.								
1	Tarpaulin (4m x 5m, 4m x 6m shelter grade)	piece	2	1,250	2,500	UNHCR approved standards OR SIMILAR specifications as below: Tarpaulin Size: the finished size of each sheet is 4 x 5 meters or 4m x 6m +/- 1 %. Color: preferably white or blue/grey, sun reflective on both sides. Inner black fibers to ensure opacity. Red Cross Specs: http://itemscatalogue.redcross.int/upload/products_data/files/HSSETARP.pdf UNHCR Specs: http://www.unhcr.org/53fc56bd9.pdf		Essential Item.
BAMBOO PURPOSE – To create/strengthen shelter framework.								
2	Bamboo (Borak)	piece	4	260	1,040	- Min 25 feet long; - At least 8" (eight inch) perimeter measurement at 1/3 length from the toe of the Barak Bamboo. - No insect defect in the circumstances of the Barak Bamboo		Essential.
3	Bamboo (Mulli)	piece	60	40	2,400	- Min 20 feet long. - Circumference 2" nominal or 3" nominal. - Mix of sizes recommended		Essential.
	Timber	Ft	20	130	2,600	2" x 2" softwood timber; for framing.		Optional

Phase 2

ROPE, WIRE & OTHER FIXINGS PURPOSE – To fix the bamboo and tarpaulin frames together as well as secure structures to the ground.								
#	Item description	Unit	No.	Unit cost/BDT	Cost/BDT	Specification description	Picture	Note
4	Rope	Kg	1	250	250	Polypropylene or similar, diameter. 6 mm diameter , length: approx. 25m, in a roll, preferred colour: black/blue/dark green. Woven with 2 or 3 strands, with the possibility of being unravelled.		Essential
5	Rope	Kg	1	250	250	Polypropylene or similar, diameter. 3 mm diameter , length: approx. 30m, in a roll, preferred colour: black/blue/dark green. Woven with 2 or 3 strands, with the possibility of being unravelled. OR Approx. 30m of polypropylene plastic box strapping; 6 – 12mm wide.		Essential
6	Wire	Kg	0.5	90	45	low carbon steel, hot dip galvanised tie wire 18 or 19 gauge (1 – 1.2mm)		Essential
	Round Wire Nails	Kg	0.25	200	50	Steel, length: 3inch, diameter 3 mm, supplied in a sealed bag.		Optional
	Padlock & Chain	Ea.	1	250	250	Small durable padlock with 2 keys and cast iron chain (min. 2 feet).		Optional
SAND BAGS – To anchor ropes into the ground or for other site improvement works.								
7	Sand Bags	piece	20	15	300	Sand bag; woven plastic (ex. Cement bag)	 	Essential

Phase 2


UPGRADE SHELTER KIT (USK) – Tools for 5 Households(1 kit per 5 HHs)

TOOLS PURPOSE – To fix the frames and tarpaulins; excavation and site improvements

#	Item description	Unit	No.	Unit cost/BDT	Cost/BDT	Specification description	Picture	Note
1	Claw Hammer	piece	2	180	360	Weight: 16oz. (450g) Wooden handle, replaceable. Head in forged steel/high carbon steel. Good quality.		Essential
2	Handsaw	piece	2	180	360	SAW, All-Purpose , 400-450mm blade, for wood, good quality, teeth from tempered and hardened steel. Unbreakable handle. Saw blade covered in protective cardboard.		Essential
3	Bamboo Baskets	piece	5	95	475	- Woven bamboo baskets; - traditional "Jhourri"; 48 cm dia		Essential
4	Steel Pan	piece	5	350	1,750	- Steel pan with handles; "Korai" - Made from 16 gauge mild steel; 46cm diameter		Essential
6	Hoe	piece	2	270	540	Hot forged carbon steel, hardened and tempered, at a maximum the hardened zone should reach halfway up the back of the blade; with wooden handle		Essential
7	Digging bar	piece	1	550	550	Bars are typically 5 to 6 ft (1.5 to 1.8 m) long and weigh 15 to 23 lb (6.8 to 10.4 kg). They are usually made entirely of cylindrical or hexagonal forged steel with a diameter of approximately 1 in (2.5 cm). Chisel and wedge ends typically have a blade width measuring 1 to 3 in (3 to 8 cm). Blunt ends typically have a diameter of 2 to 3 in (5 to 8 cm). Known locally as "shovel".		Essential

Phase 3

- Mid-Term Shelter (MTS)
- Transitional Shelter Assistance (TSA)



Mid-Term Shelter (MTS)

Mid-term shelter



Transitional Shelter Assistance (TSA)

- Durability of materials and strength of shelter
- Freedom of the households to make their own decisions and prioritization
- Transitional approach

200-300USD (16,700 - 25,200 BDT)

Essential materials – in kind

Option A

6x Treated
big bamboo
9x Footings
4kg rope

Option B

4x Treated
big bamboo
9x RC Post
4kg rope

Flexible materials – voucher/cash/in kind

- | | |
|----------------------|------------------------|
| - Treated big bamboo | - U-PVC pipe |
| - Medium bamboo | - Padlock |
| - Small bamboo | - Chain |
| - Footing | - Jute/geo textile bag |
| - Rope (3mm/6mm) | - Hammer |
| - GI wire | - Handsaw |
| - Tarpaulin | - Hoe |
| - Cement | - Manual drill |
| - Woven bamboo fence | - Machete |

**Technical
assistance
and training**

**Guidance on
shelter
maintenance,
future upgrades
and DRR**

Transitional Shelter Assistance (TSA)

Essential materials

(in kind)

Option A

6 20ft long treated big bamboo
4kg of 6mm rope
9 footings



Option B

3 20ft long treated big bamboo
4kg of 6mm rope
9 9-10ft RC Posts footings



Transitional Shelter Assistance (TSA)

Flexible materials

(can be in kind, cash of voucher)

Unlimited:

- Big bamboo
- Small bamboo
- Medium bamboo (if available)
- Footings
- Rope 6mm and 3mm
- Soft rope
- GI Wire
- Tarpaulin
- Woven bamboo fence
- Padlock
- Chain
- Jute/geo textile bag




Limited:

- Cement
- 2ft long 2" U-PVC Pipe
- Claw hammer
- Handsaw
- Hoe
- Hand drill
- Machete



Challenges

- Scale and speed of the response (large unexpected influx)
- Coordination with RRRC (local government) regarding durability and permanence of refugees in Bangladesh
- Coordination between leading shelter agencies (IOM&UNHCR)
- Limited area – high congestion (unrealistic to achieve international standards)
- Monsoon/cyclone seasons - further challenging the response
- Limited funding



Thank you!

