





DESIGN SYSTEM

Stardew Valley Perfection Tracker

Colour, type, spacing, components and states, written down so screen four looks like screen one.




Colour: surfaces and text



--cream (layout)

#fdf6e3


Nav pills, menus, dashboard cards, about card



--cream (tracker)

#f6ecd0


Checklist, list and skill cards



--cream-hover

#ffecb8

Hover and focus background on pills, items, cards



unnamed

#fffaf0

Checkbox, select and dialog-button fill



--ink

#4a2a14

All body and heading text on cream



--card-head

#bf7d52

Brown header band on every card



--cream-edge

#c9a96b

Pill, menu and dialog borders



--nav-bg

#0b4a8f

Top bar



--nav-edge

#2b1a12

Top bar bottom border, logo shadow



--side-bg

rgba(10, 45, 90, .82)

Sidebar (solid #0a2d5a under 800px). Swatch shown over page bg



--panel

rgba(70, 90, 110, .85)

Translucent panel behind cards. Swatch shown over page bg



unnamed

#1c5fa8

Page background colour under the image

Colour: accents and state colours




--gold
#e3a43a
Active pill, focus outline, logo text, 100% ring



unnamed (active border)
#b9782a
Border on the active pill



--green
#4f8a35
Progress ring fill



--track
#ddd6c6
Progress ring track, icon placeholder



--box-edge
#b8a688
Unchecked checkbox border



--box-checked
#8d8573
Checked checkbox fill and border



--skill-edge
#5a3720
Skill checkbox and select outline



unnamed (note)
#8a6a4a
Italic notes on Farm Progress cards



unnamed (danger)
#9b2c1d
Danger text, button fill, error border



unnamed (danger dark)
#6e1d12
Error text, danger button border



unnamed (danger tint)
#f6d9d3
Error banner, danger hover background

Colour: contrast checks (WCAG AA)

Sample	Pair	Ratio	Needs	Result
Sample	Ink on cream (layout)	11.9 : 1	4.5 text	Pass
Sample	Ink on cream (tracker)	10.9 : 1	4.5 text	Pass
Sample	Ink on gold (active pill)	5.9 : 1	4.5 text	Pass
Sample	Ink on hover cream	11.0 : 1	4.5 text	Pass
Sample	Cream on nav blue	8.1 : 1	4.5 text	Pass
Sample	Gold on nav blue (logo, 26px)	4.0 : 1	3 large text	Pass
Sample	Error text on error tint	8.5 : 1	4.5 text	Pass
Sample	Danger text on cream	7.0 : 1	4.5 text	Pass
Sample	White on danger button	7.6 : 1	4.5 text	Pass
Sample	Ink on card header (1.75rem titles)	3.8 : 1	3 large text	Pass

Type: families and named sizes

Pixelify Sans

Aa Bb Cc 0123456789

--font-display | 400 to 700

Titles, labels, pills, buttons. Fallback: system-ui, sans-serif

Nunito

Aa Bb Cc 0123456789

--font-body | 400 to 800

Descriptions and details. Fallback: system-ui, sans-serif

title

Page title

3.2rem (2.2rem < 600px)
Page and dashboard titles

heading

Card heading

1.75rem (1.4rem < 600px)
Card headers

label

Item label

1.05rem
Item names, pills, buttons

body

Description text for an item

0.95rem
Descriptions, details


small

Counts and secondary notes

0.85rem
Counts, notes


Spacing, radius, borders and breakpoints

Spacing scale (rem)



Off-scale values in the code: 0.15, 0.2, 0.35, 0.55, 0.6, 0.9, 1.25, 1.75, 2.5.
Round most to the scale. Keep 1.75rem, the gap between cards, as a named `--space-card-gap`.

Radius








Borders and layout

- 3px on every interactive control; 8px bottom border on the top nav
- Top nav 5.5rem tall (4rem on mobile)
- Sidebar 250px wide (210px under 1000px)

Breakpoints in use (px). Gold = keep, grey = consolidate



Components: links, menu items and buttons

	Normal	Hover	Focus	Disabled	Loading
Nav pill / sidebar link				<i>n/a</i>	
Active pill / link				<i>n/a</i>	
Menu item				<i>n/a</i>	
Danger menu item				<i>n/a</i>	
Danger button				<i>n/a</i>	

Focus ring: 3px, 2px offset (cream on the blue bar, gold elsewhere). Disabled and loading are not defined in the stylesheet: decide them once, here.

Components: checkboxes and selects

	Normal	Hover	Focus	Disabled	Loading
Checkbox	☐	☐	☐	n/a	Not defined
Checkbox, checked	☒	☒	☒	☒	Not defined
Skill checkbox (2.25rem)	☒	☒	☒	n/a	Not defined
Checklist row	☐ Pomegranate	☐ Pomegranate	☒ Pomegranate	n/a	Not defined
Select	Rancher	Rancher	Rancher	Rancher	Not defined

Hover on checkboxes only changes the cursor to a pointer. A checked row fades its label to 45% opacity, and the box stays solid so the state is still clear. In the Checklist row, the third cell shows a checked row. Self-checking rows (Master Angler, A Complete Collection) use a disabled, checked box with a default cursor.

Components: cards, banners, rings and dialogs



Normal

Hover

Focus


Summary card



Error banner. Dismiss goes to #fde8e3 on hover and gets a gold focus ring.



Dialog: backdrop rgba(10,25,45,.6)



Green fill

Gold at 100%

Progress ring: track #ddd6c6, 0.4s ease, no motion if the user prefers reduced motion.

States: data, loading, empty, error

DataExisting

FISH

☐ Anchovy

☐ Bream

☐ Carp

Cream card on the translucent panel, brown header, checkbox rows.

LoadingProposed

Loading...

Same card with 3 or 4 faded skeleton rows. Set aria-busy="true" on the panel.

EmptyProposed

FISH

Nothing here yet

Say what to do next in one line of body text.

Centred display-font message and one line saying what to do next.

ErrorPartly defined

Couldn't save that change.

DISMISS

FISH

☐ Anchovy

☐ Bream

Banner above the data when a save fails. The data stays on screen.

In code: where the tokens live

```
:root {
  --cream-light: #fdf6e3; /* nav, dashboard */
  --cream-card: #f6ecd0; /* tracker cards */
  --cream-hover: #ffecb8;
  --field: #fffaf0;
  --ink: #4a2a14;
  --card-head: #bf7d52;
  --gold: #e3a43a;
  --green: #4f8a35;
  --track: #ddd6c6;
  --danger: #9b2c1d;
  --danger-dark: #6e1d12;
  --danger-tint: #f6d9d3;

  --font-display: 'Pixelify Sans', system-ui, sans-serif;
  --font-body: 'Nunito', system-ui, sans-serif;

  --space-card-gap: 1.75rem;
}
```

Where it lives

client/src/styles.css, as CSS custom properties. Today they are declared per block (.layout, .tracker-page, .dashboard), not on :root.

Why plain CSS variables

The app is small, has one theme and needs no build tooling. Custom properties cascade, so a block can override a token locally.

What is not used

No Tailwind config, theme object or component library. Breakpoints are @media queries at the end of the file.

The :root block above is the proposed target, not what the file has today.