# The blended Generalised Extreme Value distribution

The documentation for this likelihood model is a vignette, do
`vignette("bGEVtutorial1-2", package="INLA")`
to open it.

### Parametrisation

### Link-function

### Hyperparameters

### Specification

#### Hyperparameter spesification and default values

**doc** `The blended Generalized Extreme Value likelihood`

**hyper**

**theta1**

**hyperid** `57201`
**name** `spread`
**short.name** `sd`
**output.name** `spread for BGEV observations`
**output.name.intern** `log spread for BGEV observations`
**initial** `0`
**fixed** `FALSE`
**prior** `loggamma`
**param** `1 3`
**to.theta** `function(x) log(x)`
**from.theta** `function(x) exp(x)`

**theta2**

**hyperid** `57202`
**name** `tail`
**short.name** `xi`
**output.name** `tail for BGEV observations`
**output.name.intern** `intern tail for BGEV observations`
**initial** `-4`
**fixed** `FALSE`
**prior** `pc.gevtail`
**param** `7 0 0.5`
**to.theta** `function(x, interval = c(REPLACE.ME.low, REPLACE.ME.high)) log(-(interval[1]`
**from.theta** `function(x, interval = c(REPLACE.ME.low, REPLACE.ME.high)) interval[1] + (`

**theta3**

**hyperid** `57203`
**name** `beta1`
**short.name** `beta1`
**output.name** `MUST BE FIXED`

**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal
**param** 0 300
**to.theta** function(x) x
**from.theta** function(x) x

**theta4**

**hyperid** 57204
**name** beta2
**short.name** beta2
**output.name** MUST BE FIXED
**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal
**param** 0 300
**to.theta** function(x) x
**from.theta** function(x) x

**theta5**

**hyperid** 57205
**name** beta3
**short.name** beta3
**output.name** MUST BE FIXED
**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal
**param** 0 300
**to.theta** function(x) x
**from.theta** function(x) x

**theta6**

**hyperid** 57206
**name** beta4
**short.name** beta4
**output.name** MUST BE FIXED
**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal
**param** 0 300
**to.theta** function(x) x
**from.theta** function(x) x

**theta7**

**hyperid** 57207
**name** beta5
**short.name** beta5
**output.name** MUST BE FIXED
**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal
**param** 0 300
**to.theta** function(x) x
**from.theta** function(x) x

**theta8**

**hyperid** 57208
**name** beta6
**short.name** beta6
**output.name** MUST BE FIXED
**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal
**param** 0 300
**to.theta** function(x) x
**from.theta** function(x) x

**theta9**

**hyperid** 57209
**name** beta7
**short.name** beta7
**output.name** MUST BE FIXED
**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal
**param** 0 300
**to.theta** function(x) x
**from.theta** function(x) x

**theta10**

**hyperid** 57210
**name** beta8
**short.name** beta8
**output.name** MUST BE FIXED
**output.name.intern** MUST BE FIXED
**initial** NA
**fixed** FALSE
**prior** normal

**param** `0 300`
**to.theta** `function(x) x`
**from.theta** `function(x) x`

**theta11**

**hyperid** `57211`
**name** `beta9`
**short.name** `beta9`
**output.name** `MUST BE FIXED`
**output.name.intern** `MUST BE FIXED`
**initial** `NA`
**fixed** `FALSE`
**prior** `normal`
**param** `0 300`
**to.theta** `function(x) x`
**from.theta** `function(x) x`

**theta12**

**hyperid** `57212`
**name** `beta10`
**short.name** `beta`
**output.name** `MUST BE FIXED`
**output.name.intern** `MUST BE FIXED`
**initial** `NA`
**fixed** `FALSE`
**prior** `normal`
**param** `0 300`
**to.theta** `function(x) x`
**from.theta** `function(x) x`

**survival** `FALSE`

**discrete** `FALSE`

**link** `default identity log`

**pdf** `bgev`

## Example

## Notes