



e-Agro Care Machineries And Equipments Pvt. Ltd.

PRODUCT CATALOGUE



CHHATTISGARH
+91 85300 60158

GUJARAT
+91 91754 15662

HARYANA
+91 89308 50005

KARNATAKA
+91 97401 24281

MADHYA PRADESH
+91 93003 34465

MAHARASTRA
+91 86050 11613

ODISHA
+91 94387 80517

UTTAR PRADESH
+91 73092 05955

TELANGANA
+91 89560 91519



e-Agro Care Machineries and Equipments Pvt Ltd, founded in 2011 and based in Aurangabad, Maharashtra, is one of the leading companies in India for small agriculture machines that are affordable, user-friendly, and used by small and marginal farmers. Our registered office is at D-45, 5-Star Industrial Area, Shendra, Aurangabad, Maharashtra, India-431154.

1. Power Tiller/Weeder, Inter-cultivator, Rear Power Weeder/Tiller, Reaper, Sprayer, Brushcutter, Domestic Flour Mill, Pulveriser, Fogging Machine and Chaffcutter are all available from eAgroCare, as well as a variety of implements and attachments. Our goal is to offer products and services which benefit Indian farmers with advanced technology and improve their productivity.
2. eAgroCare manufactures and supplies a range of flour mills and pulverisers that are used in the grinding of wheat, spices, pulses, and all kinds of grains. These are developed to provide superior processing capabilities and deliver fine output in the form of quality flour. Our flour mill and pulveriser are tested and approved by a **Central Government Approved Institute**.
3. eAgroCare also manufactures and supplies a power operated Chaffcutter (2 HP/3 HP Motor) which is used in all types of uniform chopping of fodder for live stock.
4. eAgroCare has an **ISO 9001:2015** certificate for quality management systems, which reveals our commitment to providing quality products and services to all our existing and prospective customers.
5. eAgroCare products have been tested and approved by the Farm Machinery Training and Testing Institute (**FMTTI**) and are empanelled in subsidy programmes by most states in India.
6. With multiple warehouses throughout India, our products will get to their destinations with ease.
7. eAgroCare partners with trusted dealers and distributors across the globe to sell our products. We have thousands of dealers across India.
8. eAgroCare has a strong team of high-performing sales people, a dedicated service team, and a 9 AM – 6 PM support team on weekdays who are committed to serving you better.
9. eAgroCare has a research and development group that constantly works with a wide range of technologies to transform agriculture.

Category

Page No.

• About	04
• Petrol Power Weeder.....	05
• Diesel Power Weeder & Accessories.....	06
• Rear Power Tiller/Weeder	07
• Reaper & Reaper Attachment	08
• Brushcutter.....	09
• Multi Tool Brushcutter & Optional Accessories	10
• Sprayer :.....	11-14
• Manual Sprayer.....	
• Knapsack Power Sprayer.....	
• Knapsack Battery Sprayer	
• HTP Power Sprayer	
• HTP Mounted Sprayer.....	
• HTP Pipe (Hose).....	14
• Fogging Machine	14
• Water Pump	15
• Gasoline Engine Series.....	16
• Mill Machine.....	17
• Chaff Cutter.....	18
• Domestic Flour Mill	19
• Pulveriser.....	20
• Chain Saw & Earth Auger	21
• Honda Product.....	21-22
• Our Networks	23



About e-AgroCare

e-Agro Care Machineries And Equipments Pvt. Ltd., located in Aurangabad, Maharashtra, India, established in 2011, is a professional agricultural machinery company. We have a dealer network across India. e-AgroCare is proud to have a growing number of e-AgroCare product users in India.

In order to serve our valued customers better, we have appointed authorised dealers in different parts of the country. We vouch for building long-lasting and healthy relationships with our dealers and achieve it by investing time and money. Our products are Power Tiller/Power Weeder (Diesel/Petrol 2 HP-9 HP), Reaper, Harvester, Transplanter, Brush Cutter, Sprayers, Fogging Machine, Water Pump, Chaff Cutter, Domestic Flour Mill, Mill Machine, Chainsaw, and Earth Auger. Our machines are tested and approved by FMTTI.

G-105 **FMTTI**

170F, 3.6 kW., 4 Stroke Petrol Engine,
PTO Transmission (3600 rpm),
Recoil Start,
18 - 42 inch Rotavator,
2 Forward, 1 Reverse Gear .



G-500-1A **FMTTI**

170F, 3.6 kW., 4 Stroke Petrol Engine,
Belt and Chain,
Recoil Start,
18 - 42 inch Rotavator,
2 Forward, 1 Reverse Gear .



G-105P **FMTTI**

170F-D, 4.4 (6.0) @ 3.6 kW., 4 Stroke Petrol Engine,
PTO Transmission (3400 rpm),
Recoil Start,
18 - 42 inch Rotavator,
2 Forward, 1 Reverse Gear .



Mini Weeder

2 hp, 2 Stroke Petrol Engine,
Recoil Start, 11 inch.



D-90 **FMTTI**

173F, 3.5 kW.(4.8 hp), 4 Stroke Diesel Engine,
PTO Transmission (3600 RPM).

Recoil Start,

18 - 42 Inch Rotavator,

2 Forward, 1 Reverse Gear.

D-105/D-105E **FMTTI**

178F, 4.2 kW, 4 Stroke Diesel Engine,

PTO Transmission (3600 rpm),

Recoil / Self Start,

24 - 54 Inch Rotavator,

2 Forward, 1 Reverse Gear.



D-531/D-531E **FMTTI**

186F, 5.8 kW., 4 Stroke Diesel Engine,

PTO Transmission (3600 rpm),

Recoil / Self Start,

24 - 54 Inch Rotavator,

2 Forward, 1 Reverse Gear.

Power Weeder Accessories



Iron Wheels



Paddy Wheels



Deep Tillage
Blades



Potato Digger



Cutting Edge
(Pass)



Plough



Ridger




Water Pump



Ridger

D-531 RT

186F, 5.8 kW., 4 Stroke Diesel Engine,
Handle Bar with Toolbox,
Front Tiller Gear With 3 Forward and 1 Reverse Gear,
Rear Gearbox with 2 Speeds for Ditching,
Set of Ditching Blades, Front Walking Wheel 400 X 9,
Extra Set of 3+1 Blades.



Rear Tiller

Shaurya 732

FMTTI

Lombardini Kohler, Air Cooled Diesel Engine,
441 cc,
10 hp, 3600 rpm, Electric Start,
3 Forward and 2 Reverse Gear,
Rotavation Blades, Earthing-Up Blades.

>> POWERED BY
KOHLER Diesel



Rear Tiller

Shaurya 732

170F, 4-Stroke Petrol Engine,
OHV, Air Cooled, 208 cc,
Recoil Start,
3 Forward and 2 Reverse Gear,
Rotavation Blades, Earthing-Up Blades.



Shakti Rear Tiller

FMTTI

178FS, 4.6 kW. (6.2 hp),
4-Stroke Diesel Engine,
2 Forward Gear, 2 Reverse Gear,
4 Attachments :
A. Rubber Tyre, B. Iron Wheel (Pair),
C. Earthing Up Blades (Pair),
D. Rotary Tiller Blades (Pair).



Self-Propelled Reaper **FMTTI**

Power Reaper 4S-120

178FS, 3.6 kW

Diesel Engine @ 1470 rpm,

Higher Air Filter

Tyre Type : 450 X 230, R-3, 4PR

Differential Lockup : with

Working Width - 1200 mm,

For Short & long Crop.



Power Reaper 4S-120(PT)

170F, 3.6 kW., 208 cc,

Petrol Engine,

Recoil Start, 2F-1R Speed,

Differential Lockup : with

Working Width - 1200 mm,

For Short & long Crop.

Attachments

Reaper Attachment 3 Line 4GL-100 (For Petrol Weeder)



Reaper Attachment 4 Line 4GL-120 (For Diesel Weeder)

Brush Cutter (Shoulder)

EAC-BC-35

35.8 cc, 4-Stroke Petrol Engine,
Single Cylinder, Forced Air Cooled,
Nylon Head (2-Line), 3 Teeth Blade,
Optional Accessories.



BackPack Brush Cutter

EAC-BG-35

35.8 cc, 4-Stroke Petrol Engine,
Single Cylinder, Forced Air Cooled,
Nylon Head (2-Line), 3 Teeth Blade,
Optional Accessories.

Brush Cutter (Shoulder)

FMTTI

EAC-BC-520

52 cc, 2-Stroke Petrol Engine,
Single Cylinder, Forced Air Cooled,
Nylon Head (2-Line), 3 Teeth Blade,
Optional Accessories.





MultiTool Brush Cutter

EAC-MT-430D

35.8 cc, 4-Stroke Petrol Engine,
Nylon Cutter, 3 Teeth Blade,
Chainsaw Attachment,
Weeder Attachment.

Optional Accessories




80 Teeth
Blade



40 Teeth
Blade




3 Teeth
Blade



2 Teeth
Blade



Paddy
Guard



Brushcutter
Reaper Attachment

Hand Pressure Sprayer

1 ltr For Indoor Gardening,
Fine Finish Light Weight,
Cost Effective and Manual.



Manual Sprayer

5 ltr Strap to carry on Shoulder,
Adjust Nozzle, Safety Lock Design,
Multifunctional.

Knapsack Power Sprayer

FMTTI

EAC-767-4S

25 cc, 4-Stroke Petrol Engine,
Tank : 25 ltr.



Knapsack Power Sprayer

EAC-767-2S

26 cc, 2 Stroke Petrol Engine,
Tank : 25 Litre,
2 Types,
Aluminium Pump,
Normal Starter.

Knapsack **FMTTI** Battery Sprayer

EAC-16C-35

16 ltr, 12V 8A Battery,
2.2 kg and 3 Small Nozzles,
Single Pump (3.6 ltr/min).



Knapsack Battery Sprayer

EAC-16C-35-1

16 ltr, 12V 12A Battery,
3.1 kg and 3 Small Nozzles,
Single Pump (3.6 ltr/min).



Battery 2-in-1 Knapsack Sprayer

EAC-16C-33

Tank : 16 l,
12 V 8A Battery,
and Standard Accessories
(3 Nozzles),
LED Bulb 5 Watt,
2 Meter Wire.



Knapsack Battery Sprayer

EAC-20C-35

20 ltr, 12V 8A Battery,
3.1 kg and 3 Small Nozzles,
Double Pump (6 ltr/min).



HTP Power Sprayer

EAC-22B1N

Working Pressure : 20 - 45 kg / cm²,

Output : 15 - 25 l / min,

Motor : 1.5 - 2 hp, Speed : 800 - 1200 rpm.



HTP Power Sprayer

EAC-30B1N

Working Pressure : 20 - 45 kg / cm²,

Output : 20 - 35 l / min,

Motor : 3 - 5 hp, Speed : 800 - 1200 rpm.



HTP Power Sprayer

EAC-50B1N / EAC-80B1N

Working Pressure : 20 - 45 kg / cm²,

Output : 40 - 55 l / min | 65-80 l / min,

Motor : 3 - 5 hp, Speed : 800 - 1200 rpm.



Portable Power Sprayer

(EAC-768C)

4-Stroke Petrol Engine, 4-Stroke Brass Pump,

1 PC 45 cm Gun, 1.2 m Delivery Hose.



HTP Mounted Sprayer

EAC170F-30A1-F

Engine : 170F HTP30 with 2 X 1/2" Cocks,

1 pc 2.1 Normal Yellow Overflow Hose,

Double Groove a Pulley 210 mm,

Garden Sprayer.

HTP Mounted Sprayer

EAC168F-22A1-F

GP168-22 Garden Sprayer - 168,

Engine, HTP 22,

Suction Hose - 5 meter,

Return Hose - 2.1 mtr With 1 Gun.



HTP Pipe (Hose)

8.5 mm X 100 mtr X 5 Layer

8.5 mm X 50 mtr X 5 Layer

10 mm X 100 mtr X 5 Layer

10 mm X 50 mtr X 5 Layer

Hose Joint/Connector

Fogging Machine

EAC-FG-80W

Net Weight : 9.5 kg, Displacement : 48 cc,

Capacity of Solution Tank : 7 liters,

Capacity of Fuel Tank : 2.0 liters,

Max. Fuel Consumption : 1.9 l/h,

Flow Rate : 1.0 l/min, Automatic Ignition :

Electric Ignition Coil By 12V Rechargeable Battery,

Starting Device : Automatic and Manual Start.



Fogging Machine

EAC-FG-180P

Net Weight : 6.5 kg,

Flow Rate : 2.0 l/min,

Displacement : 56 cc,

Starting Device : Automatic & Manual,

Fuel Tank : 8 liters X 2,

Max. Fuel Consumption : 3.0 l/hr.



Gasoline Water Pump Series

EAC-WP-15

1.5 Inch Self-Priming Pump,

98 cc (2 hp), 152F,

Max Flow : 1.5m^3 / hr,

Max Lift : 1.8 m, Max Suction : 6.5m.

Water Pump EAC-WP-20

Fuel Used : Petrol, Speed : 3600 rpm,

196 cc, Duty Head : 7-8 m,

Duty Discharge : 26-28 m,

Delivery Size : 2",

Fuel Tank Capacity : 3.6 l,

Fuel Consumption : 750 ml.



Water Pump EAC-WP-30

Fuel Used : Petrol, Speed : 3600 rpm,

196 cc , Duty Head : 7-8 m,

Duty Discharge : 26-28 m,

Delivery Size : 3",

Fuel Tank Capacity : 3.6 l,

Fuel Consumption : 750 ml.



Gasoline Engine Series

EAC-160

Engine Type	Air Cooled ,OHV, Single Cylinder
Displacement	163 cc
Bore*Stroke (mm)	68*45
Engine	4-Stroke Petrol
Max.Power Output(KW)	4.8 kW @ 3600 rpm
Rated Power Output (KW)	3.4 kW @ 3600 rpm
Max. Torque (N.m)	10.2 / 2500
Ignition System	Transistor Magneto
Compression Ratio	8.5:1
Engine Oil Capacity (L)	0.6 L
Air Cleaner	Dual Element
Starting Mode	Recoil / Electric Start



EAC-168

Engine Type	Air Cooled , 4-Stroke ,OHV, Single Cylinder
Displacement	196 cc
Bore*Stroke (mm)	68*54
Engine	4-Stroke Petrol
Max.Power Output(KW)	6.5 hp (4.8 kW)
Rated Power Output (KW)	5.8 hp (4.3 kW)
Max. Torque (N.m)	13.2
Ignition System	Transistor Magneto
Compression Ratio	8.5:1
Engine Oil Capacity (L)	0.6 L
Power Take Off	Crankshaft Or Camshaft
Crankshaft Direction	Left
Net Weight (Kg)	16kg
Air Cleaner	Semi-Dry , Oil Bath , Dual



EAC-170

Engine Type	Air Cooled ,OHV, Single Cylinder
Displacement	212 cc
Bore*Stroke (mm)	70*55
Engine	4-Stroke Petrol
Max.Power Output(KW)	4.8 kW @ 3600 rpm
Rated Power Output (KW)	4.0 kW @ 3600 rpm
Max. Torque (N.m)	15.5 / 2500
Ignition System	Transistor Magneto
Compression Ratio	8.5:1
Engine Oil Capacity (L)	0.6 L
Power Take Off	Key shaft
Crankshaft Direction	Counterclockwise (from PTO shaft side)
Net Weight (Kg)	14 kg
Air Cleaner	Dual Element
Starting Mode	Recoil / Electric Start
Min Consumption of Fuel (g/Kw.h)	365





Rice Mill

EAC-6N40

Capacity - 150-170 kg/hr,

3 hp Motor Single Phase,

Shaft Speed - 2880 rpm,

Power Consumption - 4 Units/Hr,

Type - Friction Type.

Mini Rice Mill cum Flour Mill (Combined Rice Mill)

EAC-6N40-9FC21

Capacity - 150-170 kg/hr,

Capacity (Pulveriser) - 80-100 kg/hr,

3 hp Motor Single Phase, Shaft Speed - 2880 rpm,

Power Consumption - 4 Units/hr,

Type - Friction Type , Ammeter and Auto Cut.



Pulveriser

EAC-9FC-21

Capacity - 80-100 kg/hr,

3 hp Motor Single Phase,

Shaft Speed - 2880 rpm,

Power Consumption - 4 Units/hr.


Corn Thresher

EAC-5TY-60B

Capacity - 2500 kg/hr,

2 hp Single Phase,

Double Roller Stronger Type.





Chaff Cutter

2-3 hp, Electric Motor,

240 V, 50 Hz,

Semi-Automatic,

600-700 kg Per Hour.

Chaff Cutter

8 inch 2 Roller Head

V-Belt Wheel, Stand, Blade Set,

Feeding Tray, Nut Bolt, Wrench,

V-Belt, Rail, Paint,

2 hp, 78 kg

8 inch 3 Roller Head

V-Belt Wheel , Stand , Blade Set,

Feeding Tray , Nut Bolt , Wrench ,

V-Belt, Rail, Paint,

2 hp, 91 kg.

9 inch 3 Roller Head

V-Belt Wheel, Stand, Blade Set,

Feeding Tray, Nut Bolt, Wrench,

V-Belt, Rail, Paint,

2 hp, 98 kg .





TESTED

Domestic Flour Mill

1 hp, 230 Volt,

Single Phase, 50 Hz,

2880 rpm, 0.75 kW/hr,


Hopper Capacity (kg.) - 5kg,

100% Copper Winding,

Grinding Capacity 8 to 10 kg/hr.



FEATURES					
SR	FEATURE	PRIME	SUPREME	ELITE	ELITE+
1	No. of Impeller blades	Six	Six	Six	Six
2	Stainless Steel Cutter	✓	✓	✓	✓
3	100% Copper Wound Motor	✓	✓	✓	✓
4	Stainless steel Hopper	✓	✓	✓	✓
5	Stainless Steel Container	✓	✓	✓	✓
6	Type of Seives	Eight	Eight	Eight	Eight
7	Fully Automatic Start/Stop with Auto Clean	✓	✓	✓	✓
8	Child Safety	✓	✓	✓	✓
9	i-TALK Feature	No	No	✓	✓
10	Heavy Duty Base with Metal Stiffner	✓	✓	✓	✓
11	Designer Modular Top	No	✓	✓	✓
12	Designer Modular Door	✓	✓	✓	✓
13	Vacuum Cleaner	No	No	No	✓
14	Grinding ability	Dry Foodgrains and Pulses			



Included Accessories



2-In-1 Flour Mill (Pulveriser)

1 hp , 230 Volt,
Single Phase, 50 Hz,
2880 rpm, 0.75 kW./hr,
Hopper Capacity (Kg.) - 5kg,
100% Copper Winding,
Grinding Capacity 8 to 10 kg/hr.



SS. Pulveriser

EAC-2NI-2HP | EAC-2NI-3HP

Grinding Chamber : 8"X4" / 10" X 5",

Grinding Cutter : 4 Blades,

Capacity : 15 to 20kg / 25 to 30 kg,

Single Phase Motor : 2hp / 3 hp (2800 rpm),

Power Consumption : 1unit / 2 Unit (Per Hour),

Weight : 45 kg / 60 kg. approx.



Chainsaw

EAC-6200

62 cc, 2 Stroke Petrol Engine,
22 inch Bar, 8500 rpm.



Earth Auger

EAC-EA-650

65 cc, 2 Stroke Petrol Engine,
Two Drill (Bits) 80 X 150 mm,
and 80 X 200 mm.



EAC-EA-650
(Two-Men)



EAC-EA-650
(Two-Men)



G-500

POWERED by **HONDA**

4.8 hp, 4-Stroke Petrol Honda GX160 Engine,
Belt and Chain, Recoil (Manual Start),
24 - 36 Inch Rotavator,
2 Forward and 1 Reverse Gear,
Rotavator Blades with Toolkit.

G-105

POWERED by **HONDA**

5.5 hp, 4-Stroke Petrol Honda GX200 Engine,
Rotavator Blades with Toolkit, Recoil Start,
Transmission : Gear Type
2 Forward and 1 Reverse Gear,
24 - 42 inch Rotavator.



Spraying Unit POWERED by **HONDA**

Honda GX80 Engine

Spray Pump : HTP 22 / 30,

Mounting : MS Base Frame With

Standard accessories,

Bypass & Suction Hose, V - Pulley,

V-Belt Skid without Wheels, 3ft Spray,

Lance - 2, 8.5mm Yellow Hose 100m.



Spraying Unit POWERED by **HONDA**

Honda GX160 Engine

Spray Pump : HTP 50, 4- Stroke Petrol Engine,

Speed : 800 - 1200 rpm,

Working Pressure : 20 - 45 kg/cm²,

Suction Volume : 14-22 ltr/min,

Motor : 1.5-2 hp.



Knapsack Sprayer FMTTI

GX 25 Engine, Recoil with Easy Start, 25 L Tank,

Weight 11 kg, 1 pc 90 cm Straight Normal Gun,

1 pc d-r1 60 cm Connecting Rod, 1 pc d-r3 Three,

Noozles Gun, 1 pc 1.2m Connecting Hose,

1pc Mixing Tank and 1 Accessories Bag.

POWERED by **HONDA**



Brush Cutter POWERED by **HONDA**

4 Stroke, Petrol, Honda GX35 Engine (35.8 cc),

Recoil (Manual Start), Gross Weight : 9 kg,

Nylon Head + 3 Teeth Blade,

Paddy Guard, 2T, 40T, 80T Blades.

Registered Office

e-Agro Care Machineries And Equipments Pvt.Ltd.

D-45, 5 Star, MIDC Industrial Area,
Shendra, Aurangabad, Maharashtra - 431154 .
GSTIN/UIN : 27AACCE6085A1ZV

Branch Offices

e-Agro Care Machineries And Equipments Pvt.Ltd.

#118/7, Mile Stone, Opp. Govt. HighSchool, G.T. Road, Kambopura Village,
Karnal, Haryana - 132001.
GSTIN/UIN : 06AACCE6085A1ZZ

e-Agro Care Machineries And Equipments Pvt.Ltd.

1, Indira Estate , Nr. Bharat Gas Godown , Odhav ,
Ahmedabad , Gujarat - 382415 .
GSTIN/UIN : 24AACCE6085A1Z1

e-Agro Care Machineries And Equipments Pvt.Ltd.

Plot No. 210/1049, Appertain To, Khata No. 266/91 At. Anantapur,
Ps: Baliana, Dist.Khorda, Bhubaneshwar, Odisha -752101
GSTIN / UIN : 21AACCE6085A1Z7

e-Agro Care Machineries And Equipments Pvt.Ltd.

Ground Floor F-38/308, Phase-2, Transport Nagar,
Lucknow, Uttar Pradesh - 226012
GSTIN / UIN : 09AACCE6085A1ZT

e-Agro Care Machineries And Equipments Pvt.Ltd.

Site No 157, Ground Floor, AR Complex, Behind Himalaya Drug Company,
Adakamaranahally Village, Dasanapura Hobli, Makali Post, Bangalore - 562123.
GSTIN / UIN : 29AACCE6085A1ZR

e-Agro Care Machineries And Equipments Pvt.Ltd.


Near Forest Check Post, Beside Sankalp Hospital,
Vidisha Road, Bhanpur, Bhopal, Madhya Pradesh.
GSTIN / UIN : 23AACCE6085A1Z3

e-Agro Care Machineries And Equipments Pvt.Ltd.

461/3-7, Opposite Bajrang Dharamkata, Beside Ashutosh,
Engineering, Yaduvansi Chowk, Hirapur, Raipur, Chhattisgarh - 492099.
GSTIN / UIN : 22AACCE6085A1Z5

e-Agro Care Machineries And Equipments Pvt.Ltd.

Navata Supply Chain Solution , Plot No. -1 , Block No. -1,
Auto Nagar, Hyderabad, Telangana - 500070.



Authorized Dealers in India

- Andhra Pradesh
- Arunachal Pradesh
- Assam
- Bihar
- Chattisgarh
- Delhi
- Goa
- Gujarat
- Haryana
- Himachal Pradesh
- Jammu & Kashmir
- Jharkhand
- Karnataka
- Kerala
- Madhya Pradesh
- Maharashtra
- Manipur
- Meghalaya
- Mizoram
- Nagaland
- Odisha
- Pondicherry
- Punjab
- Rajasthan
- Sikkim
- Tamil Nadu
- Telangana
- Tripura
- Uttarakhand
- Uttar Pradesh
- West Bengal

Authorised Dealer

e-Agro Care Machineries And Equipments Pvt.Ltd.

Plot No. NP 11, Office No.202 , A Wing Shendra Commercial Complex , Shendra MIDC , Aurangabad - 431007.

+91 90212 04783

info@eagrocare.com | http://www.eagrocare.com | facebook.com/eagrocare | youtube.com/user/eagrocare

Disclaimer : *All Pictures shown in this catalogue are for illustration purpose only.
Actual product picture and specifications may vary due to product enhancement.