



AI SMART FARMING REPORT

Cotton

PREPARED FOR

Farmer

Sambhajinagar, Maharashtra

LAND AREA

2.6

GENERATED ON

10 Aug 2026

REPORT ID

FF-E8027219

Track live updates and AI recommendations at

<https://farmfleet.ai/itinerary/6a78d617db062ee8e8027219>



Farm Information

Details used by the AI to build your farming plan

STATE Maharashtra	DISTRICT Sambhajinagar
SOIL TYPE Red Soil	WATER SOURCE Drip Irrigation
BUDGET 100000	CROP Cotton
SEASON Kharif (June - November)	SEED RECOMMENDATION <pre>{ variety: 'Bt Cotton BG-II (e.g., Rasi 659 BG II or Ajit 155)', seedQuantity: '5 to 6 Packets (475g each) for 2.6 Acres', estimatedCost: ' ₹5,200 - ₹5,500 total' }</pre>



Crop Timeline

Week-by-week schedule for your crop cycle

WEEK 1

Land Preparation & Drip Line Laying

Scheduled

Deep summer ploughing, adding FYM, laying out drip lines at 4 feet spacing, and testing drip discharge.

Scheduled: 10 Aug 2026

WEEK 2

Dibbling Seeds & Initial Irrigation

Scheduled

Dibble single seeds per hill at 1.5 - 2 feet plant-to-plant spacing. Run drip for 2-3 hours for uniform germination.

Scheduled: 17 Aug 2026

WEEK 4

Gap Filling & First Fertigation

Scheduled

Fill seed gaps if any; start initial fertigation stage with water-soluble nitrogen and phosphorus.

Scheduled: 31 Aug 2026

WEEK 7

Vegetative Growth & Sucking Pest Management

Scheduled

Perform manual weeding, monitor sucking pests (thrips/jassids), and apply balanced NPK fertigation.

Scheduled: 21 Sept 2026

WEEK 10

Squaring & Early Flowering Stage

Scheduled

Apply micronutrients (Zinc, Boron) via drip/foliar spray to prevent flower bud drop.

Scheduled: 12 Oct 2026

WEEK 14

Boll Formation & Pink Bollworm Monitoring

Scheduled

Install PBW pheromone traps, maintain soil moisture via drip, and apply Potash-rich fertigation.

Scheduled: 09 Nov 2026



Crop Timeline (continued)

WEEK 18

Boll Maturation & First Picking

Perform first selective picking of fully opened dry cotton bolls in dry morning hours.

Scheduled: 07 Dec 2026

Scheduled

WEEK 22

Final Picking & Field Clearance

Complete 2nd and 3rd pickings, clear crop residue, and shred stalks using a tractor shredder.

Scheduled: 04 Jan 2027

Scheduled



Equipment

Machinery and tools recommended for this crop

Tractor with Plough & Rotavator

Primary soil tillage and ridge preparation

Estimated Rent: ₹1,200 - ₹1,500 per hour

Drip Irrigation Venturi Injector

Fertigation of water-soluble fertilizers directly to roots

Estimated Rent: ₹1,500 (One-time setup cost / owned)

Knapsack Battery Sprayer

Foliar application of bio-pesticides and micro-nutrients

Estimated Rent: ₹150 - ₹200 per day



Labour

Estimated workforce required across activities

Land Preparation, FYM Spreading & Drip Laying	WORKERS 6 workers	EST. DAYS 2 days
Dibbling Seeds & Gap Filling	WORKERS 4 workers	EST. DAYS 2 days
Weeding & Inter-cultivation	WORKERS 8 workers	EST. DAYS 3 days
Cotton Picking (Multiple Passes)	WORKERS 12 workers	EST. DAYS 6 days



Fertilizer Schedule

Recommended fertilizer application plan

Stage	Fertilizer	Quantity	Time
Basal Application	DAP + Single Super Phosphate + Zinc Sulphate	100 kg DAP + 100 kg SSP + 10 kg Zinc Sulphate total for 2.6 acres	At the time of ridge preparation / sowing
Vegetative Stage (15-45 Days)	Urea + 19:19:19 (Water Soluble Fertilizer)	50 kg Urea + 15 kg 19:19:19 via Drip Fertigation	Weekly split doses from Day 15 to Day 45
Flowering & Boll Setting (45-90 Days)	12:61:00 + 00:00:50 (SOP) + Boron	15 kg 12:61:00 + 20 kg 00:00:50 + 1.5 kg Boron total	In equal split doses twice a week
Boll Development Stage (90-120 Days)	13:00:45 (Potassium Nitrate)	20 kg total via Drip	Every 5-7 days till boll opening



Irrigation Schedule

Recommended watering plan for healthy crop growth

Stage	Frequency	Water Requirement
Germination & Establishment Stage (0-20 Days)	Every 2-3 days	1.5 - 2 hours per operational cycle depending on drip emitter flow rate
Vegetative Stage (21-50 Days)	Every 3-4 days	2 - 3 hours per cycle
Flowering & Boll Formation (51-120 Days)	Every 2 days (Critical Stage)	3 - 4 hours per cycle to avoid moisture stress
Boll Maturation & Harvesting (121+ Days)	Every 5-7 days	1 - 2 hours per cycle; stop 10 days before main pickings



Weather Report

Latest conditions used to plan your farming activities

Condition: Unavailable

TEMPERATURE	HUMIDITY	WIND SPEED	RAIN PROBABILITY
Not available	Not available	Not available	Not available

Weather Recommendation

No specific weather recommendation is available at this time.



Precautions

Important safety and crop-care guidelines

- Red soil tends to dry out quickly on the surface; do not let the root zone dry completely during the flowering stage.
- Monitor Pink Bollworm traps weekly; initiate spray only when trap counts exceed 8 moths per trap for 3 consecutive days.
- Always wear safe protective gear (mask, gloves, long sleeves) during pesticide spraying.
- Avoid excessive nitrogenous fertilizer application to prevent overly dense foliage, which attracts sucking pests.

Tips

Best practices to improve yield and reduce costs

- Intercrop with 1 row of Okra/Pigeonpea or surround the field with 2 rows of Maize as trap crops for pests.
- Fertigation through drip saves up to 30% fertilizer cost and ensures higher fertilizer use efficiency in red soil.
- Pick cotton only when bolls are fully open and dry; store harvested cotton in a dry, covered space to preserve lint quality and get better market price in Sambhajinagar APMC.



Your Journey Continues

This report is just the beginning of your AI-powered farming plan

- Your itinerary will continue to receive updates.
- Weather conditions may automatically change your schedule.
- Login to your FarmFleet account to view the latest recommendations.

Continue on FarmFleet

To receive:

- Live Weather Updates
- AI Recommendations
- Updated Farming Schedule
- Equipment Booking
- Labour Hiring

Login at:

<https://farmfleet.ai/itinerary/6a78d617db062ee8e8027219>

REPORT ID

FF-E8027219

GENERATED DATE

10 Aug 2026