



AI SMART FARMING REPORT

Cotton

PREPARED FOR

Hrushikesh Thombare

Sambhajinagar, Maharashtra

LAND AREA

5

GENERATED ON

14 Aug 2026

REPORT ID

FF-70DF4B2F

Track live updates and AI recommendations at

<https://farmfleet.ai/itinerary/6a7ecf302460e3cd70df4b2f>



Farm Information

Details used by the AI to build your farming plan

STATE	DISTRICT
Maharashtra	Sambhajinagar
SOIL TYPE	WATER SOURCE
Red Soil	Canal
BUDGET	CROP
100000	Cotton
SEASON	SEED RECOMMENDATION
Kharif (June - December)	{ variety: 'Bt Cotton Hybrid (e.g., RCH-659 BG II / Ajit 155 / Mallika)', seedQuantity: '2 packets (900 grams) per Acre (10 packets for 5 Acres)', estimatedCost: ' ₹8,600 (₹864 per packet)' }



Crop Timeline

Week-by-week schedule for your crop cycle

WEEK 1-2

Field Preparation & Basal Manuring

Deep tillage, FYM application, ridge and furrow formation, and pre-sowing canal irrigation.

Scheduled: 14 Aug 2026

Scheduled

WEEK 3-4

Sowing & Germination

Dibble treated seeds at 90x60 cm or 120x45 cm spacing. Monitor initial sprout emergence.

Scheduled: 28 Aug 2026

Scheduled

WEEK 5-6

Gap Filling & First Weeding

Fill vacant gaps within 10 days of emergence and conduct first inter-cultivation weeding.

Scheduled: 11 Sept 2026

Scheduled

WEEK 7-9

Vegetative Growth & Sucking Pest Management

First top dressing of Nitrogen. Install yellow sticky traps and inspect for early sucking pests.

Scheduled: 25 Sept 2026

Scheduled

WEEK 10-14

Squaring & Flowering Stage

Apply second split of fertilizer, provide critical canal irrigation, and install pheromone traps for pink bollworm.

Scheduled: 16 Oct 2026

Scheduled

WEEK 15-18

Boll Formation & Development

Apply foliar micronutrient spray (19:19:19 and Boron) and maintain soil moisture during boll enlargement.

Scheduled: 20 Nov 2026

Scheduled



Crop Timeline (continued)

WEEK 19-24

Boll Bursting & Stepwise Harvesting

Scheduled

Cease irrigation 15 days prior to harvest. Carry out 2 to 3 rounds of clean manual cotton picking.

Scheduled: 18 Dec 2026



Equipment

Machinery and tools recommended for this crop

Tractor with Reversible Plough & Cultivator

Primary and secondary land preparation

Estimated Rent: ₹1,000 - ₹1,200 per hour

Ridge and Furrow Maker

Channel formation for canal irrigation

Estimated Rent: ₹800 per acre

Battery / Power Knapsack Sprayer

Targeted pesticide and foliar fertilizer application

Estimated Rent: ₹250 - ₹300 per day



Labour

Estimated workforce required across activities

Land Preparation, FYM Spreading & Furrow Laying	WORKERS 4 workers	EST. DAYS 3 days
Dibbling, Sowing & Gap Filling	WORKERS 5 workers	EST. DAYS 2 days
Inter-cultivation, Weeding & Fertilizer Top Dressing	WORKERS 6 workers	EST. DAYS 4 days
Cotton Picking (Multi-stage harvest)	WORKERS 8 workers	EST. DAYS 6 days



Fertilizer Schedule

Recommended fertilizer application plan

Stage	Fertilizer	Quantity	Time
Basal Application	DAP + MOP + Zinc Sulphate	25 kg DAP + 15 kg MOP + 5 kg ZnSO4 per acre	At the time of sowing / final land shaping
First Top Dressing (Vegetative)	Neem Coated Urea	30 kg Urea per acre	30 - 35 days after sowing
Second Top Dressing (Square / Flowering)	Neem Coated Urea + MOP	30 kg Urea + 15 kg MOP per acre	60 - 65 days after sowing
Foliar Nutrition (Boll Development)	00:52:34 or 13:00:45 + Planofix	1 kg NPK + 40 ml Planofix per 100L water per acre	80 - 90 days after sowing



Irrigation Schedule

Recommended watering plan for healthy crop growth

Stage	Frequency	Water Requirement
Sowing & Establishment	Once before sowing and one light canal wetting after 5-7 days	Light wetting along the furrows
Vegetative Stage	Every 12 - 15 days (depending on Kharif rainfall)	Moderate furrow irrigation
Flowering & Boll Formation (Critical)	Every 8 - 10 days	Adequate canal supply, avoid both moisture stress and waterlogging
Boll Maturity & Bursting	Every 15 - 20 days (stop 2 weeks before picking)	Minimal furrow wetting



Weather Report

Latest conditions used to plan your farming activities

Condition: Sunny / Clear

TEMPERATURE
28°C

HUMIDITY
65%

WIND SPEED
10 km/h

RAIN PROBABILITY
15%

Weather Recommendation

Favorable weather conditions for current crop stage. Proceed with scheduled farming activities and maintain regular field observation.



Precautions

Important safety and crop-care guidelines

- Red soils have low water holding capacity and crusting tendency; avoid prolonged dry spells between canal turns.
- Do not allow standing water around cotton stems; ensure drainage channels connect back to field outlets.
- Avoid applying excessive nitrogenous fertilizers during late flowering to prevent vegetative runaway and boll drop.
- Wear face masks, gloves, and full protective gear during chemical spray operations.

Tips

Best practices to improve yield and reduce costs

- Plant 2-3 border rows of Pigeon Pea (Tur) or Maize as a natural trap crop for bollworms and shelter for beneficial insects.
- Nip the terminal shoots (detopping) around 80-90 days to redirect nutrients into boll size and yield enhancement.
- Pick clean cotton only after morning dew has completely evaporated to prevent fungal staining and preserve market grade.



Your Journey Continues

This report is just the beginning of your AI-powered farming plan

- Your itinerary will continue to receive updates.
- Weather conditions may automatically change your schedule.
- Login to your FarmFleet account to view the latest recommendations.

Continue on FarmFleet

To receive:

- Live Weather Updates
- AI Recommendations
- Updated Farming Schedule
- Equipment Booking
- Labour Hiring

Login at:

<https://farmfleet.ai/itinerary/6a7ecf302460e3cd70df4b2f>

REPORT ID

FF-70DF4B2F

GENERATED DATE

14 Aug 2026