



AI SMART FARMING REPORT

Sugarcane

PREPARED FOR

Farmer

Ahmednagar, Maharashtra

LAND AREA

5

GENERATED ON

01 Aug 2026

REPORT ID

FF-088B7B47

Track live updates and AI recommendations at

<https://farmfleet.ai/itinerary/6a6d7bd5f33b0f6f088b7b47>



Executive Summary

A quick 30-second overview of your farming plan

CROP DURATION
Not available

EXPECTED YIELD
Not available

ESTIMATED COST
Not available

ESTIMATED INCOME
Not available

ESTIMATED PROFIT
Not available

RISK LEVEL
Not available

Current Weather

Condition: Unavailable

TEMPERATURE
Not available

HUMIDITY
Not available

WIND SPEED
Not available

RAIN PROBABILITY
Not available



TODAY'S TASK

Deep Ploughing (01 Aug 2026)

AI RECOMMENDATION

No specific recommendation available today.



Farm Information

Details used by the AI to build your farming plan

STATE

Maharashtra

DISTRICT

Ahmednagar

SOIL TYPE

Black Soil

WATER SOURCE

Borewell

BUDGET

100000

CROP

Sugarcane

SEASON

Not available

SEED RECOMMENDATION

```
{
  variety: 'CoM 0265 (Phule 0265) or Co
86032 (Nira)',
  seedQuantity: '12500 to 15000 Two-
budded setts per Acre (Total 65000 setts
for 5 Acres)',
  estimatedCost: ' 145000'
}
```



Crop Timeline

Week-by-week schedule for your crop cycle

WEEK Week 1

Deep Ploughing

Perform deep ploughing using a tractor-mounted tractor plough to open up the deep black soil.

Scheduled: 01 Aug 2026

Upcoming

WEEK Week 2

Clod Crushing and Basal FYM Integration

Run a rotavator or cultivator to break clods and broadcast well-decomposed FYM or compost across 5 acres.

Scheduled: 08 Aug 2026

Upcoming

WEEK Week 3

Ridges, Furrows, and Drip Installation

Prepare ridges and furrows at 4.5 ft spacing and lay sub-surface or surface drip lines along furrows.

Scheduled: 15 Aug 2026

Upcoming

WEEK Week 4

Basal Fertilizer Application & Sett Selection

Apply basal doses of NPK and select disease-free 9-10 month old seed cane from certified nurseries.

Scheduled: 22 Aug 2026

Upcoming

WEEK Week 5

Sett Treatment and Planting

Treat setts with Carbendazim (2g/L) and Imidacloprid (1ml/L), then plant in end-to-end system in moist furrows.

Scheduled: 29 Aug 2026

Upcoming

WEEK Week 6

Life Irrigation and Early Sprouting Check

Give life irrigation 4-5 days after planting through drip and check for initial bud sprout.

Scheduled: 05 Sept 2026

Upcoming



Crop Timeline (continued)

WEEK Week 7-8

Gap Filling and Hand Weeding

Fill gaps with pre-germinated single-bud setts and perform light manual weeding around young shoots.

Scheduled: 12 Sept 2026

Upcoming

WEEK Week 9-12

First Top Dressing & Partial Earthing Up

Apply 1st split nitrogen and potassium fertilizer dose via fertigation and perform light earthing up.

Scheduled: 26 Sept 2026

Upcoming

WEEK Week 13-16

Tillering Enhancement & Pest Monitoring

Apply micronutrient spray (Zinc + Iron) to boost tiller production and monitor for early shoot borer.

Scheduled: 24 Oct 2026

Upcoming

WEEK Week 17-20

Second Top Dressing & Full Earthing Up

Apply main dose of Nitrogen and Potash; perform heavy earthing up to prevent crop lodging and support roots.

Scheduled: 21 Nov 2026

Upcoming

WEEK Week 21-28

Grand Growth Phase Management

Maintain optimum soil moisture via drip and monitor for internode borer and scale insects.

Scheduled: 19 Dec 2026

Upcoming

WEEK Week 29-36

Crop Tying (Propping) & Trash Mulching

Tie leaves of adjacent canes together (propping) to avoid lodging during heavy winds and spread lower dry leaves in furrows.

Scheduled: 13 Feb 2027

Upcoming



Crop Timeline (continued)

WEEK Week 37-48

Sucrose Accumulation & Maturity Phase

Reduce nitrogen application, focus on Potassium fertigation, and monitor Brix level with refractometer.

Scheduled: 10 Apr 2027

Upcoming

WEEK Week 49-52

Pre-Harvesting and Mill Supply Scheduling

Stop irrigation 15 days prior to harvest, coordinate with Ahmednagar local sugar factory for cutting orders, and commence harvest.

Scheduled: 03 Jul 2027

Upcoming



Equipment

Machinery and tools recommended for this crop

Tractor with Mouldboard Plough & Ridger
Primary soil tillage and furrow preparation

Estimated Rent: ₹12000

Rotavator
Clod breaking and smooth bed preparation

Estimated Rent: ₹5000

Drip Irrigation System
Efficient water and fertigation delivery

Estimated Rent: ₹60000

Battery Power Sprayer
Foliar application of nutrients and pesticides

Estimated Rent: ₹2000



Labour

Estimated workforce required across activities

Land Preparation, Ridges & Drip Laying	WORKERS 0	EST. DAYS 0
Sett Cutting, Treatment, and Planting	WORKERS 0	EST. DAYS 0
Earthing Up and Fertilizer Application	WORKERS 0	EST. DAYS 0
Trash Mulching and Propping (Tying)	WORKERS 0	EST. DAYS 0
Harvesting & Loading (Mill Labour)	WORKERS 0	EST. DAYS 0



Fertilizer Schedule

Recommended fertilizer application plan

Stage	Fertilizer	Quantity	Time
Basal (At Planting)	Single Super Phosphate (SSP) + Urea + MOP + Zinc Sulphate	250 kg SSP + 50 kg Urea + 40 kg MOP + 10 kg ZnSO4 per Acre	At the time of planting in furrows
Tillering Stage (45 Days)	Urea + 19:19:19 (Fertigation)	50 kg Urea + 10 kg 19:19:19 per Acre	45 Days After Planting (DAP)
Grand Growth Stage (90-120 Days)	Urea + MOP + Micronutrient Mixture	75 kg Urea + 40 kg MOP + 5 kg FeSO4 per Acre	90 to 120 DAP
Earthing Up (150 Days)	Urea + Potash (0:0:50)	50 kg Urea + 25 kg SOP per Acre	150 DAP during final earthing up



Irrigation Schedule

Recommended watering plan for healthy crop growth

Stage	Frequency	Water Requirement
Germination Phase (0-45 Days)	Every 2-3 Days via Drip	25-30 mm per week (Keep furrows moist, avoid waterlogging in black soil)
Tillering Phase (45-120 Days)	Every 2 Days via Drip	35-40 mm per week
Grand Growth Phase (120-270 Days)	Daily / Alternate Days via Drip	50-60 mm per week (Peak water intake period)
Maturity Phase (270 Days to Harvest)	Every 4-5 Days via Drip	20-25 mm per week (Stop completely 15 days before harvest)



Weather Report

Latest conditions used to plan your farming activities

Condition: Unavailable

TEMPERATURE	HUMIDITY	WIND SPEED	RAIN PROBABILITY
Not available	Not available	Not available	Not available

Weather Recommendation

No specific weather recommendation is available at this time.



Precautions

Important safety and crop-care guidelines

- Do not allow standing water in deep black soil as vertisols are prone to waterlogging and soil compaction.
- Avoid using setts from diseased fields, especially those infected with Red Rot or Grassy Shoot Disease.
- Always perform soil testing before basal application to adjust exact NPK dosage.
- Stop irrigation strictly 15 days before harvest to boost Brix (sugar concentration) level.

Tips

Best practices to improve yield and reduce costs

- Adopt wider row spacing (4.5 to 5 feet) to allow intercropping with short-duration crops like chickpea or onion in first 60 days.
- Use trash mulching between rows to conserve soil moisture, reduce weed growth, and enrich organic matter in black soil.
- Utilize drip fertigation to save up to 40% fertilizer cost and 50% borewell water in drought-prone Ahmednagar conditions.



Your Journey Continues

This report is just the beginning of your AI-powered farming plan

- Your itinerary will continue to receive updates.
- Weather conditions may automatically change your schedule.
- Login to your FarmFleet account to view the latest recommendations.

Continue on FarmFleet

To receive:

- Live Weather Updates
- AI Recommendations
- Updated Farming Schedule
- Equipment Booking
- Labour Hiring

Login at:

<https://farmfleet.ai/itinerary/6a6d7bd5f33b0f6f088b7b47>

REPORT ID

FF-088B7B47

GENERATED DATE

01 Aug 2026