

Waverly[★] Pictures

Movie Ticket Booking Project

Software Requirements Specification

<1.1>

10/08/2026

Group 8

Leah Bernstein, Ows Zoabel, Hsa Say

Prepared for
CS 250- Introduction to Software Systems
Instructor: Gus Hanna, Ph.D.
Fall 2023

Revision History

Date	Description	Author	Comments
<date>	<Version 1>	<Your Name>	<First Revision>
09/24/2026	1.0	Team	Rough Draft (Sections 1-3.5)
10/08/2026	1.1	Team	Software Design Specification

Document Approval

The following Software Requirements Specification has been accepted and approved by the following:

Signature	Printed Name	Title	Date
	<Your Name>	Software Eng.	
	Dr. Gus Hanna	Instructor, CS 250	

Table of Contents

REVISION HISTORY.....	II
DOCUMENT APPROVAL.....	II
1. INTRODUCTION.....	1
1.1 PURPOSE.....	1
1.2 SCOPE.....	1
1.3 DEFINITIONS, ACRONYMS, AND ABBREVIATIONS	1
1.4 REFERENCES.....	1
1.5 OVERVIEW.....	1
2. GENERAL DESCRIPTION	2
2.1 PRODUCT PERSPECTIVE.....	2
2.2 PRODUCT FUNCTIONS.....	2
2.3 USER CHARACTERISTICS.....	2
2.4 GENERAL CONSTRAINTS	2
2.5 ASSUMPTIONS AND DEPENDENCIES	2
3. SPECIFIC REQUIREMENTS	2
3.1 EXTERNAL INTERFACE REQUIREMENTS.....	3
3.1.1 <i>User Interfaces</i>	3
3.1.2 <i>Hardware Interfaces</i>	3
3.1.3 <i>Software Interfaces</i>	3
3.1.4 <i>Communications Interfaces</i>	3
3.2 FUNCTIONAL REQUIREMENTS	3
3.2.1 <i><Functional Requirement or Feature #1></i>	3
3.2.2 <i><Functional Requirement or Feature #2></i>	3
3.3 USE CASES	3
3.3.1 <i>Use Case #1</i>	3
3.3.2 <i>Use Case #2</i>	3
3.4 CLASSES / OBJECTS	3
3.4.1 <i><Class / Object #1></i>	3
3.4.2 <i><Class / Object #2></i>	3
3.5 NON-FUNCTIONAL REQUIREMENTS	4
3.5.1 <i>Performance</i>	4
3.5.2 <i>Reliability</i>	4
3.5.3 <i>Availability</i>	4
3.5.4 <i>Security</i>	4
3.5.5 <i>Maintainability</i>	4
3.5.6 <i>Portability</i>	4
3.6 INVERSE REQUIREMENTS	4
3.7 DESIGN CONSTRAINTS	4
3.8 LOGICAL DATABASE REQUIREMENTS	4
3.9 OTHER REQUIREMENTS.....	4
4. ANALYSIS MODELS	4
4.1 SEQUENCE DIAGRAMS.....	5
4.3 DATA FLOW DIAGRAMS (DFD)	5
4.2 STATE-TRANSITION DIAGRAMS (STD)	5
5. CHANGE MANAGEMENT PROCESS.....	5
A. APPENDICES	5

Movie Ticket Booking System

A.1 APPENDIX 1	5
A.2 APPENDIX 2	5

1. Introduction

1.1 Purpose

The purpose of this document is to outline the requirements for developing a movie theater ticketing website. It serves as a guide for the system's expected functionality, user needs, and constraints. This document is intended for the development and other individuals involved in the design of the system.

1.2 Scope

Waverly Pictures is a movie theater ticketing website designed to be an optional online alternative for buying movie tickets. It is a completely distal system meant for online use only. Customers will not be required to purchase tickets in person or receive physical tickets. The website allows customers to browse available movies, view showtimes, select seats, and purchase tickets online. The website will support customer accounts, subscriptions, purchase history, and feedback. Its main goal is to create a simple and convenient experience for customers purchasing movie tickets through a web browser.

1.3 Definitions, Acronyms, and Abbreviations

SRS – Software Requirements Specification. A document which describes the requirements of the software system.

DDS – Design Document Specification. A document which describes the software architecture, logical design, and physical design of the system.

UAT – User Acceptance Testing. Testing carried out in order to ensure that the system satisfies the needs of the customer or end-user.

UI – User Interface. They are the visual elements of the website that are made up of buttons, menu, lists of movies and seat selection.

HTML – Hypertext Markup Language. HTML is a markup language that can be used to create websites.

CSS – Cascading Style Sheets. It is a technology that is used to control the look of the website.

Programming Language: JavaScript - It enables the website to function.

Database - Technology used for storage of data. The type of data includes customer information, movies, movie timings, seating, and buying records.

Software Architecture – The general structure of the software system along with the way its components interact with each other.

Functional Requirement – A function that the system should provide to its users.

Movie Ticket Booking System

Subscription – An extra paid service provided to customers who want to benefit from Waverly Pictures.

Payment Timer – It is a period of five minutes given to the customer to pay for their tickets.

End-User – The customer who uses the Waverly Pictures website to view movies, select seats, and purchase tickets.

Showtime – The date and time on which the movie becomes available to be watched at Waverly Pictures.

Seat Selection – The procedure of selecting available seats for viewing a particular movie on its selected showtime.

Purchase History – Details about the purchase of transactions and tickets purchased by a particular customer via the website.

Feedback – Information submitted by the customer after making a purchase on the site.

Authentication/Login – Procedure performed to identify a user account before gaining access to it.

Security – Features implemented to ensure the safety of customer accounts, personal information, and transaction details.

Integration Testing – Type of testing aimed at ensuring proper cooperation of various software system components and their interfaces.

Load Testing – Type of testing performed to check whether the system can operate with the anticipated load.

Bug – It is the fault in the program, which makes the system behave incorrectly.

Maintenance – The process of improving the software after its development and implementation.

1.4 References

The following resources will be used for developing the Waverly Pictures movie theatre website ticket booking system:

Course material and instructor instructions.

Software Requirements Specification (SRS) and requirements for the course project.

HTML manual for making the website.

CSS documentation on designing the appearance and structure of the website.

JavaScript documentation on making interactions on the website.

Database documentation and course materials on managing customer accounts, movies, showtimes, seating and ticket bookings.

Design Document Specification (DDS) guidance on building software architecture and designing the software.

1.5 Overview

This SRS document contains the requirements for the Waverly Pictures movie ticketing website. It contains the functional requirements of the system, like user accounts, user memberships, film information, movie showtimes, seat selection, ticket purchases, user feedback, and payment security. This document will also describe the system interface, server requirements, and constraints that will guide the development of the website.

2. General Description

2.1 Product Perspective

Waverly Pictures is a standalone online movie ticketing website. It will operate independently through a web browser and does not function as a component of another larger software system. It connects to the internet to display current movies, showtimes from nearby theaters in San Diego. It is not meant as a replacement for traditional movie booking but as a reliable alternative.

2.2 Product Functions

The functions of Waverly Pictures will support customers through the entire ticket-buying process.

Key features include:

Online platform allowing users to purchase tickets anywhere

Movies: Browse or search through the latest movies released

Availability: View available showtimes for nearby theaters

Seating: Select assigned seats using an interactive map

Buy Tickets: Transactions are secured.

Get digital receipts: Receive instant booking confirmation sent directly to an email or phone via text message

2.3 User Characteristics

The target audience for using the Waverly Pictures Website is the consumers wishing to book movie tickets on the website. The system is user-friendly for general users with some knowledge about computers and using web browsers. It is expected that users will be able to use websites, look up movies, check show times, choose their seats, and pay online.

The customers will have the ability to register and sign in and use some of the features including the customer's purchase history and the subscription. Customers will also give their feedback once they make a purchase of the ticket. There will not be any physical tickets, but email or text notifications.

No advanced technical expertise is required by the user of the website. The interface will be created in such a way that it becomes very easy to use. The user will just have to possess a desktop computer, a web browser, and an internet connection to use the system.

This system can be accessed by consumers of varying computer literacy. The website must thus contain clear guidelines and simple navigational steps in the purchase of tickets.

2.4 General Constraints

The General Constraints for the Waverly Pictures Website is a web application. The user system must be equipped with a web browser, and the user must have general knowledge of basic computer skills.

The system must be able to support online ticket purchases, and the database must be updated in real time to correctly support ticket availability.

The system must use a single database for all the theaters that is partitioned to support all 10 theaters across the San Diego area.

The system must support English, Spanish, Persian, and Arabic as well as the conversion of ticket prices into the user's local currency.

The system must be able to support at least 1000 concurrent users without performance degradation, with the ability to scale up to 10 million.

Each customer must be able to purchase up to 5 tickets in a single transaction ranging from 2 weeks before 10 minutes after the scheduled movie showing.

Each customer is allowed a 10-minute purchasing window where the system temporarily holds the selected tickets.

The system must be able to distinguish between regular (150 seats) and deluxe theaters (75 seats).

The system must be able to handle student, military, and senior discounts when purchasing tickets.

The system must support payment processing through accepted payment methods including Visa, PayPal, and Apple Pay.

The system must include a customer feedback system that allows customers to submit feedback after completing a purchase.

The system must prevent or automated bots and excessive automated ticket purchases for high demand movies.

Movie Ticket Booking System

The system must restrict a customer account to being logged in on only one device concurrently.

The system must provide information about the number of tickets sold for each movie and the cost per ticket as well as daily logs of ticket purchases for record keeping.

The system must also be capable of displaying movie review scores and critic quotes from external review sources.

The system must allow users with loyalty accounts to store personal information, payment information, purchase history, and loyalty points. Tickets may only be returned or exchanged before the scheduled showing and must have been purchased through a registered user account.

Each ticket must be unique and non-replicable.

The system should be developed within 4 months with an initial budget of \$500,000.

2.5 Assumptions and Dependencies

The Waverly Pictures Website assumes that all 20 San Diego theaters will continue to operate within the same centralized database using the Pacific Time Zone. It is assumed that a reliable database containing information about movies, showtimes, seating, prices, reviews, tickets, and loyalty accounts/subscriptions will be available. It is also assumed that the payment methods supported will be Visa, PayPal, and Apple Pay only. The system depends on the database structure remaining compatible with the requirements of the website. It also depends on the availability of a working server, internet connection, and supported web browser in order to operate correctly and according to the system requirements. Changes to the database structure, payment methods, server, internet connection, or supported web browsers may require changes to the SRS.

3. Specific Requirements

3.1 External Interface Requirements

Describes how Waverly Pictures will interact with external components, including user interface, physical devices, third party software programs and communication networks

3.1.1 User Interfaces

The platform is strictly a website accessed via a web address (URL) and does not use a mobile app. It is designed to be compatible with any operating systems like Google Chrome or other modern web browsers on both laptops and phones. The website includes web pages, interactive seat maps, and checkout screens. The seat map will use simple colors to show availability, such as green for open seats and red for taken seats

3.1.2 Hardware Interfaces

Customers will either use a laptop or phone connected to the internet to visit the website and navigate the pages using a mouse, keyboard, or touchscreen. At the entrance, a handheld theater scanner is used by staff to scan QR codes directly from the customer's device screen

3.1.3 Software Interfaces

The platform connects to external programs to manage daily operations. It links with payment gateways to safely process sales. It also uses SMS text message distributors to send text confirmations. In addition, it connects with the theater's central movie database to keep showtimes and seat maps accurate.

3.1.4 Communications Interfaces

Defines how the website sends data across the internet and ensures all communication is completely safe and reliable. The application relies on domain routing, so users can type a standard web address into their browser to open the website. To ensure user traffic, the website uses HTTPS (Hypertext Transfer Protocol Secure). This is necessary to transfer data safely between the user's browser and the website servers. It encrypts all sensitive data such as user passwords, personal info, and checkout details. The website also requires an SSL/TLS certification, which acts as a digital security certificate or an official ID badge for the platform. It proves that the website is safe and legitimate to the browsers. For notifications, the system must connect to external mail (SMTP) and text message servers using secure, encrypted ports. This ensures that when the website sends digital QR code to the user's email or phone, the data cannot be stolen or copied. This setup handles all external E-mail and SMS Data delivery safely.

3.2 Functional Requirements

3.2.1 <User Account>

3.2.1.1 Introduction

Users should be able to create and access their accounts through the website. The accounts should allow users to view previous purchase history and view any membership perks.

3.2.1.2 Inputs

The system accepts customer information to sign up or log in to the account in the form of a username or email as well as a password.

3.2.1.3 Processing

The system verifies the users' username/email and password with account information stored in the database. The system should also grant the user access to their account once logged in.

3.2.1.4 Outputs

The system outputs the account information like purchase history and membership information when the user logs in.

3.2.1.5 Error Handling

If the user provides an un-database username/email, the system will notify the user that there is no account found and prompt the user to create an account.

3.2.2 <Movie Browsing>

3.2.2.1 Introduction

The system allows users to browse through a list of available movies, showtimes, and locations.

3.2.2.2 Inputs

The system accepts the input of a movie through the search function.

3.2.2.3 Processing

The system searches the movie database for available movies that correspond to the user's search input.

3.2.2.4 Outputs

The system displays a list of available movies that match the user's search. It should display the movie's name, showtimes, location and review score.

3.2.2.5 Error Handling

If there are no matching search results, the system should inform the user that there are no matching results.

3.2.3 <Movie/Ticket Selection>

3.2.3.1 Introduction

The system should allow users to select movie seats from a chosen movie showing temporary reservations.

3.2.3.2 Inputs

The system will take the customers' selected movies, showtime, and theater.

3.2.3.3 Processing

The system will take the requested movie and allow the user to select available seats for the respective movie showing. The system should also verify that the user has not picked over 5 tickets in a single purchase. The selected seats should be temporarily reserved for the user for 10 minutes for the purchase.

3.2.3.4 Outputs

The system will display the chosen movie, showtime, theater, and seats chosen. The system should also update the ticket availability in the system during the 5-minute reservation period and when the tickets are purchased.

3.2.3.5 Error Handling

If the tickets selected are no longer available for purchase, the system should prompt the user to pick new seats. If the 10-minute reservation period is up, the system should release the reserved tickets for other users to purchase. If the movie is 10 minutes past showtime, the tickets should become unavailable for purchase.

3.2.4 <Ticket Purchase>

3.2.4.1 Introduction

The system should allow users to purchase selected movie tickets with their supported payment methods.

3.2.4.2 Inputs

The system should take the users selected tickets, discounts, membership information and payment methods (Visa, PayPal, and Apple Pay).

3.2.4.3 Processing

The system should calculate the total ticket price of the chosen tickets with any discounts. It should also process the user's payment using the selected payment method and send confirmation to the user when the transaction is completed. The system should update the database with the purchased tickets and remove the chosen seats from future purchases.

3.2.4.4 Outputs

The system should output the completed purchase with a receipt. The system should also add the ticket purchase information to the user's membership account purchase history.

3.2.4.5 Error Handling

If the payment does not go through, the system should notify the user and allow them to choose a different method of payment or retry. If the 10-minute temporary ticket reservation expires, the tickets should be released, and the purchase should be canceled.

3.2.5 <Loyalty Account>

3.2.5.1 Introduction

The system should allow users to create and log into loyalty accounts. The accounts should store the user's personal information, payment information, purchase history, and loyalty points.

3.2.5.2 Inputs

The system should accept the user's information for their loyalty account. The system should also accept information about the users who previously purchased tickets for loyalty points.

3.2.5.3 Processing

The system account should store the user's loyalty account information and purchase history. The system should update loyalty points when acquired and/or used.

3.2.5.4 Outputs

The system should display the user's loyalty account information, purchase history, and usable loyalty points.

3.2.5.5 Error Handling

If the system does not have loyalty account information on file, the system should prompt the user to sign up for a new account. If the user chooses not to sign up for the loyalty account, the system should continue to function normally with no loyalty account connected to the user's account.

Movie Ticket Booking System

3.2.6 <User Feedback>

3.2.6.1 Introduction

The system should allow users to provide feedback after purchasing a ticket using a range of selectable smiley faces.

3.2.6.2 Inputs

The user selects a smiley face rating after purchasing a ticket.

3.2.6.3 Processing

The system records the users' selected ratings in its database.

3.2.6.4 Outputs


The system confirms to user that their response has been submitted.

3.2.6.5 Error Handling

If the user chooses not to complete the feedback, the system should still complete the ticket purchase but not record any feedback for that associated purchase.

3.3 Use Cases

3.3.1 Use Case #1



Use Case 1	Details
Name	Manage Support Tickets

Movie Ticket Booking System

Actor	Admin
Description	Allows admin to view, respond to and resolve customer support inquiries and ticket issues
Preconditions	Admin must be logged into the administrative dashboard
Includes	Review customer feedback
Extends	Process refunds and exchanges
Main Flow	1. Admin navigate the help desk module 2. Admins selects an open support ticket 3. Admin reviews ticket details and customer feedback 4. Admin provides a resolution or processes a refund/exchange 5. Admin marks the ticket as closed


Use Case 2	Details
Name	Manage Customer Accounts
Actor	Admin
Description	Admin can view user account details, update credentials, handle access issues and adjust subscription
Preconditions	Admin must be authorized
Includes	Authenticate user login
Extends	Manage subscriptions
Main Flow	1. Admin access the customer account directory 2. Admins search for and selects customer profile 3. Admin verifies user identity

Movie Ticket Booking System

	4. Admin updates account information, manages loyalty subscription or resets credentials
--	---

Use Case 3	Details
Name	View Sales reports
Actor	Admin
Description	Displays tickets sales data and revenue totals such as seats counts per movies, daily purchase logs and transaction records)
Preconditions	Admin must be logged into an authorized manager profile
Main Flow	1. Admin selects the reporting module 2. Admins choose a data range or specific theater location 3. Systems displays transaction logs and summary revenue statistics

3.3.2 Use Case #2



Movie Ticket Booking System

Use Case 1	Details
Name	Purchase Tickets
Actor	Customer
Description	Allows a customer to select movie showtimes, pick seats and complete ticket purchase
Preconditions	Customer is browsing available movie showtimes
Includes	Select seats, Send confirmation
Extends	Purchase subscription, Ticket discounts
Main Flow	1. Customer selects a movie showtime 2. Customers choose available seats. 3. Customer can opt in a subscription during checkout 4. Customer can apply student, military or senior discount at checkout 5. Customers enter payment details and complete purchase 6. Systems process payment and send booking confirmation


Use Case 2	Details
Name	User profile
Actor	Customer
Description	Customers can login, register a new account, and manage account details or subscription statues
Preconditions	Customer opens the Waverly Picture application
Extends	Create Account

Movie Ticket Booking System

Main Flow	1. Customer logs into their account or selects "Create Account" 2. Customers enter their username and password 3. System verifies credentials against the database 4. Systems log the user in and display their account dashboard
Alternative Flow	New Account: If the customer does not have an account, they select the option to register, complete sign-up form and then return to log in page

Use Case 3	Details
Name	Submit support ticket
Actor	Customer
Description	Customers can send inquires or refund request directly to Admin support
Preconditions	Customer opens the help section
Main Flow	1. Customer enters issue details and submits a ticket 2. System forwards the support ticket to admin queue

3.3.3 Use Case #3



3.4 Classes / Objects

3.4.1 <UserAccount>

3.4.1.1 Attributes

AccountInfo
username:String password:String name: String emailAddress: String UserProfile: Profile
membershipInformation: String purchaseHistory: Ticket [] paymentInformation: String

3.4.1.2 <Functions>

3.4.1.2 Functions

UserFunctions
newUser: NewUser myTicket:Ticket subscriptionPrice: double userInfo: UserInfo transactionID: int
login(): bool logout(): void createAccount(newUser: NewUser): bool

```
viewPurchaseHistory: void
viewMembershipInformation: void
viewPaymentInformation: void
securedPayment(ticket: Ticket): int
enrollsubscription(): void
```

3.4.2 <Movie>

Movie

```
MovieName : String
Showtime: Showtime
MovieRuntime : Double
MovieScore : Double
ReviewQuote : List<String>
TicketPrice : Double
```

```
displayMovieInformation(): List<String>
displayMovieShowtime(Showtime): String
displayMovieScore(): int
displayMovieCriticQuote(): String
displayMovieTicketPrice(): Double
searchMovie(String): List<Movie>
```

3.4.3 <Ticket>

Ticket

```
TicketInformation: List<String>
TicketIdentification: String
Movie: Movie
Showtime: Showtime
Theater: Theater
TicketType: String
Seats: Map<bool>
TicketPrice: Int
TicketStatus: Int
TicketAmount: Int
```

```
buyTicket(): void
getFreeSeats(): Map<bool>
```

```
selectSeat(index): bool
selectTicketQuantity(TicketAmount) : void
selectTicketDiscount(TicketType) : bool
verifyTicketLimit() : bool
generateTicketIdentification(Ticket) : Int
```

3.4.4 <LoyaltyAccount>

LoyaltyAccount

```
AccountInformation : List<String>
PaymentInformation : List<String>
LoyaltyPoints : Int
MembershipCard: String
MembershipStatus : String
RewardInformation : List<String>
```

```
createLoyaltyAccount(AccountInfo) : void
registerMembershipCard(String):
addLoyaltyPoints(AccountInfo) : void
redeemLoyaltyPoints(int): bool
displayAccountInformation(AccountInfo) : String
displayRewardInformation(AccountInfo) : String
```

3.4.5 <Feedback>

Feedback

```
Rating : Double
Purchase : Payment
```

```
displayFeedbackOptions() : List<int>
submitFeedback(int) : void
skipFeedback(): void
confirmFeedbackSubmission() : String
```

3.4.6 <Payment>

Payment

```
Tickets : List<Ticket>
PaymentMethod : String
TotalAmount : Double
```

PaymentCurrency : String
PaymentStatus : bool
Receipt : String
PaymentReservationTimer: int

calculatePaymentTotal(Ticket) : Double
convertCurrency(string) : Double
processPayment(): bool
retryPayment(): bool
cancelPurchase(): void
startReservationTimer(): void
sendPaymentConfirmation(): void

3.4.7 <Theater>

Theater

TheaterID : Int
TheaterSeatCapacity : Int
TheaterType : String
TheaterSeatMap : Map<bool>
TheaterLocation: String
Movie : Movie

getTheaterType(): String
displayTheaterSeatMap() : String
updateSeatAvailability(): void
displayTheaterLocation(): String

3.4.8 <Showtime>

Showtime

Movie : Movie
Theater: Theater
Date: String
Time: double
AvailableSeats: Map<bool>
PurchaseWindow: bool

displayShowtime() : String
checkPurchaseWindow(): bool
closePurchaseWindow() : void
updateTicketAvailability(Ticket) : bool

3.5 Non-Functional Requirements

This requirement specifies how the website developed by Waverly Pictures should behave, how secure and available it should be. This is different from functional requirements in that it describes the quality criteria at the level of the system and includes measurable metrics for testing.

3.5.1 Performance

3.5.1.1 Concurrent Users: The system should be able to support at least 1,000 simultaneous users without experiencing any delay and be scalable enough to expand to handle 10 million users.

3.5.1.2 Loading Time: At least 95% of standard pages (such as movie searches, show times, and seat maps) should load completely within 2 seconds of a standard internet connection.

3.5.1.3 Database Querying Time: 99% of all database queries from any of the 20 movie theaters located in San Diego should process within 100 milliseconds.

3.5.1.4 Updating Time: As soon as one user selects a seat, the seat map should update within 1 second for all other users to prevent any duplicate selections by two users at once.

3.5.2 Reliability

3.5.2.1 System MTBF: The website should operate reliably with an MTBF of at least 30 days (720 operational hours) until a serious failure of the system.

3.5.2.2 Correctness of Transactions: All transactions and tickets should proceed without any hitches. In case the user's web browser fails midway in the transaction, the database must retain data integrity and not produce two tickets.

3.5.2.3 Accuracy of Hold Timer Function: The function must be accurate every time it is invoked. In cases where a user does not buy the tickets within 10 minutes, those seats must become available to everyone else within 2 seconds of the hold timer expiring.

3.5.3 Availability

3.5.3.1 Availability of Website: The website must have an availability of 99.9% (24/7), which means that there cannot be more than 8.76 hours of unplanned downtime on the servers within one year.

3.5.3.2 Periods of Maintenance: Maintenance must take place only during off-peak hours (Mondays from 2:00 to 4:00 AM Pacific Standard Time) and must not exceed 2 hours a month.

3.5.3.3 Recovery Point Objective (RPO): In case the database fails, no data shall be lost at all for ticket sales which have already been completed, and at most 10 minutes of the basic account log activity will be lost.

3.5.4 Security

3.5.4.1 Encrypted Connection: All connections to the website shall be established via HTTPS protocol (TLS 1.3) and must contain an SSL/TLS certificate so that there will be no hacker attacks.

3.5.4.2 Data Storage Encryption: The user's data will be stored in the database and encrypted. Passwords shall be hashed by bcrypt/Argon2 algorithm.

3.5.4.3 One Computer Usage: There should be a limit to how many computers can be used for one account. The second login will close all the other sessions automatically.

3.5.4.4 Protection against Botting: There should be a mechanism in place to prevent botting/scalping tickets to popular movies with a 99.9% success rate.

3.5.5 Maintainability

3.5.5.1 Mean Time to Repair (MTTR): In case of a big bug or site down in the production environment, the developers must be able to detect, repair, and redeploy the code within four hours max.

3.5.5.2 Code Design: The code should be well-designed with clean HTML, CSS, and Javascript. User interface code must not be mixed with backend code that calculates ticket pricing and discounts and seat logic.

3.5.5.3 Software Updates and Testing: Bug fixes and software updates will happen every two weeks, and testing for at least 80% of the most important functional code should happen.

3.5.6 Portability

3.5.6.1 Web Browsers: The website must look and work correctly on the two most recent versions of major web browsers, including Google Chrome, Mozilla Firefox, Apple Safari, and Microsoft Edge.

3.5.6.2 Screen Resolutions: The website interface must adjust smoothly on modern laptop and desktop screen resolutions (from 1280 720 up to 3840 2160 pixels) without breaking the layout or forcing horizontal scrolling.

3.5.6.3 Languages & Currencies: The application must allow users to switch between English, Spanish, and Swedish languages, and automatically convert ticket prices to the local currency in under 1 second.

Software Design Specification

SWA


Movie Ticket Booking System

The Waverly Pictures web platform helps customer browse movies, choose showtimes, pick seats and buy tickets all online, the architecture is organized into three main parts:

1. Web Pages (Boxes): The screen that users see and interact with.
2. Database (Cylinders): Where information like showtimes, user accounts, and seat layouts are safely stored.
3. External Services (Hexagon): The bank system that processes card payments.

Diagram Key:

- Solid Lines: show the step-by-step path a user takes from screen to screen on the website
- Dashed Lines: show the backend data being saved or loaded from the database



User & Transaction Flow


A customer begins browsing titles on the Movie Selection and Search Page, chooses a showtime on the Theater and Schedule Page, selects their seating on the Select Seat Page, which checks real time availability in Database Theaters. Before paying, the system routes the user through the Login/Sign Up Page to verify account details in Database User Accounts while holding their chosen seats. Once authenticated, the user proceeds to the Pay Page. After payment verification via Bank Info, the user proceeds to the Confirmation Page to Ticket Delivery, which saves transaction logs and updates rewards points.

Admin & Support Operations

Following ticket delivery, customers can visit Feedback Page to submit ratings, which are saved directly into Database Support and Feedback. Administrators access the Admin Dashboard to view support tickets, track ticket logs, and monitor platform activity.

UML Class Diagram

Movie Ticket Booking System



UML Class Description

The UML class diagram represents an online movie ticketing system. It outlines the system's core classes, detailing their attributes, operations, and how they relate to one another.

UserFunctions

Overview: The central controller that handles user interactions and system navigation.

Movie Ticket Booking System

- Relationships: has a dependency on Payment and Ticket (it relies on these two classes to complete checkout and manage active ticket details).
- Connects with AccountInfo and LoyaltyAccount to manage profile seasons and user perks.

Attributes: newUser, myTicket, subscriptionPrice, userInfo, transactionID

Operations: login(), logout(), createAccount(), viewPurchaseHistory(), viewMembershipsInformation(), viewPaymentInformation(), securedPayment(), enrollSubscription

AccountInfo

Overview: Stores private credentials, contact info, and transaction history of a user.

- Relationships: stores and manages Ticket object to maintain the user's complete order history.
- Connects with UserFunction and LoyaltyAccount to sync profile actions and rewards balances.

Attributes: username, password, name, emailAddress, userProfile, membershipInformation, purchaseHistory, paymentInformation

Operations: functions as a data repository that other classes read from and update.

Movie

Overview: contains all information about a film.

- Relationship: provides details for Showtime and Theater so users can select specific viewing while movies remain independent even if a showtime is canceled.

Attributes: MovieName, Showtime, MovieRuntime, MovieScore, ReviewQuotes, TicketPrice

Operations: displayMovieInformation(), displayMovieShowTime(), displayMovieScore(), displayMovieCriticQuote(), DisplayMovieTicketPrice(), searchMovie()

Theater

Overview: Represents the physical cinema venue, auditorium layout, and available seating capacity.

- Relationships: Links with ShowTime to show available seats for specific movie halls.

Attributes: TheaterID, TheaterSeatCapacity, TheaterType, TheaterSeatMap, TheaterLocation, Movie

Movie Ticket Booking System

Operations: getTheaterType(), displayTheaterSeatMap(), updateSeatAvailability(), displayTheaterLocation()

ShowTime

Overview: sets the screening date, start time, and purchase windows for a specific film in a specific room.

- Relationships: brings together Movie and Theater to create a complete screening slot for purchase

Attributes: Movie, Theater, Date, Time, AvailableSeats, PurchaseWindow

Operations: displayShowTime(), checkPurchaseWindow(), closePurchaseWindow, updateTicketAvailability()

Ticket

Overview: represent an individual customer booking for a film.

- Brings together details from Movie, Showtime, and Theater into a single booking, which is then passed to Payment

Attributes: TicketInformation, TicketIdentification, Movie, ShowTime, Theater, TicketTypes, Seats, TicketPrice, TicketStatus, TicketAmount

Operations: buyTicket(), getFreeSeats(), selectSeat(), selectTicketQuantity(), selectTicketDiscount(), verifyTicketLimit(), generateTicketIdentification()

Payment

Overview: Handles price calculations, money transactions, checkout times, and digital receipts.

- Relationships: process Tickets as part of a single checkout transaction
- Has a dependency on UserFunction (triggered during checkout) and provided transaction data to Feedback

Attributes: Tickets, PaymentMethod, TotalAmount, PaymentCurrency, PaymentStatus, Receipt, PaymentReservationTimer

Operations: calculatePaymentTotal(), convertCurrency(), processPayment(), retryPayment(), cancelPurchase(), startReservationTimer(), sendPaymentConfirmation()

LoyaltyAccount

Overview: manages rewards points, membership tiers, and special discount perks

Relationships: Linked to AccountInfo so points and rewards attach directly to the user's account

Attributes: AccountInformarion, PaymentInfomration, LoyaltyPoints, MembershipsCard, MembershipStatus, RewardInformation

Operations: createLoyaltyAccount(), registerMembershipCard(), addLoyaltyPoints(), redeemLoyaltyPoints(), displayAccountInformation(), displayRewardInformation()

Feedback

Overview: allows users to rate and review their experience after a ticket purchase

- Relationships: has a dependency on Payment (requires a completed transaction before accepting user reviews)

Attributes: Rating, Purchase

Operations: displayFeedbackOptions(), submitFeedback(), skipFeedback(), confirmFeedbackSubmission()

Together, these classes form a cohesive, interconnected framework that seamlessly routes user actions from initial browsing to ticket booking and post purchase feedback.

Other Information:

Development Plan and Timeline

The development plan will include five modules:

Module 1 - User Interface and Presentation module: Template design using HTML/CSS, Browser UI design and seat map design using client-side Java Script.

Module 2 - User authentication and loyalty program module: Design of sign-up process for users, User authentication, Session locking and Loyalty rewards calculation.

Module 3 - Catalog, Search and reservation module: Design of movie catalog engine, Search for movie show times, Locking of seat reservations for 10 minutes and Ticket restriction

Movie Ticket Booking System

Module 4 - Payment Gateway and notification module: Integration with third party payment gateway services such as Visa, PayPal, Apple Pay, Foreign currency transaction, Discounts and receipts via email/SMS and QR code.

Module 5 - Database and help desk module: Schema partitioning of theater in San Diego, Query optimization for 100 milliseconds, Help Desk tickets and sales report.

Team Member Responsibilities Allocation

Team Member	Primary Roles & Modules	Assigned Responsibilities
Ows Zoabel	System Architect & Backend Lead	Design of database schema and partitions in San Diego locations, application controllers (UserFunctions, AccountInfo, LoyaltyAccount), security of sessions, and GitHub repositories.
Leah Bernstein	Frontend & UI Developer	Web presentation layer design (HTML/CSS/JavaScript), interactive seating chart for selecting auditorium seats (Theater, Showtime), and adaptive browser layouts for desktop displays.
Hsa Say	Integration, Business Logic & Testing Lead	Ticket processing and hold timer functions (Ticket, Payment), payment gateway connectors and currency exchange functionality, admin help desk reports (Helpdesk, Feedback), and project testing/QA.

Development Timeline (4 Month Project)

Month 1: Requirements Collection & Architectural Design

[W1-W2] SRS Requirement Specification & Scope Definition Completed

[W3-W4] DDS, Software Architecture & Database Design Completed

Month 2: Development of Major Front and Back-End Engine

[W5-W6] Development of HTML/CSS design & User Authentication/Account management module completed

[W7-W8] Development of Movie Search Engine, Theaters/Show Times mapping and Seat Interactivity engine completed

Month 3: Development of Business logic and APIs integration

[W9-W10] Development of Seats timer locking, 5 seats limit & Discounts module completed

[W11-W12] Development of Payment Gateway, Currency Conversion and SMS/Email gateway completed

Month 4: Development of Admin Panel, Testing & Delivery

[W13-W14] Development of Admin Reporting, Support Tickets Queue & Feedback module completed

[W15] System Testing, load testing (concurrent 1,000+ users) and Mean Time Between Failure verification performed

[W16] System Verification and Delivery of Documentation (in PDF form) on GitHub

3.6 Inverse Requirements

*State any *useful* inverse requirements.*

3.7 Design Constraints

Specify design constraints imposed by other standards, company policies, hardware limitation, etc. that will impact this software project.

3.8 Logical Database Requirements

Will a database be used? If so, what logical requirements exist for data formats, storage capabilities, data retention, data integrity, etc.

3.9 Other Requirements

Catchall section for any additional requirements.

4. Analysis Models

List all analysis models used in developing specific requirements previously given in this SRS. Each model should include an introduction and a narrative description. Furthermore, each model should be traceable the SRS's requirements.

4.1 Sequence Diagrams

4.3 Data Flow Diagrams (DFD)

4.2 State-Transition Diagrams (STD)

5. Change Management Process

Identify and describe the process that will be used to update the SRS, as needed, when project scope or requirements change. Who can submit changes and by what means, and how will these changes be approved.

A. Appendices

Appendices may be used to provide additional (and hopefully helpful) information. If present, the SRS should explicitly state whether the information contained within an appendix is to be considered as a part of the SRS's overall set of requirements.

Example Appendices could include (initial) conceptual documents for the software project, marketing materials, minutes of meetings with the customer(s), etc.

A.1 Appendix 1

A.2 Appendix 2