

# **Multiple Tables**

#### **Outer Join**

An outer join will combine rows from different tables even if the join condition is not met. In a LEFT JOIN , every row in the *left* table is returned in the result set, and if the join condition is not met, then NULL values are used to fill in the columns from the right table.

## **WITH Clause**

The with clause stores the result of a query in a temporary table (temporary\_movies) using an alias. Multiple temporary tables can be defined with one instance of the with keyword.

#### **UNION Clause**

The UNION clause is used to combine results that appear from multiple SELECT statements and filter duplicates.

For example, given a first\_names table with a column name containing rows of data "James" and "Hermione", and a last\_names table with a column name containing rows of data "James", "Hermione" and "Cassidy", the result of this query would contain three name s: "Cassidy", "James", and "Hermione".

## **CROSS JOIN Clause**

The cross Join clause is used to combine each row from one table with each row from another in the result set.

This Join is helpful for creating all possible combinations for the records (rows) in two tables.

The given query will select the <code>shirt\_color</code> and <code>pants\_color</code> columns from the result set, which will contain all combinations of combining the rows in the <code>shirts</code> and <code>pants</code> tables. If there are 3 different shirt colors in the <code>shirts</code> table and 5 different pants colors in the <code>pants</code> table then the result set will contain 3 x 5 = 15 rows.

```
SELECT column_name(s)
FROM table1
LEFT JOIN table2
  ON table1.column_name = table2.column_name;
```

```
WITH temporary_movies AS (

SELECT *

FROM movies
)

SELECT *

FROM temporary_movies

WHERE year BETWEEN 2000 AND 2020;
```

SELECT name
FROM first\_names
UNION
SELECT name
FROM last names

SELECT shirts.shirt\_color,
 pants.pants\_color
FROM shirts
CROSS JOIN pants;

## Foreign Key

A foreign key is a reference in one table's records to the primary key of another table. To maintain multiple records for a specific row, the use of foreign key plays a vital role. For instance, to track all the orders of a specific customer, the table order (illustrated at the bottom of the image) can contain a foreign key.



customer_id	f_name	l_name
1	Abby	Caren
2	Aaron	Paul
3	Gratian	Joseph

order_id	customer_id	order_qty
1	2	5
2	2	6
3	1	2

## **Inner Join**

The  $\tt JOIN$  clause allows for the return of results from more than one table by joining them together with other results based on common column values specified using an <code>ON Clause</code>. <code>INNER JOIN</code> is the default <code>JOIN</code> and it will only return results matching the condition specified by <code>ON</code> .

# **Primary Key**

A *primary key* column in a SQL table is used to uniquely identify each record in that table. A primary key cannot be <code>NULL</code> . In the example, <code>customer\_id</code> is the primary key. The same value cannot re-occur in a primary key column. Primary keys are often used in <code>JOIN</code> operations.

SELECT \*

FROM books

JOIN authors

ON books.author\_id = authors.id;

customer_id	f_name	l_name
1	Abby	Caren
2	Aaron	Paul
3	Gratian	Joseph