FinanceSQLAG Documentation

sqldb-mdmebt-prod-doc

Server	FinanceSQLAG
Author	adminss
Created	Wednesday, October 14, 2026 10:38:35 AM
File Path	C:\Users\adminss\Documents\My Database Documentation\sqldb-mdmebt-prod_documentation-2026-10-14T10-38-35.pdf

Table of Contents

Table of Contents 2

FinanceSQLAG 6

User databases 8

sqldb-mdmebt-prod-doc Database 9

Tables 11

[dbo].[ActivityTypeICEmployeeMapping] 13

[dbo].[ApprovedRates_Archive] 14

[dbo].[APTBL_BUDGET_DETAIL] 16

[dbo].[APTBL_BUDGET_HEADER] 18

[dbo].[APTBL_BUDGET_SUBCON] 21

[dbo].[APTBL_BUDGET_SUBCON_DETAIL] 23

[dbo].[APTBL_BUDGET_TK] 25

[dbo].[BudgetAccess] 28

[dbo].[BudgetDetail] 30

[dbo].[BudgetDigitalTool] 33

[dbo].[BudgetDigitalTool_040226] 35

[dbo].[BudgetFee] 36

[dbo].[BudgetFee_081326] 39

[dbo].[BudgetHR] 41

[dbo].[BudgetLookup] 44

[dbo].[BudgetMetrics] 46

[dbo].[CM_BudgetDetail] 48

[dbo].[CM_BudgetDigitalTool] 51

[dbo].[CM_BudgetFee] 53

[dbo].[CM_BudgetFee_081326] 56

[dbo].[CM_BudgetHR] 58

[dbo].[CM_BudgetMetrics] 61

[dbo].[CM_EmployeeBudgetPerPeriod] 63

[dbo].[CommunityLookup] 66

[dbo].[CountryLookup] 67

[dbo].[CurrencyCompanyCodeMapping] 68

[dbo].[CurrencyLookup] 69

[dbo].[DataDrivenAppLogs] 70

[dbo].[DepartmentLookup] 73

[dbo].[EmployeeBudgetPerPeriod] 74

[dbo].[Entity] 77

[dbo].[entity_020426] 79

[dbo].[entity_050726] 81
[dbo].[EntityAttributes] 83
[dbo].[entityattributes_020426] 86
[dbo].[EntityGroup] 88
[dbo].[entitytgroup_050726] 90
[dbo].[ExportDetails] 91
[dbo].[FxRate] 92
[dbo].[FxRateArchive] 94
[dbo].[ICRates] 95
[dbo].[ICRatesArchive] 97
[dbo].[LocationCodeMapping] 99
[dbo].[LocationHolidayCalender] 100
[dbo].[LocationHolidayCalender_121525] 101
[dbo].[LocationHolidayCalender_backup] 102
[dbo].[MarginCalcLogs] 103
[dbo].[old_rate_2026] 105
[dbo].[ProfitHurdle] 107
[dbo].[Rate] 109
[dbo].[rate_013126] 112
[dbo].[Rate_2026] 114
[dbo].[RateType] 116
[dbo].[SAPCountryMaster] 117
[dbo].[SAPEmployeeMaster] 119
[dbo].[SAPEmployeeMaster_backup] 122
[dbo].[SAPProjectMaster] 124
[dbo].[SAPStandardBillRateMaster] 126
[dbo].[Sector_STD_Rates_Archive] 128
[dbo].[StandardCostRate_20260129_5025 2026 (002)] 129
[dbo].[SubLevelActivityTypeMapping] 131
[dbo].[SubLevelMapping] 133
[dbo].[TBDMapping] 134
[dbo].[TBDMapping_062025] 136
[dbo].[TitleSublevelActivityMapping] 137
[dbo].[TK_Default_RATE_Archive] 138
[SQLSentry].[ProcedureStats_1_64C73CD49DAC4C39DC18C28B919540E2] 140
[SQLSentry].[ProcedureStats_2_64C73CD49DAC4C39DC18C28B919540E2] 142
[SQLSentry].[QueryStats_1_64C73CD49DAC4C39DC18C28B919540E2] 144
[SQLSentry].[QueryStats_2_64C73CD49DAC4C39DC18C28B919540E2] 146

[SQLSentry].[SQLSentryObjectVersion_20] 148
Views 149
[dbo].[V_StandardBillRateByEmployee] 150
[dbo].[V_TBDEmployee] 152
[dbo].[V_TBDLegacyEmployee] 157
Stored Procedures 160
[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522] 161
[dbo].[APSP_Engagement_Budget_Margin_Calc] 182
[dbo].[APSP_Engagement_Budget_Margin_Calc_New] 200
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug] 221
[dbo].[APSP_InsertBudgetMetrics] 242
[dbo].[APSP_InsertCMBudgetMetrics] 245
[dbo].[APSP_InsertMarginCalcLogs] 248
[dbo].[SP_BulkRateDataUpload] 250
[dbo].[SP_CloneBudget] 254
[dbo].[SP_CloneBudgetBefore2023] 262
[dbo].[SP_CM_GetWorkingDaysByPeriod] 270
[dbo].[SP_ConvertXmlFileDataToTable] 275
[dbo].[SP_CurrencyConversionRate] 277
[dbo].[SP_EmpLoyeeDetails] 280
[dbo].[SP_GetAssociatedGroupsbyId] 282
[dbo].[SP_GetChildGroupsbyId] 284
[dbo].[SP_GetEngagementDetails] 286
[dbo].[SP_GetHierarchyData] 289
[dbo].[SP_GetHolidayDates] 294
[dbo].[SP_GetSecondaryTitleDescriptionCode] 296
[dbo].[SP_GetSingleGroups] 298
[dbo].[sp_GetSumStdCost] 300
[dbo].[SP_GetTBDEmployeeDetails] 313
[dbo].[SP_GetWorkingDaysByPeriod] 324
[dbo].[SP_IsNewRate] 329
[dbo].[SP_TBDEmployee] 336
[dbo].[spGetBlockInfo_20] 338
[dbo].[usp_add_FkConstraint] 345
[dbo].[usp_GetIcRate] 346
[dbo].[usp_PurgeDeletedData] 350
[dbo].[usp_remove_Employee] 354
[SQLSentry].[spGetProcedureStatsData] 355

[SQLSentry].[spGetQueryStatsData] 364
Scalar-valued Functions 373
[dbo].[fn_GetDeptCodeByName] 374
[dbo].[fn_GetISLGroupingByYear] 376
[dbo].[fn_GetISLServiceLine] 378
[dbo].[fn_GetRegionByYear] 380
[dbo].[fn_GetStdCostRegionByYear] 382
[dbo].[fn_Holidays] 384
[dbo].[fn_WorkDays] 386
User-Defined Table Types 388
[dbo].[EmployeeList] 389
[dbo].[RateInput] 390
[dbo].[RateInput_1] 392
[dbo].[YearList] 394
Users 395
dbo 396
guest 397
NT AUTHORITY\SYSTEM 398
NT Service\SqlServerExtension 399
Database Roles 400
db_accessadmin 400
db_backupoperator 400
db_datareader 401
db_datawriter 401
db_ddladmin 401
db_denydatareader 402
db_denydatawriter 402
db_owner 402
db_securityadmin 402
public 403
SQLArcExtensionUserRole 403
Schemas 405
Archive 406
SQLSentry 407

FinanceSQLAG

Databases (1)

- sqldb-mdmebt-prod-doc

Server Properties

Property	Value
Product	Microsoft SQL Server
Version	15.0.4470.1
Language	English (United States)
Platform	NT x64
Edition	Enterprise Edition: Core-based Licensing (64-bit)
Engine Edition	3 (Enterprise)
Processors	16
OS Version	6.3 (20348)
Physical Memory	131071
Is Clustered	False
Root Directory	D:\Microsoft SQL Server\MSSQL15.FINANCE\MSSQL
Collation	SQL_Latin1_General_CP1_CI_AS

Server Settings

Property	Value
Default data file path	E:\Data1\MSSQL15.FINANCE\Data\
Default backup file path	\\onefirm.corp\DBA\corpdbbackups\prod\FinanceSQLAG
Default log file path	E:\Logs\MSSQL15.FINANCE\Logs\
Recovery Interval (minutes)	0
Default index fill factor	0
Default backup media retention	0
Compress Backup	True

Advanced Server Settings

Property	Value
Locks	0
Nested triggers enabled	True
Allow triggers to fire others	True
Default language	English

Copyright 2026 - All Rights Reserved

Network packet size	4096
Default fulltext language LCID	1033
Two-digit year cutoff	2049
Remote login timeout	10
Cursor threshold	-1
Max text replication size	65536
Parallelism cost threshold	5
Max degree of parallelism	8
Min server memory	16
Max server memory	125568
Scan for startup procs	False
Transform noise words	False
CLR enabled	True
Blocked process threshold	0
Filestream access level	False
Optimize for ad hoc workloads	False
CLR strict security	True

Copyright 2026 - All Rights Reserved

User databases

Databases (1)

- sqldb-mdmebt-prod-doc

Copyright 2026 - All Rights Reserved

sqldb-mdmebt-prod-doc Database

Database Properties

Property	Value
SQL Server Version	SqlServer2019
Compatibility Level	SqlServer2019
Last backup time	-
Last log backup time	-
Creation date	Oct 14 2026
Users	6
Database Encryption Enabled	False
Database Encryption Algorithm	None
Database size	16.00 MB
Unallocated space	3.98 MB

Database Options

Property	Value
Compatibility Level	150
Database collation	SQL_Latin1_General_CP1_CI_AS
Restrict access	MULTI_USER
Is read-only	False
Auto close	False
Auto shrink	False
Database status	ONLINE
In standby	False
Cleanly shutdown	False
Supplemental logging enabled	False
Snapshot isolation state	OFF
Read committed snapshot on	False
Recovery model	FULL
Page verify option	CHECKSUM
Auto create statistics	True
Auto update statistics	True
Auto update statistics asynchronously	False
ANSI NULL default	False
ANSI NULL enabled	False
ANSI padding enabled	False

Copyright 2026 - All Rights Reserved

ANSI warnings enabled	False
Arithmetic abort enabled	False
Concatenating NULL yields NULL	False
Numeric roundabort enabled	False
Quoted Identifier On	False
Recursive triggers enabled	False
Close cursors on commit	False
Local cursors by default	False
Fulltext enabled	True
Trustworthy	False
Database chaining	False
Forced parameterization	False
Master key encrypted by server	False
Published	False
Subscribed	False
Merge published	False
Is distribution database	False
Sync with backup	False
Service broker GUID	8a9075ec-8996-4f8d-ac8e-0ae636f9f11a
Service broker enabled	False
Date correlation	False
CDC enabled	False
Encrypted	False
Honor broker priority	False
Default language	English
Default fulltext language LCID	1033
Nested triggers enabled	True
Transform noise words	False
Two-digit year cutoff	2049
Containment	NONE
Target recovery time	60
Database owner	ONEFIRM\adminss

Files

Name	Type	Size	Maxsize	Autogrowth	File Name
sqldb-mdmebt-prod-doc	Data	8.00 MB	unlimited	64.00 MB	E:\Data1\MSSQL15.FINANCE\Data\sqldb-mdmebt-prod-doc.mdf
sqldb-mdmebt-prod-doc_log	Log	8.00 MB	2048.00 GB	64.00 MB	E:\Logs\MSSQL15.FINANCE\Logs\sqldb-mdmebt-prod-doc_log.ldf

Copyright 2026 - All Rights Reserved

Tables

Objects

Name
dbo.ActivityTypeICEmployeeMapping
dbo.ApprovedRates_Archive
dbo.APTBL_BUDGET_DETAIL
dbo.APTBL_BUDGET_HEADER
dbo.APTBL_BUDGET_SUBCON
dbo.APTBL_BUDGET_SUBCON_DETAIL
dbo.APTBL_BUDGET_TK
dbo.BudgetAccess
dbo.BudgetDetail
dbo.BudgetDigitalTool
dbo.BudgetDigitalTool_040226
dbo.BudgetFee
dbo.BudgetFee_081326
dbo.BudgetHR
dbo.BudgetLookup
dbo.BudgetMetrics
dbo.CM_BudgetDetail
dbo.CM_BudgetDigitalTool
dbo.CM_BudgetFee
dbo.CM_BudgetFee_081326
dbo.CM_BudgetHR
dbo.CM_BudgetMetrics
dbo.CM_EmployeeBudgetPerPeriod
dbo.CommunityLookup
dbo.CountryLookup
dbo.CurrencyCompanyCodeMapping
dbo.CurrencyLookup
dbo.DataDrivenAppLogs
dbo.DepartmentLookup
dbo.EmployeeBudgetPerPeriod
dbo.Entity
dbo.entity_020426
dbo.entity_050726
dbo.EntityAttributes

Copyright 2026 - All Rights Reserved

dbo.entityattributes_020426
dbo.EntityGroup
dbo.entitytgroup_050726
dbo.ExportDetails
dbo.FxRate
dbo.FxRateArchive
dbo.ICRates
dbo.ICRatesArchive
dbo.LocationCodeMapping
dbo.LocationHolidayCalender
dbo.LocationHolidayCalender_121525
dbo.LocationHolidayCalender_backup
dbo.MarginCalcLogs
dbo.old_rate_2026
dbo.ProfitHurdle
dbo.Rate
dbo.rate_013126
dbo.Rate_2026
dbo.RateType
dbo.SAPCountryMaster
dbo.SAPEmployeeMaster
dbo.SAPEmployeeMaster_backup
dbo.SAPProjectMaster
dbo.SAPStandardBillRateMaster
dbo.Sector_STD_Rates_Archive
dbo.StandardCostRate_20260129_5025 2026 (002)
dbo.SubLevelActivityTypeMapping
dbo.SubLevelMapping
dbo.TBDMapping
dbo.TBDMapping_062025
dbo.TitleSublevelActivityMapping
dbo.TK_Default_RATE_Archive
SQLSentry.ProcedureStats_1_64C73CD49DAC4C39DC18C28B919540E2
SQLSentry.ProcedureStats_2_64C73CD49DAC4C39DC18C28B919540E2
SQLSentry.QueryStats_1_64C73CD49DAC4C39DC18C28B919540E2
SQLSentry.QueryStats_2_64C73CD49DAC4C39DC18C28B919540E2
SQLSentry.SQLSentryObjectVersion_20

Copyright 2026 - All Rights Reserved

[dbo].[ActivityTypeICEmployeeMapping]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:33 AM Wednesday, October 14, 2026
Last Modified	10:29:33 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	ID	int	4	NOT NULL	1 - 1
	ActivityType	nvarchar(50)	100	NULL allowed	
	ICActivityType	nvarchar(50)	100	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_ActivityTypeICEmployeeMapping	ID	True

SQL Script

```
CREATE TABLE [dbo].[ActivityTypeICEmployeeMapping]
(
[ID] [int] NOT NULL IDENTITY(1, 1),
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ICActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[ActivityTypeICEmployeeMapping] ADD CONSTRAINT [PK_ActivityTypeICEmployee-
Mapping] PRIMARY KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
```

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]

Copyright 2026 - All Rights Reserved

[dbo].[ApprovedRates_Archive]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:34 AM Wednesday, October 14, 2026
Last Modified	10:29:34 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
BillCode	varchar(255)	255	NULL allowed
USD	numeric(38,0)	17	NULL allowed
GBP	numeric(38,0)	17	NULL allowed
EURO	numeric(38,0)	17	NULL allowed
JPY	numeric(38,0)	17	NULL allowed
RMB	numeric(38,0)	17	NULL allowed
HKD	numeric(38,0)	17	NULL allowed
KRW	numeric(38,0)	17	NULL allowed
AED	numeric(38,0)	17	NULL allowed
CAD	numeric(38,0)	17	NULL allowed
AUD	numeric(38,0)	17	NULL allowed
CHF	numeric(38,0)	17	NULL allowed
ARS	numeric(38,0)	17	NULL allowed
Period	numeric(38,0)	17	NULL allowed
Year	numeric(38,0)	17	NULL allowed

SQL Script

```
CREATE TABLE [dbo].[ApprovedRates_Archive]
(
[BillCode] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[USD] [numeric] (38, 0) NULL,
[GBP] [numeric] (38, 0) NULL,
[EURO] [numeric] (38, 0) NULL,
[JPY] [numeric] (38, 0) NULL,
[RMB] [numeric] (38, 0) NULL,
```


Copyright 2026 - All Rights Reserved

```
[HKD] [numeric] (38, 0) NULL,
[KRW] [numeric] (38, 0) NULL,
[AED] [numeric] (38, 0) NULL,
[CAD] [numeric] (38, 0) NULL,
[AUD] [numeric] (38, 0) NULL,
[CHF] [numeric] (38, 0) NULL,
[ARS] [numeric] (38, 0) NULL,
[Period] [numeric] (38, 0) NULL,
[Year] [numeric] (38, 0) NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[APTBL_BUDGET_DETAIL]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:34 AM Wednesday, October 14, 2026
Last Modified	10:29:34 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
BUDGET_FILE_NAME	varchar(255)	255	NOT NULL
BUDGET_VERSION_DATE	varchar(50)	50	NULL allowed
CLIENT_NUMBER	varchar(255)	255	NULL allowed
MATTER_NUMBER	varchar(255)	255	NULL allowed
PERIOD_TYPE	varchar(255)	255	NULL allowed
TK_REFERENCE	varchar(255)	255	NOT NULL
TKID	varchar(255)	255	NOT NULL
START_DATE	date	3	NOT NULL
END_DATE	date	3	NULL allowed
DAYS	decimal(14,3)	9	NULL allowed
HOURS	decimal(14,3)	9	NULL allowed
TRVL_HRS	decimal(14,3)	9	NULL allowed
FEES	decimal(14,3)	9	NULL allowed
TRVL_FEES	decimal(14,3)	9	NULL allowed
FEES_AT_STD	decimal(14,3)	9	NULL allowed
HEADER_ID	int	4	NOT NULL
ROW_ID	int	4	NOT NULL
BUDGET_LOAD_DATE	datetime	8	NOT NULL

SQL Script

```
CREATE TABLE [dbo].[APTBL_BUDGET_DETAIL]
(
[BUDGET_FILE_NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BUDGET_VERSION_DATE] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CLIENT_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[MATTER_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[PERIOD_TYPE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TK_REFERENCE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TKID] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[START_DATE] [date] NOT NULL,
[END_DATE] [date] NULL,
[DAYS] [decimal] (14, 3) NULL,
[HOURS] [decimal] (14, 3) NULL,
[TRVL_HRS] [decimal] (14, 3) NULL,
[FEES] [decimal] (14, 3) NULL,
[TRVL_FEES] [decimal] (14, 3) NULL,
[FEES_AT_STD] [decimal] (14, 3) NULL,
[HEADER_ID] [int] NOT NULL,
[ROW_ID] [int] NOT NULL,
[BUDGET_LOAD_DATE] [datetime] NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[APTBL_BUDGET_HEADER]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:34 AM Wednesday, October 14, 2026
Last Modified	10:29:34 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
BUDGET_FILE_NAME	varchar(255)	255	NOT NULL
BUDGET_VERSION_DATE	varchar(50)	50	NOT NULL
IS_CURRENT	bit	1	NOT NULL
HEADER_ID	int	4	NOT NULL
CLIENT_NUMBER	varchar(255)	255	NULL allowed
CLIENT_NAME	varchar(255)	255	NULL allowed
MATTER_NUMBER	varchar(255)	255	NULL allowed
ENGAGEMENT_NAME	varchar(255)	255	NULL allowed
MD_IN_CHARGE	varchar(255)	255	NULL allowed
START_DATE	date	3	NULL allowed
END_DATE	date	3	NULL allowed
NUM_PERIODS	decimal(14,3)	9	NULL allowed
PERIOD_TYPE	varchar(255)	255	NULL allowed
CURRENCY	varchar(255)	255	NULL allowed
BUSINESS_UNIT	varchar(255)	255	NULL allowed
COMMUNITY	varchar(255)	255	NULL allowed
COUNTRY	varchar(50)	50	NULL allowed
AGREED_BASE_FEES	decimal(14,3)	9	NULL allowed
FEES_INCLUDE_EXP	varchar(255)	255	NULL allowed
EXPECTED_WUWD_EXC_CONTINGENT	decimal(14,3)	9	NULL allowed
TOTAL_REV_EXC_CONTINGENT	decimal(14,3)	9	NULL allowed
REALIZATION_WO_CONT_FEE	decimal(14,3)	9	NULL allowed
EXPECTED_CONT_FEE	decimal(14,3)	9	NULL allowed
EXPECTED_WUWD_INC_CONT	decimal(14,3)	9	NULL allowed
TOTAL_REVENUE_INC_CONT	decimal(14,3)	9	NULL allowed

Copyright 2026 - All Rights Reserved

REALIZATION_INC_CONTINGENT	decimal(14,3)	9	NULL allowed
EXPENSES	decimal(14,3)	9	NULL allowed
FEES_SUBTOTAL	decimal(14,3)	9	NULL allowed
EST_TRAVEL_EXP	decimal(14,3)	9	NULL allowed
EST_TRAVEL_TIME	decimal(14,3)	9	NULL allowed
ADMIN_FEE	decimal(14,3)	9	NULL allowed
STD_RATE_REAL_INC_TRVL_INCL_CONT	decimal(14,3)	9	NULL allowed
STD_RATE_REAL_INC_TRVL_EXC_CONT	decimal(14,3)	9	NULL allowed
STD_RATE_REAL_EXC_TRVL_EX_CONT	decimal(14,3)	9	NULL allowed
STD_RATE_REAL_EXC_TRVL_INCL_CONT	decimal(14,3)	9	NULL allowed
AVG_HOURLY_RATE_INCL_TRVL_EXC_CONT	decimal(14,3)	9	NULL allowed
AVG_HOURLY_RATE_EXC_TRVL_EXC_CONT	decimal(14,3)	9	NULL allowed
STAFF_MD_HRS_LEVERAGE	decimal(14,3)	9	NULL allowed
PERCENT_HRS_BELOW_DIRECTOR	decimal(14,3)	9	NULL allowed
STAFF_AVG_HOURS_BY_DAY	varchar(255)	255	NULL allowed
NET_REVENUE	decimal(14,3)	9	NULL allowed
SUBCON_MARGIN	decimal(14,3)	9	NULL allowed
EST_ENGAGEMENT_MARGIN	decimal(14,3)	9	NULL allowed
EST_ENGAGEMENT_MARGIN_PERCENT	decimal(14,3)	9	NULL allowed
SUBCON_PAY	decimal(14,3)	9	NULL allowed
SUBCON_CLIENT_BILL	decimal(14,3)	9	NULL allowed
SUBCON_MARKUP	decimal(14,3)	9	NULL allowed
SUBCON_STD_RATE	decimal(14,3)	9	NULL allowed
TOTAL_HOURS	decimal(14,3)	9	NULL allowed
TRAVEL_HOURS	decimal(14,3)	9	NULL allowed
HRS_EXCLUDING_TRVL	decimal(14,3)	9	NULL allowed
TOTAL_FEES_AT_STD	decimal(14,3)	9	NULL allowed
TRVL_FEES_AT_STD	decimal(14,3)	9	NULL allowed
FEES_AT_STD_EXC_TRVL	decimal(14,3)	9	NULL allowed
BUDGET_LOAD_DATE	datetime	8	NOT NULL

SQL Script

```
CREATE TABLE [dbo].[APTBL_BUDGET_HEADER]
(
[BUDGET_FILE_NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BUDGET_VERSION_DATE] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[IS_CURRENT] [bit] NOT NULL,
[HEADER_ID] [int] NOT NULL,
[CLIENT_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CLIENT_NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[MATTER_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ENGAGEMENT_NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[MD_IN_CHARGE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[START_DATE] [date] NULL,
[END_DATE] [date] NULL,
[NUM_PERIODS] [decimal] (14, 3) NULL,
[PERIOD_TYPE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CURRENCY] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[BUSINESS_UNIT] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[COMMUNITY] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[COUNTRY] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[AGREED_BASE_FEES] [decimal] (14, 3) NULL,
[FEES_INCLUDE_EXP] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EXPECTED_WUWD_EXC_CONTINGENT] [decimal] (14, 3) NULL,
[TOTAL_REV_EXC_CONTINGENT] [decimal] (14, 3) NULL,
[REALIZATION_WO_CONT_FEE] [decimal] (14, 3) NULL,
[EXPECTED_CONT_FEE] [decimal] (14, 3) NULL,
[EXPECTED_WUWD_INC_CONT] [decimal] (14, 3) NULL,
[TOTAL_REVENUE_INC_CONT] [decimal] (14, 3) NULL,
[REALIZATION_INC_CONTINGENT] [decimal] (14, 3) NULL,
[EXPENSES] [decimal] (14, 3) NULL,
[FEES_SUBTOTAL] [decimal] (14, 3) NULL,
[EST_TRAVEL_EXP] [decimal] (14, 3) NULL,
[EST_TRAVEL_TIME] [decimal] (14, 3) NULL,
[ADMIN_FEE] [decimal] (14, 3) NULL,
[STD_RATE_REAL_INC_TRVL_INCL_CONT] [decimal] (14, 3) NULL,
[STD_RATE_REAL_INC_TRVL_EXC_CONT] [decimal] (14, 3) NULL,
[STD_RATE_REAL_EXC_TRVL_EX_CONT] [decimal] (14, 3) NULL,
[STD_RATE_REAL_EXC_TRVL_INCL_CONT] [decimal] (14, 3) NULL,
[AVG_HOURLY_RATE_INCL_TRVL_EXC_CONT] [decimal] (14, 3) NULL,
[AVG_HOURLY_RATE_EXC_TRVL_EXC_CONT] [decimal] (14, 3) NULL,
[STAFF_MD_HRS_LEVERAGE] [decimal] (14, 3) NULL,
[PERCENT_HRS_BELOW_DIRECTOR] [decimal] (14, 3) NULL,
[STAFF_AVG_HOURS_BY_DAY] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[NET_REVENUE] [decimal] (14, 3) NULL,
[SUBCON_MARGIN] [decimal] (14, 3) NULL,
[EST_ENGAGEMENT_MARGIN] [decimal] (14, 3) NULL,
[EST_ENGAGEMENT_MARGIN_PERCENT] [decimal] (14, 3) NULL,
[SUBCON_PAY] [decimal] (14, 3) NULL,
[SUBCON_CLIENT_BILL] [decimal] (14, 3) NULL,
[SUBCON_MARKUP] [decimal] (14, 3) NULL,
[SUBCON_STD_RATE] [decimal] (14, 3) NULL,
[TOTAL_HOURS] [decimal] (14, 3) NULL,
[TRAVEL_HOURS] [decimal] (14, 3) NULL,
[HRS_EXCLUDING_TRVL] [decimal] (14, 3) NULL,
[TOTAL_FEES_AT_STD] [decimal] (14, 3) NULL,
[TRVL_FEES_AT_STD] [decimal] (14, 3) NULL,
[FEES_AT_STD_EXC_TRVL] [decimal] (14, 3) NULL,
[BUDGET_LOAD_DATE] [datetime] NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[APTBL_BUDGET_SUBCON]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:34 AM Wednesday, October 14, 2026
Last Modified	10:29:34 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	HEADER_ID	int	4	NOT NULL	
PK C	ROW_ID	int	4	NOT NULL	1 - 1
	BUDGET_FILE_NAME	varchar(255)	255	NOT NULL	
	BUDGET_VERSION_DATE	varchar(50)	50	NOT NULL	
	CLIENT_NUMBER	varchar(255)	255	NULL allowed	
	Matter_Number	varchar(255)	255	NULL allowed	
PK C	TK_REFERENCE	varchar(255)	255	NOT NULL	
PK C	TK_SUBCON	varchar(255)	255	NOT NULL	
	CONTRACT_PAY	decimal(14,2)	9	NULL allowed	
	ROLE	varchar(255)	255	NULL allowed	
	COMMUNITY	varchar(255)	255	NULL allowed	
	BU	varchar(255)	255	NULL allowed	
	SUBCON_MARKUP_PERCENT	decimal(14,3)	9	NULL allowed	
	CLIENT_BILL	decimal(14,3)	9	NULL allowed	
	SUB_MARKUP	decimal(14,3)	9	NULL allowed	
	SUBCON_MARGIN	decimal(14,3)	9	NULL allowed	
	SUBCON_STD_RATE	decimal(14,3)	9	NULL allowed	
	YEAR1_PAY	decimal(14,2)	9	NULL allowed	
	YEAR2_PAY	decimal(14,2)	9	NULL allowed	
	YEAR3_PAY	decimal(14,2)	9	NULL allowed	
	YEAR4_PAY	decimal(14,2)	9	NULL allowed	
	YEAR5_PAY	decimal(14,2)	9	NULL allowed	
	YEAR6_PAY	decimal(14,2)	9	NULL allowed	
	BUDGET_LOAD_DATE	datetime	8	NOT NULL	

Copyright 2026 - All Rights Reserved

Indexes

Key	Name	Key Columns	Unique
	PK_APTBL_BUDGET_SUBCON	HEADER_ID, ROW_ID, TK_-REFERENCE, TK_SUBCON	True

SQL Script

```
CREATE TABLE [dbo].[APTBL_BUDGET_SUBCON]
(
[HEADER_ID] [int] NOT NULL,
[ROW_ID] [int] NOT NULL IDENTITY(1, 1),
[BUDGET_FILE_NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BUDGET_VERSION_DATE] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CLIENT_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Matter_Number] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TK_REFERENCE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_SUBCON] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CONTRACT_PAY] [decimal] (14, 2) NULL,
[ROLE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[COMMUNITY] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[BU] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SUBCON_MARKUP_PERCENT] [decimal] (14, 3) NULL,
[CLIENT_BILL] [decimal] (14, 3) NULL,
[SUB_MARKUP] [decimal] (14, 3) NULL,
[SUBCON_MARGIN] [decimal] (14, 3) NULL,
[SUBCON_STD_RATE] [decimal] (14, 3) NULL,
[YEAR1_PAY] [decimal] (14, 2) NULL,
[YEAR2_PAY] [decimal] (14, 2) NULL,
[YEAR3_PAY] [decimal] (14, 2) NULL,
[YEAR4_PAY] [decimal] (14, 2) NULL,
[YEAR5_PAY] [decimal] (14, 2) NULL,
[YEAR6_PAY] [decimal] (14, 2) NULL,
[BUDGET_LOAD_DATE] [datetime] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[APTBL_BUDGET_SUBCON] ADD CONSTRAINT [PK_APTBL_BUDGET_SUBCON] PRIMARY KEY CLUSTERED ([HEADER_ID], [ROW_ID], [TK_REFERENCE], [TK_SUBCON]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[APTBL_BUDGET_SUBCON_DETAIL]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:34 AM Wednesday, October 14, 2026
Last Modified	10:29:34 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	BUDGET_FILE_NAME	varchar(255)	255	NOT NULL
	BUDGET_VERSION_DATE	varchar(50)	50	NULL allowed
	CLIENT_NUMBER	varchar(255)	255	NULL allowed
	MATTER_NUMBER	varchar(255)	255	NULL allowed
	PERIOD_TYPE	varchar(255)	255	NULL allowed
PK C	TK_REFERENCE	varchar(255)	255	NOT NULL
PK C	TK_SUBCON	varchar(255)	255	NOT NULL
PK C	START_DATE	date	3	NOT NULL
	END_DATE	date	3	NULL allowed
	PAY	decimal(14,3)	9	NULL allowed
PK C	HEADER_ID	int	4	NOT NULL
PK C	ROW_ID	int	4	NOT NULL
	BUDGET_LOAD_DATE	datetime	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	PK_APTBL_BUDGET_SUBCON_DETAIL	TK_REFERENCE, TK_SUBCON, HEADER_ID, ROW_ID, START_-DATE	True

SQL Script

```
CREATE TABLE [dbo].[APTBL_BUDGET_SUBCON_DETAIL]
(
[BUDGET_FILE_NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[BUDGET_VERSION_DATE] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CLIENT_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[MATTER_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[PERIOD_TYPE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TK_REFERENCE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_SUBCON] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[START_DATE] [date] NOT NULL,
[END_DATE] [date] NULL,
[PAY] [decimal] (14, 3) NULL,
[HEADER_ID] [int] NOT NULL,
[ROW_ID] [int] NOT NULL,
[BUDGET_LOAD_DATE] [datetime] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[APTBL_BUDGET_SUBCON_DETAIL] ADD CONSTRAINT [PK_APTBL_BUDGET_SUBCON_DETAIL]
PRIMARY KEY CLUSTERED ([TK_REFERENCE], [TK_SUBCON], [HEADER_ID], [ROW_ID], [START_DATE]) ON
[PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[APTBL_BUDGET_TK]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:34 AM Wednesday, October 14, 2026
Last Modified	10:29:34 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
BUDGET_FILE_NAME	varchar(255)	255	NOT NULL
BUDGET_VERSION_DATE	varchar(50)	50	NOT NULL
CLIENT_NUMBER	varchar(255)	255	NULL allowed
MATTER_NUMBER	varchar(255)	255	NULL allowed
TK_REFERENCE	varchar(255)	255	NULL allowed
NAME	varchar(255)	255	NULL allowed
TKID	varchar(255)	255	NOT NULL
TITLE	varchar(255)	255	NULL allowed
ROLE	varchar(255)	255	NULL allowed
DEPARTMENT	varchar(255)	255	NULL allowed
BU	varchar(255)	255	NULL allowed
HOURS	decimal(14,3)	9	NULL allowed
ENGAGE_RATE	decimal(14,3)	9	NULL allowed
RATE	decimal(14,3)	9	NULL allowed
HEADER_ID	int	4	NOT NULL
ROW_ID	int	4	NOT NULL
DAYS	decimal(14,3)	9	NULL allowed
TOTAL_HOURS	decimal(14,3)	9	NULL allowed
Billable_Fees	decimal(14,3)	9	NULL allowed
Travel_Fees	decimal(14,3)	9	NULL allowed
FEES_AT_STD_RATE	decimal(14,2)	9	NULL allowed
Country_Community_SubLevel	varchar(50)	50	NULL allowed
Sector	varchar(5)	5	NULL allowed
Year1_Hrs	decimal(16,5)	9	NULL allowed
Year2_Hrs	decimal(16,5)	9	NULL allowed

Copyright 2026 - All Rights Reserved

Year3_Hrs	decimal(16,5)	9	NULL allowed
Year4_Hrs	decimal(16,5)	9	NULL allowed
Year5_Hrs	decimal(16,5)	9	NULL allowed
Year6_Hrs	decimal(16,5)	9	NULL allowed
Year1_#_of_Days	decimal(16,5)	9	NULL allowed
Year2_#_of_Days	decimal(16,5)	9	NULL allowed
Year3_#_of_Days	decimal(16,5)	9	NULL allowed
Year4_#_of_Days	decimal(16,5)	9	NULL allowed
Year5_#_of_Days	decimal(16,5)	9	NULL allowed
Year6_#_of_Days	decimal(16,5)	9	NULL allowed
BUDGET_LOAD_DATE	datetime	8	NOT NULL
Country_Community_ActivityType	varchar(50)	50	NULL allowed

SQL Script

```
CREATE TABLE [dbo].[APTBL_BUDGET_TK]
(
[BUDGET_FILE_NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BUDGET_VERSION_DATE] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CLIENT_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[MATTER_NUMBER] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TK_REFERENCE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[NAME] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TKID] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TITLE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ROLE] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DEPARTMENT] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[BU] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[HOURS] [decimal] (14, 3) NULL,
[ENGAGE_RATE] [decimal] (14, 3) NULL,
[RATE] [decimal] (14, 3) NULL,
[HEADER_ID] [int] NOT NULL,
[ROW_ID] [int] NOT NULL,
[DAYS] [decimal] (14, 3) NULL,
[TOTAL_HOURS] [decimal] (14, 3) NULL,
[Billable_Fees] [decimal] (14, 3) NULL,
[Travel_Fees] [decimal] (14, 3) NULL,
[FEES_AT_STD_RATE] [decimal] (14, 2) NULL,
[Country_Community_SubLevel] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Sector] [varchar] (5) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Year1_Hrs] [decimal] (16, 5) NULL,
[Year2_Hrs] [decimal] (16, 5) NULL,
[Year3_Hrs] [decimal] (16, 5) NULL,
[Year4_Hrs] [decimal] (16, 5) NULL,
[Year5_Hrs] [decimal] (16, 5) NULL,
[Year6_Hrs] [decimal] (16, 5) NULL,
[Year1_#_of_Days] [decimal] (16, 5) NULL,
[Year2_#_of_Days] [decimal] (16, 5) NULL,
```


Copyright 2026 - All Rights Reserved

```
[Year3_#_of_Days] [decimal] (16, 5) NULL,
[Year4_#_of_Days] [decimal] (16, 5) NULL,
[Year5_#_of_Days] [decimal] (16, 5) NULL,
[Year6_#_of_Days] [decimal] (16, 5) NULL,
[BUDGET_LOAD_DATE] [datetime] NOT NULL,
[Country_Community_ActivityType] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[BudgetAccess]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:34 AM Wednesday, October 14, 2026
Last Modified	10:29:44 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetAccessID	int	4	NOT NULL	1 - 1
FK	BudgetID	int	4	NOT NULL	
	EmployeeID	varchar(50)	50	NOT NULL	
	IsEditable	bit	1	NOT NULL	
	IsDeleted	bit	1	NOT NULL	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_BudgetAccessID1	BudgetAccessID	True

Foreign Keys

Name	Columns
FK_BudgetAccess_BudgetID1	BudgetID->[dbo].[BudgetDetail].[BudgetID]

SQL Script

```
CREATE TABLE [dbo].[BudgetAccess]
(
[BudgetAccessID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[EmployeeID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[IsEditable] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetAccess] ADD CONSTRAINT [PK_BudgetAccessID1] PRIMARY KEY CLUSTERED
([BudgetAccessID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetAccess] ADD CONSTRAINT [FK_BudgetAccess_BudgetID1] FOREIGN KEY ([Budget-
ID]) REFERENCES [dbo].[BudgetDetail] ([BudgetID])
GO
```

Uses

[dbo].[BudgetDetail]

Used By

[dbo].[SP_CloneBudget]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[SP_GetEngagementDetails]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[BudgetDetail]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:35 AM Wednesday, October 14, 2026
Last Modified	10:29:44 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetID	int	4	NOT NULL	1 - 1
	BudgetGroupID	int	4	NULL allowed	
	CustomerNumber	varchar(50)	50	NULL allowed	
	ClientName	varchar(255)	255	NOT NULL	
	ProjectNumber	varchar(50)	50	NULL allowed	
	EngagementName	varchar(255)	255	NOT NULL	
FK	BudgetStatusID	int	4	NULL allowed	
FK	BudgetTypeID	int	4	NULL allowed	
FK	PeriodTypeID	int	4	NULL allowed	
	MdInCharge	nvarchar(50)	100	NOT NULL	
	CurrencyCode	char(4)	4	NULL allowed	
	CountryCode	varchar(10)	10	NULL allowed	
	NoOfPeriods	int	4	NULL allowed	
	Community	varchar(255)	255	NOT NULL	
	StartDate	date	3	NULL allowed	
	EndDate	date	3	NULL allowed	
	BuLeader	varchar(255)	255	NULL allowed	
	OtherApprovals	varchar(255)	255	NULL allowed	
	BudgetLabel	varchar(255)	255	NULL allowed	
	IsDeleted	bit	1	NOT NULL	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	
	MdEmployeeId	varchar(50)	50	NULL allowed	

Copyright 2026 - All Rights Reserved

	CreatedByEmployeeId	varchar(50)	50	NULL allowed	
	UpdatedByEmployeeId	varchar(50)	50	NULL allowed	
	RadiusLeadId	varchar(50)	50	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_BudgetID	BudgetID	True

Foreign Keys

Name	Columns
FK_BudgetDetail_BudgetStatusID	BudgetStatusID->[dbo].[BudgetLookup].[BudgetLookupID]
FK_BudgetDetail_BudgetTypeID	BudgetTypeID->[dbo].[BudgetLookup].[BudgetLookupID]
FK_BudgetDetail_PeriodTypeID	PeriodTypeID->[dbo].[BudgetLookup].[BudgetLookupID]

SQL Script

```
CREATE TABLE [dbo].[BudgetDetail]
(
[BudgetID] [int] NOT NULL IDENTITY(1, 1),
[BudgetGroupID] [int] NULL,
[CustomerNumber] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ClientName] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ProjectNumber] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EngagementName] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BudgetStatusID] [int] NULL,
[BudgetTypeID] [int] NULL,
[PeriodTypeID] [int] NULL,
[MdInCharge] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CurrencyCode] [char] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CountryCode] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[NoOfPeriods] [int] NULL,
[Community] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[StartDate] [date] NULL,
[EndDate] [date] NULL,
[BuLeader] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[OtherApprovals] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[BudgetLabel] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[MdEmployeeId] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedByEmployeeId] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[UpdatedByEmployeeId] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[RadiusLeadId] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetDetail] ADD CONSTRAINT [PK_BudgetID] PRIMARY KEY CLUSTERED ([BudgetID])
ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetDetail] ADD CONSTRAINT [FK_BudgetDetail_BudgetStatusID] FOREIGN KEY
([BudgetStatusID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
ALTER TABLE [dbo].[BudgetDetail] ADD CONSTRAINT [FK_BudgetDetail_BudgetTypeID] FOREIGN KEY
([BudgetTypeID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
ALTER TABLE [dbo].[BudgetDetail] ADD CONSTRAINT [FK_BudgetDetail_PeriodTypeID] FOREIGN KEY
([PeriodTypeID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
```

Uses

[dbo].[BudgetLookup]

Used By

[dbo].[BudgetAccess]
[dbo].[BudgetFee]
[dbo].[BudgetMetrics]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[SP_CloneBudget]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[SP_GetEngagementDetails]
[dbo].[sp_GetSumStdCost]
[dbo].[SP_GetWorkingDaysByPeriod]
[dbo].[SP_IsNewRate]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[BudgetDigitalTool]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:35 AM Wednesday, October 14, 2026
Last Modified	10:29:35 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	BudgetDigitalToolID	int	4	NOT NULL	1 - 1
	BudgetID	int	4	NOT NULL	
	DigitalToolType	varchar(50)	50	NULL allowed	
	DigitalToolCost	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_BudgetDigitalToolID	BudgetDigitalToolID	True

SQL Script

```
CREATE TABLE [dbo].[BudgetDigitalTool]
(
[BudgetDigitalToolID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[DigitalToolType] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DigitalToolCost] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

```
ALTER TABLE [dbo].[BudgetDigitalTool] ADD CONSTRAINT [PK_BudgetDigitalToolID] PRIMARY KEY CLUSTERED ([BudgetDigitalToolID]) ON [PRIMARY]
GO
```

Used By

[dbo].[SP_CloneBudget]

[dbo].[SP_CloneBudgetBefore2023]

[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[BudgetDigitalTool_040226]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:35 AM Wednesday, October 14, 2026
Last Modified	10:29:35 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
BudgetDigitalToolID	int	4	NOT NULL	1 - 1
BudgetID	int	4	NOT NULL	
DigitalToolType	varchar(50)	50	NULL allowed	
DigitalToolCost	decimal(14,3)	9	NULL allowed	
CreatedBy	varchar(50)	50	NOT NULL	
CreatedDate	datetime	8	NULL allowed	
UpdatedBy	varchar(50)	50	NOT NULL	
UpdatedDate	datetime	8	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[BudgetDigitalTool_040226]
(
[BudgetDigitalToolID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[DigitalToolType] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DigitalToolCost] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[BudgetFee]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:35 AM Wednesday, October 14, 2026
Last Modified	10:29:44 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetFeeID	int	4	NOT NULL	1 - 1
FK	BudgetID	int	4	NOT NULL	
	AdminFee	decimal(14,3)	9	NULL allowed	
	TravelTime	decimal(14,3)	9	NULL allowed	
	TravelExpenses	decimal(14,3)	9	NULL allowed	
	EngagementFeeCap	decimal(14,3)	9	NULL allowed	
	ExpectedEtsCostType	varchar(255)	255	NULL allowed	
	ExpectedEtsCostAmount	decimal(14,3)	9	NULL allowed	
	ExpensesOrFixedExpenses	varchar(255)	255	NULL allowed	
	ExpectedContingentFeeUbb	decimal(14,3)	9	NULL allowed	
	ExpectedWUWDExcludingContingent	decimal(14,3)	9	NULL allowed	
	TotalRevenueExcludingContingent	decimal(14,3)	9	NULL allowed	
	ExpectedWUWDIncludingContingent	decimal(14,3)	9	NULL allowed	
	TotalRevenueIncludingContingent	decimal(14,3)	9	NULL allowed	
	FeesSubtotal	decimal(14,3)	9	NULL allowed	
	PlannedWorkDays	decimal(14,3)	9	NULL allowed	
	PlannedWorkHours	decimal(14,3)	9	NULL allowed	
	AverageHrsPerDay	decimal(14,3)	9	NULL allowed	
	RealizationwithoutContingentFees	decimal(14,3)	9	NULL allowed	
	RealizationIncludingContingentFees	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	
	ExpectedEtsTierSize	decimal(14,3)	9	NULL allowed	

Copyright 2026 - All Rights Reserved

	AgreedBaseFees	decimal(14,3)	9	NULL allowed	
	FixedExpensesAmount	decimal(14,3)	9	NULL allowed	
	FixedExpensesPerc	decimal(14,3)	9	NULL allowed	
	AdminFeeAmount	decimal(14,3)	9	NULL allowed	
	EstimatedTravelExpensesAmount	decimal(14,3)	9	NULL allowed	
	DeviationRatePerc	decimal(14,3)	9	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_BudgetFeesID	BudgetFeeID	True

Foreign Keys

Name	Columns
FK_BudgetFee_BudgetID1	BudgetID->[dbo].[BudgetDetail].[BudgetID]

SQL Script

```
CREATE TABLE [dbo].[BudgetFee]
(
[BudgetFeeID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[AdminFee] [decimal] (14, 3) NULL,
[TravelTime] [decimal] (14, 3) NULL,
[TravelExpenses] [decimal] (14, 3) NULL,
[EngagementFeeCap] [decimal] (14, 3) NULL,
[ExpectedEtsCostType] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedEtsCostAmount] [decimal] (14, 3) NULL,
[ExpensesOrFixedExpenses] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedContingentFeeUbb] [decimal] (14, 3) NULL,
[ExpectedWUWDExcludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueExcludingContingent] [decimal] (14, 3) NULL,
[ExpectedWUWDIncludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueIncludingContingent] [decimal] (14, 3) NULL,
[FeesSubtotal] [decimal] (14, 3) NULL,
[PlannedWorkDays] [decimal] (14, 3) NULL,
[PlannedWorkHours] [decimal] (14, 3) NULL,
[AverageHrsPerDay] [decimal] (14, 3) NULL,
[RealizationwithoutContingentFees] [decimal] (14, 3) NULL,
[RealizationIncludingContingentFees] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[ExpectedEtsTierSize] [decimal] (14, 3) NULL,
```


Copyright 2026 - All Rights Reserved

```
[AgreedBaseFees] [decimal] (14, 3) NULL,
[FixedExpensesAmount] [decimal] (14, 3) NULL,
[FixedExpensesPerc] [decimal] (14, 3) NULL,
[AdminFeeAmount] [decimal] (14, 3) NULL,
[EstimatedTravelExpensesAmount] [decimal] (14, 3) NULL,
[DeviationRatePerc] [decimal] (14, 3) NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetFee] ADD CONSTRAINT [PK_BudgetFeesID] PRIMARY KEY CLUSTERED ([BudgetFee-ID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetFee] ADD CONSTRAINT [FK_BudgetFee_BudgetID1] FOREIGN KEY ([BudgetID]) REFERENCES [dbo].[BudgetDetail] ([BudgetID])
GO
```

Uses

[dbo].[BudgetDetail]

Used By

[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[SP_CloneBudget]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[sp_GetSumStdCost]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[BudgetFee_081326]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:35 AM Wednesday, October 14, 2026
Last Modified	10:29:35 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
BudgetFeeID	int	4	NOT NULL	1 - 1
BudgetID	int	4	NOT NULL	
AdminFee	decimal(14,3)	9	NULL allowed	
TravelTime	decimal(14,3)	9	NULL allowed	
TravelExpenses	decimal(14,3)	9	NULL allowed	
EngagementFeeCap	decimal(14,3)	9	NULL allowed	
ExpectedEtsCostType	varchar(255)	255	NULL allowed	
ExpectedEtsCostAmount	decimal(14,3)	9	NULL allowed	
ExpensesOrFixedExpenses	varchar(255)	255	NULL allowed	
ExpectedContingentFeeUbb	decimal(14,3)	9	NULL allowed	
ExpectedWUWDExcludingContingent	decimal(14,3)	9	NULL allowed	
TotalRevenueExcludingContingent	decimal(14,3)	9	NULL allowed	
ExpectedWUWDIncludingContingent	decimal(14,3)	9	NULL allowed	
TotalRevenueIncludingContingent	decimal(14,3)	9	NULL allowed	
FeesSubtotal	decimal(14,3)	9	NULL allowed	
PlannedWorkDays	decimal(14,3)	9	NULL allowed	
PlannedWorkHours	decimal(14,3)	9	NULL allowed	
AverageHrsPerDay	decimal(14,3)	9	NULL allowed	
RealizationwithoutContingentFees	decimal(14,3)	9	NULL allowed	
RealizationIncludingContingentFees	decimal(14,3)	9	NULL allowed	
CreatedBy	varchar(50)	50	NOT NULL	
CreatedDate	datetime	8	NULL allowed	
UpdatedBy	varchar(50)	50	NOT NULL	
UpdatedDate	datetime	8	NULL allowed	

Copyright 2026 - All Rights Reserved

ExpectedEtsTierSize	decimal(14,3)	9	NULL allowed	
AgreedBaseFees	decimal(14,3)	9	NULL allowed	
FixedExpensesAmount	decimal(14,3)	9	NULL allowed	
FixedExpensesPerc	decimal(14,3)	9	NULL allowed	
AdminFeeAmount	decimal(14,3)	9	NULL allowed	
EstimatedTravelExpensesAmount	decimal(14,3)	9	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[BudgetFee_081326 ]
(
[BudgetFeeID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[AdminFee] [decimal] (14, 3) NULL,
[TravelTime] [decimal] (14, 3) NULL,
[TravelExpenses] [decimal] (14, 3) NULL,
[EngagementFeeCap] [decimal] (14, 3) NULL,
[ExpectedEtsCostType] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedEtsCostAmount] [decimal] (14, 3) NULL,
[ExpensesOrFixedExpenses] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedContingentFeeUbb] [decimal] (14, 3) NULL,
[ExpectedWUWDExcludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueExcludingContingent] [decimal] (14, 3) NULL,
[ExpectedWUWDIncludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueIncludingContingent] [decimal] (14, 3) NULL,
[FeesSubtotal] [decimal] (14, 3) NULL,
[PlannedWorkDays] [decimal] (14, 3) NULL,
[PlannedWorkHours] [decimal] (14, 3) NULL,
[AverageHrsPerDay] [decimal] (14, 3) NULL,
[RealizationwithoutContingentFees] [decimal] (14, 3) NULL,
[RealizationIncludingContingentFees] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[ExpectedEtsTierSize] [decimal] (14, 3) NULL,
[AgreedBaseFees] [decimal] (14, 3) NULL,
[FixedExpensesAmount] [decimal] (14, 3) NULL,
[FixedExpensesPerc] [decimal] (14, 3) NULL,
[AdminFeeAmount] [decimal] (14, 3) NULL,
[EstimatedTravelExpensesAmount] [decimal] (14, 3) NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[BudgetHR]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:35 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetHrID	int	4	NOT NULL	1 - 1
	BudgetID	int	4	NOT NULL	
	EmployeeID	varchar(50)	50	NULL allowed	
FK	EmployeeTypeID	int	4	NOT NULL	
	Name	nvarchar(255)	510	NOT NULL	
	Title	varchar(255)	255	NULL allowed	
	Role	varchar(255)	255	NOT NULL	
	Community	varchar(255)	255	NOT NULL	
	BusinessUnit	varchar(255)	255	NULL allowed	
	EngagementBillableHours	decimal(14,3)	9	NULL allowed	
	EngagementRate	decimal(14,3)	9	NULL allowed	
	SubMarkupPercentage	varchar(255)	255	NULL allowed	
	SubContractPay	decimal(14,3)	9	NULL allowed	
	TotalNoOfDays	decimal(14,3)	9	NULL allowed	
	TotalHours	decimal(14,3)	9	NULL allowed	
	TotalFeesStandard	decimal(14,3)	9	NULL allowed	
	TotalBillableFees	decimal(14,3)	9	NULL allowed	
	TotalTravelFees	decimal(14,3)	9	NULL allowed	
	ClientBill	decimal(14,3)	9	NULL allowed	
	SubMarkup	decimal(14,3)	9	NULL allowed	
	SubStandardRate	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Copyright 2026 - All Rights Reserved

	Region	varchar(255)	255	NULL allowed	
	IslGrouping	varchar(255)	255	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_BudgetHrID	BudgetHrID	True

Foreign Keys

Name	Columns
FK_BudgetHR_EmployeeTypeID	EmployeeTypeID->[dbo].[BudgetLookup].[BudgetLookupID]

SQL Script

```
CREATE TABLE [dbo].[BudgetHR]
(
[BudgetHrID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[EmployeeID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EmployeeTypeID] [int] NOT NULL,
[Name] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Title] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Role] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Community] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BusinessUnit] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EngagementBillableHours] [decimal] (14, 3) NULL,
[EngagementRate] [decimal] (14, 3) NULL,
[SubMarkupPercentage] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubContractPay] [decimal] (14, 3) NULL,
[TotalNoOfDays] [decimal] (14, 3) NULL,
[TotalHours] [decimal] (14, 3) NULL,
[TotalFeesStandard] [decimal] (14, 3) NULL,
[TotalBillableFees] [decimal] (14, 3) NULL,
[TotalTravelFees] [decimal] (14, 3) NULL,
[ClientBill] [decimal] (14, 3) NULL,
[SubMarkup] [decimal] (14, 3) NULL,
[SubStandardRate] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[Region] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IslGrouping] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetHR] ADD CONSTRAINT [PK_BudgetHrID] PRIMARY KEY CLUSTERED ([BudgetHrID])
ON [PRIMARY]
```


Copyright 2026 - All Rights Reserved

```
GO
ALTER TABLE [dbo].[BudgetHR] ADD CONSTRAINT [FK_BudgetHR_EmployeeTypeID] FOREIGN KEY ([Employee-TypeID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
```

Uses

[dbo].[BudgetLookup]

Used By

[dbo].[EmployeeBudgetPerPeriod]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[SP_CloneBudget]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[sp_GetSumStdCost]
[dbo].[SP_GetWorkingDaysByPeriod]
[dbo].[SP_IsNewRate]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[BudgetLookup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:36 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	BudgetLookupID	int	4	NOT NULL	1 - 1
	BudgetLookupType	nvarchar(50)	100	NOT NULL	
	Name	nvarchar(200)	400	NOT NULL	
	Description	nvarchar(255)	510	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_BudgetLookupID	BudgetLookupID	True

SQL Script

```
CREATE TABLE [dbo].[BudgetLookup]
(
[BudgetLookupID] [int] NOT NULL IDENTITY(1, 1),
[BudgetLookupType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Name] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Description] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetLookup] ADD CONSTRAINT [PK_BudgetLookupID] PRIMARY KEY CLUSTERED
([BudgetLookupID]) ON [PRIMARY]
GO
```

Used By

[dbo].[BudgetDetail]

Copyright 2026 - All Rights Reserved

[dbo].[BudgetHR]
[dbo].[CM_BudgetDetail]
[dbo].[CM_BudgetHR]
[dbo].[SP_CloneBudget]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[SP_GetEngagementDetails]

Copyright 2026 - All Rights Reserved

[dbo].[BudgetMetrics]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:36 AM Wednesday, October 14, 2026
Last Modified	10:29:44 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetMetricID	int	4	NOT NULL	1 - 1
FK	BudgetID	int	4	NOT NULL	
	StdRateRealizationInclTravelExclContingent	decimal(14,3)	9	NOT NULL	
	StdRateRealizationInclTravelInclContingent	decimal(14,3)	9	NULL allowed	
	StdRateRealizationExclTravelExclContingent	decimal(14,3)	9	NULL allowed	
	StdRateRealizationExclTravelInclContingent	decimal(14,3)	9	NULL allowed	
	AvgHourlyRateInclTravelExclContingent	decimal(14,3)	9	NULL allowed	
	AvgHourlyRateExclTravelExclContingent	decimal(14,3)	9	NULL allowed	
	StaffOrMDHoursLeverage	decimal(14,3)	9	NULL allowed	
	PercentageHrsBelowDirector	decimal(14,3)	9	NULL allowed	
	StaffAverageHoursPerDay	decimal(14,3)	9	NULL allowed	
	EstBudgetMarginPerc	decimal(14,3)	9	NULL allowed	
	EstBudgetMargin	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_BudgetMetricsID	BudgetMetricID	True

Copyright 2026 - All Rights Reserved

Foreign Keys

Name	Columns
FK_BudgetMetric_BudgetID	BudgetID->[dbo].[BudgetDetail].[BudgetID]

SQL Script

```
CREATE TABLE [dbo].[BudgetMetrics]
(
[BudgetMetricID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[StdRateRealizationInclTravelExclContingent] [decimal] (14, 3) NOT NULL,
[StdRateRealizationInclTravelInclContingent] [decimal] (14, 3) NULL,
[StdRateRealizationExclTravelExclContingent] [decimal] (14, 3) NULL,
[StdRateRealizationExclTravelInclContingent] [decimal] (14, 3) NULL,
[AvgHourlyRateInclTravelExclContingent] [decimal] (14, 3) NULL,
[AvgHourlyRateExclTravelExclContingent] [decimal] (14, 3) NULL,
[StaffOrMDHoursLeverage] [decimal] (14, 3) NULL,
[PercentageHrsBelowDirector] [decimal] (14, 3) NULL,
[StaffAverageHoursPerDay] [decimal] (14, 3) NULL,
[EstBudgetMarginPerc] [decimal] (14, 3) NULL,
[EstBudgetMargin] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetMetrics] ADD CONSTRAINT [PK_BudgetMetricsID] PRIMARY KEY CLUSTERED
([BudgetMetricID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BudgetMetrics] ADD CONSTRAINT [FK_BudgetMetric_BudgetID] FOREIGN KEY ([Budget-
ID]) REFERENCES [dbo].[BudgetDetail] ([BudgetID])
GO
```

Uses

[dbo].[BudgetDetail]

Used By

[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_InsertBudgetMetrics]
[dbo].[SP_CloneBudget]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[sp_GetSumStdCost]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[CM_BudgetDetail]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:36 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetID	int	4	NOT NULL	1 - 1
	ActualBudgetID	int	4	NOT NULL	
	BudgetGroupID	int	4	NULL allowed	
	CustomerNumber	varchar(50)	50	NULL allowed	
	ClientName	varchar(255)	255	NOT NULL	
	ProjectNumber	varchar(50)	50	NULL allowed	
	EngagementName	varchar(255)	255	NOT NULL	
FK	BudgetStatusID	int	4	NULL allowed	
FK	BudgetTypeID	int	4	NULL allowed	
FK	PeriodTypeID	int	4	NULL allowed	
	MdInCharge	nvarchar(50)	100	NOT NULL	
	CurrencyCode	char(4)	4	NULL allowed	
	CountryCode	varchar(10)	10	NULL allowed	
	NoOfPeriods	int	4	NULL allowed	
	Community	varchar(255)	255	NOT NULL	
	StartDate	date	3	NULL allowed	
	EndDate	date	3	NULL allowed	
	BuLeader	varchar(255)	255	NULL allowed	
	OtherApprovals	varchar(255)	255	NULL allowed	
	BudgetLabel	varchar(255)	255	NULL allowed	
	IsDeleted	bit	1	NOT NULL	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Copyright 2026 - All Rights Reserved

	RadiusLeadId	varchar(50)	50	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_CM_BudgetID	BudgetID	True

Foreign Keys

Name	No Check	Columns
FK_CM_BudgetDetail_BudgetStatusID	True	BudgetStatusID->[dbo].[BudgetLookup].[BudgetLookupID]
FK_CM_BudgetDetail_BudgetTypeID	True	BudgetTypeID->[dbo].[BudgetLookup].[BudgetLookupID]
FK_CM_BudgetDetail_PeriodTypeID	True	PeriodTypeID->[dbo].[BudgetLookup].[BudgetLookupID]

SQL Script

```
CREATE TABLE [dbo].[CM_BudgetDetail]
(
[BudgetID] [int] NOT NULL IDENTITY(1, 1),
[ActualBudgetID] [int] NOT NULL,
[BudgetGroupID] [int] NULL,
[CustomerNumber] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ClientName] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ProjectNumber] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EngagementName] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BudgetStatusID] [int] NULL,
[BudgetTypeID] [int] NULL,
[PeriodTypeID] [int] NULL,
[MdInCharge] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CurrencyCode] [char] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CountryCode] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[NoOfPeriods] [int] NULL,
[Community] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[StartDate] [date] NULL,
[EndDate] [date] NULL,
[BuLeader] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[OtherApprovals] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[BudgetLabel] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[RadiusLeadId] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_BudgetDetail] ADD CONSTRAINT [PK_CM_BudgetID] PRIMARY KEY CLUSTERED
```


Copyright 2026 - All Rights Reserved

```
([BudgetID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_BudgetDetail] WITH NOCHECK ADD CONSTRAINT [FK_CM_BudgetDetail_BudgetStatus-
ID] FOREIGN KEY ([BudgetStatusID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
ALTER TABLE [dbo].[CM_BudgetDetail] WITH NOCHECK ADD CONSTRAINT [FK_CM_BudgetDetail_BudgetTypeID]
FOREIGN KEY ([BudgetTypeID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
ALTER TABLE [dbo].[CM_BudgetDetail] WITH NOCHECK ADD CONSTRAINT [FK_CM_BudgetDetail_PeriodTypeID]
FOREIGN KEY ([PeriodTypeID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
```

Uses

[dbo].[BudgetLookup]

Used By

[dbo].[CM_BudgetFee]
[dbo].[CM_BudgetMetrics]
[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[CM_BudgetDigitalTool]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:36 AM Wednesday, October 14, 2026
Last Modified	10:29:36 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetDigitalToolID	int	4	NOT NULL	1 - 1
	BudgetID	int	4	NOT NULL	
	DigitalToolType	varchar(50)	50	NULL allowed	
	DigitalToolCost	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_CM_BudgetDigitalToolID	BudgetDigitalToolID	True

SQL Script

```
CREATE TABLE [dbo].[CM_BudgetDigitalTool]
(
[BudgetDigitalToolID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[DigitalToolType] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DigitalToolCost] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

```
ALTER TABLE [dbo].[CM_BudgetDigitalTool] ADD CONSTRAINT [PK_CM_BudgetDigitalToolID] PRIMARY KEY CLUSTERED ([BudgetDigitalToolID]) ON [PRIMARY]
GO
```

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]

[dbo].[APSP_Engagement_Budget_Margin_Calc_New]

[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]

[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[CM_BudgetFee]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:36 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetFeeID	int	4	NOT NULL	1 - 1
FK	BudgetID	int	4	NOT NULL	
	AdminFee	decimal(14,3)	9	NULL allowed	
	TravelTime	decimal(14,3)	9	NULL allowed	
	TravelExpenses	decimal(14,3)	9	NULL allowed	
	EngagementFeeCap	decimal(14,3)	9	NULL allowed	
	ExpectedEtsCostType	varchar(255)	255	NULL allowed	
	ExpectedEtsCostAmount	decimal(14,3)	9	NULL allowed	
	ExpensesOrFixedExpenses	varchar(255)	255	NULL allowed	
	ExpectedContingentFeeUbb	decimal(14,3)	9	NULL allowed	
	ExpectedWUWDExcludingContingent	decimal(14,3)	9	NULL allowed	
	TotalRevenueExcludingContingent	decimal(14,3)	9	NULL allowed	
	ExpectedWUWDIncludingContingent	decimal(14,3)	9	NULL allowed	
	TotalRevenueIncludingContingent	decimal(14,3)	9	NULL allowed	
	FeesSubtotal	decimal(14,3)	9	NULL allowed	
	PlannedWorkDays	decimal(14,3)	9	NULL allowed	
	PlannedWorkHours	decimal(14,3)	9	NULL allowed	
	AverageHrsPerDay	decimal(14,3)	9	NULL allowed	
	RealizationwithoutContingentFees	decimal(14,3)	9	NULL allowed	
	RealizationIncludingContingentFees	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	
	ExpectedEtsTierSize	decimal(14,3)	9	NULL allowed	

Copyright 2026 - All Rights Reserved

	AgreedBaseFees	decimal(14,3)	9	NULL allowed	
	FixedExpensesAmount	decimal(14,3)	9	NULL allowed	
	FixedExpensesPerc	decimal(14,3)	9	NULL allowed	
	AdminFeeAmount	decimal(14,3)	9	NULL allowed	
	EstimatedTravelExpensesAmount	decimal(14,3)	9	NULL allowed	
	DeviationRatePerc	decimal(14,3)	9	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_CM_BudgetFeesID	BudgetFeeID	True

Foreign Keys

Name	No Check	Columns
FK_CM_BudgetFee_BudgetID1	True	BudgetID->[dbo].[CM_BudgetDetail].[BudgetID]

SQL Script

```
CREATE TABLE [dbo].[CM_BudgetFee]
(
[BudgetFeeID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[AdminFee] [decimal] (14, 3) NULL,
[TravelTime] [decimal] (14, 3) NULL,
[TravelExpenses] [decimal] (14, 3) NULL,
[EngagementFeeCap] [decimal] (14, 3) NULL,
[ExpectedEtsCostType] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedEtsCostAmount] [decimal] (14, 3) NULL,
[ExpensesOrFixedExpenses] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedContingentFeeUbb] [decimal] (14, 3) NULL,
[ExpectedWUWDExcludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueExcludingContingent] [decimal] (14, 3) NULL,
[ExpectedWUWDIncludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueIncludingContingent] [decimal] (14, 3) NULL,
[FeesSubtotal] [decimal] (14, 3) NULL,
[PlannedWorkDays] [decimal] (14, 3) NULL,
[PlannedWorkHours] [decimal] (14, 3) NULL,
[AverageHrsPerDay] [decimal] (14, 3) NULL,
[RealizationwithoutContingentFees] [decimal] (14, 3) NULL,
[RealizationIncludingContingentFees] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[ExpectedEtsTierSize] [decimal] (14, 3) NULL,
```


Copyright 2026 - All Rights Reserved

```
[AgreedBaseFees] [decimal] (14, 3) NULL,
[FixedExpensesAmount] [decimal] (14, 3) NULL,
[FixedExpensesPerc] [decimal] (14, 3) NULL,
[AdminFeeAmount] [decimal] (14, 3) NULL,
[EstimatedTravelExpensesAmount] [decimal] (14, 3) NULL,
[DeviationRatePerc] [decimal] (14, 3) NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_BudgetFee] ADD CONSTRAINT [PK_CM_BudgetFeesID] PRIMARY KEY CLUSTERED
([BudgetFeeID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_BudgetFee] WITH NOCHECK ADD CONSTRAINT [FK_CM_BudgetFee_BudgetID1] FOREIGN
KEY ([BudgetID]) REFERENCES [dbo].[CM_BudgetDetail] ([BudgetID])
GO
```

Uses

[dbo].[CM_BudgetDetail]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[CM_BudgetFee_081326]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:36 AM Wednesday, October 14, 2026
Last Modified	10:29:36 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
BudgetFeeID	int	4	NOT NULL	1 - 1
BudgetID	int	4	NOT NULL	
AdminFee	decimal(14,3)	9	NULL allowed	
TravelTime	decimal(14,3)	9	NULL allowed	
TravelExpenses	decimal(14,3)	9	NULL allowed	
EngagementFeeCap	decimal(14,3)	9	NULL allowed	
ExpectedEtsCostType	varchar(255)	255	NULL allowed	
ExpectedEtsCostAmount	decimal(14,3)	9	NULL allowed	
ExpensesOrFixedExpenses	varchar(255)	255	NULL allowed	
ExpectedContingentFeeUbb	decimal(14,3)	9	NULL allowed	
ExpectedWUWDExcludingContingent	decimal(14,3)	9	NULL allowed	
TotalRevenueExcludingContingent	decimal(14,3)	9	NULL allowed	
ExpectedWUWDIncludingContingent	decimal(14,3)	9	NULL allowed	
TotalRevenueIncludingContingent	decimal(14,3)	9	NULL allowed	
FeesSubtotal	decimal(14,3)	9	NULL allowed	
PlannedWorkDays	decimal(14,3)	9	NULL allowed	
PlannedWorkHours	decimal(14,3)	9	NULL allowed	
AverageHrsPerDay	decimal(14,3)	9	NULL allowed	
RealizationwithoutContingentFees	decimal(14,3)	9	NULL allowed	
RealizationIncludingContingentFees	decimal(14,3)	9	NULL allowed	
CreatedBy	varchar(50)	50	NOT NULL	
CreatedDate	datetime	8	NULL allowed	
UpdatedBy	varchar(50)	50	NOT NULL	
UpdatedDate	datetime	8	NULL allowed	

Copyright 2026 - All Rights Reserved

ExpectedEtsTierSize	decimal(14,3)	9	NULL allowed	
AgreedBaseFees	decimal(14,3)	9	NULL allowed	
FixedExpensesAmount	decimal(14,3)	9	NULL allowed	
FixedExpensesPerc	decimal(14,3)	9	NULL allowed	
AdminFeeAmount	decimal(14,3)	9	NULL allowed	
EstimatedTravelExpensesAmount	decimal(14,3)	9	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[CM_BudgetFee_081326 ]
(
[BudgetFeeID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[AdminFee] [decimal] (14, 3) NULL,
[TravelTime] [decimal] (14, 3) NULL,
[TravelExpenses] [decimal] (14, 3) NULL,
[EngagementFeeCap] [decimal] (14, 3) NULL,
[ExpectedEtsCostType] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedEtsCostAmount] [decimal] (14, 3) NULL,
[ExpensesOrFixedExpenses] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ExpectedContingentFeeUbb] [decimal] (14, 3) NULL,
[ExpectedWUWDExcludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueExcludingContingent] [decimal] (14, 3) NULL,
[ExpectedWUWDIncludingContingent] [decimal] (14, 3) NULL,
[TotalRevenueIncludingContingent] [decimal] (14, 3) NULL,
[FeesSubtotal] [decimal] (14, 3) NULL,
[PlannedWorkDays] [decimal] (14, 3) NULL,
[PlannedWorkHours] [decimal] (14, 3) NULL,
[AverageHrsPerDay] [decimal] (14, 3) NULL,
[RealizationwithoutContingentFees] [decimal] (14, 3) NULL,
[RealizationIncludingContingentFees] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[ExpectedEtsTierSize] [decimal] (14, 3) NULL,
[AgreedBaseFees] [decimal] (14, 3) NULL,
[FixedExpensesAmount] [decimal] (14, 3) NULL,
[FixedExpensesPerc] [decimal] (14, 3) NULL,
[AdminFeeAmount] [decimal] (14, 3) NULL,
[EstimatedTravelExpensesAmount] [decimal] (14, 3) NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[CM_BudgetHR]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:37 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetHrID	int	4	NOT NULL	1 - 1
	BudgetID	int	4	NOT NULL	
	EmployeeID	varchar(50)	50	NULL allowed	
FK	EmployeeTypeID	int	4	NOT NULL	
	Name	nvarchar(255)	510	NOT NULL	
	Title	varchar(255)	255	NULL allowed	
	Role	varchar(255)	255	NOT NULL	
	Community	varchar(255)	255	NOT NULL	
	BusinessUnit	varchar(255)	255	NULL allowed	
	EngagementBillableHours	decimal(14,3)	9	NULL allowed	
	EngagementRate	decimal(14,3)	9	NULL allowed	
	SubMarkupPercentage	varchar(255)	255	NULL allowed	
	SubContractPay	decimal(14,3)	9	NULL allowed	
	TotalNoOfDays	decimal(14,3)	9	NULL allowed	
	TotalHours	decimal(14,3)	9	NULL allowed	
	TotalFeesStandard	decimal(14,3)	9	NULL allowed	
	TotalBillableFees	decimal(14,3)	9	NULL allowed	
	TotalTravelFees	decimal(14,3)	9	NULL allowed	
	ClientBill	decimal(14,3)	9	NULL allowed	
	SubMarkup	decimal(14,3)	9	NULL allowed	
	SubStandardRate	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Copyright 2026 - All Rights Reserved

	Region	varchar(255)	255	NULL allowed	
	IslGrouping	varchar(255)	255	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_CM_BudgetHrID	BudgetHrID	True

Foreign Keys

Name	No Check	Columns
FK_CM_BudgetHR_EmployeeTypeID	True	EmployeeTypeID->[dbo].[BudgetLookup].[BudgetLookupID]

SQL Script

```
CREATE TABLE [dbo].[CM_BudgetHR]
(
[BudgetHrID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[EmployeeID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EmployeeTypeID] [int] NOT NULL,
[Name] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Title] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Role] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Community] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BusinessUnit] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EngagementBillableHours] [decimal] (14, 3) NULL,
[EngagementRate] [decimal] (14, 3) NULL,
[SubMarkupPercentage] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubContractPay] [decimal] (14, 3) NULL,
[TotalNoOfDays] [decimal] (14, 3) NULL,
[TotalHours] [decimal] (14, 3) NULL,
[TotalFeesStandard] [decimal] (14, 3) NULL,
[TotalBillableFees] [decimal] (14, 3) NULL,
[TotalTravelFees] [decimal] (14, 3) NULL,
[ClientBill] [decimal] (14, 3) NULL,
[SubMarkup] [decimal] (14, 3) NULL,
[SubStandardRate] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[Region] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IslGrouping] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_BudgetHR] ADD CONSTRAINT [PK_CM_BudgetHrID] PRIMARY KEY CLUSTERED ([Budget-
HrID]) ON [PRIMARY]
```


Copyright 2026 - All Rights Reserved

```
GO
ALTER TABLE [dbo].[CM_BudgetHR] WITH NOCHECK ADD CONSTRAINT [FK_CM_BudgetHR_EmployeeTypeID]
FOREIGN KEY ([EmployeeTypeID]) REFERENCES [dbo].[BudgetLookup] ([BudgetLookupID])
GO
```

Uses

[dbo].[BudgetLookup]

Used By

[dbo].[CM_EmployeeBudgetPerPeriod]
[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[CM_BudgetMetrics]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:37 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	BudgetMetricID	int	4	NOT NULL	1 - 1
FK	BudgetID	int	4	NOT NULL	
	StdRateRealizationInclTravelExclContingent	decimal(14,3)	9	NOT NULL	
	StdRateRealizationInclTravelInclContingent	decimal(14,3)	9	NULL allowed	
	StdRateRealizationExclTravelExclContingent	decimal(14,3)	9	NULL allowed	
	StdRateRealizationExclTravelInclContingent	decimal(14,3)	9	NULL allowed	
	AvgHourlyRateInclTravelExclContingent	decimal(14,3)	9	NULL allowed	
	AvgHourlyRateExclTravelExclContingent	decimal(14,3)	9	NULL allowed	
	StaffOrMDHoursLeverage	decimal(14,3)	9	NULL allowed	
	PercentageHrsBelowDirector	decimal(14,3)	9	NULL allowed	
	StaffAverageHoursPerDay	decimal(14,3)	9	NULL allowed	
	EstBudgetMarginPerc	decimal(14,3)	9	NULL allowed	
	EstBudgetMargin	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_CM_BudgetMetricsID	BudgetMetricID	True

Copyright 2026 - All Rights Reserved

Foreign Keys

Name	No Check	Columns
FK_CM_BudgetMetric_BudgetID	True	BudgetID->[dbo].[CM_BudgetDetail].[BudgetID]

SQL Script

```
CREATE TABLE [dbo].[CM_BudgetMetrics]
(
[BudgetMetricID] [int] NOT NULL IDENTITY(1, 1),
[BudgetID] [int] NOT NULL,
[StdRateRealizationInclTravelExclContingent] [decimal] (14, 3) NOT NULL,
[StdRateRealizationInclTravelInclContingent] [decimal] (14, 3) NULL,
[StdRateRealizationExclTravelExclContingent] [decimal] (14, 3) NULL,
[StdRateRealizationExclTravelInclContingent] [decimal] (14, 3) NULL,
[AvgHourlyRateInclTravelExclContingent] [decimal] (14, 3) NULL,
[AvgHourlyRateExclTravelExclContingent] [decimal] (14, 3) NULL,
[StaffOrMDHoursLeverage] [decimal] (14, 3) NULL,
[PercentageHrsBelowDirector] [decimal] (14, 3) NULL,
[StaffAverageHoursPerDay] [decimal] (14, 3) NULL,
[EstBudgetMarginPerc] [decimal] (14, 3) NULL,
[EstBudgetMargin] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_BudgetMetrics] ADD CONSTRAINT [PK_CM_BudgetMetricsID] PRIMARY KEY CLUSTERED
([BudgetMetricID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_BudgetMetrics] WITH NOCHECK ADD CONSTRAINT [FK_CM_BudgetMetric_BudgetID]
FOREIGN KEY ([BudgetID]) REFERENCES [dbo].[CM_BudgetDetail] ([BudgetID])
GO
```

Uses

[dbo].[CM_BudgetDetail]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[APSP_InsertCMBudgetMetrics]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[CM_EmployeeBudgetPerPeriod]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:37 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	EmployeeBudgetPerPeriodID	int	4	NOT NULL	1 - 1
FK	BudgetHrID	int	4	NOT NULL	
	PeriodRange	int	4	NOT NULL	
	StandardHourlyRate	decimal(14,3)	9	NULL allowed	
	NoOfDays	decimal(14,3)	9	NULL allowed	
	BillableHours	decimal(14,3)	9	NULL allowed	
	TravelHours	decimal(14,3)	9	NULL allowed	
	SubContractPay	decimal(14,3)	9	NULL allowed	
	FeesStandard	decimal(14,3)	9	NULL allowed	
	BillableFees	decimal(14,3)	9	NULL allowed	
	TravelFees	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	
	StandardHourlyRateNextYr	decimal(14,3)	9	NULL allowed	
	StartDate	date	3	NULL allowed	
	EndDate	date	3	NULL allowed	
	Sublevel	varchar(50)	50	NULL allowed	
	StdCostRegion	varchar(100)	100	NULL allowed	
	ISLGrouping	varchar(100)	100	NULL allowed	
	ActivityType	nvarchar(50)	100	NULL allowed	

Copyright 2026 - All Rights Reserved

Indexes

Key	Name	Key Columns	Unique
	PK_CM_EmployeeBudgetPerPeriodID	EmployeeBudgetPerPeriodID	True

Foreign Keys

Name	No Check	Columns
FK_CM_EmployeeBudgetPerPeriod_BudgetHrID	True	BudgetHrID->[dbo].[CM_BudgetHR].[BudgetHrID]

SQL Script

```
CREATE TABLE [dbo].[CM_EmployeeBudgetPerPeriod]
(
[EmployeeBudgetPerPeriodID] [int] NOT NULL IDENTITY(1, 1),
[BudgetHrID] [int] NOT NULL,
[PeriodRange] [int] NOT NULL,
[StandardHourlyRate] [decimal] (14, 3) NULL,
[NoOfDays] [decimal] (14, 3) NULL,
[BillableHours] [decimal] (14, 3) NULL,
[TravelHours] [decimal] (14, 3) NULL,
[SubContractPay] [decimal] (14, 3) NULL,
[FeesStandard] [decimal] (14, 3) NULL,
[BillableFees] [decimal] (14, 3) NULL,
[TravelFees] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[StandardHourlyRateNextYr] [decimal] (14, 3) NULL,
[StartDate] [date] NULL,
[EndDate] [date] NULL,
[Sublevel] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[StdCostRegion] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ISLGrouping] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_EmployeeBudgetPerPeriod] ADD CONSTRAINT [PK_CM_EmployeeBudgetPerPeriodID]
PRIMARY KEY CLUSTERED ([EmployeeBudgetPerPeriodID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CM_EmployeeBudgetPerPeriod] WITH NOCHECK ADD CONSTRAINT [FK_CM_EmployeeBudget-
PerPeriod_BudgetHrID] FOREIGN KEY ([BudgetHrID]) REFERENCES [dbo].[CM_BudgetHR] ([BudgetHrID])
GO
```

Uses

[dbo].[CM_BudgetHR]

Copyright 2026 - All Rights Reserved

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[CommunityLookup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:37 AM Wednesday, October 14, 2026
Last Modified	10:29:37 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	CommunityLookupID	int	4	NOT NULL	1 - 1
	Community	nvarchar(50)	100	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_CommunityLookupID	CommunityLookupID	True

SQL Script

```
CREATE TABLE [dbo].[CommunityLookup]
(
[CommunityLookupID] [int] NOT NULL IDENTITY(1, 1),
[Community] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CommunityLookup] ADD CONSTRAINT [PK_CommunityLookupID] PRIMARY KEY CLUSTERED
([CommunityLookupID]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[CountryLookup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:37 AM Wednesday, October 14, 2026
Last Modified	10:29:37 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	CountryLookupID	int	4	NOT NULL	1 - 1
	CountryCode	varchar(50)	50	NOT NULL	
	Country	varchar(50)	50	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK	PK_CountryLookupID	CountryLookupID	True

SQL Script

```
CREATE TABLE [dbo].[CountryLookup]
(
[CountryLookupID] [int] NOT NULL IDENTITY(1, 1),
[CountryCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[CountryLookup] ADD CONSTRAINT [PK_CountryLookupID] PRIMARY KEY CLUSTERED
([CountryLookupID]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[CurrencyCompanyCodeMapping]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:37 AM Wednesday, October 14, 2026
Last Modified	10:29:37 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
MappingId	int	4	NOT NULL	1 - 1
Currency	varchar(10)	10	NULL allowed	
CompanyCode	varchar(20)	20	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[CurrencyCompanyCodeMapping]
(
[MappingId] [int] NOT NULL IDENTITY(1, 1),
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyCode] [varchar] (20) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[CurrencyLookup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:37 AM Wednesday, October 14, 2026
Last Modified	10:29:37 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
CurrencyLookupID	int	4	NOT NULL	1 - 1
Currency	nvarchar(50)	100	NOT NULL	

SQL Script

```
CREATE TABLE [dbo].[CurrencyLookup]
(
[CurrencyLookupID] [int] NOT NULL IDENTITY(1, 1),
[Currency] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[DataDrivenAppLogs]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:38 AM Wednesday, October 14, 2026
Last Modified	10:29:38 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	Id	int	4	NOT NULL	10000 - 1
	AppName	varchar(128)	128	NULL allowed	
	ApplicationComponent	varchar(320)	320	NULL allowed	
	DBUserName	varchar(50)	50	NULL allowed	
	LogDate	datetime	8	NULL allowed	
	LogonUser	varchar(50)	50	NULL allowed	
	LogLevel	int	4	NULL allowed	
	LogAction	varchar(100)	100	NULL allowed	
	UserMessage	varchar(max)	max	NULL allowed	
	ErrorNumber	int	4	NULL allowed	
	ErrorLineNumber	int	4	NULL allowed	
	ErrorMessage	varchar(max)	max	NULL allowed	
	ProgramUnit	varchar(150)	150	NULL allowed	
	ProgramNote	varchar(max)	max	NULL allowed	
	ObjectType	varchar(100)	100	NULL allowed	
	ObjectId	int	4	NULL allowed	
	ObjectId2	int	4	NULL allowed	
	ObjectCode	varchar(50)	50	NULL allowed	
	ObjectCode2	varchar(50)	50	NULL allowed	
	StackTrace	varchar(max)	max	NULL allowed	
	SessionId	varchar(30)	30	NULL allowed	
	RemoteHost	varchar(150)	150	NULL allowed	
	ScriptName	varchar(350)	350	NULL allowed	
	QueryString	varchar(350)	350	NULL allowed	
	Url	varchar(350)	350	NULL allowed	

Copyright 2026 - All Rights Reserved

	HttpReferer	varchar(350)	350	NULL allowed	
	HttpUserAgent	varchar(350)	350	NULL allowed	
	TargetSite	varchar(350)	350	NULL allowed	
	ServerVariables	varchar(max)	max	NULL allowed	
	RequestForm	varchar(max)	max	NULL allowed	
	SessionCollection	varchar(max)	max	NULL allowed	
	CookiesCollection	varchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_DdaLog	Id	True

SQL Script

```
CREATE TABLE [dbo].[DataDrivenAppLogs]
(
[Id] [int] NOT NULL IDENTITY(10000, 1),
[AppName] [varchar] (128) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ApplicationComponent] [varchar] (320) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DBUserName] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LogDate] [datetime] NULL,
[LogonUser] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LogLevel] [int] NULL,
[LogAction] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[UserMessage] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ErrorNumber] [int] NULL,
[ErrorLineNumber] [int] NULL,
[ErrorMessage] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ProgramUnit] [varchar] (150) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ProgramNote] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ObjectType] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ObjectId] [int] NULL,
[ObjectId2] [int] NULL,
[ObjectCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ObjectCode2] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[StackTrace] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SessionId] [varchar] (30) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RemoteHost] [varchar] (150) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ScriptName] [varchar] (350) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[QueryString] [varchar] (350) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Url] [varchar] (350) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[HttpReferer] [varchar] (350) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[HttpUserAgent] [varchar] (350) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TargetSite] [varchar] (350) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ServerVariables] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RequestForm] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SessionCollection] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[CookiesCollection] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[DataDrivenAppLogs] ADD CONSTRAINT [PK_DdaLog] PRIMARY KEY CLUSTERED ([Id]) ON
[PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[DepartmentLookup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:38 AM Wednesday, October 14, 2026
Last Modified	10:29:38 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
DepartmentLookupID	int	4	NOT NULL	1 - 1
Department	varchar(max)	max	NOT NULL	
EmployeeDepartment	varchar(200)	200	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[DepartmentLookup]
(
[DepartmentLookupID] [int] NOT NULL IDENTITY(1, 1),
[Department] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[EmployeeDepartment] [varchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[EmployeeBudgetPerPeriod]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:38 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	EmployeeBudgetPerPeriodID	int	4	NOT NULL	1 - 1
FK	BudgetHrID	int	4	NOT NULL	
	PeriodRange	int	4	NOT NULL	
	StandardHourlyRate	decimal(14,3)	9	NULL allowed	
	NoOfDays	decimal(14,3)	9	NULL allowed	
	BillableHours	decimal(14,3)	9	NULL allowed	
	TravelHours	decimal(14,3)	9	NULL allowed	
	SubContractPay	decimal(14,3)	9	NULL allowed	
	FeesStandard	decimal(14,3)	9	NULL allowed	
	BillableFees	decimal(14,3)	9	NULL allowed	
	TravelFees	decimal(14,3)	9	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	UpdatedBy	varchar(50)	50	NOT NULL	
	UpdatedDate	datetime	8	NULL allowed	
	StandardHourlyRateNextYr	decimal(14,3)	9	NULL allowed	
	StartDate	date	3	NULL allowed	
	EndDate	date	3	NULL allowed	
	Sublevel	varchar(50)	50	NULL allowed	
	StdCostRegion	varchar(100)	100	NULL allowed	
	ISLGrouping	varchar(100)	100	NULL allowed	
	ActivityType	nvarchar(50)	100	NULL allowed	

Copyright 2026 - All Rights Reserved

Indexes

Key	Name	Key Columns	Included Columns	Unique
PK	PK_EmployeeBudgetPerPeriodID	EmployeeBudget-PerPeriodID		True
	nci_wi_EmployeeBudgetPer-Period_5DE77BB91E79996EE8650BFAC14FD25D	BudgetHrID	BillableFees, BillableHours, FeesStandard, NoOfDays, PeriodRange, StandardHourly-Rate, Sub-ContractPay, TravelFees, TravelHours	

Foreign Keys

Name	Columns
FK_EmployeeBudgetPerPeriod_BudgetHrID	BudgetHrID->[dbo].[BudgetHR].[BudgetHrID]

SQL Script

```
CREATE TABLE [dbo].[EmployeeBudgetPerPeriod]
(
[EmployeeBudgetPerPeriodID] [int] NOT NULL IDENTITY(1, 1),
[BudgetHrID] [int] NOT NULL,
[PeriodRange] [int] NOT NULL,
[StandardHourlyRate] [decimal] (14, 3) NULL,
[NoOfDays] [decimal] (14, 3) NULL,
[BillableHours] [decimal] (14, 3) NULL,
[TravelHours] [decimal] (14, 3) NULL,
[SubContractPay] [decimal] (14, 3) NULL,
[FeesStandard] [decimal] (14, 3) NULL,
[BillableFees] [decimal] (14, 3) NULL,
[TravelFees] [decimal] (14, 3) NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NULL,
[StandardHourlyRateNextYr] [decimal] (14, 3) NULL,
[StartDate] [date] NULL,
[EndDate] [date] NULL,
[Sublevel] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[StdCostRegion] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ISLGrouping] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[EmployeeBudgetPerPeriod] ADD CONSTRAINT [PK_EmployeeBudgetPerPeriodID] PRIMARY KEY CLUSTERED ([EmployeeBudgetPerPeriodID]) ON [PRIMARY]
```


Copyright 2026 - All Rights Reserved

```
GO
CREATE NONCLUSTERED INDEX [nci_wi_EmployeeBudgetPerPeriod_5DE77BB91E79996EE8650BFAC14FD25D] ON [dbo].[EmployeeBudgetPerPeriod] ([BudgetHrID]) INCLUDE ([BillableFees], [BillableHours], [Fees-Standard], [NoOfDays], [PeriodRange], [StandardHourlyRate], [SubContractPay], [TravelFees], [TravelHours]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[EmployeeBudgetPerPeriod] ADD CONSTRAINT [FK_EmployeeBudgetPerPeriod_BudgetHr-ID] FOREIGN KEY ([BudgetHrID]) REFERENCES [dbo].[BudgetHR] ([BudgetHrID])
GO
```

Uses

[dbo].[BudgetHR]

Used By

[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[SP_CloneBudget]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[sp_GetSumStdCost]
[dbo].[SP_GetWorkingDaysByPeriod]
[dbo].[SP_IsNewRate]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[Entity]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:33 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	EntityID	int	4	NOT NULL	1 - 1
	ParentEntityID	int	4	NULL allowed	
	EntityName	nvarchar(max)	max	NOT NULL	
FK	EntityGroupID	int	4	NOT NULL	
	EntityDescription	nvarchar(max)	max	NULL allowed	
	IsActive	bit	1	NOT NULL	
	IsDeleted	bit	1	NOT NULL	
	CreatedBy	nvarchar(50)	100	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	
	UpdatedBy	nvarchar(50)	100	NOT NULL	
	UpdatedDate	datetime	8	NOT NULL	
	ValidFrom	date	3	NULL allowed	
	ValidTo	date	3	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_ParentEntity1	EntityID	True

Foreign Keys

Name	Columns
FK_EntityGroup_EntityGroupID	EntityGroupID->[dbo].[EntityGroup].[EntityGroupID]

Copyright 2026 - All Rights Reserved

SQL Script

```
CREATE TABLE [dbo].[Entity]
(
[EntityID] [int] NOT NULL IDENTITY(1, 1),
[ParentEntityID] [int] NULL,
[EntityName] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[EntityGroupID] [int] NOT NULL,
[EntityDescription] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NOT NULL,
[ValidFrom] [date] NULL,
[ValidTo] [date] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[Entity] ADD CONSTRAINT [PK_ParentEntity1] PRIMARY KEY CLUSTERED ([EntityID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[Entity] ADD CONSTRAINT [FK_EntityGroup_EntityGroupID] FOREIGN KEY ([EntityGroupID]) REFERENCES [dbo].[EntityGroup] ([EntityGroupID])
GO
```

Uses

[dbo].[EntityGroup]

Used By

[dbo].[EntityAttributes]
[dbo].[V_TBDEmployee]
[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_GetAssociatedGroupsbyId]
[dbo].[SP_GetChildGroupsbyId]
[dbo].[SP_GetHierarchyData]
[dbo].[SP_GetSecondaryTitleDescriptionCode]
[dbo].[SP_GetSingleGroups]
[dbo].[usp_PurgeDeletedData]
[dbo].[fn_GetDeptCodeByName]
[dbo].[fn_GetISLGroupingByYear]
[dbo].[fn_GetRegionByYear]
[dbo].[fn_GetStdCostRegionByYear]

Copyright 2026 - All Rights Reserved

[dbo].[entity_020426]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:38 AM Wednesday, October 14, 2026
Last Modified	10:29:38 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
EntityID	int	4	NOT NULL	1 - 1
ParentEntityID	int	4	NULL allowed	
EntityName	nvarchar(max)	max	NOT NULL	
EntityGroupID	int	4	NOT NULL	
EntityDescription	nvarchar(max)	max	NULL allowed	
IsActive	bit	1	NOT NULL	
IsDeleted	bit	1	NOT NULL	
CreatedBy	nvarchar(50)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	
UpdatedBy	nvarchar(50)	100	NOT NULL	
UpdatedDate	datetime	8	NOT NULL	
ValidFrom	date	3	NULL allowed	
ValidTo	date	3	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[entity_020426]
(
[EntityID] [int] NOT NULL IDENTITY(1, 1),
[ParentEntityID] [int] NULL,
[EntityName] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[EntityGroupID] [int] NOT NULL,
[EntityDescription] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NOT NULL,
[ValidFrom] [date] NULL,
[ValidTo] [date] NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[entity_050726]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:38 AM Wednesday, October 14, 2026
Last Modified	10:29:38 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
EntityID	int	4	NOT NULL	1 - 1
ParentEntityID	int	4	NULL allowed	
EntityName	nvarchar(max)	max	NOT NULL	
EntityGroupID	int	4	NOT NULL	
EntityDescription	nvarchar(max)	max	NULL allowed	
IsActive	bit	1	NOT NULL	
IsDeleted	bit	1	NOT NULL	
CreatedBy	nvarchar(50)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	
UpdatedBy	nvarchar(50)	100	NOT NULL	
UpdatedDate	datetime	8	NOT NULL	
ValidFrom	date	3	NULL allowed	
ValidTo	date	3	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[entity_050726]
(
[EntityID] [int] NOT NULL IDENTITY(1, 1),
[ParentEntityID] [int] NULL,
[EntityName] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[EntityGroupID] [int] NOT NULL,
[EntityDescription] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NOT NULL,
[ValidFrom] [date] NULL,
[ValidTo] [date] NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[EntityAttributes]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:38 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	EntityAttributeID	int	4	NOT NULL	1 - 1
FK	EntityID	int	4	NOT NULL	
	EntityAttributeName1	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue1	nvarchar(255)	510	NULL allowed	
	EntityAttributeName2	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue2	nvarchar(255)	510	NULL allowed	
	EntityAttributeName3	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue3	nvarchar(255)	510	NULL allowed	
	EntityAttributeName4	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue4	int	4	NULL allowed	
	EntityAttributeName5	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue5	int	4	NULL allowed	
	EntityAttributeName6	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue6	float	8	NULL allowed	
	EntityAttributeName7	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue7	float	8	NULL allowed	
	EntityAttributeName8	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue8	datetime	8	NULL allowed	
	EntityAttributeName9	nvarchar(255)	510	NULL allowed	
	EntityAttributeValue9	datetime	8	NULL allowed	
	IsActive	bit	1	NOT NULL	
	IsDeleted	bit	1	NOT NULL	
	CreatedBy	nvarchar(50)	100	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	
	UpdatedBy	nvarchar(50)	100	NOT NULL	

Copyright 2026 - All Rights Reserved

	UpdatedDate	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_EntityAttributes1	EntityAttributeID	True

Foreign Keys

Name	Columns
FK_Entity_EntityID	EntityID->[dbo].[Entity].[EntityID]

SQL Script

```
CREATE TABLE [dbo].[EntityAttributes]
(
[EntityAttributeID] [int] NOT NULL IDENTITY(1, 1),
[EntityID] [int] NOT NULL,
[EntityAttributeName1] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue1] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeName2] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue2] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeName3] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue3] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeName4] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue4] [int] NULL,
[EntityAttributeName5] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue5] [int] NULL,
[EntityAttributeName6] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue6] [float] NULL,
[EntityAttributeName7] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue7] [float] NULL,
[EntityAttributeName8] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue8] [datetime] NULL,
[EntityAttributeName9] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue9] [datetime] NULL,
[IsActive] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[EntityAttributes] ADD CONSTRAINT [PK_EntityAttributes1] PRIMARY KEY CLUSTERED
([EntityAttributeID]) ON [PRIMARY]
GO
ALTER TABLE [dbo].[EntityAttributes] ADD CONSTRAINT [FK_Entity_EntityID] FOREIGN KEY ([EntityID])
```


Copyright 2026 - All Rights Reserved

```
REFERENCES [dbo].[Entity] ([EntityID])
GO
```

Uses

[dbo].[Entity]

Used By

[dbo].[SP_GetHierarchyData]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[entityattributes_020426]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:38 AM Wednesday, October 14, 2026
Last Modified	10:29:38 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
EntityAttributeID	int	4	NOT NULL	1 - 1
EntityID	int	4	NOT NULL	
EntityAttributeName1	nvarchar(255)	510	NULL allowed	
EntityAttributeValue1	nvarchar(255)	510	NULL allowed	
EntityAttributeName2	nvarchar(255)	510	NULL allowed	
EntityAttributeValue2	nvarchar(255)	510	NULL allowed	
EntityAttributeName3	nvarchar(255)	510	NULL allowed	
EntityAttributeValue3	nvarchar(255)	510	NULL allowed	
EntityAttributeName4	nvarchar(255)	510	NULL allowed	
EntityAttributeValue4	int	4	NULL allowed	
EntityAttributeName5	nvarchar(255)	510	NULL allowed	
EntityAttributeValue5	int	4	NULL allowed	
EntityAttributeName6	nvarchar(255)	510	NULL allowed	
EntityAttributeValue6	float	8	NULL allowed	
EntityAttributeName7	nvarchar(255)	510	NULL allowed	
EntityAttributeValue7	float	8	NULL allowed	
EntityAttributeName8	nvarchar(255)	510	NULL allowed	
EntityAttributeValue8	datetime	8	NULL allowed	
EntityAttributeName9	nvarchar(255)	510	NULL allowed	
EntityAttributeValue9	datetime	8	NULL allowed	
IsActive	bit	1	NOT NULL	
IsDeleted	bit	1	NOT NULL	
CreatedBy	nvarchar(50)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	
UpdatedBy	nvarchar(50)	100	NOT NULL	

Copyright 2026 - All Rights Reserved

UpdatedDate	datetime	8	NOT NULL	

SQL Script

```
CREATE TABLE [dbo].[entityattributes_020426]
(
[EntityAttributeID] [int] NOT NULL IDENTITY(1, 1),
[EntityID] [int] NOT NULL,
[EntityAttributeName1] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue1] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeName2] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue2] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeName3] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue3] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeName4] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue4] [int] NULL,
[EntityAttributeName5] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue5] [int] NULL,
[EntityAttributeName6] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue6] [float] NULL,
[EntityAttributeName7] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue7] [float] NULL,
[EntityAttributeName8] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue8] [datetime] NULL,
[EntityAttributeName9] [nvarchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EntityAttributeValue9] [datetime] NULL,
[IsActive] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[EntityGroup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:33 AM Wednesday, October 14, 2026
Last Modified	10:29:45 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	EntityGroupID	int	4	NOT NULL	1 - 1
	EntityGroupName	nvarchar(max)	max	NOT NULL	
	EntityGroupDescription	nvarchar(max)	max	NULL allowed	
	IsActive	bit	1	NOT NULL	
	IsDeleted	bit	1	NOT NULL	
	CreatedBy	nvarchar(50)	100	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	
	UpdatedBy	nvarchar(50)	100	NOT NULL	
	UpdatedDate	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK	PK_EntityGroupID1	EntityGroupID	True

SQL Script

```
CREATE TABLE [dbo].[EntityGroup]
(
[EntityGroupID] [int] NOT NULL IDENTITY(1, 1),
[EntityGroupName] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[EntityGroupDescription] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[UpdatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[EntityGroup] ADD CONSTRAINT [PK_EntityGroupID1] PRIMARY KEY CLUSTERED
([EntityGroupID]) ON [PRIMARY]
GO
```

Used By

[dbo].[Entity]
[dbo].[V_TBDEmployee]
[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_GetAssociatedGroupsbyId]
[dbo].[SP_GetChildGroupsbyId]
[dbo].[SP_GetHierarchyData]
[dbo].[SP_GetSingleGroups]
[dbo].[usp_PurgeDeletedData]
[dbo].[fn_GetDeptCodeByName]
[dbo].[fn_GetISLGroupingByYear]
[dbo].[fn_GetRegionByYear]
[dbo].[fn_GetStdCostRegionByYear]

Copyright 2026 - All Rights Reserved

[dbo].[entitytgroup_050726]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:39 AM Wednesday, October 14, 2026
Last Modified	10:29:39 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
EntityGroupID	int	4	NOT NULL	1 - 1
EntityGroupName	nvarchar(max)	max	NOT NULL	
EntityGroupDescription	nvarchar(max)	max	NULL allowed	
IsActive	bit	1	NOT NULL	
IsDeleted	bit	1	NOT NULL	
CreatedBy	nvarchar(50)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	
UpdatedBy	nvarchar(50)	100	NOT NULL	
UpdatedDate	datetime	8	NOT NULL	

SQL Script

```
CREATE TABLE [dbo].[entitytgroup_050726]
(
[EntityGroupID] [int] NOT NULL IDENTITY(1, 1),
[EntityGroupName] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[EntityGroupDescription] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NOT NULL,
[IsDeleted] [bit] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[UpdatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[ExportDetails]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:39 AM Wednesday, October 14, 2026
Last Modified	10:29:39 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	ExportDetailsID	int	4	NOT NULL	1 - 1
	Name	nvarchar(50)	100	NOT NULL	
	Description	nvarchar(max)	max	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK	PK_ExportDetailsID	ExportDetailsID	True

SQL Script

```
CREATE TABLE [dbo].[ExportDetails]
(
[ExportDetailsID] [int] NOT NULL IDENTITY(1, 1),
[Name] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Description] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[ExportDetails] ADD CONSTRAINT [PK_ExportDetailsID] PRIMARY KEY CLUSTERED
([ExportDetailsID]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[FxRate]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:39 AM Wednesday, October 14, 2026
Last Modified	10:29:39 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	FxRateID	int	4	NOT NULL	1 - 1
	FromCurrency	varchar(5)	5	NOT NULL	
	ToCurrency	varchar(5)	5	NOT NULL	
	MarketValue	decimal(10,4)	9	NOT NULL	
	ValidFromDate	datetime2	8	NOT NULL	
	FromFactor	decimal(10,3)	9	NOT NULL	
	ToFactor	decimal(10,3)	9	NOT NULL	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK	PK_FxRate	FxRateID	True

SQL Script

```
CREATE TABLE [dbo].[FxRate]
(
[FxRateID] [int] NOT NULL IDENTITY(1, 1),
[FromCurrency] [varchar] (5) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ToCurrency] [varchar] (5) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[MarketValue] [decimal] (10, 4) NOT NULL,
[ValidFromDate] [datetime2] NOT NULL,
[FromFactor] [decimal] (10, 3) NOT NULL,
[ToFactor] [decimal] (10, 3) NOT NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[CreatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[FxRate] ADD CONSTRAINT [PK_FxRate] PRIMARY KEY CLUSTERED ([FxRateID]) ON [PRIMARY]
GO
```

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_CurrencyConversionRate]
[dbo].[sp_GetSumStdCost]

Copyright 2026 - All Rights Reserved

[dbo].[FxRateArchive]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:39 AM Wednesday, October 14, 2026
Last Modified	10:29:39 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	Cur	varchar(5)	5	NOT NULL
PK C	FX_RATE	decimal(10,4)	9	NOT NULL
PK C	Year	char(4)	4	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	PK_FxRateArchive	Cur, FX_RATE, Year	True

SQL Script

```
CREATE TABLE [dbo].[FxRateArchive]
(
[Cur] [varchar] (5) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[FX_RATE] [decimal] (10, 4) NOT NULL,
[Year] [char] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[FxRateArchive] ADD CONSTRAINT [PK_FxRateArchive] PRIMARY KEY CLUSTERED ([Cur], [FX_RATE], [Year]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[ICRates]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:39 AM Wednesday, October 14, 2026
Last Modified	10:29:39 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	ICRateID	int	4	NOT NULL	1 - 1
	OracleID	int	4	NULL allowed	
	EliteID	int	4	NULL allowed	
	Currency	varchar(10)	10	NOT NULL	
	ValidFromDate	datetime	8	NULL allowed	
	ValidToDate	datetime	8	NULL allowed	
	ICStandardCost	decimal(10,2)	9	NOT NULL	
	IsActive	bit	1	NOT NULL	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK	PK_ICRates	ICRateID	True

SQL Script

```
CREATE TABLE [dbo].[ICRates]
(
[ICRateID] [int] NOT NULL IDENTITY(1, 1),
[OracleID] [int] NULL,
[EliteID] [int] NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ValidFromDate] [datetime] NULL,
[ValidToDate] [datetime] NULL,
[ICStandardCost] [decimal] (10, 2) NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[IsActive] [bit] NOT NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[ICRates] ADD CONSTRAINT [PK_ICRates] PRIMARY KEY CLUSTERED ([ICRateID]) ON [PRIMARY]
GO
```

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[sp_GetSumStdCost]

Copyright 2026 - All Rights Reserved

[dbo].[ICRatesArchive]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:39 AM Wednesday, October 14, 2026
Last Modified	10:29:39 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	IC_ID	varchar(10)	10	NOT NULL
	IC_Name	varchar(50)	50	NOT NULL
PK C	Year	varchar(4)	4	NOT NULL
PK C	Currency	varchar(10)	10	NOT NULL
	Concat	varchar(50)	50	NOT NULL
	IC_StandardCost	decimal(10,2)	9	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	PK_ICRatesArchive	IC_ID, Year, Currency	True

SQL Script

```
CREATE TABLE [dbo].[ICRatesArchive]
(
[IC_ID] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[IC_Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Year] [varchar] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Concat] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[IC_StandardCost] [decimal] (10, 2) NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[ICRatesArchive] ADD CONSTRAINT [PK_ICRatesArchive] PRIMARY KEY CLUSTERED
([IC_ID], [Year], [Currency]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

Copyright 2026 - All Rights Reserved

[dbo].[LocationCodeMapping]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:40 AM Wednesday, October 14, 2026
Last Modified	10:29:43 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
Id	int	4	NOT NULL	1 - 1	
EliteCode	int	4	NULL allowed		
SAPCode	int	4	NULL allowed		
CountryCode	varchar(10)	10	NULL allowed		
CreatedBy	varchar(50)	50	NOT NULL		('System')
CreateDate	datetime	8	NOT NULL		(getdate())

SQL Script

```
CREATE TABLE [dbo].[LocationCodeMapping]
(
[Id] [int] NOT NULL IDENTITY(1, 1),
[EliteCode] [int] NULL,
[SAPCode] [int] NULL,
[CountryCode] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT [DF_Location-CodeMapping_CreatedBy] DEFAULT ('System'),
[CreateDate] [datetime] NOT NULL CONSTRAINT [DF_LocationCodeMapping_CreateDate] DEFAULT (getdate())
) ON [PRIMARY]
GO
```

Used By

[dbo].[SP_ConvertXmlFileDataToTable]

Copyright 2026 - All Rights Reserved

[dbo].[LocationHolidayCalender]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:40 AM Wednesday, October 14, 2026
Last Modified	10:29:40 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
LocationHolidayCalenderId	int	4	NOT NULL	1 - 1
LocationCode	int	4	NOT NULL	
HolidayName	varchar(50)	50	NULL allowed	
Category	nvarchar(50)	100	NULL allowed	
HolidayDate	date	3	NOT NULL	
CreatedBy	nvarchar(50)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	

SQL Script

```
CREATE TABLE [dbo].[LocationHolidayCalender]
(
[LocationHolidayCalenderId] [int] NOT NULL IDENTITY(1, 1),
[LocationCode] [int] NOT NULL,
[HolidayName] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Category] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[HolidayDate] [date] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
```

Used By

[dbo].[SP_ConvertXmlFileDataToTable]
[dbo].[SP_GetHolidayDates]
[dbo].[fn_Holidays]

Copyright 2026 - All Rights Reserved

[dbo].[LocationHolidayCalender_121525]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:40 AM Wednesday, October 14, 2026
Last Modified	10:29:40 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
LocationHolidayCalenderId	int	4	NOT NULL	1 - 1
LocationCode	int	4	NOT NULL	
HolidayName	varchar(50)	50	NULL allowed	
Category	nvarchar(50)	100	NULL allowed	
HolidayDate	date	3	NOT NULL	
CreatedBy	nvarchar(50)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	

SQL Script

```
CREATE TABLE [dbo].[LocationHolidayCalender_121525]
(
[LocationHolidayCalenderId] [int] NOT NULL IDENTITY(1, 1),
[LocationCode] [int] NOT NULL,
[HolidayName] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Category] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[HolidayDate] [date] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[LocationHolidayCalender_backup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:40 AM Wednesday, October 14, 2026
Last Modified	10:29:40 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
LocationHolidayCalenderId	int	4	NOT NULL	1 - 1
LocationCode	int	4	NOT NULL	
HolidayName	varchar(50)	50	NULL allowed	
Category	nvarchar(50)	100	NULL allowed	
HolidayDate	date	3	NOT NULL	
CreatedBy	nvarchar(50)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	

SQL Script

```
CREATE TABLE [dbo].[LocationHolidayCalender_backup]
(
[LocationHolidayCalenderId] [int] NOT NULL IDENTITY(1, 1),
[LocationCode] [int] NOT NULL,
[HolidayName] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Category] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[HolidayDate] [date] NOT NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[MarginCalcLogs]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:40 AM Wednesday, October 14, 2026
Last Modified	10:29:43 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
PK C	MarginCalcLogId	int	4	NOT NULL	1 - 1	
	LogonUser	varchar(50)	50	NOT NULL		
	BudgetId	varchar(255)	255	NULL allowed		
	ErrorNbr	varchar(255)	255	NULL allowed		
	ErrorMessage	varchar(max)	max	NULL allowed		
	UserMessage	varchar(max)	max	NULL allowed		
	Source	varchar(255)	255	NOT NULL		
	Type	varchar(255)	255	NOT NULL		
	InsertDate	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
PK C	PK_MarginCalcLogs	MarginCalcLogId	True

SQL Script

```
CREATE TABLE [dbo].[MarginCalcLogs]
(
[MarginCalcLogId] [int] NOT NULL IDENTITY(1, 1),
[LogonUser] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[BudgetId] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ErrorNbr] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ErrorMessage] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[UserMessage] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Source] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Type] [varchar] (255) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
```


Copyright 2026 - All Rights Reserved

```
[InsertDate] [datetime] NOT NULL CONSTRAINT [DF__MarginCal__Inser__19DFD96B] DEFAULT (getdate())
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[MarginCalcLogs] ADD CONSTRAINT [PK_MarginCalcLogs] PRIMARY KEY CLUSTERED
([MarginCalcLogId]) ON [PRIMARY]
GO
```

Used By

[dbo].[APSP_InsertMarginCalcLogs]

Copyright 2026 - All Rights Reserved

[dbo].[old_rate_2026]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:40 AM Wednesday, October 14, 2026
Last Modified	10:29:40 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
RateID	int	4	NOT NULL	1 - 1
RateTypeID	int	4	NOT NULL	
Year	varchar(15)	15	NOT NULL	
Currency	varchar(10)	10	NULL allowed	
Rate	money	8	NULL allowed	
SubLevel	varchar(10)	10	NULL allowed	
Country	varchar(50)	50	NULL allowed	
Department	varchar(50)	50	NULL allowed	
Name	varchar(50)	50	NULL allowed	
Unit	varchar(10)	10	NULL allowed	
LastUpdated	datetime	8	NULL allowed	
UpdatedBy	varchar(50)	50	NULL allowed	
IsActive	bit	1	NULL allowed	
IsDeleted	bit	1	NULL allowed	
CreatedBy	varchar(50)	50	NULL allowed	
DateCreated	datetime	8	NULL allowed	
ActivityType	nvarchar(50)	100	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[old_rate_2026]
(
[RateID] [int] NOT NULL IDENTITY(1, 1),
[RateTypeID] [int] NOT NULL,
[Year] [varchar] (15) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[Rate] [money] NULL,
[SubLevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Department] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Unit] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LastUpdated] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NULL,
[IsDeleted] [bit] NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DateCreated] [datetime] NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[ProfitHurdle]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:40 AM Wednesday, October 14, 2026
Last Modified	10:29:44 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
PK C	ProfitHurdleID	int	4	NOT NULL	1 - 1	
	ProfitHurdle	decimal(14,6)	9	NULL allowed		
	YearFrom	char(4)	4	NOT NULL		
	YearTo	char(4)	4	NOT NULL		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	UpdatedBy	varchar(50)	50	NULL allowed		('SYSTEM')
	IsActive	bit	1	NULL allowed		((1))
	IsDeleted	bit	1	NULL allowed		((0))
	CreatedBy	varchar(50)	50	NULL allowed		('SYSTEM')
	DateCreated	datetime	8	NULL allowed		(getdate())

Indexes

Key	Name	Key Columns	Unique
PK C	PK_ProfitHurdles_ProfitHurdleID1	ProfitHurdleID	True

SQL Script

```
CREATE TABLE [dbo].[ProfitHurdle]
(
[ProfitHurdleID] [int] NOT NULL IDENTITY(1, 1),
[ProfitHurdle] [decimal] (14, 6) NULL,
[YearFrom] [char] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[YearTo] [char] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[LastUpdated] [datetime] NULL CONSTRAINT [DF__ProfitHur__LastU__1AD3FDA4] DEFAULT (getdate()),
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL CONSTRAINT [DF__ProfitHur__-
Updat__1BC821DD] DEFAULT ('SYSTEM'),
```


Copyright 2026 - All Rights Reserved

```
[IsActive] [bit] NULL CONSTRAINT [DF__ProfitHur__IsAct__1CBC4616] DEFAULT ((1)),
[IsDeleted] [bit] NULL CONSTRAINT [DF__ProfitHur__IsDel__1DB06A4F] DEFAULT ((0)),
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL CONSTRAINT [DF__ProfitHur__-
Creat__1EA48E88] DEFAULT ('SYSTEM'),
[DateCreated] [datetime] NULL CONSTRAINT [DF__ProfitHur__DateC__1F98B2C1] DEFAULT (getdate())
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[ProfitHurdle] ADD CONSTRAINT [PK_ProfitHurdles_ProfitHurdleID1] PRIMARY KEY
CLUSTERED ([ProfitHurdleID]) ON [PRIMARY]
GO
```

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[Rate]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:41 AM Wednesday, October 14, 2026
Last Modified	10:29:46 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
PK	RateID	int	4	NOT NULL	1 - 1	
FK	RateTypeID	int	4	NOT NULL		
	Year	varchar(15)	15	NOT NULL		
	Currency	varchar(10)	10	NULL allowed		
	Rate	money	8	NULL allowed		
	SubLevel	varchar(10)	10	NULL allowed		
	Country	varchar(50)	50	NULL allowed		
	Department	varchar(50)	50	NULL allowed		
	Name	varchar(50)	50	NULL allowed		
	Unit	varchar(10)	10	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	UpdatedBy	varchar(50)	50	NULL allowed		('SYSTEM')
	IsActive	bit	1	NULL allowed		((1))
	IsDeleted	bit	1	NULL allowed		((0))
	CreatedBy	varchar(50)	50	NULL allowed		('SYSTEM')
	DateCreated	datetime	8	NULL allowed		(getdate())
	ActivityType	nvarchar(50)	100	NULL allowed		

Indexes

Key	Name	Key Columns	Included Columns	Unique
PK	PK_Rates_RateID	RateID		True
	nci_wi_Rate_5D0B470917053A18CEC506D430851A44	IsDeleted, Rate-	Rate	

Copyright 2026 - All Rights Reserved

		TypeID, Country, Year, Currency, SubLevel, Department		

Foreign Keys

Name	No Check	Columns
FK_Rates	True	RateTypeID->[dbo].[RateType].[RateTypeID]

SQL Script

```
CREATE TABLE [dbo].[Rate]
(
[RateID] [int] NOT NULL IDENTITY(1, 1),
[RateTypeID] [int] NOT NULL,
[Year] [varchar] (15) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Rate] [money] NULL,
[SubLevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Department] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Unit] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LastUpdated] [datetime] NULL CONSTRAINT [DF__Rate__LastUpdate__208CD6FA] DEFAULT (getdate()),
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL CONSTRAINT [DF__Rate__-
UpdatedBy__2180FB33] DEFAULT ('SYSTEM'),
[IsActive] [bit] NULL CONSTRAINT [DF__Rate__IsActive__22751F6C] DEFAULT ((1)),
[IsDeleted] [bit] NULL CONSTRAINT [DF__Rate__IsDeleted__236943A5] DEFAULT ((0)),
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL CONSTRAINT [DF__Rate__-
CreatedBy__245D67DE] DEFAULT ('SYSTEM'),
[DateCreated] [datetime] NULL CONSTRAINT [DF__Rate__DateCreate__25518C17] DEFAULT (getdate()),
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[Rate] ADD CONSTRAINT [PK_Rates_RateID] PRIMARY KEY CLUSTERED ([RateID]) ON
[PRIMARY]
GO
CREATE NONCLUSTERED INDEX [nci_wi_Rate_5D0B470917053A18CEC506D430851A44] ON [dbo].[Rate] ([Is-
Deleted], [RateTypeID], [Country], [Year], [Currency], [SubLevel], [Department]) INCLUDE ([Rate])
ON [PRIMARY]
GO
ALTER TABLE [dbo].[Rate] WITH NOCHECK ADD CONSTRAINT [FK_Rates] FOREIGN KEY ([RateTypeID])
REFERENCES [dbo].[RateType] ([RateTypeID])
GO
```

Uses

[dbo].[RateType]

Copyright 2026 - All Rights Reserved

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_BulkRateDataUpload]
[dbo].[sp_GetSumStdCost]
[dbo].[SP_GetTBDEmployeeDetails]
[dbo].[usp_GetIcRate]
[dbo].[usp_PurgeDeletedData]

Copyright 2026 - All Rights Reserved

[dbo].[rate_013126]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:41 AM Wednesday, October 14, 2026
Last Modified	10:29:41 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
RateID	int	4	NOT NULL	1 - 1
RateTypeID	int	4	NOT NULL	
Year	varchar(15)	15	NOT NULL	
Currency	varchar(10)	10	NULL allowed	
Rate	money	8	NULL allowed	
SubLevel	varchar(10)	10	NULL allowed	
Country	varchar(50)	50	NULL allowed	
Department	varchar(50)	50	NULL allowed	
Name	varchar(50)	50	NULL allowed	
Unit	varchar(10)	10	NULL allowed	
LastUpdated	datetime	8	NULL allowed	
UpdatedBy	varchar(50)	50	NULL allowed	
IsActive	bit	1	NULL allowed	
IsDeleted	bit	1	NULL allowed	
CreatedBy	varchar(50)	50	NULL allowed	
DateCreated	datetime	8	NULL allowed	
ActivityType	nvarchar(50)	100	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[rate_013126]
(
[RateID] [int] NOT NULL IDENTITY(1, 1),
[RateTypeID] [int] NOT NULL,
[Year] [varchar] (15) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[Rate] [money] NULL,
[SubLevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Department] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Unit] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LastUpdated] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NULL,
[IsDeleted] [bit] NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DateCreated] [datetime] NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[Rate_2026]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:41 AM Wednesday, October 14, 2026
Last Modified	10:29:41 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
RateID	int	4	NOT NULL	1 - 1
RateTypeID	int	4	NOT NULL	
Year	varchar(15)	15	NOT NULL	
Currency	varchar(10)	10	NULL allowed	
Rate	money	8	NULL allowed	
SubLevel	varchar(10)	10	NULL allowed	
Country	varchar(50)	50	NULL allowed	
Department	varchar(50)	50	NULL allowed	
Name	varchar(50)	50	NULL allowed	
Unit	varchar(10)	10	NULL allowed	
LastUpdated	datetime	8	NULL allowed	
UpdatedBy	varchar(50)	50	NULL allowed	
IsActive	bit	1	NULL allowed	
IsDeleted	bit	1	NULL allowed	
CreatedBy	varchar(50)	50	NULL allowed	
DateCreated	datetime	8	NULL allowed	
ActivityType	nvarchar(50)	100	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[Rate_2026]
(
[RateID] [int] NOT NULL IDENTITY(1, 1),
[RateTypeID] [int] NOT NULL,
[Year] [varchar] (15) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[Rate] [money] NULL,
[SubLevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Department] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Unit] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LastUpdated] [datetime] NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NULL,
[IsDeleted] [bit] NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DateCreated] [datetime] NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[RateType]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:41 AM Wednesday, October 14, 2026
Last Modified	10:29:46 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	RateTypeID	int	4	NOT NULL	1 - 1
	RateTypeName	varchar(50)	50	NULL allowed	
	RateDescription	varchar(50)	50	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_RateType_RateTypeID	RateTypeID	True

SQL Script

```
CREATE TABLE [dbo].[RateType]
(
[RateTypeID] [int] NOT NULL IDENTITY(1, 1),
[RateTypeName] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RateDescription] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[RateType] ADD CONSTRAINT [PK_RateType_RateTypeID] PRIMARY KEY CLUSTERED
([RateTypeID]) ON [PRIMARY]
GO
```

Used By

[dbo].[Rate]

Copyright 2026 - All Rights Reserved

[dbo].[SAPCountryMaster]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:41 AM Wednesday, October 14, 2026
Last Modified	10:29:41 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK C	Id	int	4	NOT NULL	1 - 1
	CountryCode	varchar(50)	50	NOT NULL	
	Country	varchar(50)	50	NOT NULL	
	CountryDescription	varchar(50)	50	NULL allowed	
	CreatedBy	varchar(50)	50	NOT NULL	
	CreatedDate	date	3	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_SAPCountryMaster1	Id	True

SQL Script

```
CREATE TABLE [dbo].[SAPCountryMaster]
(
[Id] [int] NOT NULL IDENTITY(1, 1),
[CountryCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CountryDescription] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [date] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[SAPCountryMaster] ADD CONSTRAINT [PK_SAPCountryMaster1] PRIMARY KEY CLUSTERED
([Id]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[sp_GetSumStdCost]

Copyright 2026 - All Rights Reserved

[dbo].[SAPEmployeeMaster]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:33 AM Wednesday, October 14, 2026
Last Modified	10:29:33 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	OracleID	varchar(50)	50	NOT NULL
	FirstName	nvarchar(50)	100	NOT NULL
	LastName	nvarchar(50)	100	NOT NULL
	TitleCode	varchar(50)	50	NULL allowed
	TitleDescription	varchar(50)	50	NULL allowed
	SubLevel	varchar(50)	50	NULL allowed
	SubLevelDescription	varchar(50)	50	NULL allowed
	City	varchar(50)	50	NULL allowed
	Country	varchar(50)	50	NULL allowed
	DepartmentCode	varchar(50)	50	NULL allowed
	RegionCode	varchar(50)	50	NULL allowed
	EmailAddress	varchar(max)	max	NULL allowed
	TemporaryEmployee	bit	1	NULL allowed
	BusinessPartner	varchar(50)	50	NULL allowed
	BusinessPartnerRole	varchar(50)	50	NULL allowed
	CompanyCode	varchar(50)	50	NULL allowed
	CompanyCodeCurrency	varchar(50)	50	NULL allowed
	CostCenter	varchar(50)	50	NULL allowed
	CreatedDate	datetimeoffset	10	NOT NULL
	EmployeeName	nvarchar(max)	max	NULL allowed
	ProfitCenter	varchar(max)	max	NULL allowed
	RegionDescription	varchar(max)	max	NULL allowed
	LocationCode	varchar(max)	max	NULL allowed
	LocationDescription	varchar(max)	max	NULL allowed
	DepartmentDescription	varchar(max)	max	NULL allowed

Copyright 2026 - All Rights Reserved

	CompanyName	varchar(50)	50	NULL allowed
	CreatedBy	varchar(50)	50	NULL allowed
	ProfessionalName	nvarchar(200)	400	NULL allowed
	ActivityType	nvarchar(50)	100	NULL allowed
	ActivityDescription	nvarchar(200)	400	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_SAPEmployee	OracleID	True

SQL Script

```
CREATE TABLE [dbo].[SAPEmployeeMaster]
(
[OracleID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[FirstName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[LastName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TitleCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TitleDescription] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevel] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevelDescription] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[City] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DepartmentCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RegionCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EmailAddress] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TemporaryEmployee] [bit] NULL,
[BusinessPartner] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[BusinessPartnerRole] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyCodeCurrency] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CostCenter] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedDate] [datetimeoffset] NOT NULL,
[EmployeeName] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ProfitCenter] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RegionDescription] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LocationCode] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LocationDescription] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DepartmentDescription] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyName] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ProfessionalName] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityDescription] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[SAPEmployeeMaster] ADD CONSTRAINT [PK_SAPEmployee] PRIMARY KEY CLUSTERED
```


Copyright 2026 - All Rights Reserved

```
([OracleID]) ON [PRIMARY]
GO
```

Used By

[dbo].[V_StandardBillRateByEmployee]
[dbo].[V_TBDEmployee]
[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[SP_EmpLoyeeDetails]
[dbo].[SP_GetEngagementDetails]
[dbo].[SP_GetHolidayDates]
[dbo].[sp_GetSumStdCost]
[dbo].[SP_GetTBDEmployeeDetails]
[dbo].[SP_GetWorkingDaysByPeriod]
[dbo].[SP_IsNewRate]
[dbo].[usp_remove_Employee]
[dbo].[fn_GetISLServiceLine]
[dbo].[fn_Holidays]

Copyright 2026 - All Rights Reserved

[dbo].[SAPEmployeeMaster_backup]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:41 AM Wednesday, October 14, 2026
Last Modified	10:29:41 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
OracleID	varchar(50)	50	NOT NULL
FirstName	nvarchar(50)	100	NOT NULL
LastName	nvarchar(50)	100	NOT NULL
TitleCode	varchar(50)	50	NULL allowed
TitleDescription	varchar(50)	50	NULL allowed
SubLevel	varchar(50)	50	NULL allowed
SubLevelDescription	varchar(50)	50	NULL allowed
City	varchar(50)	50	NULL allowed
Country	varchar(50)	50	NULL allowed
DepartmentCode	varchar(50)	50	NULL allowed
RegionCode	varchar(50)	50	NULL allowed
EmailAddress	varchar(max)	max	NULL allowed
TemporaryEmployee	bit	1	NULL allowed
BusinessPartner	varchar(50)	50	NULL allowed
BusinessPartnerRole	varchar(50)	50	NULL allowed
CompanyCode	varchar(50)	50	NULL allowed
CompanyCodeCurrency	varchar(50)	50	NULL allowed
CostCenter	varchar(50)	50	NULL allowed
CreatedDate	datetimeoffset	10	NOT NULL
EmployeeName	nvarchar(max)	max	NULL allowed
ProfitCenter	varchar(max)	max	NULL allowed
RegionDescription	varchar(max)	max	NULL allowed
LocationCode	varchar(max)	max	NULL allowed
LocationDescription	varchar(max)	max	NULL allowed
DepartmentDescription	varchar(max)	max	NULL allowed

Copyright 2026 - All Rights Reserved

CompanyName	varchar(50)	50	NULL allowed
CreatedBy	varchar(50)	50	NULL allowed
ProfessionalName	nvarchar(200)	400	NULL allowed
ActivityType	nvarchar(50)	100	NULL allowed
ActivityDescription	nvarchar(200)	400	NULL allowed

SQL Script

```
CREATE TABLE [dbo].[SAPEmployeeMaster_backup]
(
[OracleID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[FirstName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[LastName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TitleCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TitleDescription] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevel] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevelDescription] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[City] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DepartmentCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RegionCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[EmailAddress] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TemporaryEmployee] [bit] NULL,
[BusinessPartner] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[BusinessPartnerRole] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyCodeCurrency] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CostCenter] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedDate] [datetimeoffset] NOT NULL,
[EmployeeName] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ProfitCenter] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RegionDescription] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LocationCode] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LocationDescription] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DepartmentDescription] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyName] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ProfessionalName] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityDescription] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[SAPProjectMaster]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:42 AM Wednesday, October 14, 2026
Last Modified	10:29:42 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK	ProjectID	varchar(50)	50	NOT NULL
	ProjectName	varchar(max)	max	NOT NULL
	OracleID	varchar(50)	50	NOT NULL
	ClientID	varchar(50)	50	NOT NULL
	ClientName	varchar(max)	max	NOT NULL
	CreatedBy	varchar(max)	max	NOT NULL
	CreatedDate	datetimeoffset	10	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK	PK_SAPProjectMaster	ProjectID	True

SQL Script

```
CREATE TABLE [dbo].[SAPProjectMaster]
(
[ProjectID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ProjectName] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[OracleID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ClientID] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ClientName] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedBy] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetimeoffset] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[SAPProjectMaster] ADD CONSTRAINT [PK_SAPProjectMaster] PRIMARY KEY CLUSTERED
([ProjectID]) ON [PRIMARY]
```


Copyright 2026 - All Rights Reserved

```
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[SAPStandardBillRateMaster]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:32 AM Wednesday, October 14, 2026
Last Modified	10:29:32 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK	StandardBillRateID	nvarchar(50)	100	NOT NULL
	CompanyCode	nvarchar(50)	100	NULL allowed
	TitleCode	nvarchar(50)	100	NULL allowed
	SubLevel	nvarchar(50)	100	NULL allowed
	CompanyCodeCurrency	nvarchar(50)	100	NULL allowed
	Rate	money	8	NULL allowed
	StartDate	datetimeoffset	10	NULL allowed
	EndDate	datetimeoffset	10	NULL allowed
	CreatedBy	nvarchar(50)	100	NULL allowed
	CreatedDate	datetimeoffset	10	NULL allowed
	ActivityType	nvarchar(50)	100	NULL allowed

Indexes

Key	Name	Key Columns	Unique
PK	PK_SAPStandardBillRateMaster	StandardBillRateID	True

SQL Script

```
CREATE TABLE [dbo].[SAPStandardBillRateMaster]
(
[StandardBillRateID] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CompanyCode] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TitleCode] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevel] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CompanyCodeCurrency] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Rate] [money] NULL,
```


Copyright 2026 - All Rights Reserved

```
[StartDate] [datetimeoffset] NULL,
[EndDate] [datetimeoffset] NULL,
[CreatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedDate] [datetimeoffset] NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[SAPStandardBillRateMaster] ADD CONSTRAINT [PK_SAPStandardBillRateMaster]
PRIMARY KEY CLUSTERED ([StandardBillRateID]) ON [PRIMARY]
GO
```

Used By

[dbo].[V_StandardBillRateByEmployee]
[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[SP_EmpLoyeeDetails]
[dbo].[SP_GetTBDEmployeeDetails]
[dbo].[SP_GetWorkingDaysByPeriod]
[dbo].[SP_IsNewRate]
[dbo].[usp_GetIcRate]

Copyright 2026 - All Rights Reserved

[dbo].[Sector_STD_Rates_Archive]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:42 AM Wednesday, October 14, 2026
Last Modified	10:29:42 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
Sector	varchar(10)	10	NULL allowed
Year	char(4)	4	NOT NULL
Currency	varchar(5)	5	NOT NULL
Rate	decimal(10,4)	9	NOT NULL

SQL Script

```
CREATE TABLE [dbo].[Sector_STD_Rates_Archive]
(
[Sector] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Year] [char] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (5) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Rate] [decimal] (10, 4) NOT NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[StandardCostRate_20260129_5025 2026 (002)]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:42 AM Wednesday, October 14, 2026
Last Modified	10:29:42 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
RateId	varchar(50)	50	NULL allowed
RateTypeId	varchar(50)	50	NULL allowed
Year	varchar(50)	50	NULL allowed
Currency	varchar(50)	50	NULL allowed
Rate	varchar(50)	50	NULL allowed
SubLevel	varchar(50)	50	NULL allowed
ActivityType	varchar(50)	50	NULL allowed
Country	varchar(50)	50	NULL allowed
Department	varchar(50)	50	NULL allowed
Name	varchar(50)	50	NULL allowed
Unit	varchar(50)	50	NULL allowed
IsDeleted	varchar(50)	50	NULL allowed
IsActive	varchar(50)	50	NULL allowed
UpdatedBy	varchar(50)	50	NULL allowed
LastUpdated	varchar(50)	50	NULL allowed
CreatedBy	varchar(50)	50	NULL allowed
DateCreated	varchar(50)	50	NULL allowed

SQL Script

```
CREATE TABLE [dbo].[StandardCostRate_20260129_5025 2026 (002)]
(
[RateId] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[RateTypeId] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Year] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Currency] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
```


Copyright 2026 - All Rights Reserved

```
[Rate] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevel] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityType] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Department] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Unit] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsDeleted] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[UpdatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LastUpdated] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedBy] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DateCreated] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[SubLevelActivityTypeMapping]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:32 AM Wednesday, October 14, 2026
Last Modified	10:29:32 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
PK	ID	int	4	NOT NULL	1 - 1
	SubLevel	nvarchar(50)	100	NULL allowed	
	SubLevelDescription	varchar(500)	500	NULL allowed	
	ActivityType	nvarchar(50)	100	NULL allowed	
	ActivityTypeDescription	varchar(5000)	5000	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
PK	PK_SubLevelActivityTypeMapping	ID	True

SQL Script

```
CREATE TABLE [dbo].[SubLevelActivityTypeMapping]
(
[ID] [int] NOT NULL IDENTITY(1, 1),
[SubLevel] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevelDescription] [varchar] (500) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityTypeDescription] [varchar] (5000) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[SubLevelActivityTypeMapping] ADD CONSTRAINT [PK_SubLevelActivityTypeMapping]
PRIMARY KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

Used By

[dbo].[V_TBDLegacyEmployee]

Copyright 2026 - All Rights Reserved

[dbo].[SubLevelMapping]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:32 AM Wednesday, October 14, 2026
Last Modified	10:29:32 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
Id	int	4	NOT NULL	1 - 1
OldSubLevel	nvarchar(10)	20	NULL allowed	
SubLevel	nvarchar(10)	20	NULL allowed	
Title	nvarchar(100)	200	NULL allowed	
UpdatedDate	datetime	8	NOT NULL	
UpdatedBy	nvarchar(50)	100	NOT NULL	

SQL Script

```
CREATE TABLE [dbo].[SubLevelMapping]
(
[Id] [int] NOT NULL IDENTITY(1, 1),
[OldSubLevel] [nvarchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevel] [nvarchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Title] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[UpdatedDate] [datetime] NOT NULL,
[UpdatedBy] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
) ON [PRIMARY]
GO
```

Used By

[dbo].[V_TBDLegacyEmployee]

Copyright 2026 - All Rights Reserved

[dbo].[TBDMapping]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:32 AM Wednesday, October 14, 2026
Last Modified	10:29:32 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
TBDMappingId	int	4	NOT NULL	1 - 1
Title	varchar(200)	200	NULL allowed	
LegacyTitle	varchar(200)	200	NULL allowed	
TitleCode	varchar(10)	10	NULL allowed	
Sublevel	varchar(10)	10	NULL allowed	
CreatedBy	varchar(100)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	
ActivityType	varchar(50)	50	NULL allowed	
ActivityTypeCost	varchar(50)	50	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[TBDMapping]
(
[TBDMappingId] [int] NOT NULL IDENTITY(1, 1),
[Title] [varchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LegacyTitle] [varchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TitleCode] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Sublevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedBy] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
[ActivityType] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityTypeCost] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

Used By

[dbo].[V_TBDEmployee]

[dbo].[V_TBDLegacyEmployee]

[dbo].[APSP_Engagement_Budget_Margin_Calc_New]

Copyright 2026 - All Rights Reserved

[dbo].[TBDMapping_062025]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:42 AM Wednesday, October 14, 2026
Last Modified	10:29:42 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
TBDMappingId	int	4	NOT NULL	1 - 1
Title	varchar(200)	200	NULL allowed	
LegacyTitle	varchar(200)	200	NULL allowed	
TitleCode	varchar(10)	10	NULL allowed	
Sublevel	varchar(10)	10	NULL allowed	
CreatedBy	varchar(100)	100	NOT NULL	
CreatedDate	datetime	8	NOT NULL	
ActivityType	varchar(50)	50	NULL allowed	
ActivityTypeCost	varchar(50)	50	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[TBDMapping_062025]
(
[TBDMappingId] [int] NOT NULL IDENTITY(1, 1),
[Title] [varchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[LegacyTitle] [varchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TitleCode] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Sublevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[CreatedBy] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CreatedDate] [datetime] NOT NULL,
[ActivityType] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[ActivityTypeCost] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[TitleSublevelActivityMapping]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:42 AM Wednesday, October 14, 2026
Last Modified	10:29:42 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
MappingId	int	4	NOT NULL	1 - 1
ActivityType	nvarchar(50)	100	NULL allowed	
TitleCode	nvarchar(50)	100	NULL allowed	
SubLevel	nvarchar(50)	100	NULL allowed	

SQL Script

```
CREATE TABLE [dbo].[TitleSublevelActivityMapping]
(
[MappingId] [int] NOT NULL IDENTITY(1, 1),
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TitleCode] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[SubLevel] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```

Used By

[dbo].[SP_GetSecondaryTitleDescriptionCode]
[dbo].[SP_GetTBDEmployeeDetails]

Copyright 2026 - All Rights Reserved

[dbo].[TK_Default_RATE_Archive]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True
Row Count (~)	0
Created	10:29:32 AM Wednesday, October 14, 2026
Last Modified	10:29:32 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
RateYear	varchar(4)	4	NOT NULL
TK_Default_Name	varchar(75)	75	NOT NULL
TK_Default_BusinessUnit	varchar(48)	48	NOT NULL
TK_Default_Country	varchar(48)	48	NULL allowed
TK_Default_Community	varchar(48)	48	NOT NULL
TK_Default_Location	varchar(48)	48	NULL allowed
TK_Default_Title	varchar(48)	48	NOT NULL
TK_Default_Subtitle	varchar(48)	48	NOT NULL
TK_Default_USDRate	money	8	NULL allowed
TK_Default_GBPRate	money	8	NULL allowed
TK_Default_EURRate	money	8	NULL allowed
TK_Default_JPYRate	money	8	NULL allowed
TK_Default_RMBRate	money	8	NULL allowed
TK_Default_HKDRate	money	8	NULL allowed
TK_Default_KRWRate	money	8	NULL allowed
TK_Default_CADRate	money	8	NULL allowed
TK_Default_AEDRate	money	8	NULL allowed
TK_Default_CHFRate	money	8	NULL allowed
TK_Default_ARSRate	money	8	NULL allowed
TK_Default_AUDRate	money	8	NULL allowed
TK_Default_SARRate	money	8	NULL allowed
TK_Sector	varchar(10)	10	NULL allowed

Copyright 2026 - All Rights Reserved

SQL Script

```
CREATE TABLE [dbo].[TK_Default_RATE_Archive]
(
[RateYear] [varchar] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_Default_Name] [varchar] (75) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_Default_BusinessUnit] [varchar] (48) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_Default_Country] [varchar] (48) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TK_Default_Community] [varchar] (48) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_Default_Location] [varchar] (48) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[TK_Default_Title] [varchar] (48) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_Default_Subtitle] [varchar] (48) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[TK_Default_USDRate] [money] NULL,
[TK_Default_GBPRate] [money] NULL,
[TK_Default_EURRate] [money] NULL,
[TK_Default_JPYRate] [money] NULL,
[TK_Default_RMBRate] [money] NULL,
[TK_Default_HKDRate] [money] NULL,
[TK_Default_KRWRate] [money] NULL,
[TK_Default_CADRate] [money] NULL,
[TK_Default_AEDRate] [money] NULL,
[TK_Default_CHFRate] [money] NULL,
[TK_Default_ARSRate] [money] NULL,
[TK_Default_AUDRate] [money] NULL,
[TK_Default_SARRate] [money] NULL,
[TK_Sector] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
GO
```

Used By

[dbo].[V_TBDLegacyEmployee]

Copyright 2026 - All Rights Reserved

[SQLSentry].[ProcedureStats_1_64C73CD49DAC4C39DC18C28B919540E2]

Properties

Property	Value
Heap	True
Row Count (~)	0
Created	10:29:42 AM Wednesday, October 14, 2026
Last Modified	10:29:42 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
database_id	smallint	2	NULL allowed
object_id	int	4	NULL allowed
InstanceCount	int	4	NULL allowed
sql_handle	varbinary(64)	64	NULL allowed
plan_handle	varbinary(64)	64	NULL allowed
cached_time	datetime	8	NULL allowed
last_execution_time	datetime	8	NULL allowed
execution_count	bigint	8	NULL allowed
total_worker_time	bigint	8	NULL allowed
total_physical_reads	bigint	8	NULL allowed
total_logical_reads	bigint	8	NULL allowed
total_logical_writes	bigint	8	NULL allowed
total_elapsed_time	bigint	8	NULL allowed
last_worker_time	bigint	8	NULL allowed
last_physical_reads	bigint	8	NULL allowed
last_logical_reads	bigint	8	NULL allowed
last_logical_writes	bigint	8	NULL allowed
last_elapsed_time	bigint	8	NULL allowed

SQL Script

```
CREATE TABLE [SQLSentry].[ProcedureStats_1_64C73CD49DAC4C39DC18C28B919540E2]
(
[database_id] [smallint] NULL,
[object_id] [int] NULL,
[InstanceCount] [int] NULL,
[sql_handle] [varbinary] (64) NULL,
```


Copyright 2026 - All Rights Reserved

```
[plan_handle] [varbinary] (64) NULL,
[cached_time] [datetime] NULL,
[last_execution_time] [datetime] NULL,
[execution_count] [bigint] NULL,
[total_worker_time] [bigint] NULL,
[total_physical_reads] [bigint] NULL,
[total_logical_reads] [bigint] NULL,
[total_logical_writes] [bigint] NULL,
[total_elapsed_time] [bigint] NULL,
[last_worker_time] [bigint] NULL,
[last_physical_reads] [bigint] NULL,
[last_logical_reads] [bigint] NULL,
[last_logical_writes] [bigint] NULL,
[last_elapsed_time] [bigint] NULL
) ON [PRIMARY]
GO
```

Uses

SQLSentry

Copyright 2026 - All Rights Reserved

[SQLSentry].[ProcedureStats_2_64C73CD49DAC4C39DC18C28B919540E2]

Properties

Property	Value
Heap	True
Row Count (~)	0
Created	10:29:42 AM Wednesday, October 14, 2026
Last Modified	10:29:42 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
database_id	smallint	2	NULL allowed
object_id	int	4	NULL allowed
InstanceCount	int	4	NULL allowed
sql_handle	varbinary(64)	64	NULL allowed
plan_handle	varbinary(64)	64	NULL allowed
cached_time	datetime	8	NULL allowed
last_execution_time	datetime	8	NULL allowed
execution_count	bigint	8	NULL allowed
total_worker_time	bigint	8	NULL allowed
total_physical_reads	bigint	8	NULL allowed
total_logical_reads	bigint	8	NULL allowed
total_logical_writes	bigint	8	NULL allowed
total_elapsed_time	bigint	8	NULL allowed
last_worker_time	bigint	8	NULL allowed
last_physical_reads	bigint	8	NULL allowed
last_logical_reads	bigint	8	NULL allowed
last_logical_writes	bigint	8	NULL allowed
last_elapsed_time	bigint	8	NULL allowed

SQL Script

```
CREATE TABLE [SQLSentry].[ProcedureStats_2_64C73CD49DAC4C39DC18C28B919540E2]
(
[database_id] [smallint] NULL,
[object_id] [int] NULL,
[InstanceCount] [int] NULL,
[sql_handle] [varbinary] (64) NULL,
```


Copyright 2026 - All Rights Reserved

```
[plan_handle] [varbinary] (64) NULL,
[cached_time] [datetime] NULL,
[last_execution_time] [datetime] NULL,
[execution_count] [bigint] NULL,
[total_worker_time] [bigint] NULL,
[total_physical_reads] [bigint] NULL,
[total_logical_reads] [bigint] NULL,
[total_logical_writes] [bigint] NULL,
[total_elapsed_time] [bigint] NULL,
[last_worker_time] [bigint] NULL,
[last_physical_reads] [bigint] NULL,
[last_logical_reads] [bigint] NULL,
[last_logical_writes] [bigint] NULL,
[last_elapsed_time] [bigint] NULL
) ON [PRIMARY]
GO
```

Uses

SQLSentry

Copyright 2026 - All Rights Reserved

[SQLSentry].[QueryStats_1_64C73CD49DAC4C39DC18C28B919540E2]

Properties

Property	Value
Heap	True
Row Count (~)	0
Created	10:29:43 AM Wednesday, October 14, 2026
Last Modified	10:29:43 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
query_hash	binary(8)	8	NULL allowed
query_plan_hash	binary(8)	8	NULL allowed
statement_start_offset	int	4	NULL allowed
statement_end_offset	int	4	NULL allowed
obj	varbinary(4)	4	NULL allowed
InstanceCount	int	4	NULL allowed
sql_handle	varbinary(64)	64	NULL allowed
plan_handle	varbinary(64)	64	NULL allowed
creation_time	datetime	8	NULL allowed
last_execution_time	datetime	8	NULL allowed
execution_count	bigint	8	NULL allowed
total_worker_time	bigint	8	NULL allowed
total_physical_reads	bigint	8	NULL allowed
total_logical_reads	bigint	8	NULL allowed
total_logical_writes	bigint	8	NULL allowed
total_elapsed_time	bigint	8	NULL allowed
last_worker_time	bigint	8	NULL allowed
last_physical_reads	bigint	8	NULL allowed
last_logical_reads	bigint	8	NULL allowed
last_logical_writes	bigint	8	NULL allowed
last_elapsed_time	bigint	8	NULL allowed

SQL Script

```
CREATE TABLE [SQLSentry].[QueryStats_1_64C73CD49DAC4C39DC18C28B919540E2]
(
```


Copyright 2026 - All Rights Reserved

```
[query_hash] [binary] (8) NULL,
[query_plan_hash] [binary] (8) NULL,
[statement_start_offset] [int] NULL,
[statement_end_offset] [int] NULL,
[obj] [varbinary] (4) NULL,
[InstanceCount] [int] NULL,
[sql_handle] [varbinary] (64) NULL,
[plan_handle] [varbinary] (64) NULL,
[creation_time] [datetime] NULL,
[last_execution_time] [datetime] NULL,
[execution_count] [bigint] NULL,
[total_worker_time] [bigint] NULL,
[total_physical_reads] [bigint] NULL,
[total_logical_reads] [bigint] NULL,
[total_logical_writes] [bigint] NULL,
[total_elapsed_time] [bigint] NULL,
[last_worker_time] [bigint] NULL,
[last_physical_reads] [bigint] NULL,
[last_logical_reads] [bigint] NULL,
[last_logical_writes] [bigint] NULL,
[last_elapsed_time] [bigint] NULL
) ON [PRIMARY]
GO
```

Uses

SQLSentry

Copyright 2026 - All Rights Reserved

[SQLSentry].[QueryStats_2_64C73CD49DAC4C39DC18C28B919540E2]

Properties

Property	Value
Heap	True
Row Count (~)	0
Created	10:29:43 AM Wednesday, October 14, 2026
Last Modified	10:29:43 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)	Nullability
query_hash	binary(8)	8	NULL allowed
query_plan_hash	binary(8)	8	NULL allowed
statement_start_offset	int	4	NULL allowed
statement_end_offset	int	4	NULL allowed
obj	varbinary(4)	4	NULL allowed
InstanceCount	int	4	NULL allowed
sql_handle	varbinary(64)	64	NULL allowed
plan_handle	varbinary(64)	64	NULL allowed
creation_time	datetime	8	NULL allowed
last_execution_time	datetime	8	NULL allowed
execution_count	bigint	8	NULL allowed
total_worker_time	bigint	8	NULL allowed
total_physical_reads	bigint	8	NULL allowed
total_logical_reads	bigint	8	NULL allowed
total_logical_writes	bigint	8	NULL allowed
total_elapsed_time	bigint	8	NULL allowed
last_worker_time	bigint	8	NULL allowed
last_physical_reads	bigint	8	NULL allowed
last_logical_reads	bigint	8	NULL allowed
last_logical_writes	bigint	8	NULL allowed
last_elapsed_time	bigint	8	NULL allowed

SQL Script

```
CREATE TABLE [SQLSentry].[QueryStats_2_64C73CD49DAC4C39DC18C28B919540E2]
(
```


Copyright 2026 - All Rights Reserved

```
[query_hash] [binary] (8) NULL,
[query_plan_hash] [binary] (8) NULL,
[statement_start_offset] [int] NULL,
[statement_end_offset] [int] NULL,
[obj] [varbinary] (4) NULL,
[InstanceCount] [int] NULL,
[sql_handle] [varbinary] (64) NULL,
[plan_handle] [varbinary] (64) NULL,
[creation_time] [datetime] NULL,
[last_execution_time] [datetime] NULL,
[execution_count] [bigint] NULL,
[total_worker_time] [bigint] NULL,
[total_physical_reads] [bigint] NULL,
[total_logical_reads] [bigint] NULL,
[total_logical_writes] [bigint] NULL,
[total_elapsed_time] [bigint] NULL,
[last_worker_time] [bigint] NULL,
[last_physical_reads] [bigint] NULL,
[last_logical_reads] [bigint] NULL,
[last_logical_writes] [bigint] NULL,
[last_elapsed_time] [bigint] NULL
) ON [PRIMARY]
GO
```

Uses

SQLSentry

Copyright 2026 - All Rights Reserved

[SQLSentry].[SQLSentryObjectVersion_20]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:29:43 AM Wednesday, October 14, 2026
Last Modified	10:29:43 AM Wednesday, October 14, 2026

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	ObjectName	nvarchar(128)	256	NOT NULL
	Version	int	4	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	PK_SQLSentryObjectVersion_20	ObjectName	True

SQL Script

```
CREATE TABLE [SQLSentry].[SQLSentryObjectVersion_20]
(
[ObjectName] [nvarchar] (128) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Version] [int] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [SQLSentry].[SQLSentryObjectVersion_20] ADD CONSTRAINT [PK_SQLSentryObjectVersion_20]
PRIMARY KEY CLUSTERED ([ObjectName]) ON [PRIMARY]
GO
```

Uses

SQLSentry

Copyright 2026 - All Rights Reserved

Views

Objects

Name
dbo.V_StandardBillRateByEmployee
dbo.V_TBDEmployee
dbo.V_TBDLegacyEmployee

Copyright 2026 - All Rights Reserved

[dbo].[V_StandardBillRateByEmployee]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
ANSI Nulls On	True
Quoted Identifier On	True
Created	10:29:33 AM Wednesday, October 14, 2026
Last Modified	10:29:33 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)
OracleID	varchar(50)	50
BusinessPartnerNumber	varchar(50)	50
SalesOrganization	varchar(50)	50
SubLevel	varchar(50)	50
CurrencyCode	nvarchar(50)	100
StandardRate	money	8
ValidFrom	datetimeoffset	10
ValidTo	datetimeoffset	10
ActivityType	nvarchar(50)	100

SQL Script

```
/*****************************************************************************************************************
NAME: V_StandardBillRateByEmployee
DESCRIPTION: This view is used to get employee rate details from SapEmployeeMaster and SapStandardBillRateMaster
*****************************************************************************************************************
DATE        AUTHOR        COMMENT
-----------------------------------------------------------------------------------------------------------------
01-FEB-2021    INFOSYS        Initial Version
-----------------------------------------------------------------------------------------------------------------
*****************************************************************************************************************/
CREATE VIEW [dbo].[V_StandardBillRateByEmployee]
AS
SELECT
    E.OracleID,
    E.BusinessPartner AS 'BusinessPartnerNumber',
    E.CompanyCode AS 'SalesOrganization',
```


Copyright 2026 - All Rights Reserved

```
    E.SubLevel,
    SBR.CompanyCodeCurrency AS 'CurrencyCode',
    SBR.Rate AS 'StandardRate',
    MAX(SBR.StartDate) AS 'ValidFrom',
    SBR.EndDate AS 'ValidTo',
    E.ActivityType
FROM [dbo].SAPEmployeeMaster E (NOLOCK)
    INNER JOIN [dbo].SAPStandardBillRateMaster SBR (NOLOCK)
        ON E.TitleCode=SBR.TitleCode AND E.ActivityType=SBR.ActivityType AND E.CompanyCode=SBR.CompanyCode
WHERE SBR.EndDate > GETDATE() + 1
GROUP BY
    E.OracleID,
    E.BusinessPartner,
    E.CompanyCode,
    E.SubLevel,
    SBR.CompanyCodeCurrency,
    SBR.Rate,
    SBR.EndDate,
    E.ActivityType
GO
```

Uses

[dbo].[SAPEmployeeMaster]
[dbo].[SAPStandardBillRateMaster]

Copyright 2026 - All Rights Reserved

[dbo].[V_TBDEmployee]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
ANSI Nulls On	True
Quoted Identifier On	True
Created	10:29:33 AM Wednesday, October 14, 2026
Last Modified	10:29:33 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)
Name	nvarchar(max)	max
Isl	varchar(max)	max
Region	nvarchar(max)	max
Title	varchar(200)	200
TitleCode	varchar(10)	10
Sublevel	varchar(10)	10
DepartmentCode	varchar(50)	50
RegionCode	nvarchar(max)	max
ActivityType	varchar(50)	50
ActivityTypeCost	varchar(50)	50

SQL Script

```
  --INSERT INTO TBDMAPPING VALUES('Partner','Partner','T003','B10','System',SYSUTCDATETIME())
          --UPDATE TBDMAPPING SET TITLE = 'Partner & Managing Director', LegacyTitle = 'Partner & Managing Dir.'
[TBDMappingId] = 1
          --UPDATE TBDMAPPING SET Title = '' where [TBDMappingId] in (3,12)



/*****************************************************************************************************************
NAME: V_TBDEmployee
DESCRIPTION: This view is used to get tbd employee details
*****************************************************************************************************************
DATE        AUTHOR        COMMENT
```


Copyright 2026 - All Rights Reserved

```
-----------------------------------------------------------------------------------------------------------------------
03-MAR-2021    INFOSYS        Initial Version
30-JUL-2021 INFOSYS     Removed Ic's from TBDEmployees (EM.Title NOT LIKE '%I/C%')
02-SEP-2021 INFOSYS     Updated TBD names for Admin title (Removed Title from Name)
05-May-2024 JM            Updated Sublevel with Activity Type and limited the number of rows
19-Jul-2024 RM(Infosys)    Commenetd logic for CM.DepartmentCode NOT IN (202,203) for Beryls TBD.
16-Jun-2025 AS            Updated TBD names for certain BMM titles.
-----------------------------------------------------------------------------------------------------------------------
***********************************************************************************************************************
CREATE VIEW [dbo].[V_TBDEmployee]
AS
        WITH Country(Region, RegionCode)
    AS (

        SELECT ER.EntityDescription, ER.EntityName FROM Entity ER Where EntityGroupId = (Select EntityGroupID FRO
Group WHERE EntityGroupName = 'Region')
    )
    Select DISTINCT
        'TBD ' + EM.Title + ' ' + CM.DepartmentDescription + ' ' + CN.Region AS Name,
         CM.DepartmentDescription AS Isl,
         CN.Region AS Region,
         EM.Title AS Title,
         EM.TitleCode AS TitleCode,
         EM.SubLevel AS Sublevel,
         CM.DepartmentCode,
         CN.RegionCode,
         EM.ActivityType,
         EM.ActivityTypeCost As ActivityTypeCost
    FROM [dbo].[TBDMapping] EM, [dbo].[SAPEmployeeMaster] CM
        , Country CN
    WHERE CM.DepartmentCode IN (select EntityName from Entity where EntityGroupID in ( select EntityGroupID from
where EntityGroupName = 'ISL Service Line' AND Year(ValidFrom) <= year( GETUTCDATE()) AND Year(ValidTo)
>=year(GETUTCDATE())) AND isActive = 1)
          AND EM.Title<> '' AND EM.Title NOT LIKE '%I/C%'
          AND EM.Title Not in ('Admin','Associate','Associate Partner','Project Manager','Senior Associate','Seni
Consultant','Paraprofessional','Principal','Analyst BSA','Analyst BMM','Partner BSA','Partner BMM','Partner & Mar
Director BSA','Partner & Managing Director BMM','Consultant BSA','Consultant BMM','Partner & Managing Director -
BMM','Partner & Managing Director - IC BSA','Partner - IC BMM','Partner - IC BSA','Principal - IC BMM','Associate
IC BMM','Associate Partner - IC BSA','Senior Associate - IC BMM','Project Manager - IC BMM','Project Manager - IC
BSA','Consultant - IC BMM','Consultant - IC BSA','Senior Consultant - IC BMM','Senior Consultant - IC BSA','Analy
BMM','Analyst - IC BSA','Associate - IC BMM')
          AND EM.LegacyTitle <> 'Developer' AND EM.Title NOT Like '%CorpSrv%' AND CM.DepartmentDescription NOT IN
Srv','BSA','BMM')
          GROUP BY
          EM.Title,
          CM.DepartmentDescription,
          CN.Region,
          EM.TitleCode,
          EM.SubLevel,
          CM.DepartmentCode,
          CN.RegionCode,
          EM.ActivityType,
          EM.ActivityTypeCost
    UNION
    Select DISTINCT
```


Copyright 2026 - All Rights Reserved

```
        CASE WHEN CM.DepartmentDescription = 'BMM' and EM.Title like '%BMM%' THEN
                'TBD ' + EM.Title + ' ' + CN.Region
                ELSE 'TBD ' + EM.Title + ' ' + CM.DepartmentDescription + ' ' + CN.Region
            END AS Name,
            CM.DepartmentDescription AS Isl,
            CN.Region AS Region,
            EM.Title AS Title,
            EM.TitleCode AS TitleCode,
            EM.SubLevel AS Sublevel,
            CM.DepartmentCode,
            CN.RegionCode,
            EM.ActivityType,
            EM.ActivityTypeCost As ActivityTypeCost
        FROM [dbo].[TBDMapping] EM, [dbo].[SAPEmployeeMaster] CM
            , Country CN
        WHERE CM.DepartmentCode IN (select EntityName from Entity where EntityGroupID in ( select EntityGroupID f
Group where EntityGroupName = 'ISL Service Line' AND Year(ValidFrom) <= year( GETUTCDATE()) AND Year(ValidTo)
>=year(GETUTCDATE())) AND isActive = 1)
              AND EM.Title<> '' --AND EM.Title NOT LIKE '%I/C%'
              AND EM.Title NOT IN ('Admin','Director','Senior Vice President','Vice
President','Paraprofessional','Analyst','Consultant','Partner','Partner & Managing Director','Analyst BSA','Consu
BSA','Partner BSA','Partner & Managing Director BSA','Intern','Partner & Managing Director - IC BSA','Partner - I
BSA','Associate Partner - IC BSA','Project Manager - IC BSA','Senior Consultant - IC BSA','Consultant - IC BSA','
IC BSA')
              AND EM.LegacyTitle <> 'Developer' AND EM.Title NOT Like '%CorpSrv%' AND CM.DepartmentDescription IN
              GROUP BY
              EM.Title,
              CM.DepartmentDescription,
              CN.Region,
              EM.TitleCode,
              EM.SubLevel,
              CM.DepartmentCode,
              CN.RegionCode,
              EM.ActivityType,
              EM.ActivityTypeCost
    UNION
    Select DISTINCT
        CASE WHEN CM.DepartmentDescription = 'BSA' and EM.Title like '%BSA%' THEN
             'TBD ' + EM.Title + ' ' + CN.Region
             ELSE 'TBD ' + EM.Title + ' ' + CM.DepartmentDescription + ' ' + CN.Region
         END AS Name,
         CM.DepartmentDescription AS Isl,
         CN.Region AS Region,
         EM.Title AS Title,
         EM.TitleCode AS TitleCode,
         EM.SubLevel AS Sublevel,
         CM.DepartmentCode,
         CN.RegionCode,
         EM.ActivityType,
         EM.ActivityTypeCost As ActivityTypeCost
    FROM [dbo].[TBDMapping] EM, [dbo].[SAPEmployeeMaster] CM
        , Country CN
    WHERE CM.DepartmentCode IN (select EntityName from Entity where EntityGroupID in ( select EntityGroupID from
where EntityGroupName = 'ISL Service Line' AND Year(ValidFrom) <= year( GETUTCDATE()) AND Year(ValidTo)
>=year(GETUTCDATE())) AND isActive = 1)
```


Copyright 2026 - All Rights Reserved

```
          AND EM.Title<> '' AND EM.Title NOT LIKE '%I/C%'
          AND EM.Title NOT IN ('Paraprofessional','Admin','Associate','Director','Principal','Senior Associate','
President','Vice President','Analyst','Consultant','Partner','Partner & Managing Director','Analyst BMM','Consult
BMM','Partner BMM','Partner & Managing Director BMM','Intern','Partner & Managing Director - IC BMM','Partner - I
BMM','Principal - IC BMM','Senior Associate - IC BMM','Consultant - IC BMM','Analyst - IC BMM','Associate - IC BM
'Associate Partner - IC BMM', 'Project Manager - IC BMM', 'Senior Consultant - IC BMM')
          AND EM.LegacyTitle <> 'Developer' AND EM.Title NOT Like '%CorpSrv%' AND CM.DepartmentDescription IN ('B
          GROUP BY
          EM.Title,
          CM.DepartmentDescription,
          CN.Region,
          EM.TitleCode,
          EM.SubLevel,
          CM.DepartmentCode,
          CN.RegionCode,
          EM.ActivityType,
          EM.ActivityTypeCost
    UNION
    Select DISTINCT
        'TBD ' + EM.Title + ' ' + CM.DepartmentDescription + ' ' + CN.Region AS Name,
        CM.DepartmentDescription AS Isl,
        CN.Region AS Region,
        EM.Title AS Title,
        EM.TitleCode AS TitleCode,
        EM.SubLevel AS Sublevel,
        '' AS DepartmentCode,
        CN.RegionCode,
        EM.ActivityType AS ActivityType,
        EM.ActivityTypeCost As ActivityTypeCost
    FROM [dbo].[TBDMapping] EM, [dbo].[SAPEmployeeMaster] CM
        , Country CN
    WHERE EM.Title<> '' AND EM.Title NOT LIKE '%I/C%'
          AND EM.Title NOT LIKE '%I/C%' AND EM.Title NOT IN ('Consultant','Associate','Associate
Partner','Principal','Project Manager','Senior Associate','Senior Consultant','Paraprofessional','Analyst BMM','C
BMM','Partner BMM','Partner & Managing Director BMM','Analyst BSA','Consultant BSA','Partner BSA','Partner & Mana
Director BSA','Partner & Managing Director - IC BSA','Partner & Managing Director - IC BMM','Partner - IC BMM','P
BSA','Principal - IC BMM','Associate Partner - IC BSA','Associate Partner - IC BMM','Senior Associate - IC BMM','
Manager - IC BSA','Project Manager - IC BMM','Consultant - IC BMM','Senior Consultant - IC BSA','Senior Consultan
BMM','Consultant - IC BSA','Analyst - IC BMM','Analyst - IC BSA','Associate - IC BMM')
          AND EM.LegacyTitle <> 'Developer' AND CM.DepartmentDescription = 'CorpSrv' --AND CM.DepartmentCode NOT
(202,203)
          GROUP BY
          EM.Title,
          CM.DepartmentDescription,
          CN.Region,
          EM.TitleCode,
          EM.SubLevel,
          CN.RegionCode,
          EM.ActivityType,
          EM.ActivityTypeCost

GO
```


Copyright 2026 - All Rights Reserved

Uses

[dbo].[Entity]
[dbo].[EntityGroup]
[dbo].[SAPEmployeeMaster]
[dbo].[TBDMapping]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
[dbo].[sp_GetSumStdCost]
[dbo].[SP_GetTBDEmployeeDetails]
[dbo].[SP_IsNewRate]
[dbo].[SP_TBDEmployee]

Copyright 2026 - All Rights Reserved

[dbo].[V_TBDLegacyEmployee]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
ANSI Nulls On	True
Quoted Identifier On	True
Created	10:29:32 AM Wednesday, October 14, 2026
Last Modified	10:29:32 AM Wednesday, October 14, 2026

Columns

Name	Data Type	Max Length (Bytes)
Name	varchar(75)	75
Title	varchar(48)	48
Country	varchar(48)	48
Community	varchar(48)	48
Region	varchar(48)	48
TitleCode	varchar(10)	10
SubLevel	varchar(10)	10
ActivityType	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************
NAME: V_TBDLegacyEmployee
DESCRIPTION: This view is used to get tbd legacy employee details
*****************************************************************************************************************
DATE  AUTHOR  COMMENT
-----------------------------------------------------------------------------------------------------------------
09-JUN-2021 INFOSYS  Initial Version
02-SEP-2021 INFOSYS  Updated Community Name Changes
-----------------------------------------------------------------------------------------------------------------
*****************************************************************************************************************/
CREATE VIEW [dbo].[V_TBDLegacyEmployee]
AS

 SELECT
   e.TK_Default_Name AS [Name],
   e.TK_Default_Title Title,
```


Copyright 2026 - All Rights Reserved

```
    e.TK_Default_Country Country,
    -- e.TK_Default_Community Community,
    IIF((e.TK_Default_Community NOT IN ('EI','TRS','FAS','DIG','LOE','IMS')), 'CorpSrv',e.TK_Default_Community) AS
    e.TK_Default_BusinessUnit Region,
    m.TitleCode,
    m.SubLevel,
    m.ActivityType
  FROM TK_Default_RATE_Archive e
      LEFT JOIN [dbo].[TBDMapping] m ON e.TK_Default_Title = m.LegacyTitle
  WHERE
    e.TK_Default_Country<>'Argentina'
  GROUP BY
  e.TK_Default_Name,
  e.TK_Default_Title,
  e.TK_Default_Country,
  e.TK_Default_Community,
  e.TK_Default_BusinessUnit,
  m.TitleCode,
  m.SubLevel,
  m.ActivityType
  UNION
  SELECT
    e.TK_Default_Name AS [Name],
    e.TK_Default_Title Title,
    e.TK_Default_Country Country,
     -- e.TK_Default_Community Community,
    IIF((e.TK_Default_Community NOT IN ('EI','TRS','FAS','DIG','LOE','IMS')), 'CorpSrv',e.TK_Default_Community) AS
    e.TK_Default_BusinessUnit Region,
    m.TitleCode,
    m.SubLevel,
    m.ActivityType
  FROM  TK_Default_RATE_Archive e
    LEFT JOIN [dbo].[SublevelMapping] s ON e.TK_Default_SubTitle = s.OldSubLevel
    LEFT JOIN dbo.SubLevelActivityTypeMapping SA on s.SubLevel = SA.SubLevel
      LEFT JOIN [dbo].[TBDMapping] m ON e.TK_Default_Title = m.LegacyTitle AND m.ActivityType = sA.ActivityType
  WHERE
    e.TK_Default_Country='Argentina'
    AND m.Title NOT LIKE '%I/C'
  GROUP BY
  e.TK_Default_Name,
  e.TK_Default_Title,
  e.TK_Default_Country,
  e.TK_Default_Community,
  e.TK_Default_BusinessUnit,
  m.TitleCode,
  m.SubLevel,
  m.ActivityType
GO
```


Copyright 2026 - All Rights Reserved

Uses

[dbo].[SubLevelActivityTypeMapping]

[dbo].[SubLevelMapping]

[dbo].[TBDMapping]

[dbo].[TK_Default_RATE_Archive]

Used By

[dbo].[APSP_Engagement_Budget_Margin_Calc]

[dbo].[sp_GetSumStdCost]

[dbo].[SP_GetTBDEmployeeDetails]

Copyright 2026 - All Rights Reserved

Stored Procedures

Objects

Name
Archive.APSP_Engagement_Budget_Margin_Calc_New_pre20250522
dbo.APSP_Engagement_Budget_Margin_Calc
dbo.APSP_Engagement_Budget_Margin_Calc_New
dbo.APSP_Engagement_Budget_Margin_Calc_New_Debug
dbo.APSP_InsertBudgetMetrics
dbo.APSP_InsertCMBudgetMetrics
dbo.APSP_InsertMarginCalcLogs
dbo.SP_BulkRateDataUpload
dbo.SP_CloneBudget
dbo.SP_CloneBudgetBefore2023
dbo.SP_CM_GetWorkingDaysByPeriod
dbo.SP_ConvertXmlFileDataToTable
dbo.SP_CurrencyConversionRate
dbo.SP_EmpLoyeeDetails
dbo.SP_GetAssociatedGroupsbyId
dbo.SP_GetChildGroupsbyId
dbo.SP_GetEngagementDetails
dbo.SP_GetHierarchyData
dbo.SP_GetHolidayDates
dbo.SP_GetSecondaryTitleDescriptionCode
dbo.SP_GetSingleGroups
dbo.sp_GetSumStdCost
dbo.SP_GetTBDEmployeeDetails
dbo.SP_GetWorkingDaysByPeriod
dbo.SP_IsNewRate
dbo.SP_TBDEmployee
dbo.spGetBlockInfo_20
dbo.usp_add_FkConstraint
dbo.usp_GetIcRate
dbo.usp_PurgeDeletedData
dbo.usp_remove_Employee
SQLSentry.spGetProcedureStatsData
SQLSentry.spGetQueryStatsData

Copyright 2026 - All Rights Reserved

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@BudgetId	int	4
@Logonuser	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************
NAME: APSP_Engagement_Budget_Margin_Calc
DESCRIPTION: This SP used to calculate the Engagement Budget Margin, which is used by Engagement Budget Tool
HELPER QUERY: EXEC APSP_Engagement_Budget_Margin_Calc_New @BudgetId=188,@LogonUser='Test'
*****************************************************************************************************************
  AUTHOR  DATE  CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
##01 Infosys 16-Dec-22 2023 and Onwards Version
##02 Infosys 15-May-23 Update reference to Calculate Metrics Table
##03 JM   10-JUL-24 Update DateDifference for weeks
*****************************************************************************************************************

CREATE PROC [Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
--DECLARE
 @BudgetId INT,
 @Logonuser VARCHAR(50)
AS
BEGIN
 BEGIN TRY
  SET NOCOUNT ON;
```


Copyright 2026 - All Rights Reserved

```
--declare @BudgetId int = 12491;
--declare @Logonuser VARCHAR(50) = 'Test';
--SET @BudgetId = 226;
--SET @Logonuser = 'Test';
DECLARE @DebugFlag BIT = 0;
DECLARE @RowCount INT = 0;

-- VARIABLES FOR MARGIN CALCULATION
DECLARE @ProfitHurdle DECIMAL(14,3)= 0;
DECLARE @NetRevenue DECIMAL (14,3)= 0;
DECLARE @EtsCosts DECIMAL(14,3) = 0;
DECLARE @TotalDigitalToolAmount DECIMAL(14,3) = 0;
DECLARE @SubConCost DECIMAL(14,3)= 0;
DECLARE @SubConRevenue DECIMAL (14,3) = 0;
DECLARE @StdCosts DECIMAL(14,3) = 0;
DECLARE @EngagementStdHourlyRateTotal DECIMAL(14,3) = 0;

-- ENGAGEMENT METRICS VARIABLES FOR CM_BUDGETMETRICS TABLE
DECLARE @StdRateRealizationInclTravelExclContingentPerc DECIMAL(14,3) = 0;
DECLARE @StdRateRealizationInclTravelInclContingentPerc DECIMAL(14,3) = 0;
DECLARE @StdRateRealizationExclTravelExclContingentPerc DECIMAL(14,3) = 0;
DECLARE @StdRateRealizationExclTravelInclContingentPerc DECIMAL(14,3) = 0;
DECLARE @AvgHourlyRateInclTravelExclContingent DECIMAL(14,3) = 0;
DECLARE @AvgHourlyRateExclTravelExclContingent DECIMAL(14,3) = 0;
DECLARE @StaffOrMDHoursLeverage DECIMAL(14,3) = 0;
DECLARE @HoursBelowDirectorPerc DECIMAL(14,3) = 0;
DECLARE @StaffAverageHoursPerDay DECIMAL(14,3) = 0;
DECLARE @EstBudgetMarginPerc DECIMAL(14,1) = 0;
DECLARE @EstBudgetMargin DECIMAL(14,3) = 0;

DECLARE @NrTotalFeesAtStd DECIMAL(14,3) = 0;
DECLARE @TotalRevenueExcludingContingent DECIMAL(14,3) = 0;
DECLARE @TotalRevenueIncludingContingent DECIMAL(14,3) = 0;
DECLARE @FeesSubTotal DECIMAL(14,3) = 0;
DECLARE @TotalHours DECIMAL(14,3) = 0;
DECLARE @TotalFeesStandard DECIMAL(14,3) = 0;
DECLARE @TotalHoursMD DECIMAL(14,3) = 0;
DECLARE @TotalHoursPartner DECIMAL(14,3) = 0;
DECLARE @TotalHoursDir DECIMAL(14,3) = 0;
DECLARE @TravelTime DECIMAL(14,3) = 0;
DECLARE @ClientBill DECIMAL(14,3) = 0;
--2021-12-10 added for calc
DECLARE @TotalTravelFees DECIMAL(14,3) = 0;
DECLARE @TotalBillableFees DECIMAL(14,3) = 0;
DECLARE @TotalEngagementFees DECIMAL(14,3) = 0;
DECLARE @TravelExpenses DECIMAL(14,3) = 0;
DECLARE @AdminFee DECIMAL(14,3) = 0;
DECLARE @ExpectedContingentFeeUbb DECIMAL(14,3) = 0;

-- VARIABLES FOR COST CALCULATION
DECLARE @budgetCountry VARCHAR(50) = '';
DECLARE @engagementBU VARCHAR(50) = '';
```


Copyright 2026 - All Rights Reserved

```
DECLARE @engagementCommunity VARCHAR(50) = '';
DECLARE @departmentCode VARCHAR(50) = '';
DECLARE @mdInCharge VARCHAR(50) = '';
DECLARE @periodTypeId INT = 0;
DECLARE @budgetTypeId INT = 0;
DECLARE @startDate DATE;
DECLARE @endDate DATE;
DECLARE @EtsCostMonths DECIMAL(5,2);
DECLARE @CurConvDate DATETIME;
DECLARE @budgetStdCostRegion VARCHAR(50) = '';
DECLARE @engagementISLGrouping VARCHAR(50) = '';
DECLARE @ISLServiceLineGroupId int
DECLARE @StdCostRegionGroupId int
DECLARE @CountryGroupId int
DECLARE @RegionGroupId int

--SET @DebugFlag = 1;
-- CREATE DB TEMP TABLE FOR ENGAGEMENT BUDGET MARGIN
IF OBJECT_ID(N'tempdb..#BudgetYears') IS NOT NULL
BEGIN
 DROP TABLE #BudgetYears
END

IF OBJECT_ID(N'tempdb..#Employees') IS NOT NULL
BEGIN
 DROP TABLE #Employees
END

IF OBJECT_ID(N'tempdb..#BudgetPeriod') IS NOT NULL
BEGIN
 DROP TABLE #BudgetPeriod
END

IF OBJECT_ID(N'tempdb..#TBDEmp') IS NOT NULL
BEGIN
 DROP TABLE #TBDEmp
END

CREATE TABLE #BudgetYears
(
 WeekOrMonth INT,
 [Year] CHAR(4)
)

-- 3/25/2025 Alex Sikes - Added TitleCode
CREATE TABLE #Employees
(
 BudgetHrID INT,
 EmployeeId VARCHAR(50),
 Title VARCHAR(MAX),
 TitleCode VARCHAR(MAX),
 FName VARCHAR(MAX),
```


Copyright 2026 - All Rights Reserved

```
    LName VARCHAR(MAX),
    EngagementFeeCap INT,
    CurrencyCode CHAR(4),
    [Year] CHAR(4),
    Country VARCHAR(50),
    Community VARCHAR(50),
    SubLevel VARCHAR(20),
    CountryCommunitySubLevel VARCHAR(MAX),
    BusinessUnit VARCHAR(MAX),
    Year_Hrs DECIMAL(14,3),
    EngBillable_Hrs DECIMAL(14,3),
    NoOfDays DECIMAL(14,3),
    StdHourlyRate DECIMAL(14,3),
    StdCostForCurrentYear MONEY,
    StdCostRate MONEY,
    EngagementStdCost MONEY,
    --ICRate DECIMAL,
    ICBurdenRate DECIMAL(14,3),
    EngagementStdHourlyRate MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input)
    EngagementStdHourlyRateTotal MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input * Budget Hours)
    IsEmployeeIC bit, -- Added to check for IC
    StdCostRegion VARCHAR(50),--Standard cost region from MDM Std Cost Region table based on Country
    ISLGrouping VARCHAR(50),-- ISL Grouping value from MDM ISL Grouping based on ISL from budget/employee table
    RegionISLGroupingSubLevel VARCHAR(MAX),
    IsICUpdate bit,
    ActivityType NVARCHAR(50),
    CountryCommunityActivityType VARCHAR(MAX)
  )

  -- Table for TBD

  CREATE TABLE #TBDEmp
  (
    [Name] VARCHAR(MAX),
    Isl VARCHAR(MAX),
    Region VARCHAR(MAX),
    Country VARCHAR(50),
    Title VARCHAR(200),
    TitleCode VARCHAR(10),
    Sublevel VARCHAR(10),
    DepartmentCode VARCHAR(10),
    RegionCode VARCHAR(10),
    ActivityType NVARCHAR(50),
    ActivityTypeCost NVARCHAR(50)
  )

  SELECT @ISLServiceLineGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'I
Line'
  SELECT @StdCostRegionGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'St
Region'
  SELECT @CountryGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'Country'
  SELECT @RegionGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'Region'
```


Copyright 2026 - All Rights Reserved

```
  -- Determine Budget Country from Budget Detail table
  SELECT @budgetCountry=CTRY.CountryCode
  FROM CM_BudgetDetail BD WITH (NOLOCK)
   INNER JOIN SAPCountryMaster CTRY WITH (NOLOCK) ON BD.CountryCode=CTRY.CountryCode
  WHERE budgetid=@BudgetId;

  SET @CurConvDate = (SELECT MAX(ValidFromDate) FROM FxRate);

  --Get Engagement Community which is the Budget ISL value from Budget Detail table along with other data
  SELECT @budgetTypeId=BudgetTypeID
   ,@periodTypeId=PeriodTypeID
   ,@engagementCommunity=Community
   ,@mdInCharge = MdInCharge
   ,@startDate=StartDate
   ,@endDate=EndDate
  FROM CM_BudgetDetail WITH (NOLOCK)
  WHERE BudgetId=@BudgetId;

  --Get Department Code based on md incharge Name for budget
  SET @departmentCode = (select [dbo].[fn_GetISLServiceLine](@mdInCharge));
    -- Determine ISL Grouping from MDM ISL Grouping table based on department code from budget Details.

  SELECT @engagementBU = ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
   WHERE EntityID in (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
     WHERE EntityGroupID = (@CountryGroupId) and EntityName = @budgetCountry AND Year(ValidFrom) <= Year(@startda
Year(ValidTo) >=Year(@startdate)) AND EntityGroupID = (@RegionGroupId)AND Year(ValidFrom) <= Year(@startdate) AN
Year(ValidTo) >=Year
(@startdate)


  SELECT @EtsCostMonths = CASE
         WHEN DATEDIFF(MONTH, @startDate, @endDate) < 0 THEN 0
         ELSE DATEDIFF(MONTH, @startDate, @endDate) + 1
        END
  -- get MONTH/year -- year 1 to year 6 in the old Proc has been replaced by engagement span years;
  IF(@PeriodTypeId = 7)
  BEGIN
   ;WITH months (DATE)
   AS
   (
    SELECT @startDate
    UNION ALL
    SELECT DATEADD(MONTH, 1, DATE)
    FROM months
    WHERE DATEDIFF(MONTH, DATE, @endDate) > 0 --##03 --WHERE DATEADD(MONTH,1,DATE)<=@end
   )

   INSERT INTO #BudgetYears SELECT DatePart(MONTH, DATE), DatePart([Year], DATE) FROM months
  END
  ELSE
  BEGIN
   ;WITH months (DATE)
```


Copyright 2026 - All Rights Reserved

```
   AS
   (
    SELECT @startDate
    UNION ALL
    SELECT DATEADD(WEEK, 1, DATE)
    FROM months
    WHERE DATEDIFF(Week, DATE, @endDate) > 0 --DATEADD(WEEK, 1, DATE) < @endDate
   )
   INSERT INTO #BudgetYears SELECT DATEPART(WEEK,DATE), DATEPART([Year], DATE) FROM months
  END

  SELECT [Year],
   [WeekOrMonth],
   ROW_NUMBER() OVER (ORDER BY [YEAR],[WeekOrMonth] ASC) AS RN INTO #BudgetPeriod
  FROM #BudgetYears;

  -- All Employee details are inserted to #Employees TABLE
  -- 3/25/2025 Alex Sikes - Added EMP.TitleCode
  INSERT INTO #Employees
  SELECT BHR.BudgetHrID,
   BHR.EmployeeID,
   BHR.Title,
   EMP.TitleCode,
   CASE
    WHEN (BHR.[NAME] LIKE '%TBD%')
     THEN BHR.[NAME]
    ELSE EMP.FirstName
   END,
   EMP.LastName,
   ISNULL(EngagementFeeCap,0),
   CurrencyCode,
   BP.[Year],
   CTRY.Country,
   EMP.DepartmentDescription,
   EBPP.SubLevel,
   CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.ActivityType) AS CountryCommunitySubLevel,
   Region,
   CASE
    WHEN (@budgetTypeId = 1)
     THEN SUM(EBPP.BillableHours)
    ELSE (SUM(EBPP.BillableHours + EBPP.TravelHours))
   END Year_Hrs,
   CASE WHEN BHR.EngagementBillableHours < 4 THEN BHR.EngagementBillableHours
   Else 10
   END
   EngBillable_Hrs,
   CASE WHEN @budgetTypeId = 1 THEN CASE WHEN (SUM(NoOfDays) %1) < 0.4 then SUM(NoOfDays) when ((SUM(NoOfDays) %1
AND  (SUM(NoOfDays) %1) < 0.9) then Round((SUM(NoOfDays)+0.1)*1, 0)  else Round((SUM(NoOfDays))*1, 0)end
   ELSE SUM(NoOfDays) END NoOfDays,
   CASE
    WHEN (@PeriodTypeId = 6 AND DATEDIFF(YEAR, @startDate, @endDate) >= 1 AND ISNULL(StandardHourlyRateNextYr, 0)
     THEN StandardHourlyRateNextYr
```


Copyright 2026 - All Rights Reserved

```
    ELSE StandardHourlyRate
   END
   StandardHourlyRate,
   0, -- StdCostForCurrentYear
   0, -- StdCostRate
   0, -- EngagementStdCost
   0,  -- ICBurdenRate
   BHR.EngagementRate,  -- EngagementStdHourlyRate
   0, -- EngagementStdHourlyRateTotal
   CASE
    WHEN (EMP.BusinessPartnerRole = 'Ic')
     THEN 1
    ELSE 0
   END,
   EBPP.StdCostRegion,
   EBPP.IslGrouping,
   CONCAT(EBPP.StdCostRegion, EBPP.IslGrouping, EBPP.ActivityType) AS RegionISLGroupingSubLevel,
   0 , -- IsICupdate
   EBPP.ActivityType,
   CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.ActivityType) AS CountryCommunityActivityType
  FROM #BudgetPeriod BP WITH (NOLOCK)
   INNER JOIN CM_EmployeeBudgetPerPeriod EBPP WITH (NOLOCK)
    ON BP.RN = EBPP.PeriodRange
   INNER JOIN CM_BudgetHR BHR WITH (NOLOCK)
    ON EBPP.BudgetHrID=BHR.BudgetHrID
   INNER JOIN CM_BudgetDetail BD WITH (NOLOCK)
    ON bd.BudgetID=BHR.BudgetID
   INNER JOIN CM_BudgetFee BF WITH (NOLOCK)
    ON BF.BudgetID=bd.BudgetID
   LEFT OUTER JOIN SAPEmployeeMaster EMP WITH (NOLOCK)
    ON BHR.EmployeeID=CAST(EMP.OracleID AS VARCHAR(50))
   LEFT OUTER JOIN SAPCountryMaster CTRY WITH (NOLOCK)
    ON EMP.Country=CTRY.CountryCode
   --LEFT OUTER JOIN dbo.ActivityTypeICEmployeeMapping AIC
   -- ON EMP.ActivityType = AIC.ActivityType OR EMP.ActivityType = AIC.ICActivityType
   --LEFT OUTER JOIN CountryLookup CYLK WITH (NOLOCK)
    --ON EMP.Country=CYLK.CountryCode
   --LEFT OUTER JOIN Rate R WITH (NOLOCK)
   -- ON EMP.DepartmentDescription = R.Department AND CTRY.Country=r.Country AND EMP.SubLevel=R.SubLevel AND Rate
  WHERE BD.BudgetId=@BudgetId AND EBPP.NoOfDays > 0
  GROUP BY BHR.BudgetHrID,
   BHR.EmployeeId,
   BP.[Year],
   Title,
   TitleCode,
   EngagementFeeCap,
   CurrencyCode,
   Region,
   BusinessUnit,
   BHR.EngagementBillableHours,
   StandardHourlyRate,
   StandardHourlyRateNextYr,
```


Copyright 2026 - All Rights Reserved

```
    BHR.IslGrouping,
    DepartmentDescription,
    EMP.Country,CTRY.Country,CTRY.CountryCode,--CYLK.Country,
    EMP.SubLevel,EMP.FirstName,EMP.LastName,BHR.[Name], BHR.EngagementRate, EMP.BusinessPartnerRole,EBPP.Sublevel,
CostRegion, EBPP.ISLGrouping,EBPP.ActivityType,EMP.ActivityType

  --SELECT * FROM #Employees
  IF NOT EXISTS (SELECT 1 FROM #EMPLOYEES)
  BEGIN
   EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'No employees found', 'EBT', 'SP'
  END

  -- Insert TBD details from Views

  INSERT INTO #TBDEmp
  SELECT [Name], Isl, Region, '', Title, TitleCode, SubLevel, departmentCode, regionCode, ActivityType,ActivityTy
V_TBDEmployee (NOLOCK)
  --UNION
  --SELECT [Name], Community, Region, '', Title, TitleCode, SubLevel FROM V_TBDLegacyEmployee (NOLOCK)



  -- Update TBD Country-COmmunity-SubLevel in #Employees Table
  UPDATE #Employees SET
   EmployeeID ='TBD',
   Country = TBD.Country,
   Community = TBD.Isl,
   SubLevel = TBD.Sublevel,
   CountryCommunitySubLevel = CONCAT(TBD.Country, TBD.Isl, TBD.Sublevel),
   StdCostRegion = (SELECT  ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
   WHERE EntityName = TBD.RegionCode AND EntityGroupID = (@StdCostRegionGroupId)),
   ISLGrouping =  CASE WHEN TBD.DepartmentCode IN (select EntityName from Entity where EntityGroupID in (@ISLServ
GroupId))
   THEN(SELECT [dbo].[fn_GetISLGroupingByYear](TBD.ISL , TBD.DepartmentCode,EMP.year))
            ELSE'CORPSRV'END ,
   RegionISLGroupingSubLevel = (CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Title l
BSA%')) THEN TBD.Region+TBD.Isl+TBD.ActivityTypeCost
               ELSE c.RegionISLGroupingSubLevel
            END),
   --(CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Title like '%IC BSA%')) THEN NULL
   --          ELSE c.RegionISLGroupingSubLevel
   --          END),
   ActivityType = (CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Title like '%IC BSA%
TBD.ActivityTypeCost
         ELSE TBD.ActivityType
         END),
   CountryCommunityActivityType = (CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Titl
BSA%')) THEN CONCAT(TBD.Country, TBD.Isl, TBD.ActivityTypeCost)
               ELSE CONCAT(TBD.Country, TBD.Isl, TBD.ActivityType)
            END)
  FROM #Employees EMP WITH (NOLOCK)
   INNER JOIN #TBDEmp TBD WITH (NOLOCK)
    ON EMP.Title=TBD.Title AND EMP.FName = TBD.[Name]
    CROSS apply (select CONCAT( (SELECT  ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
```


Copyright 2026 - All Rights Reserved

```
   WHERE EntityName = TBD.RegionCode AND EntityGroupID = (@StdCostRegionGroupId)), CASE WHEN TBD.DepartmentCode I
EntityName from Entity where EntityGroupID in (@ISLServiceLineGroupId))
   THEN(SELECT [dbo].[fn_GetISLGroupingByYear](TBD.ISL , TBD.DepartmentCode,EMP.year))
            ELSE 'CORPSRV' END, TBD.ActivityType) as RegionISLGroupingSubLevel) as c
    WHERE EMP.EmployeeId = 'NA'

  --Update RegionISLGroupingSubLevel as INVALID if RegionISLGroupingSubLevel IS NULL or EMPTY
  UPDATE #Employees
   SET RegionISLGroupingSubLevel='INVALID'
  WHERE RegionISLGroupingSubLevel IS NULL OR RegionISLGroupingSubLevel = '';

  IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1)
  UPDATE #Employees
  SET ActivityType = AIC.ActivityType
  FROM dbo.ActivityTypeICEmployeeMapping AIC
  INNER JOIN #Employees EMP ON EMP.ActivityType = AIC.ICActivityType
  WHERE EMP.IsEmployeeIC = 1
  --LEFT OUTER JOIN dbo.ActivityTypeICEmployeeMapping AIC
   -- ON EMP.ActivityType = AIC.ActivityType OR EMP.ActivityType = AIC.ICActivityTy
  --Update IC burden rate for each employee only for TBD Employee or IC's
  IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1 OR RegionISLGroupingSubLevel = 'INVALID')
  BEGIN
   ; with IcRate as
   (
   Select * from Rate where RateTypeID = 3 and IsDeleted = 0
   )
   UPDATE #Employees
    SET ICBurdenRate=RT.Rate
   FROM IcRate RT WITH (NOLOCK)
    INNER JOIN #Employees EMP
     ON RT.Currency=EMP.CurrencyCode AND RT.[Year]=EMP.[Year]
   WHERE EMP.IsEmployeeIC = 1 OR EMP.RegionISLGroupingSubLevel = 'INVALID';

   SET @RowCount = @@ROWCOUNT;
   IF @DebugFlag = 1
   BEGIN
    PRINT 'ICBurdenRate - ' + CONVERT(VARCHAR, @RowCount);
   END
  END

  ----NON MD/IC  -# OF DAYS(BY YEAR)  * EMP.EngBillable_Hrs * STD COST BY ENGAGEMENT CURRENCY CODE
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET StdCostRate=
   CASE
    WHEN ((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EMP
('EDISC','RISK') AND EngagementFeeCap=0))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END ,
   StdCostForCurrentYear = (RT.rate)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
```


Copyright 2026 - All Rights Reserved

```
    ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping = RT.Department
    AND RT.ActivityType=EMP.ActivityType AND RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
    AND EMP.TitleCode NOT IN ('T001', 'T002')
    AND Title NOT IN ('Ind Contractor.')  AND IsEmployeeIC = 0
    AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
    PRINT '1 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
  END

  --SELECT * FROM #Employees
  --IC  - STD RATE BY ENGAGEMENT CURRENCY CODE/2.5 * HOURS  + IC_BURDEN BY CURRENCY CODE BY HOURS BY YEAR
  IF EXISTS(SELECT 1 FROM #Employees WHERE RegionISLGroupingSubLevel = 'INVALID')
  BEGIN
    UPDATE #Employees
     SET StdCostRate = --(CASE WHEN (EMP.Title like '%IC BMM%' OR EMP.Title like '%IC BSA%') THEN ((EMP.StdHourlyR
* EMP.Year_Hrs)  + (EMP.ICBurdenRate * EMP.Year_Hrs)
     --ELSE
     ((EMP.StdHourlyRate / 2.5) * EMP.Year_Hrs)  + (EMP.ICBurdenRate * EMP.Year_Hrs)
     --END)
    FROM #Employees EMP
    WHERE EMP.RegionISLGroupingSubLevel = 'INVALID';

    SET @RowCount = @@ROWCOUNT;
    IF @DebugFlag = 1
    BEGIN
     PRINT '2 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
    END
  END
  --SELECT * FROM #Employees
  -- AS-IS SP COMMENT-INNER JOIN ON APTBL_STANDARDCOST WAS CAUSING A PROBLEM BECAUSE SOME COUNTRY-COMMUNITY-SUBLE
HAD NO RECORD IN APTBL_STANDARDCOST TABLE.  Updated to make this outer join.
  -- Updated to check if there's Employee -- I/C associated with the Engagement
  IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC =1)
  BEGIN
    UPDATE  #Employees
     SET StdCostRate =
     CASE
      WHEN IC.ICStandardCost <> 0
       THEN --((RT.Rate)  * EMP.Year_Hrs)
      --ELSE
       CASE WHEN IC.Currency <> CurrencyCode
        THEN (IC.ICStandardCost * FXR.MarketValue * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
       ELSE
        (IC.ICStandardCost * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
       END
     END,
     IsICUpdate = CASE
      WHEN IC.ICStandardCost = 0
       THEN 0
```


Copyright 2026 - All Rights Reserved

```
     ELSE
      1
    END
   FROM #Employees EMP
   INNER JOIN ICRates IC WITH (NOLOCK)
    ON EMP.EmployeeId=CAST(IC.OracleID AS VARCHAR(50)) -- AND DATEPART([Year],IC.ValidToDate)=EMP.[Year] AND EMP.
Code=IC.Currency
   --INNER JOIN Rate RT WITH (NOLOCK)
    --ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping =RT.Department AND EMP.SubLevel=RT.Sublevel AND
RT.[Year]=EMP.[Year]  AND RT.Currency=EMP.CurrencyCode
   LEFT OUTER JOIN FxRate FXR WITH (NOLOCK)
    ON FXR.FromCurrency = IC.Currency AND FXR.ToCurrency = CurrencyCode AND FXR.ValidFromDate = @CurConvDate
   WHERE --RT.RateTypeID=4 AND RT.IsDeleted = 0 AND
    (EMP.RegionISLGroupingSubLevel <> 'INVALID')
    AND (EMP.EmployeeId <> 'NA' OR EMP.EmployeeId <> '');
    SET @RowCount = @@ROWCOUNT;

   UPDATE  #Employees
   SET StdCostRate = (RT.Rate * EMP.Year_Hrs) ,
   StdCostForCurrentYear = (RT.rate)
   FROM Rate RT WITH (NOLOCK)
    INNER JOIN #Employees EMP
     ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping=RT.Department AND EMP.ActivityType=RT.ActivityType AND
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
    WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0 AND IsEmployeeIC =1
     AND RegionISLGroupingSubLevel <> 'INVALID'AND (StdCostRate = 0 OR StdCostRate IS NULL);

   IF @DebugFlag = 1
   BEGIN
    PRINT '3 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
   END
  END

  -- MD/FAS - STD COST BY ENGAGEMENT CURRENCY CODE * HOURS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE  #Employees
   SET StdCostRate = (RT.Rate * EMP.Year_Hrs) ,
   StdCostForCurrentYear = (RT.rate)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping=RT.Department AND EMP.ActivityType=RT.ActivityType AND
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EMP.TitleCode IN ('T001', 'T002')
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '4 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- Standard Cost Rate for NON MD using Engagement Cost variable (Transfer pricing)
```


Copyright 2026 - All Rights Reserved

```
  -- Step 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp SubLe
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=
   CASE
    WHEN ((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EMP
('EDISC','RISK') AND EngagementFeeCap=0))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND EMP.ISLGrouping=RT.Department AND RT.ActivityType=EMP.ActivityType
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EMP.TitleCode NOT IN ('T001', 'T002')
   AND Title NOT IN ('Ind Contractor.')  AND IsEmployeeIC = 0
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '5 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- Standard Cost Rate for MD using Engagement Cost variable (Transfer pricing)
  -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp SubLe
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND EMP.ISLGrouping=RT.Department AND RT.ActivityType=EMP.ActivityType
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EMP.TitleCode IN ('T001', 'T002')
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '6 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- Standard Cost Rate
  -- STep 1: Done above 2 query (Non MD and MD)
  -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Employee f
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
  -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel='"ASSOC1
Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
  -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
  -- Non-MD & Non - CS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
```


Copyright 2026 - All Rights Reserved

```
  UPDATE #Employees
   SET EngagementStdCost=
   CASE
    WHEN ((((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EN
in ('EDISC','RISK')  AND EngagementFeeCap=0)))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department = (SELECT [dbo].[fn_GetISLGroupingByYear](@engagement-
Community,@departmentCode,EMP.year))

  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND (StdCostRate = 0 AND EngagementStdCost = 0)
   AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'))
   AND EMP.TitleCode NOT IN ('T001', 'T002')
   AND Title NOT IN ('Ind Contractor.') AND IsEmployeeIC = 0
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '7 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- NON MD & CS
  -- User Story #55482 : Updated Admin to CorpSrv
  -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=
   CASE
    WHEN ((((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EN
in ('EDISC','RISK') AND EngagementFeeCap=0)))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department = 'CorpSrv'
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND (StdCostRate = 0 AND EngagementStdCost = 0)
   AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType = 'CS050'))
   AND EMP.TitleCode NOT IN ('T001', 'T002')
   AND Title NOT IN ('Ind Contractor.') AND IsEmployeeIC = 0
   AND RegionISLGroupingSubLevel <> 'INVALID' ;

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
```


Copyright 2026 - All Rights Reserved

```
    PRINT '8 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- Standard Cost Rate - MD & Non - CS
  -- STep 1: Done above 2 query (Non MD and MD)
  -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Employee f
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
  -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel='"ASSOC1
Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
  -- User Story #55482 : Updated Admin to CorpSrv
  -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
  -- MD & Non - CS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
    SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
    ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department=(SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@c
Code,EMP.year))
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
    AND (StdCostRate = 0 AND EngagementStdCost = 0)
    AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'))
    AND EMP.TitleCode IN ('T001', 'T002')
    AND (RegionISLGroupingSubLevel <> 'INVALID');

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
    PRINT '9 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- MD & CS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
    SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
    FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
    ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department='CorpSrv'
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
    AND (StdCostRate = 0 AND EngagementStdCost = 0)
    AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='CS050'))
    AND EMP.TitleCode IN ('T001', 'T002')
    AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
    PRINT '10 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END
```


Copyright 2026 - All Rights Reserved

```
  -- IC(if the standard cost rate is 0 Setting IC as EMployee to continue validate for Transfer Pricing)
  UPDATE #Employees
   SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
   FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND EMP.ISLGrouping=RT.Department AND RT.ActivityType=EMP.ActivityType
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EngagementStdCost = 0 AND StdCostRate <> 0
   AND IsEmployeeIC = 1
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '11 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- COMPARE STD COST OF EMPLOYEE WITH ENGAGEMENT STD COST ENGAGEMENT BU - TRANSFER PRICING COST
  UPDATE #Employees
   SET StdCostRate =
   CASE
    WHEN StdCostRate = 0 -- WHEN EngagementStdCost has value
     THEN EngagementStdCost
    WHEN BusinessUnit <> @engagementBU -- Tansfer Pricing
     THEN
     CASE
      WHEN StdCostRate < EngagementStdCost
       THEN StdCostRate
      ELSE EngagementStdCost
     END
    ELSE
     StdCostRate
   END
  WHERE EngagementStdCost > 0 and IsICUpdate = 0;

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '11 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
  END

  SELECT TOP 1 @profitHurdle=ProfitHurdle
  FROM ProfitHurdle WITH (NOLOCK)
  WHERE YearTo='2050'

  -- VALUES FROM CM_BUDGETHR TABLE
  SELECT  @SubConCost = ISNULL(SUM(SubContractPay),0),
    @SubConRevenue = ISNULL(SUM(ClientBill),0),
    @TotalHours = ISNULL(SUM(TotalHours),0),
    @ClientBill = ISNULL(SUM(ClientBill),0),
    @TotalFeesStandard = ISNULL(SUM(TotalFeesStandard),0),
```


Copyright 2026 - All Rights Reserved

```
    @FeesSubTotal = ISNULL(SUM(TotalFeesStandard),0), -- NEED Clarification
       --2021-12-10 added for calc
    @TotalBillableFees = ISNULL(SUM(TotalBillableFees),0),
    @TotalTravelFees = ISNULL(SUM(TotalTravelFees),0)
  FROM CM_BudgetHr WITH (NOLOCK)
  WHERE Budgetid=@BudgetId


  --2021-12-10 //Calc of TotalEngagementFee
  SET @TotalEngagementFees = @TotalBillableFees + @TotalTravelFees + @ClientBill;

  --2021-12-10 //Values from BudgetFee
  SELECT
   @AdminFee = ISNULL(AdminFee,0),
   @TravelExpenses = ISNULL(TravelExpenses,0),
   @ExpectedContingentFeeUbb = ISNULL(ExpectedContingentFeeUbb,0)
  FROM CM_BudgetFee WITH (NOLOCK)
  WHERE BudgetId=@BudgetId


  --VALUES FROM CM_BUDGETFEE TABLE
  SELECT
   @NetRevenue =
   CASE
    WHEN @budgetTypeID = 2 THEN -- TAKE THE NET REVENUE FROM HOURLY Agreed Upon Engagement Fee Cap
     --ISNULL(EngagementFeeCap,0) 2021-12-10 //added logic for HourlyBudget NetRevenue
     CASE WHEN (EngagementFeeCap IS NULL or EngagementFeeCap = 0) THEN
       CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
        ISNULL((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
       ELSE
        ISNULL(((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(@TotalEngagementFees*(@Tra
Expenses/100)),0)
      END
     ELSE
      CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
        ISNULL((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
       ELSE
        ISNULL(((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(ISNULL(TotalRevenueIncluding-
Contingent,0)*(@TravelExpenses/100)),0)
      END
    END
    ELSE
     ISNULL(TotalRevenueIncludingContingent,0)
   END,
   @EtsCosts = ISNULL(CAST(ExpectedEtsCostAmount AS MONEY), 0) * @EtsCostMonths,
   @TotalRevenueExcludingContingent = ISNULL(TotalRevenueExcludingContingent, 0),
   @TotalRevenueIncludingContingent = ISNULL(TotalRevenueIncludingContingent, 0),
   @TravelTime = ISNULL(SUM(TravelTime/100), 0),
   @StaffAverageHoursPerDay = ROUND(ISNULL(AverageHrsPerDay, 0), 1) --=FixedBudget!L60
  FROM CM_BudgetFee WITH (NOLOCK)
  WHERE BudgetId=@BudgetId
  GROUP BY
   TotalRevenueIncludingContingent,
```


Copyright 2026 - All Rights Reserved

```
    EngagementFeeCap,
    ExpectedEtsCostAmount,
    TotalRevenueExcludingContingent,
    FeesSubTotal,
    TravelTime,
    AverageHrsPerDay,
    ExpensesOrFixedExpenses,
    ExpectedContingentFeeUbb;

    Select @TotalDigitalToolAmount = SUM(DigitalToolCost)
    From CM_BudgetDigitalTool
    WHERE BudgetId=@BudgetId

  IF @DebugFlag = 1
  BEGIN
    select * from #Employees;
  END

  UPDATE #Employees
    SET EngagementStdHourlyRateTotal =  ROUND(ISNULL(EngagementStdHourlyRate, 0) * ISNULL(Year_Hrs, 0), 0)
  WHERE EngagementStdHourlyRate > 0 AND Year_Hrs > 0;
  IF @DebugFlag = 1
  BEGIN
    Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @@ROWCOUNT);
  END

  -- Total Costs
  SELECT @StdCosts=ISNULL(SUM(StdCostRate), 0),
    @EngagementStdHourlyRateTotal= ISNULL(SUM(EngagementStdHourlyRateTotal), 0)
  FROM #Employees;

  --2021-12-10 //commented the logic as new logic implemented
  --For Hourly budget - If Agreed Upon Engagement Fee Cap = 0, then take the total engagement fees
  --IF @budgetTypeID = 2 AND @NetRevenue = 0 AND @EngagementStdHourlyRateTotal > 0
  --BEGIN
  -- SET @NetRevenue = ROUND(@EngagementStdHourlyRateTotal, 0);
  --END

  IF(@StdCosts = 0)
  BEGIN
    EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'Standard Cost is 0', 'EBT', 'SP'
  END

  -- CALCULATE MARGIN = TOTAL REVENUE - COSTS - PROFITHURDLE
  IF @DebugFlag = 1
  BEGIN
    Print '@NetRevenue - ' + CONVERT(VARCHAR, @NetRevenue);
    Print '@EtsCosts - ' + CONVERT(VARCHAR, @EtsCosts);
    print '@TotalDigitalToolAmount - ' + CONVERT(VARCHAR, @TotalDigitalToolAmount);
    Print '@TotalRevenueExcludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueExcludingContingent);
    Print '@TotalRevenueIncludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueIncludingContingent);
    Print '@TravelTime - ' + CONVERT(VARCHAR, @TravelTime);
```


Copyright 2026 - All Rights Reserved

```
    Print '@StaffAverageHoursPerDay - ' + CONVERT(VARCHAR, @StaffAverageHoursPerDay);
    Print '@StdCosts - ' + CONVERT(VARCHAR, @StdCosts);
    Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @EngagementStdHourlyRateTotal);
    Print '@SubConCost - ' + CONVERT(VARCHAR, @SubConCost);
    Print '@SubConRevenue - ' + CONVERT(VARCHAR, @SubConRevenue);
    Print '@TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
    Print '@ClientBill - ' + CONVERT(VARCHAR, @ClientBill);
    Print '@TotalFeesStandard - ' + CONVERT(VARCHAR, @TotalFeesStandard);
    Print '@FeesSubTotal - ' + CONVERT(VARCHAR, @FeesSubTotal);
    Print '@ProfitHurdle - ' + CONVERT(VARCHAR, @ProfitHurdle);
  END

  SET @EstBudgetMargin =  ROUND(ISNULL((@NetRevenue - (@StdCosts +  @EtsCosts + @TotalDigitalToolAmount + @SubCon
((@NetRevenue -   @SubConRevenue) * @ProfitHurdle)), 0) , 0)

  --ENGAGEMENT METRICS CALC
  SET @NrTotalFeesAtStd = @TotalFeesStandard * (1 + @TravelTime)

  -- 3/25/2025 Alex Sikes - Added more variations of PMD titles.
  SELECT @TotalHoursMD=ISNULL(SUM(TotalHours), 0)
  FROM CM_BudgetHR WITH (NOLOCK)
  WHERE BudgetID=@BudgetId AND Title IN ('Partner & Managing Director', 'Partner & Managing Dir.', 'Partner and M
Director', 'Partner & Managing Director-I/C', 'Partner and Managing Director I/C');

  SELECT @TotalHoursPartner=ISNULL(SUM(TotalHours), 0)
  FROM CM_BudgetHR WITH (NOLOCK)
  WHERE BudgetID=@BudgetId AND Title IN ('Partner', 'Partner - I/C');

  SELECT @TotalHoursDir=ISNULL(SUM(TotalHours), 0)
  FROM CM_BudgetHR WITH (NOLOCK)
  WHERE BudgetID=@BudgetId AND Title LIKE 'Director%';

  --=IFERROR(L9/C26,"N/A")
  SET @EstBudgetMarginPerc = ROUND((ISNULL(@EstBudgetMargin / abs(NULLIF(@NetRevenue,0)), 0) * 100), 1);

  IF @DebugFlag = 1
  BEGIN
   Print '@EstBudgetMargin - ' + CONVERT(VARCHAR, @EstBudgetMargin);
   Print '@EstBudgetMarginPerc - ' + CONVERT(VARCHAR, @EstBudgetMarginPerc);
  END

  --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotRevExclCont/NR_TOTAL_FEES_AT_STD)
  --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotalRevIncCont/NR_TOTAL_FEES_AT_STD)
  IF(@NrTotalFeesAtStd <> 0)
  BEGIN
   SET @StdRateRealizationInclTravelExclContingentPerc = @TotalRevenueExcludingContingent / NULLIF(@NrTotalFeesAt
   SET @StdRateRealizationInclTravelInclContingentPerc =
    CASE WHEN (@budgetTypeID = 2) THEN
     @TotalRevenueIncludingContingent / NULLIF(@NrTotalFeesAtStd, 0)
    ELSE
     @NetRevenue / NULLIF(@NrTotalFeesAtStd, 0)
    END
```


Copyright 2026 - All Rights Reserved

```
    IF (@StdRateRealizationInclTravelExclContingentPerc > 0)
    BEGIN
     SET @StdRateRealizationInclTravelExclContingentPerc = ROUND((@StdRateRealizationInclTravelExclContingentPerc
    END

    IF (@StdRateRealizationInclTravelInclContingentPerc > 0)
    BEGIN
     SET @StdRateRealizationInclTravelInclContingentPerc = ROUND((@StdRateRealizationInclTravelInclContingentPerc
    END
   END

   --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotRevExclCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
   --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotalRevIncCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
   IF(@FeesSubTotal <> 0)
   BEGIN
    SET @StdRateRealizationExclTravelExclContingentPerc = @TotalRevenueExcludingContingent / NULLIF(@FeesSubTotal,
    SET @StdRateRealizationExclTravelInclContingentPerc =
     CASE WHEN (@budgetTypeID = 2) THEN
      @TotalRevenueIncludingContingent / NULLIF(@FeesSubTotal, 0)
     ELSE
      @NetRevenue / NULLIF(@FeesSubTotal, 0)
     END

    IF (@StdRateRealizationExclTravelExclContingentPerc > 0)
    BEGIN
     SET @StdRateRealizationExclTravelExclContingentPerc = ROUND((@StdRateRealizationExclTravelExclContingentPerc
    END

    IF (@StdRateRealizationExclTravelInclContingentPerc > 0)
    BEGIN
     SET @StdRateRealizationExclTravelInclContingentPerc = ROUND((@StdRateRealizationExclTravelInclContingentPerc
    END
   END

   --=IFERROR((FIXEDBUDGET!L46-C28)/(FIXEDBUDGET!M42*(1+FIXEDBUDGET!H43)),0)
   SET @AvgHourlyRateInclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NULLIF(@T
*(1 + @TravelTime), 0) , 1);

   --=IFERROR((FIXEDBUDGET!L46-C28)/FIXEDBUDGET!M42,0)
   SET @AvgHourlyRateExclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NULLIF(@T
0) , 1);



   --=IFERROR(((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING
DIR.",FIXEDBUDGET!M10:M41))/SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET!M10:M41)),"N/A")
   SET @StaffOrMDHoursLeverage = ROUND((@TotalHours - @TotalHoursMD) / NULLIF(@TotalHoursMD, 0) , 1);



   --=IF(FIXEDBUDGET!O42>0,((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET!M10:M
SUMIF(FIXEDBUDGET!E10:E41,"DIRECTOR",FIXEDBUDGET!M10:M41))/FIXEDBUDGET!M42),"")
   IF(@TotalFeesStandard > 0)
   BEGIN
    SET @HoursBelowDirectorPerc = (@TotalHours  - @TotalHoursMD - @TotalHoursPartner - @TotalHoursDir) / NULLIF(@T
```


Copyright 2026 - All Rights Reserved

```
0);
   IF @DebugFlag = 1
   BEGIN
    PRINT 'TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
    PRINT 'TotalHoursMD - ' + CONVERT(VARCHAR, @TotalHoursMD)
    PRINT '@TotalHoursPartner - ' + CONVERT(VARCHAR, @TotalHoursPartner)
    PRINT 'TotalHoursDir - ' + CONVERT(VARCHAR, @TotalHoursDir)
   END
   IF (@HoursBelowDirectorPerc > 0)
   BEGIN
    SET @HoursBelowDirectorPerc = ROUND((@HoursBelowDirectorPerc * 100), 1);
   END
  END

  -- INSERT/UPDATE CALCULATED VALUES INTO CM_BUDGETMETRICS TABLE
  EXEC APSP_InsertCMBudgetMetrics
   @BudgetId
   ,@StdRateRealizationInclTravelExclContingentPerc
   ,@StdRateRealizationInclTravelInclContingentPerc
   ,@StdRateRealizationExclTravelExclContingentPerc
   ,@StdRateRealizationExclTravelInclContingentPerc
   ,@AvgHourlyRateInclTravelExclContingent
   ,@AvgHourlyRateExclTravelExclContingent
   ,@StaffOrMDHoursLeverage
   ,@HoursBelowDirectorPerc
   ,@StaffAverageHoursPerDay
   ,@EstBudgetMarginPerc
   ,@EstBudgetMargin
   ,@LogonUser

  -- RETURN VALUES FOR ENGAGEMENT METRICS
  SELECT * FROM CM_BudgetMetrics WHERE BudgetId=@BudgetId
  RETURN
 END TRY
 BEGIN CATCH
  DECLARE @ErrorNumber VARCHAR(MAX)(SELECT ERROR_NUMBER() AS ErrorNumber);
  DECLARE @ErrorMessage VARCHAR(MAX)(SELECT ERROR_MESSAGE() AS ErrorMessage);

  EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, ErrorNumber,   ErrorMessage, 'Failed to calculate Est
Budget Margin', 'EBT', 'SP'
 END CATCH
END
GO
```

Uses

[dbo].[ActivityTypeICEmployeeMapping]
[dbo].[CM_BudgetDetail]
[dbo].[CM_BudgetDigitalTool]
[dbo].[CM_BudgetFee]
[dbo].[CM_BudgetHR]

Copyright 2026 - All Rights Reserved

[dbo].[CM_BudgetMetrics]
[dbo].[CM_EmployeeBudgetPerPeriod]
[dbo].[Entity]
[dbo].[EntityGroup]
[dbo].[FxRate]
[dbo].[ICRates]
[dbo].[ProfitHurdle]
[dbo].[Rate]
[dbo].[SAPCountryMaster]
[dbo].[SAPEmployeeMaster]
[dbo].[V_TBDEmployee]
[dbo].[APSP_InsertCMBudgetMetrics]
[dbo].[APSP_InsertMarginCalcLogs]
[dbo].[fn_GetISLGroupingByYear]
[dbo].[fn_GetISLServiceLine]
[dbo].[fn_GetStdCostRegionByYear]
Archive

Copyright 2026 - All Rights Reserved

[dbo].[APSP_Engagement_Budget_Margin_Calc]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@BudgetId	int	4
@Logonuser	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************
NAME: APSP_Engagement_Budget_Margin_Calc
DESCRIPTION: This SP used to calculate the Engagement Budget Margin, which is used by Engagement Budget Tool
HELPER QUERY: EXEC APSP_Engagement_Budget_Margin_Calc @BudgetId=8,@LogonUser='Test'
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        26-Mar-21    Initial Version
Infosys        11-Aug-21    Added TBD, IC Rate Conversion
Infosys        11-Nov-22    Added PartnerTitle Changes
Infosys        12-Dec-22    ISL Changes Adding New sp  for 2023
Infosys     19-May-23   Updated look uo to Calculate Mterics Budget Details Table
*****************************************************************************************************************

CREATE PROC [dbo].[APSP_Engagement_Budget_Margin_Calc]
    @BudgetId INT,
    @Logonuser VARCHAR(50)
AS
BEGIN
    BEGIN TRY
        SET NOCOUNT ON;
        DECLARE @BudgetCreatedYear INT = (select Year(CreatedDate) from CM_BudgetDetail where budgetId = @BudgetI
```


Copyright 2026 - All Rights Reserved

```
        DECLARE @BudgetStartYear INT = (select Year(StartDate) from CM_BudgetDetail where budgetId = @BudgetId)
        IF(@BudgetStartYear >= 2023 OR @BudgetCreatedYear >= 2023)
        BEGIN
            EXEC [dbo].[APSP_Engagement_Budget_Margin_Calc_New] @BudgetId , @Logonuser
            RETURN
        END
        ELSE
        BEGIN


        DECLARE @DebugFlag BIT = 0;
        DECLARE @RowCount INT = 0;

        -- VARIABLES FOR MARGIN CALCULATION
        DECLARE @ProfitHurdle DECIMAL(14,3)= 0;
        DECLARE @NetRevenue DECIMAL    (14,3)= 0;
        DECLARE @EtsCosts DECIMAL(14,3)    = 0;
        DECLARE @SubConCost DECIMAL(14,3)= 0;
        DECLARE @SubConRevenue DECIMAL    (14,3)    = 0;
        DECLARE @StdCosts DECIMAL(14,3) = 0;
        DECLARE @EngagementStdHourlyRateTotal DECIMAL(14,3) = 0;

        -- ENGAGEMENT METRICS VARIABLES FOR BUDGETMETRICS TABLE
        DECLARE @StdRateRealizationInclTravelExclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationInclTravelInclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationExclTravelExclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationExclTravelInclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @AvgHourlyRateInclTravelExclContingent DECIMAL(14,3) = 0;
        DECLARE @AvgHourlyRateExclTravelExclContingent DECIMAL(14,3) = 0;
        DECLARE @StaffOrMDHoursLeverage DECIMAL(14,3) = 0;
        DECLARE @HoursBelowDirectorPerc DECIMAL(14,3) = 0;
        DECLARE @StaffAverageHoursPerDay DECIMAL(14,3) = 0;
        DECLARE @EstBudgetMarginPerc DECIMAL(14,1) = 0;
        DECLARE @EstBudgetMargin DECIMAL(14,3) = 0;

        DECLARE @NrTotalFeesAtStd DECIMAL(14,3) = 0;
        DECLARE @TotalRevenueExcludingContingent DECIMAL(14,3) = 0;
        DECLARE @TotalRevenueIncludingContingent DECIMAL(14,3) = 0;
        DECLARE @FeesSubTotal DECIMAL(14,3) = 0;
        DECLARE @TotalHours DECIMAL(14,3) = 0;
        DECLARE @TotalFeesStandard DECIMAL(14,3) = 0;
        DECLARE @TotalHoursMD DECIMAL(14,3) = 0;
        DECLARE @TotalHoursPartner DECIMAL(14,3) = 0;
        DECLARE @TotalHoursDir DECIMAL(14,3) = 0;
        DECLARE @TravelTime DECIMAL(14,3) = 0;
        DECLARE @ClientBill DECIMAL(14,3) = 0;
        --2021-12-10 added for calc
        DECLARE @TotalTravelFees DECIMAL(14,3) = 0;
        DECLARE @TotalBillableFees DECIMAL(14,3) = 0;
        DECLARE @TotalEngagementFees DECIMAL(14,3) = 0;
        DECLARE @TravelExpenses DECIMAL(14,3) = 0;
        DECLARE @AdminFee DECIMAL(14,3) = 0;
```


Copyright 2026 - All Rights Reserved

```
        DECLARE @ExpectedContingentFeeUbb DECIMAL(14,3) = 0;

        -- VARIABLES FOR COST CALCULATION
        DECLARE @budgetCountry VARCHAR(50) = '';
        DECLARE @engagementBU VARCHAR(50) = '';
        DECLARE @engagementCommunity VARCHAR(50) = '';
        DECLARE @periodTypeId INT = 0;
        DECLARE @budgetTypeId INT = 0;
        DECLARE @startDate DATE;
        DECLARE @endDate DATE;
        DECLARE @EtsCostMonths DECIMAL(5,2);
        DECLARE @CurConvDate DATETIME;

        -- CREATE DB TEMP TABLE FOR ENGAGEMENT BUDGET MARGIN
        IF OBJECT_ID(N'tempdb..#BudgetYears') IS NOT NULL
        BEGIN
            DROP TABLE #BudgetYears
        END

        IF OBJECT_ID(N'tempdb..#Employees') IS NOT NULL
        BEGIN
            DROP TABLE #Employees
        END

        IF OBJECT_ID(N'tempdb..#BudgetPeriod') IS NOT NULL
        BEGIN
            DROP TABLE #BudgetPeriod
        END

        IF OBJECT_ID(N'tempdb..#TBDEmp') IS NOT NULL
        BEGIN
            DROP TABLE #TBDEmp
        END

        CREATE TABLE #BudgetYears
        (
            WeekOrMonth INT,
            [Year] CHAR(4)
        )

        CREATE TABLE #Employees
        (
            BudgetHrID INT,
            EmployeeId VARCHAR(50),
            Title VARCHAR(MAX),
            FName VARCHAR(MAX),
            LName VARCHAR(MAX),
            EngagementFeeCap INT,
            CurrencyCode CHAR(4),
            [Year] CHAR(4),
            Country VARCHAR(50),
            Community VARCHAR(50),
```


Copyright 2026 - All Rights Reserved

```
            SubLevel VARCHAR(20),
            CountryCommunitySubLevel VARCHAR(MAX),
            BusinessUnit VARCHAR(MAX),
            Year_Hrs DECIMAL(14,3),
            EngBillable_Hrs DECIMAL(14,3),
            NoOfDays DECIMAL(14,3),
            StdHourlyRate DECIMAL(14,3),
            StdCostRate MONEY,
            EngagementStdCost MONEY,
            --ICRate DECIMAL,
            ICBurdenRate DECIMAL(14,3),
            EngagementStdHourlyRate MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input)
            EngagementStdHourlyRateTotal MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input * Budget
            IsEmployeeIC bit, -- Added to check for IC
            ActivityType NVARCHAR(50),
            CountryCommunityActivityType VARCHAR(MAX)
        )

        -- Table for TBD

        CREATE TABLE #TBDEmp
        (
                [Name]    VARCHAR(MAX),
                Community    VARCHAR(MAX),
                Region    VARCHAR(MAX),
                Country    VARCHAR(50),
                Title    VARCHAR(200),
                TitleCode    VARCHAR(10),
                Sublevel    VARCHAR(10),
                ActivityType NVARCHAR(50)
        )

        SELECT @budgetCountry=CTRY.Country
        FROM BudgetDetail BD WITH (NOLOCK)
            INNER JOIN SAPCountryMaster CTRY WITH (NOLOCK) ON BD.CountryCode=CTRY.CountryCode
        WHERE budgetid=@BudgetId;

        SELECT DISTINCT TOP 1 @engagementBU=ISNULL(RegionDescription,'')
        FROM [dbo].[SAPEmployeeMaster] EMP WITH (NOLOCK)
            INNER JOIN [dbo].[SAPCountryMaster] CTRY WITH (NOLOCK) ON EMP.Country=CTRY.CountryCode
        WHERE CTRY.Country= @budgetCountry;

        SET @CurConvDate = (SELECT MAX(ValidFromDate) FROM FxRate);

        SELECT @budgetTypeId=BudgetTypeID
            ,@periodTypeId=PeriodTypeID
            ,@engagementCommunity=Community
            ,@startDate=StartDate
            ,@endDate=EndDate
        FROM BudgetDetail WITH (NOLOCK)
        WHERE BudgetId=@BudgetId;
```


Copyright 2026 - All Rights Reserved

```
        SELECT @EtsCostMonths = CASE
                                    WHEN DATEDIFF(MONTH, @startDate, @endDate) < 0 THEN 0
                                    ELSE DATEDIFF(MONTH, @startDate, @endDate) + 1
                                END
        -- get MONTH/year -- year 1 to year 6 in the old Proc has been replaced by engagement span years;
        IF(@PeriodTypeId = 7)
        BEGIN
            ;WITH months (DATE)
            AS
            (
                SELECT @startDate
                UNION ALL
                SELECT DATEADD(MONTH, 1, DATE)
                FROM months
                WHERE DATEDIFF(MONTH, DATE, @endDate) > 0 --WHERE DATEADD(MONTH,1,DATE)<=@end
            )

            INSERT INTO #BudgetYears SELECT DatePart(MONTH, DATE), DatePart([Year], DATE) FROM months
        END
        ELSE
        BEGIN
            ;WITH months (DATE)
            AS
            (
                SELECT @startDate
                UNION ALL
                SELECT DATEADD(WEEK, 1, DATE)
                FROM months
                WHERE DATEADD(WEEK, 1, DATE) < @endDate
            )
            INSERT INTO #BudgetYears SELECT DATEPART(WEEK,DATE), DATEPART([Year], DATE) FROM months
        END

        SELECT [Year],
            [WeekOrMonth],
            ROW_NUMBER() OVER (ORDER BY [YEAR],[WeekOrMonth] ASC) AS RN INTO #BudgetPeriod
        FROM #BudgetYears;

        -- All Employee details are inserted to #Employees TABLE
        INSERT INTO #Employees
        SELECT BHR.BudgetHrID,
            BHR.EmployeeID,
            Title,
            CASE
                WHEN (BHR.[NAME] LIKE '%TBD%')
                    THEN BHR.[NAME]
                ELSE EMP.FirstName
            END,
            EMP.LastName,
            ISNULL(EngagementFeeCap,0),
            CurrencyCode,
            BP.[Year],
```


Copyright 2026 - All Rights Reserved

```
            CTRY.Country,
            EMP.DepartmentDescription,
            EMP.SubLevel,
            CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.SubLevel) AS CountryCommunitySubLevel,
            BusinessUnit,
            CASE
                WHEN (@budgetTypeId = 1)
                    THEN SUM(EBPP.BillableHours)
                ELSE (SUM(EBPP.BillableHours + EBPP.TravelHours))
            END Year_Hrs,
            CASE WHEN BHR.EngagementBillableHours < 4 THEN BHR.EngagementBillableHours
            Else 10
            END
            EngBillable_Hrs,
            SUM(NoOfDays) NoOfDays,
            CASE
                WHEN (@PeriodTypeId = 6 AND DATEDIFF(YEAR, @startDate, @endDate) >= 1 AND ISNULL(StandardHourlyRa
0) > 0)
                    THEN StandardHourlyRateNextYr
                ELSE StandardHourlyRate
            END
            StandardHourlyRate,
            0, -- StdCostRate
            0, -- EngagementStdCost
            0,  -- ICBurdenRate
            BHR.EngagementRate,  -- EngagementStdHourlyRate
            0, -- EngagementStdHourlyRateTotal
            CASE
                WHEN (EMP.BusinessPartnerRole = 'Ic')
                    THEN 1
                ELSE 0
            END,
            EMP.ActivityType,
            CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.ActivityType) AS CountryCommunityActivityType
        FROM #BudgetPeriod BP WITH (NOLOCK)
            INNER JOIN EmployeeBudgetPerPeriod EBPP WITH (NOLOCK)
                ON BP.RN = EBPP.PeriodRange
            INNER JOIN BudgetHR BHR WITH (NOLOCK)
                ON EBPP.BudgetHrID=BHR.BudgetHrID
            INNER JOIN BudgetDetail BD WITH (NOLOCK)
                ON bd.BudgetID=BHR.BudgetID
            INNER JOIN BudgetFee BF WITH (NOLOCK)
                ON BF.BudgetID=bd.BudgetID
            LEFT OUTER JOIN SAPEmployeeMaster EMP WITH (NOLOCK)
                ON BHR.EmployeeID=CAST(EMP.OracleID AS VARCHAR(50))
            LEFT OUTER JOIN SAPCountryMaster CTRY WITH (NOLOCK)
                ON EMP.Country=CTRY.CountryCode
            --LEFT OUTER JOIN CountryLookup CYLK WITH (NOLOCK)
                --ON EMP.Country=CYLK.CountryCode
            --LEFT OUTER JOIN Rate R WITH (NOLOCK)
            --    ON EMP.DepartmentDescription = R.Department AND CTRY.Country=r.Country AND EMP.SubLevel=R.SubLe
RateTypeID=4
        WHERE BD.BudgetId=@BudgetId AND EBPP.NoOfDays > 0
```


Copyright 2026 - All Rights Reserved

```
        GROUP BY BHR.BudgetHrID,
            BHR.EmployeeId,
            BP.[Year],
            Title,
            EngagementFeeCap,
            CurrencyCode,
            BusinessUnit,
            BHR.EngagementBillableHours,
            StandardHourlyRate,
            StandardHourlyRateNextYr,
            DepartmentDescription,
            EMP.Country,CTRY.Country,CTRY.CountryCode,--CYLK.Country,
            EMP.SubLevel,EMP.FirstName,EMP.LastName,BHR.[Name], BHR.EngagementRate, EMP.BusinessPartnerRole,EMP.A
Type;

        IF NOT EXISTS (SELECT 1 FROM #EMPLOYEES)
        BEGIN
            EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'No employees found', 'EBT',
        END

        -- Insert TBD details from Views

        INSERT INTO #TBDEmp
        SELECT [Name], Isl, Region, '', Title, TitleCode, SubLevel,ActivityType FROM V_TBDEmployee (NOLOCK)
        UNION
        SELECT [Name], Community, Region, '', Title, TitleCode, SubLevel,ActivityType FROM V_TBDLegacyEmployee (N

        -- Update TBD Country-COmmunity-SubLevel in #Employees Table
        UPDATE #Employees SET
            EmployeeID ='TBD',
            Country = TBD.Country,
            Community = TBD.Community,
            SubLevel = TBD.Sublevel,
            CountryCommunitySubLevel = CONCAT(TBD.Country, TBD.Community, TBD.SubLevel)    ,
            ActivityType = TBD.ActivityType,
            CountryCommunityActivityType = CONCAT(TBD.Country, TBD.Community, TBD.ActivityType)
        FROM #Employees EMP WITH (NOLOCK)
            INNER JOIN #TBDEmp TBD WITH (NOLOCK)
                ON EMP.Title=TBD.Title AND EMP.FName = TBD.[Name] WHERE EMP.EmployeeId = 'NA'

        --Update CountryCommunitySubLevel as INVALID if CountryCommunitySubLevel IS NULL or EMPTY
        UPDATE #Employees
            SET CountryCommunitySubLevel='INVALID'
        WHERE CountryCommunitySubLevel IS NULL OR CountryCommunitySubLevel = '';

        UPDATE #Employees
            SET CountryCommunityActivityType='INVALID'
        WHERE CountryCommunityActivityType IS NULL OR CountryCommunityActivityType = '';

        IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1)
        UPDATE #Employees
        SET ActivityType = AIC.ActivityType
```


Copyright 2026 - All Rights Reserved

```
        FROM dbo.ActivityTypeICEmployeeMapping AIC
        INNER JOIN #Employees EMP ON EMP.ActivityType = AIC.ICActivityType
        WHERE EMP.IsEmployeeIC = 1
        --Update IC burden rate for each employee only for TBD Employee or IC's
        IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1 OR CountryCommunityActivityType = 'INVALID')
        BEGIN
            ; with IcRate as
            (
            Select * from Rate where RateTypeID = 3 and IsDeleted = 0
            )
            UPDATE #Employees
                SET ICBurdenRate=RT.Rate
            FROM IcRate RT WITH (NOLOCK)
                INNER JOIN #Employees EMP
                    ON RT.Currency=EMP.CurrencyCode AND RT.[Year]=EMP.[Year]
            WHERE EMP.IsEmployeeIC = 1 OR EMP.CountryCommunityActivityType = 'INVALID';

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT 'ICBurdenRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        ----NON MD/IC  -# OF DAYS(BY YEAR)  * EMP.EngBillable_Hrs * STD COST BY ENGAGEMENT CURRENCY CODE
        UPDATE #Employees
            SET StdCostRate=
            CASE
                WHEN ((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='FA
EngagementFeeCap=0))
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.Country=EMP.Country AND EMP.Community=RT.Department
            AND RT.ActivityType=EMP.ActivityType AND RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C')  AND IsEmployeeIC = 0
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '1 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        --IC  - STD RATE BY ENGAGEMENT CURRENCY CODE/2.5 * HOURS  + IC_BURDEN BY CURRENCY CODE BY HOURS BY YEAR
        IF EXISTS(SELECT 1 FROM #Employees WHERE CountryCommunityActivityType = 'INVALID')
        BEGIN
            UPDATE #Employees
                SET StdCostRate = ((EMP.StdHourlyRate / 2.5) * EMP.Year_Hrs)  + (EMP.ICBurdenRate * EMP.Year_Hrs)
```


Copyright 2026 - All Rights Reserved

```
            FROM #Employees EMP
            WHERE EMP.CountryCommunityActivityType = 'INVALID';

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT '2 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        -- AS-IS SP COMMENT-INNER JOIN ON APTBL_STANDARDCOST WAS CAUSING A PROBLEM BECAUSE SOME COUNTRY-COMMUNITY
VALUES HAD NO RECORD IN APTBL_STANDARDCOST TABLE.  Updated to make this outer join.
        -- Updated to check if there's Employee -- I/C associated with the Engagement
        IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC =1)
        BEGIN
            UPDATE  #Employees
                SET StdCostRate =
                CASE
                    WHEN IC.ICStandardCost = 0
                        THEN ((RT.Rate)  * EMP.Year_Hrs)
                    ELSE
                        CASE WHEN IC.Currency <> CurrencyCode
                            THEN (IC.ICStandardCost * FXR.MarketValue * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.
                        ELSE
                            (IC.ICStandardCost * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
                        END
                END
            FROM #Employees EMP
            INNER JOIN ICRates IC WITH (NOLOCK)
                ON EMP.EmployeeId=CAST(IC.OracleID AS VARCHAR(50)) -- AND DATEPART([Year],IC.ValidToDate)=EMP.[Ye
EMP.CurrencyCode=IC.Currency
            INNER JOIN Rate RT WITH (NOLOCK)
                ON RT.Country=EMP.Country AND EMP.Community=RT.Department AND EMP.ActivityType=RT.ActivityType AN
RT.[Year]=EMP.[Year]  AND RT.Currency=EMP.CurrencyCode
            LEFT OUTER JOIN FxRate FXR WITH (NOLOCK)
                ON FXR.FromCurrency = IC.Currency AND FXR.ToCurrency = CurrencyCode AND FXR.ValidFromDate = @CurC
            WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
                AND (EMP.CountryCommunityActivityType <> 'INVALID')
                AND (EMP.EmployeeId <> 'NA' OR EMP.EmployeeId <> '');

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT '3 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        -- MD/FAS - STD COST BY ENGAGEMENT CURRENCY CODE * HOURS
        UPDATE  #Employees
            SET StdCostRate = (RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.Country=EMP.Country AND EMP.Community=RT.Department AND EMP.ActivityType=RT.ActivityType AND
```


Copyright 2026 - All Rights Reserved

```
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title IN ('Partner & Managing Dir.',  'Partner & Managing Director')
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '4 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate for NON MD using Engagement Cost variable (Transfer pricing)
        -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN ((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='FA
EngagementFeeCap=0))
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND
EMP.Community=RT.Department AND RT.ActivityType=EMP.ActivityType
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C')  AND IsEmployeeIC = 0
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '5 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate for MD using Engagement Cost variable (Transfer pricing)
        -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND
EMP.Community=RT.Department AND RT.ActivityType=EMP.ActivityType
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director')
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '6 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END
```


Copyright 2026 - All Rights Reserved

```
        -- Standard Cost Rate
        -- STep 1: Done above 2 query (Non MD and MD)
        -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Empl
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
        -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel=''
and Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        -- Non-MD & Non - CS
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN ((((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='F
EngagementFeeCap=0)))
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND RT.Departm
@engagementCommunity
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C')  AND IsEmployeeIC = 0
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '7 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- NON MD & CS
        -- User Story #55482 : Updated Admin to CorpSrv
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN ((((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='F
EngagementFeeCap=0)))
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND RT.Departm
'CorpSrv'
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType = 'CS050'))
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C') AND IsEmployeeIC = 0
```


Copyright 2026 - All Rights Reserved

```
            AND CountryCommunityActivityType <> 'INVALID' ;

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '8 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate - MD & Non - CS
        -- STep 1: Done above 2 query (Non MD and MD)
        -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Empl
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
        -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel=''
and Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
        -- User Story #55482 : Updated Admin to CorpSrv
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        -- MD & Non - CS
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND
RT.Department=@engagementCommunity
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'
            AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director')
            AND (CountryCommunityActivityType <> 'INVALID');

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '9 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- MD & CS
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
            FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND RT.Departm
Srv'
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='CS050'))
            AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director')
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '10 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END
```


Copyright 2026 - All Rights Reserved

```
        -- COMPARE STD COST OF EMPLOYEE WITH ENGAGEMENT STD COST ENGAGEMENT BU - TRANSFER PRICING COST
        UPDATE #Employees
            SET StdCostRate =
            CASE
                WHEN StdCostRate = 0 -- WHEN EngagementStdCost has value
                    THEN EngagementStdCost
                WHEN BusinessUnit <> @engagementBU -- Tansfer Pricing
                    THEN
                    CASE
                        WHEN StdCostRate < EngagementStdCost
                            THEN StdCostRate
                        ELSE EngagementStdCost
                    END
                ELSE
                    StdCostRate
            END
        WHERE EngagementStdCost > 0;

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '11 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        SELECT TOP 1 @profitHurdle=ProfitHurdle
        FROM ProfitHurdle WITH (NOLOCK)
        WHERE YearTo='2050'

        -- VALUES FROM BUDGETHR TABLE
        SELECT  @SubConCost     = ISNULL(SUM(SubContractPay),0),
                @SubConRevenue  = ISNULL(SUM(ClientBill),0),
                @TotalHours     = ISNULL(SUM(TotalHours),0),
                @ClientBill     = ISNULL(SUM(ClientBill),0),
                @TotalFeesStandard = ISNULL(SUM(TotalFeesStandard),0),
                @FeesSubTotal = ISNULL(SUM(TotalFeesStandard),0), -- NEED Clarification
                --2021-12-10 added for calc
                @TotalBillableFees    = ISNULL(SUM(TotalBillableFees),0),
                @TotalTravelFees    = ISNULL(SUM(TotalTravelFees),0)
        FROM BudgetHr WITH (NOLOCK)
        WHERE Budgetid=@BudgetId


        --2021-12-10 //Calc of TotalEngagementFee
        SET @TotalEngagementFees = @TotalBillableFees + @TotalTravelFees + @ClientBill;

        --2021-12-10 //Values from BudgetFee
        SELECT
            @AdminFee = ISNULL(AdminFee,0),
            @TravelExpenses = ISNULL(TravelExpenses,0),
            @ExpectedContingentFeeUbb = ISNULL(ExpectedContingentFeeUbb,0)
        FROM BudgetFee WITH (NOLOCK)
```


Copyright 2026 - All Rights Reserved

```
        WHERE BudgetId=@BudgetId


        --VALUES FROM BUDGETFEE TABLE
        SELECT
            @NetRevenue =
            CASE
                WHEN @budgetTypeID = 2 THEN -- TAKE THE NET REVENUE FROM HOURLY Agreed Upon Engagement Fee Cap
                    --ISNULL(EngagementFeeCap,0) 2021-12-10 //added logic for HourlyBudget NetRevenue
                    CASE WHEN (EngagementFeeCap IS NULL or EngagementFeeCap = 0) THEN
                         CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
                                ISNULL((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
                            ELSE
                                ISNULL(((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(@T
EngagementFees*(@TravelExpenses/100)),0)
                        END
                    ELSE
                        CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
                                ISNULL((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
                            ELSE
                                ISNULL(((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(ISNULL
RevenueIncludingContingent,0)*(@TravelExpenses/100)),0)
                        END
                END
                ELSE
                    ISNULL(TotalRevenueIncludingContingent,0)
            END,
            @EtsCosts = ISNULL(CAST(ExpectedEtsCostAmount AS MONEY), 0) * @EtsCostMonths,
            @TotalRevenueExcludingContingent = ISNULL(TotalRevenueExcludingContingent, 0),
            @TotalRevenueIncludingContingent = ISNULL(TotalRevenueIncludingContingent, 0),
            @TravelTime = ISNULL(SUM(TravelTime/100), 0),
            @StaffAverageHoursPerDay = ROUND(ISNULL(AverageHrsPerDay, 0), 1) --=FixedBudget!L60
        FROM BudgetFee WITH (NOLOCK)
        WHERE BudgetId=@BudgetId
        GROUP BY
            TotalRevenueIncludingContingent,
            EngagementFeeCap,
            ExpectedEtsCostAmount,
            TotalRevenueExcludingContingent,
            FeesSubTotal,
            TravelTime,
            AverageHrsPerDay,
            ExpensesOrFixedExpenses,
            ExpectedContingentFeeUbb;


        IF @DebugFlag = 1
        BEGIN
            select * from #Employees;
        END

        UPDATE #Employees
            SET EngagementStdHourlyRateTotal =  ROUND(ISNULL(EngagementStdHourlyRate, 0) * ISNULL(Year_Hrs, 0), 0
```


Copyright 2026 - All Rights Reserved

```
        WHERE EngagementStdHourlyRate > 0 AND Year_Hrs > 0;
        IF @DebugFlag = 1
        BEGIN
            Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @@ROWCOUNT);
        END

        -- Total Costs
        SELECT @StdCosts=ISNULL(SUM(StdCostRate), 0),
            @EngagementStdHourlyRateTotal= ISNULL(SUM(EngagementStdHourlyRateTotal), 0)
        FROM #Employees;

        --2021-12-10 //commented the logic as new logic implemented
        --For Hourly budget - If Agreed Upon Engagement Fee Cap = 0, then take the total engagement fees
        --IF @budgetTypeID = 2 AND @NetRevenue = 0 AND @EngagementStdHourlyRateTotal > 0
        --BEGIN
        --    SET @NetRevenue = ROUND(@EngagementStdHourlyRateTotal, 0);
        --END

        IF(@StdCosts = 0)
        BEGIN
            EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'Standard Cost is 0', 'EBT',
        END

        -- CALCULATE MARGIN = TOTAL REVENUE - COSTS - PROFITHURDLE
        IF @DebugFlag = 1
        BEGIN
            Print '@NetRevenue - ' + CONVERT(VARCHAR, @NetRevenue);
            Print '@EtsCosts - ' + CONVERT(VARCHAR, @EtsCosts);
            Print '@TotalRevenueExcludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueExcludingContingent);
            Print '@TotalRevenueIncludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueIncludingContingent);
            Print '@TravelTime - ' + CONVERT(VARCHAR, @TravelTime);
            Print '@StaffAverageHoursPerDay - ' + CONVERT(VARCHAR, @StaffAverageHoursPerDay);
            Print '@StdCosts - ' + CONVERT(VARCHAR, @StdCosts);
            Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @EngagementStdHourlyRateTotal);
            Print '@SubConCost - ' + CONVERT(VARCHAR, @SubConCost);
            Print '@SubConRevenue - ' + CONVERT(VARCHAR, @SubConRevenue);
            Print '@TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
            Print '@ClientBill - ' + CONVERT(VARCHAR, @ClientBill);
            Print '@TotalFeesStandard - ' + CONVERT(VARCHAR, @TotalFeesStandard);
            Print '@FeesSubTotal - ' + CONVERT(VARCHAR, @FeesSubTotal);
            Print '@ProfitHurdle - ' + CONVERT(VARCHAR, @ProfitHurdle);
        END

        SET @EstBudgetMargin =  ROUND(ISNULL((@NetRevenue - (@StdCosts +  @EtsCosts + @SubConCost) - ((@NetRevenu
@SubConRevenue) * @ProfitHurdle)), 0) , 0)

        --ENGAGEMENT METRICS CALC
        SET @NrTotalFeesAtStd = @TotalFeesStandard * (1 + @TravelTime)

        SELECT @TotalHoursMD=ISNULL(SUM(TotalHours), 0)
        FROM BudgetHR WITH (NOLOCK)
        WHERE BudgetID=@BudgetId AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Partner
Managing Director - I/C');
```


Copyright 2026 - All Rights Reserved

```
        SELECT @TotalHoursPartner=ISNULL(SUM(TotalHours), 0)
        FROM BudgetHR WITH (NOLOCK)
        WHERE BudgetID=@BudgetId AND Title IN ('Partner', 'Partner - I/C');

        SELECT @TotalHoursDir=ISNULL(SUM(TotalHours), 0)
        FROM BudgetHR WITH (NOLOCK)
        WHERE BudgetID=@BudgetId AND Title LIKE 'Director%';

        --=IFERROR(L9/C26,"N/A")
        SET @EstBudgetMarginPerc = ROUND((ISNULL(@EstBudgetMargin / abs(NULLIF(@NetRevenue,0)), 0) * 100), 1);

        IF @DebugFlag = 1
        BEGIN
            Print '@EstBudgetMargin - ' + CONVERT(VARCHAR, @EstBudgetMargin);
            Print '@EstBudgetMarginPerc - ' + CONVERT(VARCHAR, @EstBudgetMarginPerc);
        END

        --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotRevExclCont/NR_TOTAL_FEES_AT_STD)
        --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotalRevIncCont/NR_TOTAL_FEES_AT_STD)
        IF(@NrTotalFeesAtStd <> 0)
        BEGIN
            SET @StdRateRealizationInclTravelExclContingentPerc    = @TotalRevenueExcludingContingent / NULLIF(@N
AtStd, 0);
            SET @StdRateRealizationInclTravelInclContingentPerc    =
                CASE WHEN (@budgetTypeID = 2) THEN
                    @TotalRevenueIncludingContingent / NULLIF(@NrTotalFeesAtStd, 0)
                ELSE
                    @NetRevenue / NULLIF(@NrTotalFeesAtStd, 0)
                END

            IF (@StdRateRealizationInclTravelExclContingentPerc > 0)
            BEGIN
                SET @StdRateRealizationInclTravelExclContingentPerc = ROUND((@StdRateRealizationInclTravelExclCon
* 100), 1);
            END

            IF (@StdRateRealizationInclTravelInclContingentPerc > 0)
            BEGIN
                SET @StdRateRealizationInclTravelInclContingentPerc = ROUND((@StdRateRealizationInclTravelInclCon
* 100), 1);
            END
        END

        --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotRevExclCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
        --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotalRevIncCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
        IF(@FeesSubTotal <> 0)
        BEGIN
            SET @StdRateRealizationExclTravelExclContingentPerc    = @TotalRevenueExcludingContingent / NULLIF(@F
Total, 0);
            SET @StdRateRealizationExclTravelInclContingentPerc    =
                CASE WHEN (@budgetTypeID = 2) THEN
                    @TotalRevenueIncludingContingent / NULLIF(@FeesSubTotal, 0)
```


Copyright 2026 - All Rights Reserved

```
                ELSE
                    @NetRevenue / NULLIF(@FeesSubTotal, 0)
                END

            IF (@StdRateRealizationExclTravelExclContingentPerc > 0)
            BEGIN
                SET @StdRateRealizationExclTravelExclContingentPerc = ROUND((@StdRateRealizationExclTravelExclCon
* 100), 1);
            END

            IF (@StdRateRealizationExclTravelInclContingentPerc > 0)
            BEGIN
                SET @StdRateRealizationExclTravelInclContingentPerc = ROUND((@StdRateRealizationExclTravelInclCon
* 100), 1);
            END
        END

        --=IFERROR((FIXEDBUDGET!L46-C28)/(FIXEDBUDGET!M42*(1+FIXEDBUDGET!H43)),0)
        SET @AvgHourlyRateInclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NUL
Hours *(1 + @TravelTime), 0) , 1);

        --=IFERROR((FIXEDBUDGET!L46-C28)/FIXEDBUDGET!M42,0)
        SET @AvgHourlyRateExclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NUL
Hours, 0) , 1);



        --=IFERROR(((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING
DIR.",FIXEDBUDGET!M10:M41))/SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET!M10:M41)),"N/A")
        SET @StaffOrMDHoursLeverage    = ROUND((@TotalHours - @TotalHoursMD) / NULLIF(@TotalHoursMD, 0) , 1);



        --=IF(FIXEDBUDGET!O42>0,((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET
SUMIF(FIXEDBUDGET!E10:E41,"DIRECTOR",FIXEDBUDGET!M10:M41))/FIXEDBUDGET!M42),"")
        IF(@TotalFeesStandard > 0)
        BEGIN
            SET @HoursBelowDirectorPerc    = (@TotalHours  - @TotalHoursMD - @TotalHoursPartner - @TotalHoursDir)
NULLIF(@TotalHours, 0);
            IF @DebugFlag = 1
            BEGIN
                PRINT 'TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
                PRINT 'TotalHoursMD - ' + CONVERT(VARCHAR, @TotalHoursMD)
                PRINT '@TotalHoursPartner - ' + CONVERT(VARCHAR, @TotalHoursPartner)
                PRINT 'TotalHoursDir - ' + CONVERT(VARCHAR, @TotalHoursDir)
            END
            IF (@HoursBelowDirectorPerc > 0)
            BEGIN
                SET @HoursBelowDirectorPerc = ROUND((@HoursBelowDirectorPerc * 100), 1);
            END
        END

        -- INSERT/UPDATE CALCULATED VALUES INTO BUDGETMETRICS TABLE
        EXEC APSP_InsertBudgetMetrics
            @BudgetId
            ,@StdRateRealizationInclTravelExclContingentPerc
```


Copyright 2026 - All Rights Reserved

```
            ,@StdRateRealizationInclTravelInclContingentPerc
            ,@StdRateRealizationExclTravelExclContingentPerc
            ,@StdRateRealizationExclTravelInclContingentPerc
            ,@AvgHourlyRateInclTravelExclContingent
            ,@AvgHourlyRateExclTravelExclContingent
            ,@StaffOrMDHoursLeverage
            ,@HoursBelowDirectorPerc
            ,@StaffAverageHoursPerDay
            ,@EstBudgetMarginPerc
            ,@EstBudgetMargin
            ,@LogonUser

        -- RETURN VALUES FOR ENGAGEMENT METRICS
        SELECT * FROM BudgetMetrics WHERE BudgetId=@BudgetId
        RETURN
        END
    END TRY
    BEGIN CATCH
        DECLARE @ErrorNumber VARCHAR(MAX)(SELECT ERROR_NUMBER() AS ErrorNumber);
        DECLARE @ErrorMessage VARCHAR(MAX)(SELECT ERROR_MESSAGE() AS ErrorMessage);

        EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, ErrorNumber,   ErrorMessage, 'Failed to calcula
Estimated Budget Margin', 'EBT', 'SP'
    END CATCH
END
GO
```

Uses

[dbo].[ActivityTypeICEmployeeMapping]
[dbo].[BudgetDetail]
[dbo].[BudgetFee]
[dbo].[BudgetHR]
[dbo].[BudgetMetrics]
[dbo].[CM_BudgetDetail]
[dbo].[EmployeeBudgetPerPeriod]
[dbo].[FxRate]
[dbo].[ICRates]
[dbo].[ProfitHurdle]
[dbo].[Rate]
[dbo].[SAPCountryMaster]
[dbo].[SAPEmployeeMaster]
[dbo].[V_TBDEmployee]
[dbo].[V_TBDLegacyEmployee]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_InsertBudgetMetrics]
[dbo].[APSP_InsertMarginCalcLogs]

Copyright 2026 - All Rights Reserved

[dbo].[APSP_Engagement_Budget_Margin_Calc_New]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@BudgetId	int	4
@Logonuser	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************
NAME: APSP_Engagement_Budget_Margin_Calc
DESCRIPTION: This SP used to calculate the Engagement Budget Margin, which is used by Engagement Budget Tool
HELPER QUERY: EXEC APSP_Engagement_Budget_Margin_Calc_New @BudgetId=188,@LogonUser='Test'
*****************************************************************************************************************
  AUTHOR  DATE  CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
##01 Infosys 16-Dec-22 2023 and Onwards Version
##02 Infosys 15-May-23 Update reference to Calculate Metrics Table
##03 JM   10-JUL-24 Update DateDifference for weeks
##04 AS   25-MAR-25 Use TitleCode instead of Title for relevant lookups.
##05 AS   22-MAY-25 Add TitleCode to TBD employees via lookup to TBDMapping table.
##06 AS   08-AUG-25 Change #Employees EngagementFeeCap from INT to BIGINT.
##07 AS   09-DEC-25 Replaced @SubConRevenue with @SubConCost for @EstBudgetMargin calculation based on informatio
finance team.
##08 AS   16-JAN-26 Subtract @SubConCost from @NetRevenue for @EstBudgetMarginPerc calculation based on informati
finance team.
##09 AS   22-JAN-26 Subtract @SubConCost from @NetRevenue and @TotalRevenue for Realization calculations based on
information from finance team.
*****************************************************************************************************************

CREATE PROC [dbo].[APSP_Engagement_Budget_Margin_Calc_New]
```


Copyright 2026 - All Rights Reserved

```
--DECLARE
 @BudgetId INT,
 @Logonuser VARCHAR(50)
AS
BEGIN
 BEGIN TRY
  SET NOCOUNT ON;
  --declare @BudgetId int = 12491;
  --declare @Logonuser VARCHAR(50) = 'Test';
  --SET @BudgetId = 226;
  --SET @Logonuser = 'Test';
  DECLARE @DebugFlag BIT = 0;
  DECLARE @RowCount INT = 0;

  -- VARIABLES FOR MARGIN CALCULATION
  DECLARE @ProfitHurdle DECIMAL(14,3)= 0;
  DECLARE @NetRevenue DECIMAL (14,3)= 0;
  DECLARE @EtsCosts DECIMAL(14,3) = 0;
  DECLARE @TotalDigitalToolAmount DECIMAL(14,3) = 0;
  DECLARE @SubConCost DECIMAL(14,3)= 0;
  DECLARE @SubConRevenue DECIMAL (14,3) = 0;
  DECLARE @StdCosts DECIMAL(14,3) = 0;
  DECLARE @EngagementStdHourlyRateTotal DECIMAL(14,3) = 0;

  -- ENGAGEMENT METRICS VARIABLES FOR CM_BUDGETMETRICS TABLE
  DECLARE @StdRateRealizationInclTravelExclContingentPerc DECIMAL(14,3) = 0;
  DECLARE @StdRateRealizationInclTravelInclContingentPerc DECIMAL(14,3) = 0;
  DECLARE @StdRateRealizationExclTravelExclContingentPerc DECIMAL(14,3) = 0;
  DECLARE @StdRateRealizationExclTravelInclContingentPerc DECIMAL(14,3) = 0;
  DECLARE @AvgHourlyRateInclTravelExclContingent DECIMAL(14,3) = 0;
  DECLARE @AvgHourlyRateExclTravelExclContingent DECIMAL(14,3) = 0;
  DECLARE @StaffOrMDHoursLeverage DECIMAL(14,3) = 0;
  DECLARE @HoursBelowDirectorPerc DECIMAL(14,3) = 0;
  DECLARE @StaffAverageHoursPerDay DECIMAL(14,3) = 0;
  DECLARE @EstBudgetMarginPerc DECIMAL(14,1) = 0;
  DECLARE @EstBudgetMargin DECIMAL(14,3) = 0;

  DECLARE @NrTotalFeesAtStd DECIMAL(14,3) = 0;
  DECLARE @TotalRevenueExcludingContingent DECIMAL(14,3) = 0;
  DECLARE @TotalRevenueIncludingContingent DECIMAL(14,3) = 0;
  DECLARE @FeesSubTotal DECIMAL(14,3) = 0;
  DECLARE @TotalHours DECIMAL(14,3) = 0;
  DECLARE @TotalFeesStandard DECIMAL(14,3) = 0;
  DECLARE @TotalHoursMD DECIMAL(14,3) = 0;
  DECLARE @TotalHoursPartner DECIMAL(14,3) = 0;
  DECLARE @TotalHoursDir DECIMAL(14,3) = 0;
  DECLARE @TravelTime DECIMAL(14,3) = 0;
  DECLARE @ClientBill DECIMAL(14,3) = 0;
  --2021-12-10 added for calc
  DECLARE @TotalTravelFees DECIMAL(14,3) = 0;
  DECLARE @TotalBillableFees DECIMAL(14,3) = 0;
  DECLARE @TotalEngagementFees DECIMAL(14,3) = 0;
```


Copyright 2026 - All Rights Reserved

```
  DECLARE @TravelExpenses DECIMAL(14,3) = 0;
  DECLARE @AdminFee DECIMAL(14,3) = 0;
  DECLARE @ExpectedContingentFeeUbb DECIMAL(14,3) = 0;

  -- VARIABLES FOR COST CALCULATION
  DECLARE @budgetCountry VARCHAR(50) = '';
  DECLARE @engagementBU VARCHAR(50) = '';
  DECLARE @engagementCommunity VARCHAR(50) = '';
  DECLARE @departmentCode VARCHAR(50) = '';
  DECLARE @mdInCharge VARCHAR(50) = '';
  DECLARE @periodTypeId INT = 0;
  DECLARE @budgetTypeId INT = 0;
  DECLARE @startDate DATE;
  DECLARE @endDate DATE;
  DECLARE @EtsCostMonths DECIMAL(5,2);
  DECLARE @CurConvDate DATETIME;
  DECLARE @budgetStdCostRegion VARCHAR(50) = '';
  DECLARE @engagementISLGrouping VARCHAR(50) = '';
  DECLARE @ISLServiceLineGroupId int
  DECLARE @StdCostRegionGroupId int
  DECLARE @CountryGroupId int
  DECLARE @RegionGroupId int

  --SET @DebugFlag = 1;
  -- CREATE DB TEMP TABLE FOR ENGAGEMENT BUDGET MARGIN
  IF OBJECT_ID(N'tempdb..#BudgetYears') IS NOT NULL
  BEGIN
   DROP TABLE #BudgetYears
  END

  IF OBJECT_ID(N'tempdb..#Employees') IS NOT NULL
  BEGIN
   DROP TABLE #Employees
  END

  IF OBJECT_ID(N'tempdb..#BudgetPeriod') IS NOT NULL
  BEGIN
   DROP TABLE #BudgetPeriod
  END

  IF OBJECT_ID(N'tempdb..#TBDEmp') IS NOT NULL
  BEGIN
   DROP TABLE #TBDEmp
  END

  CREATE TABLE #BudgetYears
  (
   WeekOrMonth INT,
   [Year] CHAR(4)
  )

  -- 3/25/2025 Alex Sikes - Added TitleCode
```


Copyright 2026 - All Rights Reserved

```
CREATE TABLE #Employees
(
 BudgetHrID INT,
 EmployeeId VARCHAR(50),
 Title VARCHAR(MAX),
 TitleCode VARCHAR(MAX),
 FName VARCHAR(MAX),
 LName VARCHAR(MAX),
 EngagementFeeCap BIGINT,
 CurrencyCode CHAR(4),
 [Year] CHAR(4),
 Country VARCHAR(50),
 Community VARCHAR(50),
 SubLevel VARCHAR(20),
 CountryCommunitySubLevel VARCHAR(MAX),
 BusinessUnit VARCHAR(MAX),
 Year_Hrs DECIMAL(14,3),
 EngBillable_Hrs DECIMAL(14,3),
 NoOfDays DECIMAL(14,3),
 StdHourlyRate DECIMAL(14,3),
 StdCostForCurrentYear MONEY,
 StdCostRate MONEY,
 EngagementStdCost MONEY,
 --ICRate DECIMAL,
 ICBurdenRate DECIMAL(14,3),
 EngagementStdHourlyRate MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input)
 EngagementStdHourlyRateTotal MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input * Budget Hours)
 IsEmployeeIC bit, -- Added to check for IC
 StdCostRegion VARCHAR(50),--Standard cost region from MDM Std Cost Region table based on Country
 ISLGrouping VARCHAR(50),-- ISL Grouping value from MDM ISL Grouping based on ISL from budget/employee table
 RegionISLGroupingSubLevel VARCHAR(MAX),
 IsICUpdate bit,
 ActivityType NVARCHAR(50),
 CountryCommunityActivityType VARCHAR(MAX)
)

-- Table for TBD

CREATE TABLE #TBDEmp
(
  [Name] VARCHAR(MAX),
  Isl VARCHAR(MAX),
  Region VARCHAR(MAX),
  Country VARCHAR(50),
  Title VARCHAR(200),
  TitleCode VARCHAR(10),
  Sublevel VARCHAR(10),
  DepartmentCode VARCHAR(10),
  RegionCode VARCHAR(10),
  ActivityType NVARCHAR(50),
  ActivityTypeCost NVARCHAR(50)
)
```


Copyright 2026 - All Rights Reserved

```
  SELECT @ISLServiceLineGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'I
Line'
  SELECT @StdCostRegionGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'St
Region'
  SELECT @CountryGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'Country'
  SELECT @RegionGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'Region'


  -- Determine Budget Country from Budget Detail table
  SELECT @budgetCountry=CTRY.CountryCode
  FROM CM_BudgetDetail BD WITH (NOLOCK)
   INNER JOIN SAPCountryMaster CTRY WITH (NOLOCK) ON BD.CountryCode=CTRY.CountryCode
  WHERE budgetid=@BudgetId;

  SET @CurConvDate = (SELECT MAX(ValidFromDate) FROM FxRate);

  --Get Engagement Community which is the Budget ISL value from Budget Detail table along with other data
  SELECT @budgetTypeId=BudgetTypeID
   ,@periodTypeId=PeriodTypeID
   ,@engagementCommunity=Community
   ,@mdInCharge = MdInCharge
   ,@startDate=StartDate
   ,@endDate=EndDate
  FROM CM_BudgetDetail WITH (NOLOCK)
  WHERE BudgetId=@BudgetId;

  --Get Department Code based on md incharge Name for budget
  SET @departmentCode = (select [dbo].[fn_GetISLServiceLine](@mdInCharge));
    -- Determine ISL Grouping from MDM ISL Grouping table based on department code from budget Details.

  SELECT @engagementBU = ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
   WHERE EntityID in (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
     WHERE EntityGroupID = (@CountryGroupId) and EntityName = @budgetCountry AND Year(ValidFrom) <= Year(@startda
Year(ValidTo) >=Year(@startdate)) AND EntityGroupID = (@RegionGroupId)AND Year(ValidFrom) <= Year(@startdate) AND
Year(ValidTo) >=Year

(@startdate)


  SELECT @EtsCostMonths = CASE
         WHEN DATEDIFF(MONTH, @startDate, @endDate) < 0 THEN 0
         ELSE DATEDIFF(MONTH, @startDate, @endDate) + 1
        END
  -- get MONTH/year -- year 1 to year 6 in the old Proc has been replaced by engagement span years;
  IF(@PeriodTypeId = 7)
  BEGIN
   ;WITH months (DATE)
   AS
   (
    SELECT @startDate
    UNION ALL
    SELECT DATEADD(MONTH, 1, DATE)
```


Copyright 2026 - All Rights Reserved

```
    FROM months
    WHERE DATEDIFF(MONTH, DATE, @endDate) > 0 --##03 --WHERE DATEADD(MONTH,1,DATE)<=@end
   )

   INSERT INTO #BudgetYears SELECT DatePart(MONTH, DATE), DatePart([Year], DATE) FROM months
  END
  ELSE
  BEGIN
   ;WITH months (DATE)
   AS
   (
    SELECT @startDate
    UNION ALL
    SELECT DATEADD(WEEK, 1, DATE)
    FROM months
    WHERE DATEDIFF(Week, DATE, @endDate) > 0 --DATEADD(WEEK, 1, DATE) < @endDate
   )
   INSERT INTO #BudgetYears SELECT DATEPART(WEEK,DATE), DATEPART([Year], DATE) FROM months
  END

  SELECT [Year],
   [WeekOrMonth],
   ROW_NUMBER() OVER (ORDER BY [YEAR],[WeekOrMonth] ASC) AS RN INTO #BudgetPeriod
  FROM #BudgetYears;

  -- All Employee details are inserted to #Employees TABLE
  -- 3/25/2025 Alex Sikes - Added EMP.TitleCode
  INSERT INTO #Employees
  SELECT BHR.BudgetHrID,
   BHR.EmployeeID,
   BHR.Title,
   EMP.TitleCode,
   CASE
    WHEN (BHR.[NAME] LIKE '%TBD%')
     THEN BHR.[NAME]
    ELSE EMP.FirstName
   END,
   EMP.LastName,
   ISNULL(EngagementFeeCap,0),
   CurrencyCode,
   BP.[Year],
   CTRY.Country,
   EMP.DepartmentDescription,
   EBPP.SubLevel,
   CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.ActivityType) AS CountryCommunitySubLevel,
   Region,
   CASE
    WHEN (@budgetTypeId = 1)
     THEN SUM(EBPP.BillableHours)
    ELSE (SUM(EBPP.BillableHours + EBPP.TravelHours))
   END Year_Hrs,
   CASE WHEN BHR.EngagementBillableHours < 4 THEN BHR.EngagementBillableHours
```


Copyright 2026 - All Rights Reserved

```
   Else 10
   END
   EngBillable_Hrs,
   CASE WHEN @budgetTypeId = 1 THEN CASE WHEN (SUM(NoOfDays) %1) < 0.4 then SUM(NoOfDays) when ((SUM(NoOfDays) %1
AND  (SUM(NoOfDays) %1) < 0.9) then Round((SUM(NoOfDays)+0.1)*1, 0)  else Round((SUM(NoOfDays))*1, 0)end
   ELSE SUM(NoOfDays) END NoOfDays,
   CASE
    WHEN (@PeriodTypeId = 6 AND DATEDIFF(YEAR, @startDate, @endDate) >= 1 AND ISNULL(StandardHourlyRateNextYr, 0)
     THEN StandardHourlyRateNextYr
    ELSE StandardHourlyRate
   END
   StandardHourlyRate,
   0, -- StdCostForCurrentYear
   0, -- StdCostRate
   0, -- EngagementStdCost
   0,  -- ICBurdenRate
   BHR.EngagementRate,  -- EngagementStdHourlyRate
   0, -- EngagementStdHourlyRateTotal
   CASE
    WHEN (EMP.BusinessPartnerRole = 'Ic')
     THEN 1
    ELSE 0
   END,
   EBPP.StdCostRegion,
   EBPP.IslGrouping,
   CONCAT(EBPP.StdCostRegion, EBPP.IslGrouping, EBPP.ActivityType) AS RegionISLGroupingSubLevel,
   0 , -- IsICupdate
   EBPP.ActivityType,
   CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.ActivityType) AS CountryCommunityActivityType
  FROM #BudgetPeriod BP WITH (NOLOCK)
   INNER JOIN CM_EmployeeBudgetPerPeriod EBPP WITH (NOLOCK)
    ON BP.RN = EBPP.PeriodRange
   INNER JOIN CM_BudgetHR BHR WITH (NOLOCK)
    ON EBPP.BudgetHrID=BHR.BudgetHrID
   INNER JOIN CM_BudgetDetail BD WITH (NOLOCK)
    ON bd.BudgetID=BHR.BudgetID
   INNER JOIN CM_BudgetFee BF WITH (NOLOCK)
    ON BF.BudgetID=bd.BudgetID
   LEFT OUTER JOIN SAPEmployeeMaster EMP WITH (NOLOCK)
    ON BHR.EmployeeID=CAST(EMP.OracleID AS VARCHAR(50))
   LEFT OUTER JOIN SAPCountryMaster CTRY WITH (NOLOCK)
    ON EMP.Country=CTRY.CountryCode
   --LEFT OUTER JOIN dbo.ActivityTypeICEmployeeMapping AIC
   -- ON EMP.ActivityType = AIC.ActivityType OR EMP.ActivityType = AIC.ICActivityType
   --LEFT OUTER JOIN CountryLookup CYLK WITH (NOLOCK)
    --ON EMP.Country=CYLK.CountryCode
   --LEFT OUTER JOIN Rate R WITH (NOLOCK)
   -- ON EMP.DepartmentDescription = R.Department AND CTRY.Country=r.Country AND EMP.SubLevel=R.SubLevel AND Rate
  WHERE BD.BudgetId=@BudgetId AND EBPP.NoOfDays > 0
  GROUP BY BHR.BudgetHrID,
   BHR.EmployeeId,
   BP.[Year],
```


Copyright 2026 - All Rights Reserved

```
    Title,
    TitleCode,
    EngagementFeeCap,
    CurrencyCode,
    Region,
    BusinessUnit,
    BHR.EngagementBillableHours,
    StandardHourlyRate,
    StandardHourlyRateNextYr,
    BHR.IslGrouping,
    DepartmentDescription,
    EMP.Country,CTRY.Country,CTRY.CountryCode,--CYLK.Country,
    EMP.SubLevel,EMP.FirstName,EMP.LastName,BHR.[Name], BHR.EngagementRate, EMP.BusinessPartnerRole,EBPP.Sublevel,
CostRegion, EBPP.ISLGrouping,EBPP.ActivityType,EMP.ActivityType

  --SELECT * FROM #Employees
  IF NOT EXISTS (SELECT 1 FROM #EMPLOYEES)
  BEGIN
   EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'No employees found', 'EBT', 'SP'
  END

  -- Insert TBD details from Views

  INSERT INTO #TBDEmp
  SELECT [Name], Isl, Region, '', Title, TitleCode, SubLevel, departmentCode, regionCode, ActivityType,ActivityTy
V_TBDEmployee (NOLOCK)
  --UNION
  --SELECT [Name], Community, Region, '', Title, TitleCode, SubLevel FROM V_TBDLegacyEmployee (NOLOCK)



  -- Update TBD Country-COmmunity-SubLevel in #Employees Table
  -- 5/22/2025 Alex Sikes - Added TitleCode via lookup to TBDMapping table.
  UPDATE #Employees SET
   EmployeeID ='TBD',
   TitleCode = (SELECT TOP 1 map.TitleCode from TBDMapping map WHERE map.Title = TBD.Title),
   Country = TBD.Country,
   Community = TBD.Isl,
   SubLevel = TBD.Sublevel,
   CountryCommunitySubLevel = CONCAT(TBD.Country, TBD.Isl, TBD.Sublevel),
   StdCostRegion = (SELECT  ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
   WHERE EntityName = TBD.RegionCode AND EntityGroupID = (@StdCostRegionGroupId)),
   ISLGrouping =  CASE WHEN TBD.DepartmentCode IN (select EntityName from Entity where EntityGroupID in (@ISLServ
GroupId))
   THEN(SELECT [dbo].[fn_GetISLGroupingByYear](TBD.ISL , TBD.DepartmentCode,EMP.year))
            ELSE'CORPSRV'END ,
   RegionISLGroupingSubLevel = (CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Title l
BSA%')) THEN TBD.Region+TBD.Isl+TBD.ActivityTypeCost
               ELSE c.RegionISLGroupingSubLevel
            END),
   --(CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Title like '%IC BSA%')) THEN NULL
   --          ELSE c.RegionISLGroupingSubLevel
   --          END),
```


Copyright 2026 - All Rights Reserved

```
   ActivityType = (CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Title like '%IC BSA%
TBD.ActivityTypeCost
         ELSE TBD.ActivityType
         END),
   CountryCommunityActivityType = (CASE WHEN (TBD.Isl IN ('BSA','BMM') AND (TBD.Title like '%IC BMM%' OR TBD.Titl
BSA%')) THEN CONCAT(TBD.Country, TBD.Isl, TBD.ActivityTypeCost)
               ELSE CONCAT(TBD.Country, TBD.Isl, TBD.ActivityType)
           END)
  FROM #Employees EMP WITH (NOLOCK)
   INNER JOIN #TBDEmp TBD WITH (NOLOCK)
    ON EMP.Title=TBD.Title AND EMP.FName = TBD.[Name]
    CROSS apply (select CONCAT( (SELECT  ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
   WHERE EntityName = TBD.RegionCode AND EntityGroupID = (@StdCostRegionGroupId)), CASE WHEN TBD.DepartmentCode I
EntityName from Entity where EntityGroupID in (@ISLServiceLineGroupId))
   THEN(SELECT [dbo].[fn_GetISLGroupingByYear](TBD.ISL , TBD.DepartmentCode,EMP.year))
           ELSE 'CORPSRV' END, TBD.ActivityType) as RegionISLGroupingSubLevel) as c
    WHERE EMP.EmployeeId = 'NA'

  --Update RegionISLGroupingSubLevel as INVALID if RegionISLGroupingSubLevel IS NULL or EMPTY
  UPDATE #Employees
   SET RegionISLGroupingSubLevel='INVALID'
  WHERE RegionISLGroupingSubLevel IS NULL OR RegionISLGroupingSubLevel = '';

  IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1)
  UPDATE #Employees
  SET ActivityType = AIC.ActivityType
  FROM dbo.ActivityTypeICEmployeeMapping AIC
  INNER JOIN #Employees EMP ON EMP.ActivityType = AIC.ICActivityType
  WHERE EMP.IsEmployeeIC = 1
  --LEFT OUTER JOIN dbo.ActivityTypeICEmployeeMapping AIC
   -- ON EMP.ActivityType = AIC.ActivityType OR EMP.ActivityType = AIC.ICActivityTy
  --Update IC burden rate for each employee only for TBD Employee or IC's
  IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1 OR RegionISLGroupingSubLevel = 'INVALID')
  BEGIN
   ; with IcRate as
   (
   Select * from Rate where RateTypeID = 3 and IsDeleted = 0
   )
   UPDATE #Employees
    SET ICBurdenRate=RT.Rate
   FROM IcRate RT WITH (NOLOCK)
    INNER JOIN #Employees EMP
     ON RT.Currency=EMP.CurrencyCode AND RT.[Year]=EMP.[Year]
   WHERE EMP.IsEmployeeIC = 1 OR EMP.RegionISLGroupingSubLevel = 'INVALID';

   SET @RowCount = @@ROWCOUNT;
   IF @DebugFlag = 1
   BEGIN
    PRINT 'ICBurdenRate - ' + CONVERT(VARCHAR, @RowCount);
   END
  END

  ----NON MD/IC  -# OF DAYS(BY YEAR)  * EMP.EngBillable_Hrs * STD COST BY ENGAGEMENT CURRENCY CODE
```


Copyright 2026 - All Rights Reserved

```
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET StdCostRate=
   CASE
    WHEN ((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EMP
('EDISC','RISK') AND EngagementFeeCap=0))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END ,
   StdCostForCurrentYear = (RT.rate)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping = RT.Department
   AND RT.ActivityType=EMP.ActivityType AND RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EMP.TitleCode NOT IN ('T001', 'T002')
   AND Title NOT IN ('Ind Contractor.')  AND IsEmployeeIC = 0
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '1 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
  END

  --SELECT * FROM #Employees
  --IC  - STD RATE BY ENGAGEMENT CURRENCY CODE/2.5 * HOURS  + IC_BURDEN BY CURRENCY CODE BY HOURS BY YEAR
  IF EXISTS(SELECT 1 FROM #Employees WHERE RegionISLGroupingSubLevel = 'INVALID')
  BEGIN
   UPDATE #Employees
    SET StdCostRate = --(CASE WHEN (EMP.Title like '%IC BMM%' OR EMP.Title like '%IC BSA%') THEN ((EMP.StdHourlyR
* EMP.Year_Hrs)  + (EMP.ICBurdenRate * EMP.Year_Hrs)
    --ELSE
    ((EMP.StdHourlyRate / 2.5) * EMP.Year_Hrs)  + (EMP.ICBurdenRate * EMP.Year_Hrs)
    --END)
   FROM #Employees EMP
   WHERE EMP.RegionISLGroupingSubLevel = 'INVALID';

   SET @RowCount = @@ROWCOUNT;
   IF @DebugFlag = 1
   BEGIN
    PRINT '2 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
   END
  END
  --SELECT * FROM #Employees
  -- AS-IS SP COMMENT-INNER JOIN ON APTBL_STANDARDCOST WAS CAUSING A PROBLEM BECAUSE SOME COUNTRY-COMMUNITY-SUBLE
HAD NO RECORD IN APTBL_STANDARDCOST TABLE.  Updated to make this outer join.
  -- Updated to check if there's Employee -- I/C associated with the Engagement
  IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC =1)
  BEGIN
   UPDATE  #Employees
    SET StdCostRate =
    CASE
```


Copyright 2026 - All Rights Reserved

```
     WHEN IC.ICStandardCost <> 0
      THEN --((RT.Rate)  * EMP.Year_Hrs)
     --ELSE
      CASE WHEN IC.Currency <> CurrencyCode
       THEN (IC.ICStandardCost * FXR.MarketValue * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
      ELSE
       (IC.ICStandardCost * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
      END
    END,
    IsICUpdate = CASE
     WHEN IC.ICStandardCost = 0
      THEN 0
     ELSE
      1
    END
   FROM #Employees EMP
   INNER JOIN ICRates IC WITH (NOLOCK)
    ON EMP.EmployeeId=CAST(IC.OracleID AS VARCHAR(50)) -- AND DATEPART([Year],IC.ValidToDate)=EMP.[Year] AND EMP.
Code=IC.Currency
   --INNER JOIN Rate RT WITH (NOLOCK)
    --ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping =RT.Department AND EMP.SubLevel=RT.Sublevel AND
RT.[Year]=EMP.[Year]  AND RT.Currency=EMP.CurrencyCode
   LEFT OUTER JOIN FxRate FXR WITH (NOLOCK)
    ON FXR.FromCurrency = IC.Currency AND FXR.ToCurrency = CurrencyCode AND FXR.ValidFromDate = @CurConvDate
   WHERE --RT.RateTypeID=4 AND RT.IsDeleted = 0 AND
    (EMP.RegionISLGroupingSubLevel <> 'INVALID')
    AND (EMP.EmployeeId <> 'NA' OR EMP.EmployeeId <> '');
    SET @RowCount = @@ROWCOUNT;

   UPDATE  #Employees
   SET StdCostRate = (RT.Rate * EMP.Year_Hrs) ,
   StdCostForCurrentYear = (RT.rate)
   FROM Rate RT WITH (NOLOCK)
    INNER JOIN #Employees EMP
     ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping=RT.Department AND EMP.ActivityType=RT.ActivityType AND
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
    WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0 AND IsEmployeeIC =1
     AND RegionISLGroupingSubLevel <> 'INVALID'AND (StdCostRate = 0 OR StdCostRate IS NULL);

   IF @DebugFlag = 1
   BEGIN
    PRINT '3 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
   END
  END

  -- MD/FAS - STD COST BY ENGAGEMENT CURRENCY CODE * HOURS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE  #Employees
   SET StdCostRate = (RT.Rate * EMP.Year_Hrs) ,
   StdCostForCurrentYear = (RT.rate)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping=RT.Department AND EMP.ActivityType=RT.ActivityType AND
```


Copyright 2026 - All Rights Reserved

```
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EMP.TitleCode IN ('T001', 'T002')
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '4 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- Standard Cost Rate for NON MD using Engagement Cost variable (Transfer pricing)
  -- Step 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp SubLe
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=
   CASE
    WHEN ((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EMP
('EDISC','RISK') AND EngagementFeeCap=0))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND EMP.ISLGrouping=RT.Department AND RT.ActivityType=EMP.ActivityType
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EMP.TitleCode NOT IN ('T001', 'T002')
   AND Title NOT IN ('Ind Contractor.')  AND IsEmployeeIC = 0
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '5 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- Standard Cost Rate for MD using Engagement Cost variable (Transfer pricing)
  -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp SubLe
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND EMP.ISLGrouping=RT.Department AND RT.ActivityType=EMP.ActivityType
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EMP.TitleCode IN ('T001', 'T002')
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
```


Copyright 2026 - All Rights Reserved

```
    PRINT '6 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END


  -- Standard Cost Rate
  -- STep 1: Done above 2 query (Non MD and MD)
  -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Employee f
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
  -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel='"ASSOC1
Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
  -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
  -- Non-MD & Non - CS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=
   CASE
    WHEN ((((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EN
in ('EDISC','RISK')  AND EngagementFeeCap=0)))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department = (SELECT [dbo].[fn_GetISLGroupingByYear](@engagement-
Community,@departmentCode,EMP.year))



  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND (StdCostRate = 0 AND EngagementStdCost = 0)
   AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'))
   AND EMP.TitleCode NOT IN ('T001', 'T002')
   AND Title NOT IN ('Ind Contractor.') AND IsEmployeeIC = 0
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '7 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END


  -- NON MD & CS
  -- User Story #55482 : Updated Admin to CorpSrv
  -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=
   CASE
    WHEN ((((@budgetTypeID = 2 AND (SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@departmentCode,EN
in ('EDISC','RISK') AND EngagementFeeCap=0)))
     THEN ((RT.rate)  * EMP.Year_Hrs)
    ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
   END
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
```


Copyright 2026 - All Rights Reserved

```
    ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department = 'CorpSrv'
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND (StdCostRate = 0 AND EngagementStdCost = 0)
   AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType = 'CS050'))
   AND EMP.TitleCode NOT IN ('T001', 'T002')
   AND Title NOT IN ('Ind Contractor.') AND IsEmployeeIC = 0
   AND RegionISLGroupingSubLevel <> 'INVALID' ;

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '8 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- Standard Cost Rate - MD & Non - CS
  -- STep 1: Done above 2 query (Non MD and MD)
  -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Employee f
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
  -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel='"ASSOC1
Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
  -- User Story #55482 : Updated Admin to CorpSrv
  -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
  -- MD & Non - CS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
  FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department=(SELECT [dbo].[fn_GetISLGroupingByYear](@engagementCommunity,@c
Code,EMP.year))
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND (StdCostRate = 0 AND EngagementStdCost = 0)
   AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'))
   AND EMP.TitleCode IN ('T001', 'T002')
   AND (RegionISLGroupingSubLevel <> 'INVALID');

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '9 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- MD & CS
  -- 3/25/2025 Alex Sikes - Use TitleCode instead of Title for PMDs.
  UPDATE #Employees
   SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
   FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND RT.Department='CorpSrv'
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND (StdCostRate = 0 AND EngagementStdCost = 0)
```


Copyright 2026 - All Rights Reserved

```
    AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='CS050'))
    AND EMP.TitleCode IN ('T001', 'T002')
    AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '10 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END


  -- IC(if the standard cost rate is 0 Setting IC as EMployee to continue validate for Transfer Pricing)
  UPDATE #Employees
   SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
   FROM Rate RT WITH (NOLOCK)
  INNER JOIN #Employees EMP
   ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=(SELECT [dbo].[fn_GetStdCostRegionBy-
Year](@budgetCountry,EMP.year)) AND EMP.ISLGrouping=RT.Department AND RT.ActivityType=EMP.ActivityType
  WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
   AND EngagementStdCost = 0 AND StdCostRate <> 0
   AND IsEmployeeIC = 1
   AND RegionISLGroupingSubLevel <> 'INVALID';

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '11 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
  END

  -- COMPARE STD COST OF EMPLOYEE WITH ENGAGEMENT STD COST ENGAGEMENT BU - TRANSFER PRICING COST
  UPDATE #Employees
   SET StdCostRate =
   CASE
    WHEN StdCostRate = 0 -- WHEN EngagementStdCost has value
     THEN EngagementStdCost
    WHEN BusinessUnit <> @engagementBU -- Tansfer Pricing
     THEN
     CASE
      WHEN StdCostRate < EngagementStdCost
       THEN StdCostRate
      ELSE EngagementStdCost
     END
    ELSE
     StdCostRate
   END
  WHERE EngagementStdCost > 0 and IsICUpdate = 0;

  SET @RowCount = @@ROWCOUNT;
  IF @DebugFlag = 1
  BEGIN
   PRINT '11 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
  END
```


Copyright 2026 - All Rights Reserved

```
  SELECT TOP 1 @profitHurdle=ProfitHurdle
  FROM ProfitHurdle WITH (NOLOCK)
  WHERE YearTo='2050'

  -- VALUES FROM CM_BUDGETHR TABLE
  SELECT  @SubConCost = ISNULL(SUM(SubContractPay),0),
    @SubConRevenue = ISNULL(SUM(ClientBill),0),
    @TotalHours = ISNULL(SUM(TotalHours),0),
    @ClientBill = ISNULL(SUM(ClientBill),0),
    @TotalFeesStandard = ISNULL(SUM(TotalFeesStandard),0),
    @FeesSubTotal = ISNULL(SUM(TotalFeesStandard),0), -- NEED Clarification
       --2021-12-10 added for calc
    @TotalBillableFees = ISNULL(SUM(TotalBillableFees),0),
    @TotalTravelFees = ISNULL(SUM(TotalTravelFees),0)
  FROM CM_BudgetHr WITH (NOLOCK)
  WHERE Budgetid=@BudgetId


  --2021-12-10 //Calc of TotalEngagementFee
  SET @TotalEngagementFees = @TotalBillableFees + @TotalTravelFees + @ClientBill;

  --2021-12-10 //Values from BudgetFee
  SELECT
   @AdminFee = ISNULL(AdminFee,0),
   @TravelExpenses = ISNULL(TravelExpenses,0),
   @ExpectedContingentFeeUbb = ISNULL(ExpectedContingentFeeUbb,0)
  FROM CM_BudgetFee WITH (NOLOCK)
  WHERE BudgetId=@BudgetId


  --VALUES FROM CM_BUDGETFEE TABLE
  SELECT
   @NetRevenue =
   CASE
    WHEN @budgetTypeID = 2 THEN -- TAKE THE NET REVENUE FROM HOURLY Agreed Upon Engagement Fee Cap
     --ISNULL(EngagementFeeCap,0) 2021-12-10 //added logic for HourlyBudget NetRevenue
     CASE WHEN (EngagementFeeCap IS NULL or EngagementFeeCap = 0) THEN
       CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
        ISNULL((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
       ELSE
        ISNULL(((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(@TotalEngagementFees*(@Tra
Expenses/100)),0)
      END
     ELSE
      CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
        ISNULL((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
       ELSE
        ISNULL(((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(ISNULL(TotalRevenueIncluding-
Contingent,0)*(@TravelExpenses/100)),0)
      END
    END
    ELSE
```


Copyright 2026 - All Rights Reserved

```
    ISNULL(TotalRevenueIncludingContingent,0)
  END,
  @EtsCosts = ISNULL(CAST(ExpectedEtsCostAmount AS MONEY), 0) * @EtsCostMonths,
  @TotalRevenueExcludingContingent = ISNULL(TotalRevenueExcludingContingent, 0),
  @TotalRevenueIncludingContingent = ISNULL(TotalRevenueIncludingContingent, 0),
  @TravelTime = ISNULL(SUM(TravelTime/100), 0),
  @StaffAverageHoursPerDay = ROUND(ISNULL(AverageHrsPerDay, 0), 1) --=FixedBudget!L60
FROM CM_BudgetFee WITH (NOLOCK)
WHERE BudgetId=@BudgetId
GROUP BY
 TotalRevenueIncludingContingent,
 EngagementFeeCap,
 ExpectedEtsCostAmount,
 TotalRevenueExcludingContingent,
 FeesSubTotal,
 TravelTime,
 AverageHrsPerDay,
 ExpensesOrFixedExpenses,
 ExpectedContingentFeeUbb;

 Select @TotalDigitalToolAmount = SUM(DigitalToolCost)
 From CM_BudgetDigitalTool
 WHERE BudgetId=@BudgetId

IF @DebugFlag = 1
BEGIN
 select * from #Employees;
END

UPDATE #Employees
 SET EngagementStdHourlyRateTotal =  ROUND(ISNULL(EngagementStdHourlyRate, 0) * ISNULL(Year_Hrs, 0), 0)
WHERE EngagementStdHourlyRate > 0 AND Year_Hrs > 0;
IF @DebugFlag = 1
BEGIN
 Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @@ROWCOUNT);
END

-- Total Costs
SELECT @StdCosts=ISNULL(SUM(StdCostRate), 0),
 @EngagementStdHourlyRateTotal= ISNULL(SUM(EngagementStdHourlyRateTotal), 0)
FROM #Employees;

--2021-12-10 //commented the logic as new logic implemented
--For Hourly budget - If Agreed Upon Engagement Fee Cap = 0, then take the total engagement fees
--IF @budgetTypeID = 2 AND @NetRevenue = 0 AND @EngagementStdHourlyRateTotal > 0
--BEGIN
-- SET @NetRevenue = ROUND(@EngagementStdHourlyRateTotal, 0);
--END

IF(@StdCosts = 0)
BEGIN
 EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'Standard Cost is 0', 'EBT', 'SP'
```


Copyright 2026 - All Rights Reserved

```
  END

  -- CALCULATE MARGIN = TOTAL REVENUE - COSTS - PROFITHURDLE
  IF @DebugFlag = 1
  BEGIN
   Print '@NetRevenue - ' + CONVERT(VARCHAR, @NetRevenue);
   Print '@EtsCosts - ' + CONVERT(VARCHAR, @EtsCosts);
   print '@TotalDigitalToolAmount - ' + CONVERT(VARCHAR, @TotalDigitalToolAmount);
   Print '@TotalRevenueExcludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueExcludingContingent);
   Print '@TotalRevenueIncludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueIncludingContingent);
   Print '@TravelTime - ' + CONVERT(VARCHAR, @TravelTime);
   Print '@StaffAverageHoursPerDay - ' + CONVERT(VARCHAR, @StaffAverageHoursPerDay);
   Print '@StdCosts - ' + CONVERT(VARCHAR, @StdCosts);
   Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @EngagementStdHourlyRateTotal);
   Print '@SubConCost - ' + CONVERT(VARCHAR, @SubConCost);
   Print '@SubConRevenue - ' + CONVERT(VARCHAR, @SubConRevenue);
   Print '@TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
   Print '@ClientBill - ' + CONVERT(VARCHAR, @ClientBill);
   Print '@TotalFeesStandard - ' + CONVERT(VARCHAR, @TotalFeesStandard);
   Print '@FeesSubTotal - ' + CONVERT(VARCHAR, @FeesSubTotal);
   Print '@ProfitHurdle - ' + CONVERT(VARCHAR, @ProfitHurdle);
  END

  -- 12/09/2025 Alex Sikes - Replaced @SubConRevenue with @SubConCost for @EstBudgetMargin calculation based on i
from finance team.
  --SET @EstBudgetMargin =  ROUND(ISNULL((@NetRevenue - (@StdCosts +  @EtsCosts + @TotalDigitalToolAmount + @SubC
((@NetRevenue -   @SubConRevenue) * @ProfitHurdle)), 0) , 0)
  SET @EstBudgetMargin =  ROUND(ISNULL((@NetRevenue - (@StdCosts +  @EtsCosts + @TotalDigitalToolAmount + @SubCon
((@NetRevenue -   @SubConCost) * @ProfitHurdle)), 0) , 0)

  --ENGAGEMENT METRICS CALC
  SET @NrTotalFeesAtStd = @TotalFeesStandard * (1 + @TravelTime)

  -- 3/25/2025 Alex Sikes - Added more variations of PMD titles.
  SELECT @TotalHoursMD=ISNULL(SUM(TotalHours), 0)
  FROM CM_BudgetHR WITH (NOLOCK)
  WHERE BudgetID=@BudgetId AND Title IN ('Partner & Managing Director', 'Partner & Managing Dir.', 'Partner and M
Director', 'Partner & Managing Director-I/C', 'Partner and Managing Director I/C');

  SELECT @TotalHoursPartner=ISNULL(SUM(TotalHours), 0)
  FROM CM_BudgetHR WITH (NOLOCK)
  WHERE BudgetID=@BudgetId AND Title IN ('Partner', 'Partner - I/C');

  SELECT @TotalHoursDir=ISNULL(SUM(TotalHours), 0)
  FROM CM_BudgetHR WITH (NOLOCK)
  WHERE BudgetID=@BudgetId AND Title LIKE 'Director%';

  --=IFERROR(L9/C26,"N/A")
  -- 01/16/2026 Alex Sikes - Subtract @SubConCost from @NetRevenue based on information from finance team.
  --SET @EstBudgetMarginPerc = ROUND((ISNULL(@EstBudgetMargin / abs(NULLIF(@NetRevenue,0)), 0) * 100), 1);
  SET @EstBudgetMarginPerc = ROUND((ISNULL(@EstBudgetMargin / abs(NULLIF(@NetRevenue,0)-@SubConCost), 0) * 100),

  IF @DebugFlag = 1
```


Copyright 2026 - All Rights Reserved

```
  BEGIN
   Print '@EstBudgetMargin - ' + CONVERT(VARCHAR, @EstBudgetMargin);
   Print '@EstBudgetMarginPerc - ' + CONVERT(VARCHAR, @EstBudgetMarginPerc);
  END

  --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotRevExclCont/NR_TOTAL_FEES_AT_STD)
  --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotalRevIncCont/NR_TOTAL_FEES_AT_STD)
  IF(@NrTotalFeesAtStd <> 0)
  BEGIN
   -- 01/22/2026 Alex Sikes - Subtract @SubConCost from @NetRevenue and @TotalRevenue based on information from f
team.
   SET @StdRateRealizationInclTravelExclContingentPerc = (@TotalRevenueExcludingContingent - @SubConCost) / NULLI
FeesAtStd, 0);
   SET @StdRateRealizationInclTravelInclContingentPerc =
    CASE WHEN (@budgetTypeID = 2) THEN
     (@TotalRevenueIncludingContingent - @SubConCost) / NULLIF(@NrTotalFeesAtStd, 0)
    ELSE
     (@NetRevenue - @SubConCost) / NULLIF(@NrTotalFeesAtStd, 0)
    END

   IF (@StdRateRealizationInclTravelExclContingentPerc > 0)
   BEGIN
    SET @StdRateRealizationInclTravelExclContingentPerc = ROUND((@StdRateRealizationInclTravelExclContingentPerc
   END

   IF (@StdRateRealizationInclTravelInclContingentPerc > 0)
   BEGIN
    SET @StdRateRealizationInclTravelInclContingentPerc = ROUND((@StdRateRealizationInclTravelInclContingentPerc
   END
  END

  --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotRevExclCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
  --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotalRevIncCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
  IF(@FeesSubTotal <> 0)
  BEGIN
  -- 01/22/2026 Alex Sikes - Subtract @SubConCost from @NetRevenue and @TotalRevenue based on information from fi
   SET @StdRateRealizationExclTravelExclContingentPerc = (@TotalRevenueExcludingContingent - @SubConCost) / NULLI
Total, 0);
   SET @StdRateRealizationExclTravelInclContingentPerc =
    CASE WHEN (@budgetTypeID = 2) THEN
     (@TotalRevenueIncludingContingent - @SubConCost) / NULLIF(@FeesSubTotal, 0)
    ELSE
     (@NetRevenue - @SubConCost) / NULLIF(@FeesSubTotal, 0)
    END

   IF (@StdRateRealizationExclTravelExclContingentPerc > 0)
   BEGIN
    SET @StdRateRealizationExclTravelExclContingentPerc = ROUND((@StdRateRealizationExclTravelExclContingentPerc
   END

   IF (@StdRateRealizationExclTravelInclContingentPerc > 0)
   BEGIN
    SET @StdRateRealizationExclTravelInclContingentPerc = ROUND((@StdRateRealizationExclTravelInclContingentPerc
```


Copyright 2026 - All Rights Reserved

```
    END
  END


  --=IFERROR((FIXEDBUDGET!L46-C28)/(FIXEDBUDGET!M42*(1+FIXEDBUDGET!H43)),0)
  SET @AvgHourlyRateInclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NULLIF(@T
*(1 + @TravelTime), 0) , 1);


  --=IFERROR((FIXEDBUDGET!L46-C28)/FIXEDBUDGET!M42,0)
  SET @AvgHourlyRateExclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NULLIF(@T
0) , 1);



  --=IFERROR(((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING
DIR.",FIXEDBUDGET!M10:M41))/SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET!M10:M41)),"N/A")
  SET @StaffOrMDHoursLeverage = ROUND((@TotalHours - @TotalHoursMD) / NULLIF(@TotalHoursMD, 0) , 1);



  --=IF(FIXEDBUDGET!O42>0,((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET!M10:M
SUMIF(FIXEDBUDGET!E10:E41,"DIRECTOR",FIXEDBUDGET!M10:M41))/FIXEDBUDGET!M42),"")
  IF(@TotalFeesStandard > 0)
  BEGIN
   SET @HoursBelowDirectorPerc = (@TotalHours  - @TotalHoursMD - @TotalHoursPartner - @TotalHoursDir) / NULLIF(@T
0);
   IF @DebugFlag = 1
   BEGIN
    PRINT 'TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
    PRINT 'TotalHoursMD - ' + CONVERT(VARCHAR, @TotalHoursMD)
    PRINT '@TotalHoursPartner - ' + CONVERT(VARCHAR, @TotalHoursPartner)
    PRINT 'TotalHoursDir - ' + CONVERT(VARCHAR, @TotalHoursDir)
   END
   IF (@HoursBelowDirectorPerc > 0)
   BEGIN
    SET @HoursBelowDirectorPerc = ROUND((@HoursBelowDirectorPerc * 100), 1);
   END
  END

  -- INSERT/UPDATE CALCULATED VALUES INTO CM_BUDGETMETRICS TABLE
  EXEC APSP_InsertCMBudgetMetrics
   @BudgetId
   ,@StdRateRealizationInclTravelExclContingentPerc
   ,@StdRateRealizationInclTravelInclContingentPerc
   ,@StdRateRealizationExclTravelExclContingentPerc
   ,@StdRateRealizationExclTravelInclContingentPerc
   ,@AvgHourlyRateInclTravelExclContingent
   ,@AvgHourlyRateExclTravelExclContingent
   ,@StaffOrMDHoursLeverage
   ,@HoursBelowDirectorPerc
   ,@StaffAverageHoursPerDay
   ,@EstBudgetMarginPerc
   ,@EstBudgetMargin
   ,@LogonUser

  -- RETURN VALUES FOR ENGAGEMENT METRICS
```


Copyright 2026 - All Rights Reserved

```
  SELECT * FROM CM_BudgetMetrics WHERE BudgetId=@BudgetId
  RETURN
 END TRY
 BEGIN CATCH
  DECLARE @ErrorNumber VARCHAR(MAX)(SELECT ERROR_NUMBER() AS ErrorNumber);
  DECLARE @ErrorMessage VARCHAR(MAX)(SELECT ERROR_MESSAGE() AS ErrorMessage);

  EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, ErrorNumber,   ErrorMessage, 'Failed to calculate Est
Budget Margin', 'EBT', 'SP'
 END CATCH
END
GO
```

Uses

[dbo].[ActivityTypeICEmployeeMapping]
[dbo].[CM_BudgetDetail]
[dbo].[CM_BudgetDigitalTool]
[dbo].[CM_BudgetFee]
[dbo].[CM_BudgetHR]
[dbo].[CM_BudgetMetrics]
[dbo].[CM_EmployeeBudgetPerPeriod]
[dbo].[Entity]
[dbo].[EntityGroup]
[dbo].[FxRate]
[dbo].[ICRates]
[dbo].[ProfitHurdle]
[dbo].[Rate]
[dbo].[SAPCountryMaster]
[dbo].[SAPEmployeeMaster]
[dbo].[TBDMapping]
[dbo].[V_TBDEmployee]
[dbo].[APSP_InsertCMBudgetMetrics]
[dbo].[APSP_InsertMarginCalcLogs]
[dbo].[fn_GetISLGroupingByYear]
[dbo].[fn_GetISLServiceLine]
[dbo].[fn_GetStdCostRegionByYear]

Used By

[dbo].[APSP_Engagement_Budget_Margin_Calc]

Copyright 2026 - All Rights Reserved

[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@BudgetId	int	4
@Logonuser	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************************
NAME: APSP_Engagement_Budget_Margin_Calc
DESCRIPTION: This SP used to calculate the Engagement Budget Margin, which is used by Engagement Budget Tool
HELPER QUERY: EXEC APSP_Engagement_Budget_Margin_Calc_New_Debug @BudgetId=176,@LogonUser='Test'
*****************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------------------
Infosys        16-Dec-22    2023 and Onwards Version
Infosys        15-May-23    Update reference to Calculate Metrics Table
*****************************************************************************************************************************

CREATE PROC [dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]
    @BudgetId INT,
    @Logonuser VARCHAR(50)
AS
BEGIN
    BEGIN TRY
        SET NOCOUNT ON;

        DECLARE @DebugFlag BIT = 1;
        DECLARE @RowCount INT = 0;

        -- VARIABLES FOR MARGIN CALCULATION
        DECLARE @ProfitHurdle DECIMAL(14,3)= 0;
        DECLARE @NetRevenue DECIMAL    (14,3)= 0;
        DECLARE @EtsCosts DECIMAL(14,3)    = 0;
        DECLARE @TotalDigitalToolAmount DECIMAL(14,3) = 0;
```


Copyright 2026 - All Rights Reserved

```
        DECLARE @SubConCost DECIMAL(14,3)= 0;
        DECLARE @SubConRevenue DECIMAL    (14,3)    = 0;
        DECLARE @StdCosts DECIMAL(14,3) = 0;
        DECLARE @EngagementStdHourlyRateTotal DECIMAL(14,3) = 0;

        -- ENGAGEMENT METRICS VARIABLES FOR CM_BUDGETMETRICS TABLE
        DECLARE @StdRateRealizationInclTravelExclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationInclTravelInclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationExclTravelExclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationExclTravelInclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @AvgHourlyRateInclTravelExclContingent DECIMAL(14,3) = 0;
        DECLARE @AvgHourlyRateExclTravelExclContingent DECIMAL(14,3) = 0;
        DECLARE @StaffOrMDHoursLeverage DECIMAL(14,3) = 0;
        DECLARE @HoursBelowDirectorPerc DECIMAL(14,3) = 0;
        DECLARE @StaffAverageHoursPerDay DECIMAL(14,3) = 0;
        DECLARE @EstBudgetMarginPerc DECIMAL(14,1) = 0;
        DECLARE @EstBudgetMargin DECIMAL(14,3) = 0;

        DECLARE @NrTotalFeesAtStd DECIMAL(14,3) = 0;
        DECLARE @TotalRevenueExcludingContingent DECIMAL(14,3) = 0;
        DECLARE @TotalRevenueIncludingContingent DECIMAL(14,3) = 0;
        DECLARE @FeesSubTotal DECIMAL(14,3) = 0;
        DECLARE @TotalHours DECIMAL(14,3) = 0;
        DECLARE @TotalFeesStandard DECIMAL(14,3) = 0;
        DECLARE @TotalHoursMD DECIMAL(14,3) = 0;
        DECLARE @TotalHoursPartner DECIMAL(14,3) = 0;
        DECLARE @TotalHoursDir DECIMAL(14,3) = 0;
        DECLARE @TravelTime DECIMAL(14,3) = 0;
        DECLARE @ClientBill DECIMAL(14,3) = 0;
        --2021-12-10 added for calc
        DECLARE @TotalTravelFees DECIMAL(14,3) = 0;
        DECLARE @TotalBillableFees DECIMAL(14,3) = 0;
        DECLARE @TotalEngagementFees DECIMAL(14,3) = 0;
        DECLARE @TravelExpenses DECIMAL(14,3) = 0;
        DECLARE @AdminFee DECIMAL(14,3) = 0;
        DECLARE @ExpectedContingentFeeUbb DECIMAL(14,3) = 0;

        -- VARIABLES FOR COST CALCULATION
        DECLARE @budgetCountry VARCHAR(50) = '';
        DECLARE @engagementBU VARCHAR(50) = '';
        DECLARE @engagementCommunity VARCHAR(50) = '';
        DECLARE @departmentCode VARCHAR(50) = '';
        DECLARE @mdInCharge VARCHAR(50) = '';
        DECLARE @periodTypeId INT = 0;
        DECLARE @budgetTypeId INT = 0;
        DECLARE @startDate DATE;
        DECLARE @endDate DATE;
        DECLARE @EtsCostMonths DECIMAL(5,2);
        DECLARE @CurConvDate DATETIME;
        DECLARE @budgetStdCostRegion VARCHAR(50) = '';
        DECLARE @engagementISLGrouping VARCHAR(50) = '';
```


Copyright 2026 - All Rights Reserved

```
        -- CREATE DB TEMP TABLE FOR ENGAGEMENT BUDGET MARGIN
        IF OBJECT_ID(N'tempdb..#BudgetYears') IS NOT NULL
        BEGIN
            DROP TABLE #BudgetYears
        END

        IF OBJECT_ID(N'tempdb..#Employees') IS NOT NULL
        BEGIN
            DROP TABLE #Employees
        END

        IF OBJECT_ID(N'tempdb..#BudgetPeriod') IS NOT NULL
        BEGIN
            DROP TABLE #BudgetPeriod
        END

        IF OBJECT_ID(N'tempdb..#TBDEmp') IS NOT NULL
        BEGIN
            DROP TABLE #TBDEmp
        END

        CREATE TABLE #BudgetYears
        (
            WeekOrMonth INT,
            [Year] CHAR(4)
        )

        CREATE TABLE #Employees
        (
            BudgetHrID INT,
            EmployeeId VARCHAR(50),
            Title VARCHAR(MAX),
            FName VARCHAR(MAX),
            LName VARCHAR(MAX),
            EngagementFeeCap INT,
            CurrencyCode CHAR(4),
            [Year] CHAR(4),
            Country VARCHAR(50),
            Community VARCHAR(50),
            SubLevel VARCHAR(20),
            CountryCommunitySubLevel VARCHAR(MAX),
            BusinessUnit VARCHAR(MAX),
            Year_Hrs DECIMAL(14,3),
            EngBillable_Hrs DECIMAL(14,3),
            NoOfDays DECIMAL(14,3),
            StdHourlyRate DECIMAL(14,3),
            StdCostRate MONEY,
            EngagementStdCost MONEY,
            --ICRate DECIMAL,
            ICBurdenRate DECIMAL(14,3),
            EngagementStdHourlyRate MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input)
            EngagementStdHourlyRateTotal MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input * Budget
```


Copyright 2026 - All Rights Reserved

```
            IsEmployeeIC bit, -- Added to check for IC
            StdCostRegion VARCHAR(50),--Standard cost region from MDM Std Cost Region table based on Country
            ISLGrouping VARCHAR(50),-- ISL Grouping value from MDM ISL Grouping based on ISL from budget/employee
            RegionISLGroupingSubLevel VARCHAR(MAX),
            IsICUpdate bit,
        )

        -- Table for TBD

        CREATE TABLE #TBDEmp
        (
                [Name]    VARCHAR(MAX),
                Isl    VARCHAR(MAX),
                Region    VARCHAR(MAX),
                Country    VARCHAR(50),
                Title    VARCHAR(200),
                TitleCode    VARCHAR(10),
                Sublevel    VARCHAR(10),
                DepartmentCode VARCHAR(10),
                RegionCode VARCHAR(10)
        )


        -- Determine Budget Country from Budget Detail table
        SELECT @budgetCountry=CTRY.Country
        FROM CM_BudgetDetail BD WITH (NOLOCK)
            INNER JOIN SAPCountryMaster CTRY WITH (NOLOCK) ON BD.CountryCode=CTRY.CountryCode
        WHERE budgetid=@BudgetId;

        SET @CurConvDate = (SELECT MAX(ValidFromDate) FROM FxRate);

        --Get Engagement Community which is the Budget ISL value from Budget Detail table along with other data
        SELECT @budgetTypeId=BudgetTypeID
            ,@periodTypeId=PeriodTypeID
            ,@engagementCommunity=Community
            ,@mdInCharge = MdInCharge
            ,@startDate=StartDate
            ,@endDate=EndDate
        FROM CM_BudgetDetail WITH (NOLOCK)
        WHERE BudgetId=@BudgetId;

        --Get Department Code based on md incharge Name for budget
        SET @departmentCode = (select [dbo].[fn_GetISLServiceLine](@mdInCharge));
       -- Determine ISL Grouping from MDM ISL Grouping table based on department code from budget Details.
       SELECT @engagementISLGrouping = IIF(@engagementCommunity = 'CORPSRV',@engagementCommunity,(SELECT ISNULL(E
Name,'') FROM [dbo].[Entity] WITH (NOLOCK)
       WHERE EntityID = (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                   WHERE EntityGroupID = (  SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK)
                                            WHERE EntityGroupName = 'ISL Service Line') and EntityName = @depart

          -- Determine Standard Cost Region from MDM Std Cost Region table based on Country(@budgetCountry) from
Details
           SELECT @budgetStdCostRegion = ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
```


Copyright 2026 - All Rights Reserved

```
            WHERE EntityID in (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                    WHERE EntityGroupID = (  SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK)
                                             WHERE EntityGroupName = 'Country') and EntityDescription = @budgetCo
                                             AND EntityGroupID = (SELECT EntityGroupID FROM [dbo].[EntityGroup] W
(NOLOCK)
                                                                  WHERE EntityGroupName = 'Std Cost Region')
        SELECT @engagementBU = ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
            WHERE EntityID in (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                    WHERE EntityGroupID = (  SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK)
                                             WHERE EntityGroupName = 'Country') and EntityDescription = @budgetCo
                                             AND EntityGroupID = (SELECT EntityGroupID FROM [dbo].[EntityGroup] W
(NOLOCK)
                                                                  WHERE EntityGroupName = 'Region')

        SELECT @EtsCostMonths = CASE
                                    WHEN DATEDIFF(MONTH, @startDate, @endDate) < 0 THEN 0
                                    ELSE DATEDIFF(MONTH, @startDate, @endDate) + 1
                                END
        -- get MONTH/year -- year 1 to year 6 in the old Proc has been replaced by engagement span years;
        IF(@PeriodTypeId = 7)
        BEGIN
            ;WITH months (DATE)
            AS
            (
                SELECT @startDate
                UNION ALL
                SELECT DATEADD(MONTH, 1, DATE)
                FROM months
                WHERE DATEDIFF(MONTH, DATE, @endDate) > 0 --WHERE DATEADD(MONTH,1,DATE)<=@end
            )

            INSERT INTO #BudgetYears SELECT DatePart(MONTH, DATE), DatePart([Year], DATE) FROM months
        END
        ELSE
        BEGIN
            ;WITH months (DATE)
            AS
            (
                SELECT @startDate
                UNION ALL
                SELECT DATEADD(WEEK, 1, DATE)
                FROM months
                WHERE DATEADD(WEEK, 1, DATE) < @endDate
            )
            INSERT INTO #BudgetYears SELECT DATEPART(WEEK,DATE), DATEPART([Year], DATE) FROM months
        END

        SELECT [Year],
            [WeekOrMonth],
            ROW_NUMBER() OVER (ORDER BY [YEAR],[WeekOrMonth] ASC) AS RN INTO #BudgetPeriod
        FROM #BudgetYears;

        -- All Employee details are inserted to #Employees TABLE
```


Copyright 2026 - All Rights Reserved

```
        INSERT INTO #Employees
        SELECT BHR.BudgetHrID,
            BHR.EmployeeID,
            Title,
            CASE
                WHEN (BHR.[NAME] LIKE '%TBD%')
                    THEN BHR.[NAME]
                ELSE EMP.FirstName
            END,
            EMP.LastName,
            ISNULL(EngagementFeeCap,0),
            CurrencyCode,
            BP.[Year],
            CTRY.Country,
            EMP.DepartmentDescription,
            EMP.SubLevel,
            CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.SubLevel) AS CountryCommunitySubLevel,
            Region,
            CASE
                WHEN (@budgetTypeId = 1)
                    THEN SUM(EBPP.BillableHours)
                ELSE (SUM(EBPP.BillableHours + EBPP.TravelHours))
            END Year_Hrs,
            CASE WHEN BHR.EngagementBillableHours < 4 THEN BHR.EngagementBillableHours
            Else 10
            END
            EngBillable_Hrs,
            CASE WHEN @budgetTypeId = 1 THEN CASE WHEN (SUM(NoOfDays) %1) < 0.4 then SUM(NoOfDays) when ((SUM(NoO
>=0.4 AND  (SUM(NoOfDays) %1) < 0.9) then Round((SUM(NoOfDays)+0.1)*1, 0)  else Round((SUM(NoOfDays))*1, 0)end
            ELSE SUM(NoOfDays) END NoOfDays,
            CASE
                WHEN (@PeriodTypeId = 6 AND DATEDIFF(YEAR, @startDate, @endDate) >= 1 AND ISNULL(StandardHourlyRa
0) > 0)
                    THEN StandardHourlyRateNextYr
                ELSE StandardHourlyRate
            END
            StandardHourlyRate,
            0, -- StdCostRate
            0, -- EngagementStdCost
            0,  -- ICBurdenRate
            BHR.EngagementRate,  -- EngagementStdHourlyRate
            0, -- EngagementStdHourlyRateTotal
            CASE
                WHEN (EMP.BusinessPartnerRole = 'Ic')
                    THEN 1
                ELSE 0
            END,
            (SELECT ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
            WHERE EntityID in (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                    WHERE EntityGroupID = (  SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK)
                                             WHERE EntityGroupName = 'Country') and EntityName = EMP.Country)
                                             AND EntityGroupID = (SELECT EntityGroupID FROM [dbo].[EntityGroup] W
(NOLOCK)
```


Copyright 2026 - All Rights Reserved

```
                                                                WHERE EntityGroupName = 'Std Cost Region')),
            BHR.IslGrouping,
            CONCAT(BusinessUnit, BHR.IslGrouping, EMP.SubLevel) AS RegionISLGroupingSubLevel,
            0 -- IsICupdate
        FROM #BudgetPeriod BP WITH (NOLOCK)
            INNER JOIN CM_EmployeeBudgetPerPeriod EBPP WITH (NOLOCK)
                ON BP.RN = EBPP.PeriodRange
            INNER JOIN CM_BudgetHR BHR WITH (NOLOCK)
                ON EBPP.BudgetHrID=BHR.BudgetHrID
            INNER JOIN CM_BudgetDetail BD WITH (NOLOCK)
                ON bd.BudgetID=BHR.BudgetID
            INNER JOIN CM_BudgetFee BF WITH (NOLOCK)
                ON BF.BudgetID=bd.BudgetID
            LEFT OUTER JOIN SAPEmployeeMaster EMP WITH (NOLOCK)
                ON BHR.EmployeeID=CAST(EMP.OracleID AS VARCHAR(50))
            LEFT OUTER JOIN SAPCountryMaster CTRY WITH (NOLOCK)
                ON EMP.Country=CTRY.CountryCode
            --LEFT OUTER JOIN CountryLookup CYLK WITH (NOLOCK)
                --ON EMP.Country=CYLK.CountryCode
            --LEFT OUTER JOIN Rate R WITH (NOLOCK)
            --    ON EMP.DepartmentDescription = R.Department AND CTRY.Country=r.Country AND EMP.SubLevel=R.SubLe
RateTypeID=4
        WHERE BD.BudgetId=@BudgetId AND EBPP.NoOfDays > 0
        GROUP BY BHR.BudgetHrID,
            BHR.EmployeeId,
            BP.[Year],
            Title,
            EngagementFeeCap,
            CurrencyCode,
            Region,
            BusinessUnit,
            BHR.EngagementBillableHours,
            StandardHourlyRate,
            StandardHourlyRateNextYr,
            BHR.IslGrouping,
            DepartmentDescription,
            EMP.Country,CTRY.Country,CTRY.CountryCode,--CYLK.Country,
            EMP.SubLevel,EMP.FirstName,EMP.LastName,BHR.[Name], BHR.EngagementRate, EMP.BusinessPartnerRole;

        IF NOT EXISTS (SELECT 1 FROM #EMPLOYEES)
        BEGIN
            EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'No employees found', 'EBT',
        END

        -- Insert TBD details from Views

        INSERT INTO #TBDEmp
        SELECT [Name], Isl, Region, '', Title, TitleCode, SubLevel, departmentCode, regionCode FROM V_TBDEmployee
        --UNION
        --SELECT [Name], Community, Region, '', Title, TitleCode, SubLevel FROM V_TBDLegacyEmployee (NOLOCK)
```


Copyright 2026 - All Rights Reserved

```
        -- Update TBD Country-COmmunity-SubLevel in #Employees Table
        UPDATE #Employees SET
            EmployeeID ='TBD',
            Country = TBD.Country,
            Community = TBD.Isl,
            SubLevel = TBD.Sublevel,
            CountryCommunitySubLevel = CONCAT(TBD.Country, TBD.Isl, TBD.SubLevel)    ,
            StdCostRegion = (SELECT  ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
            WHERE EntityName = TBD.RegionCode AND EntityGroupID = (SELECT EntityGroupID FROM [dbo].[EntityGroup]
(NOLOCK)
                                                                   WHERE EntityGroupName = 'Std Cost Region')),
            ISLGrouping =  CASE WHEN TBD.DepartmentCode IN (140,154,141,150,110,120,151,152,153,157,156,159,160,1
            THEN(SELECT ISNULL(EntityName,'') FROM [dbo].[Entity] WITH (NOLOCK)
                            WHERE EntityID = (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                            WHERE EntityGroupID = (  SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK)
                                                WHERE EntityGroupName = 'ISL Service Line') and EntityName = TBD.Dep
Code))
                                                ELSE'CORPSRV'END ,
            RegionISLGroupingSubLevel = c.RegionISLGroupingSubLevel
        FROM #Employees EMP WITH (NOLOCK)
            INNER JOIN #TBDEmp TBD WITH (NOLOCK)
                ON EMP.Title=TBD.Title AND EMP.FName = TBD.[Name]
                CROSS apply (select CONCAT( (SELECT  ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOC
            WHERE EntityName = TBD.RegionCode AND EntityGroupID = (SELECT EntityGroupID FROM [dbo].[EntityGroup]
(NOLOCK)
                                                                   WHERE EntityGroupName = 'Std Cost Region')), CA
TBD.DepartmentCode IN (140,154,141,150,110,120,151,152,153,157,156,159,160,158,155,121)
            THEN(SELECT ISNULL(EntityName,'') FROM [dbo].[Entity] WITH (NOLOCK)
                            WHERE EntityID = (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                            WHERE EntityGroupID = (  SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK)
                                                WHERE EntityGroupName = 'ISL Service Line') and EntityName = TBD.Dep
Code))
                                                ELSE'CORPSRV'END, TBD.SubLevel) as RegionISLGroupingSubLevel) as c
                WHERE EMP.EmployeeId = 'NA'

        --Update RegionISLGroupingSubLevel as INVALID if RegionISLGroupingSubLevel IS NULL or EMPTY
        UPDATE #Employees
            SET RegionISLGroupingSubLevel='INVALID'
        WHERE RegionISLGroupingSubLevel IS NULL OR RegionISLGroupingSubLevel = '';

        --Update IC burden rate for each employee only for TBD Employee or IC's
        IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1 OR RegionISLGroupingSubLevel = 'INVALID')
        BEGIN
            ; with IcRate as
            (
            Select * from Rate where RateTypeID = 3 and IsDeleted = 0
            )
            UPDATE #Employees
                SET ICBurdenRate=RT.Rate
            FROM IcRate RT WITH (NOLOCK)
                INNER JOIN #Employees EMP
                    ON RT.Currency=EMP.CurrencyCode AND RT.[Year]=EMP.[Year]
```


Copyright 2026 - All Rights Reserved

```
            WHERE EMP.IsEmployeeIC = 1 OR EMP.RegionISLGroupingSubLevel = 'INVALID';

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT 'ICBurdenRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        ----NON MD/IC  -# OF DAYS(BY YEAR)  * EMP.EngBillable_Hrs * STD COST BY ENGAGEMENT CURRENCY CODE
        UPDATE #Employees
            SET StdCostRate=
            CASE
                WHEN ((@budgetTypeID = 2 AND @engagementISLGrouping in ('EDISC','RISK') AND EngagementFeeCap=0))
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping = RT.Department
            AND RT.SubLevel=EMP.Sublevel AND RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C')  AND IsEmployeeIC = 0
            AND RegionISLGroupingSubLevel <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '1 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        --IC  - STD RATE BY ENGAGEMENT CURRENCY CODE/2.5 * HOURS  + IC_BURDEN BY CURRENCY CODE BY HOURS BY YEAR
        IF EXISTS(SELECT 1 FROM #Employees WHERE RegionISLGroupingSubLevel = 'INVALID')
        BEGIN
            UPDATE #Employees
                SET StdCostRate = ((EMP.StdHourlyRate / 2.5) * EMP.Year_Hrs)  + (EMP.ICBurdenRate * EMP.Year_Hrs)
            FROM #Employees EMP
            WHERE EMP.RegionISLGroupingSubLevel = 'INVALID';

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT '2 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        -- AS-IS SP COMMENT-INNER JOIN ON APTBL_STANDARDCOST WAS CAUSING A PROBLEM BECAUSE SOME COUNTRY-COMMUNITY
VALUES HAD NO RECORD IN APTBL_STANDARDCOST TABLE.  Updated to make this outer join.
        -- Updated to check if there's Employee -- I/C associated with the Engagement
        IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC =1)
        BEGIN
            UPDATE  #Employees
```


Copyright 2026 - All Rights Reserved

```
                SET StdCostRate =
                CASE
                    WHEN IC.ICStandardCost <> 0
                        THEN
                        CASE WHEN IC.Currency <> CurrencyCode
                            THEN (IC.ICStandardCost * FXR.MarketValue * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.
                        ELSE
                            (IC.ICStandardCost * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
                        END
                END,
                IsICUpdate = CASE
                    WHEN IC.ICStandardCost = 0
                        THEN 0
                    ELSE
                        1
                END
            FROM #Employees EMP
            INNER JOIN ICRates IC WITH (NOLOCK)
                ON EMP.EmployeeId=CAST(IC.OracleID AS VARCHAR(50)) -- AND DATEPART([Year],IC.ValidToDate)=EMP.[Ye
EMP.CurrencyCode=IC.Currency
            --INNER JOIN Rate RT WITH (NOLOCK)
            --    ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping =RT.Department AND EMP.SubLevel=RT.Sublevel
RT.[Year]=EMP.[Year]  AND RT.Currency=EMP.CurrencyCode
            LEFT OUTER JOIN FxRate FXR WITH (NOLOCK)
                ON FXR.FromCurrency = IC.Currency AND FXR.ToCurrency = CurrencyCode AND FXR.ValidFromDate = @CurC
            WHERE --RT.RateTypeID=4 AND RT.IsDeleted = 0 AND
            (EMP.RegionISLGroupingSubLevel <> 'INVALID')
                AND (EMP.EmployeeId <> 'NA' OR EMP.EmployeeId <> '');
                SET @RowCount = @@ROWCOUNT;

            UPDATE  #Employees
            SET StdCostRate = (RT.Rate * EMP.Year_Hrs)
            FROM Rate RT WITH (NOLOCK)
                INNER JOIN #Employees EMP
                    ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping=RT.Department AND EMP.SubLevel=RT.Sublevel
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
                WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0 AND    IsEmployeeIC =1
                    AND RegionISLGroupingSubLevel <> 'INVALID'AND (StdCostRate = 0 OR StdCostRate IS NULL);

            IF @DebugFlag = 1
            BEGIN
            select * from #Employees
            select @CurConvDate, * FROM #Employees EMP
            INNER JOIN ICRates IC WITH (NOLOCK)
                ON EMP.EmployeeId=CAST(IC.OracleID AS VARCHAR(50))
                LEFT OUTER JOIN FxRate FXR WITH (NOLOCK)
                ON FXR.FromCurrency = IC.Currency AND FXR.ToCurrency = CurrencyCode AND FXR.ValidFromDate = @CurC

                select IC.ICStandardCost, IC.Currency , CurrencyCode, EMP.ICBURDENRate , EMP.Year_Hrs,FXR.MarketV
                    WHEN IC.ICStandardCost = 0
                        THEN ((1)  * EMP.Year_Hrs)
                    ELSE
                        CASE WHEN IC.Currency <> CurrencyCode
```


Copyright 2026 - All Rights Reserved

```
                            THEN (IC.ICStandardCost * FXR.MarketValue * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.
                        ELSE
                            (IC.ICStandardCost * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
                        END
                END,
                IsICUpdate = CASE
                    WHEN IC.ICStandardCost = 0
                        THEN 0
                    ELSE
                        1
                END
            FROM #Employees EMP
            INNER JOIN ICRates IC WITH (NOLOCK)
                ON EMP.EmployeeId=CAST(IC.OracleID AS VARCHAR(50)) -- AND DATEPART([Year],IC.ValidToDate)=EMP.[Ye
EMP.CurrencyCode=IC.Currency
            --INNER JOIN Rate RT WITH (NOLOCK)
                --ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping =RT.Department AND EMP.SubLevel=RT.Sublevel
RT.[Year]=EMP.[Year]  AND RT.Currency=EMP.CurrencyCode
            LEFT OUTER JOIN FxRate FXR WITH (NOLOCK)
                ON FXR.FromCurrency = IC.Currency AND FXR.ToCurrency = CurrencyCode AND FXR.ValidFromDate = @CurC
            WHERE --RT.RateTypeID=4 AND RT.IsDeleted = 0 AND
                (EMP.RegionISLGroupingSubLevel <> 'INVALID')
                AND (EMP.EmployeeId <> 'NA' OR EMP.EmployeeId <> '');

                select (RT.Rate * EMP.Year_Hrs)
            FROM Rate RT WITH (NOLOCK)
                INNER JOIN #Employees EMP
                    ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping=RT.Department AND EMP.SubLevel=RT.Sublevel
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
                WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0 AND    IsEmployeeIC =1
                    AND RegionISLGroupingSubLevel <> 'INVALID'--AND (StdCostRate = 0 OR StdCostRate IS NULL);


                PRINT '3 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        -- MD/FAS - STD COST BY ENGAGEMENT CURRENCY CODE * HOURS
        UPDATE  #Employees
            SET StdCostRate = (RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.Country=EMP.StdCostRegion AND EMP.ISLGrouping=RT.Department AND EMP.SubLevel=RT.Sublevel AND
RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title IN ('Partner & Managing Dir.',  'Partner & Managing Director')
            AND RegionISLGroupingSubLevel <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '4 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END
```


Copyright 2026 - All Rights Reserved

```
        -- Standard Cost Rate for NON MD using Engagement Cost variable (Transfer pricing)
        -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN ((@budgetTypeID = 2 AND @engagementISLGrouping in ('EDISC','RISK') AND EngagementFeeCap=0))
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetStdCostRegion AND
EMP.ISLGrouping=RT.Department AND RT.SubLevel=EMP.Sublevel
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C')  AND IsEmployeeIC = 0
            AND RegionISLGroupingSubLevel <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '5 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate for MD using Engagement Cost variable (Transfer pricing)
        -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetStdCostRegion AND
EMP.ISLGrouping=RT.Department AND RT.SubLevel=EMP.Sublevel
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director')
            AND RegionISLGroupingSubLevel <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '6 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate
        -- STep 1: Done above 2 query (Non MD and MD)
        -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Empl
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
        -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel=''
and Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        -- Non-MD & Non - CS
        UPDATE #Employees
            SET EngagementStdCost=
```


Copyright 2026 - All Rights Reserved

```
            CASE
                WHEN (((@budgetTypeID = 2 AND @engagementISLGrouping in ('EDISC','RISK')  AND EngagementFeeCap=0)
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetStdCostRegion AND RT.D
@engagementISLGrouping
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.SubLevel NOT LIKE 'CS%' AND (RT.SubLevel=EMP.Sublevel OR RT.SubLevel='G30'))
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C') AND IsEmployeeIC = 0
            AND RegionISLGroupingSubLevel <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '7 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- NON MD & CS
        -- User Story #55482 : Updated Admin to CorpSrv
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN (((@budgetTypeID = 2 AND @engagementISLGrouping in ('EDISC','RISK') AND EngagementFeeCap=0))
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * EMP.EngBillable_Hrs * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetStdCostRegion AND RT.D
'CorpSrv'
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.SubLevel LIKE 'CS%' AND (RT.SubLevel=EMP.Sublevel OR RT.SubLevel = 'CS50'))
            AND Title NOT IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Ind Contractor.', 'Partn
Managing Director - I/C') AND IsEmployeeIC = 0
            AND RegionISLGroupingSubLevel <> 'INVALID' ;

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '8 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate - MD & Non - CS
        -- STep 1: Done above 2 query (Non MD and MD)
        -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Empl
Corporate Services Matter Country, Community="ADMIN" and Emp SubLevel
        -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel=''
```


Copyright 2026 - All Rights Reserved

```
and Employee from Corporate Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
        -- User Story #55482 : Updated Admin to CorpSrv
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        -- MD & Non - CS
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetStdCostRegion AND
RT.Department=@engagementISLGrouping
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.SubLevel NOT LIKE 'CS%' AND (RT.SubLevel=EMP.Sublevel OR RT.SubLevel='G30'))
            AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director')
            AND (RegionISLGroupingSubLevel <> 'INVALID');

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '9 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- MD & CS
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
            FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetStdCostRegion AND
RT.Department='CorpSrv'
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.SubLevel LIKE 'CS%' AND (RT.SubLevel=EMP.Sublevel OR RT.SubLevel='CS50'))
            AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director')
            AND RegionISLGroupingSubLevel <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '10 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END


        -- IC(if the standard cost rate is 0 Setting IC as EMployee to continue validate for Transfer Pricing)
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
            FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetStdCostRegion AND
EMP.ISLGrouping=RT.Department AND RT.SubLevel=EMP.Sublevel
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND EngagementStdCost = 0 AND StdCostRate <> 0
            AND IsEmployeeIC = 1
            AND RegionISLGroupingSubLevel <> 'INVALID';
```


Copyright 2026 - All Rights Reserved

```
        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
         PRINT @budgetStdCostRegion
            PRINT '11 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- COMPARE STD COST OF EMPLOYEE WITH ENGAGEMENT STD COST ENGAGEMENT BU - TRANSFER PRICING COST
        UPDATE #Employees
            SET StdCostRate =
            CASE
                WHEN StdCostRate = 0 -- WHEN EngagementStdCost has value
                    THEN EngagementStdCost
                WHEN BusinessUnit <> @engagementBU -- Tansfer Pricing
                    THEN
                    CASE
                        WHEN StdCostRate < EngagementStdCost
                            THEN StdCostRate
                        ELSE EngagementStdCost
                    END
                ELSE
                    StdCostRate
            END
        WHERE EngagementStdCost > 0 and IsICUpdate = 0;

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '11 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        SELECT TOP 1 @profitHurdle=ProfitHurdle
        FROM ProfitHurdle WITH (NOLOCK)
        WHERE YearTo='2050'

        -- VALUES FROM CM_BUDGETHR TABLE
        SELECT  @SubConCost     = ISNULL(SUM(SubContractPay),0),
                @SubConRevenue  = ISNULL(SUM(ClientBill),0),
                @TotalHours     = ISNULL(SUM(TotalHours),0),
                @ClientBill     = ISNULL(SUM(ClientBill),0),
                @TotalFeesStandard = ISNULL(SUM(TotalFeesStandard),0),
                @FeesSubTotal = ISNULL(SUM(TotalFeesStandard),0), -- NEED Clarification
                --2021-12-10 added for calc
                @TotalBillableFees    = ISNULL(SUM(TotalBillableFees),0),
                @TotalTravelFees    = ISNULL(SUM(TotalTravelFees),0)
        FROM CM_BudgetHr WITH (NOLOCK)
        WHERE Budgetid=@BudgetId


        --2021-12-10 //Calc of TotalEngagementFee
        SET @TotalEngagementFees = @TotalBillableFees + @TotalTravelFees + @ClientBill;
```


Copyright 2026 - All Rights Reserved

```
        --2021-12-10 //Values from BudgetFee
        SELECT
            @AdminFee = ISNULL(AdminFee,0),
            @TravelExpenses = ISNULL(TravelExpenses,0),
            @ExpectedContingentFeeUbb = ISNULL(ExpectedContingentFeeUbb,0)
        FROM CM_BudgetFee WITH (NOLOCK)
        WHERE BudgetId=@BudgetId


        --VALUES FROM CM_BUDGETFEE TABLE
        SELECT
            @NetRevenue =
            CASE
                WHEN @budgetTypeID = 2 THEN -- TAKE THE NET REVENUE FROM HOURLY Agreed Upon Engagement Fee Cap
                    --ISNULL(EngagementFeeCap,0) 2021-12-10 //added logic for HourlyBudget NetRevenue
                    CASE WHEN (EngagementFeeCap IS NULL or EngagementFeeCap = 0) THEN
                         CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
                                ISNULL((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
                            ELSE
                                ISNULL(((@TotalEngagementFees*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(@T
EngagementFees*(@TravelExpenses/100)),0)
                        END
                    ELSE
                        CASE WHEN (ExpensesOrFixedExpenses = 'No')THEN
                                ISNULL((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb,0)
                            ELSE
                                ISNULL(((EngagementFeeCap*(1+(@AdminFee/100)))+@ExpectedContingentFeeUbb)-(ISNULL
RevenueIncludingContingent,0)*(@TravelExpenses/100)),0)
                        END
                END
                ELSE
                    ISNULL(TotalRevenueIncludingContingent,0)
            END,
            @EtsCosts = ISNULL(CAST(ExpectedEtsCostAmount AS MONEY), 0) * @EtsCostMonths,
            @TotalRevenueExcludingContingent = ISNULL(TotalRevenueExcludingContingent, 0),
            @TotalRevenueIncludingContingent = ISNULL(TotalRevenueIncludingContingent, 0),
            @TravelTime = ISNULL(SUM(TravelTime/100), 0),
            @StaffAverageHoursPerDay = ROUND(ISNULL(AverageHrsPerDay, 0), 1) --=FixedBudget!L60
        FROM CM_BudgetFee WITH (NOLOCK)
        WHERE BudgetId=@BudgetId
        GROUP BY
            TotalRevenueIncludingContingent,
            EngagementFeeCap,
            ExpectedEtsCostAmount,
            TotalRevenueExcludingContingent,
            FeesSubTotal,
            TravelTime,
            AverageHrsPerDay,
            ExpensesOrFixedExpenses,
            ExpectedContingentFeeUbb;

            Select @TotalDigitalToolAmount = SUM(DigitalToolCost)
```


Copyright 2026 - All Rights Reserved

```
            From CM_BudgetDigitalTool
            WHERE BudgetId=@BudgetId

        IF @DebugFlag = 1
        BEGIN
            select * from #Employees;
        END

        UPDATE #Employees
            SET EngagementStdHourlyRateTotal =  ROUND(ISNULL(EngagementStdHourlyRate, 0) * ISNULL(Year_Hrs, 0), 0
        WHERE EngagementStdHourlyRate > 0 AND Year_Hrs > 0;
        IF @DebugFlag = 1
        BEGIN
            Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @@ROWCOUNT);
        END

        Select StdCostRate, EngagementStdHourlyRateTotal FROM #Employees;

        -- Total Costs
        SELECT @StdCosts=ISNULL(SUM(StdCostRate), 0),
            @EngagementStdHourlyRateTotal= ISNULL(SUM(EngagementStdHourlyRateTotal), 0)
        FROM #Employees;

        --2021-12-10 //commented the logic as new logic implemented
        --For Hourly budget - If Agreed Upon Engagement Fee Cap = 0, then take the total engagement fees
        --IF @budgetTypeID = 2 AND @NetRevenue = 0 AND @EngagementStdHourlyRateTotal > 0
        --BEGIN
        --    SET @NetRevenue = ROUND(@EngagementStdHourlyRateTotal, 0);
        --END

        IF(@StdCosts = 0)
        BEGIN
            EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, 'NA',   'NA', 'Standard Cost is 0', 'EBT',
        END

        -- CALCULATE MARGIN = TOTAL REVENUE - COSTS - PROFITHURDLE
        IF @DebugFlag = 1
        BEGIN
            Print '@NetRevenue - ' + CONVERT(VARCHAR, @NetRevenue);
            Print '@EtsCosts - ' + CONVERT(VARCHAR, @EtsCosts);
            print '@TotalDigitalToolAmount - ' + CONVERT(VARCHAR, @TotalDigitalToolAmount);
            Print '@TotalRevenueExcludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueExcludingContingent);
            Print '@TotalRevenueIncludingContingent - ' + CONVERT(VARCHAR, @TotalRevenueIncludingContingent);
            Print '@TravelTime - ' + CONVERT(VARCHAR, @TravelTime);
            Print '@StaffAverageHoursPerDay - ' + CONVERT(VARCHAR, @StaffAverageHoursPerDay);
            Print '@StdCosts - ' + CONVERT(VARCHAR, @StdCosts);
            Print '@EngagementStdHourlyRateTotal - ' + CONVERT(VARCHAR, @EngagementStdHourlyRateTotal);
            Print '@SubConCost - ' + CONVERT(VARCHAR, @SubConCost);
            Print '@SubConRevenue - ' + CONVERT(VARCHAR, @SubConRevenue);
            Print '@TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
            Print '@ClientBill - ' + CONVERT(VARCHAR, @ClientBill);
            Print '@TotalFeesStandard - ' + CONVERT(VARCHAR, @TotalFeesStandard);
```


Copyright 2026 - All Rights Reserved

```
            Print '@FeesSubTotal - ' + CONVERT(VARCHAR, @FeesSubTotal);
            Print '@ProfitHurdle - ' + CONVERT(VARCHAR, @ProfitHurdle);
        END

        SET @EstBudgetMargin =  ROUND(ISNULL((@NetRevenue - (@StdCosts +  @EtsCosts + @TotalDigitalToolAmount + @
Cost) - ((@NetRevenue -   @SubConRevenue) * @ProfitHurdle)), 0) , 0)

        --ENGAGEMENT METRICS CALC
        SET @NrTotalFeesAtStd = @TotalFeesStandard * (1 + @TravelTime)

        SELECT @TotalHoursMD=ISNULL(SUM(TotalHours), 0)
        FROM CM_BudgetHR WITH (NOLOCK)
        WHERE BudgetID=@BudgetId AND Title IN ('Partner & Managing Dir.', 'Partner & Managing Director', 'Partner
Managing Director - I/C');

        SELECT @TotalHoursPartner=ISNULL(SUM(TotalHours), 0)
        FROM CM_BudgetHR WITH (NOLOCK)
        WHERE BudgetID=@BudgetId AND Title IN ('Partner', 'Partner - I/C');

        SELECT @TotalHoursDir=ISNULL(SUM(TotalHours), 0)
        FROM CM_BudgetHR WITH (NOLOCK)
        WHERE BudgetID=@BudgetId AND Title LIKE 'Director%';

        --=IFERROR(L9/C26,"N/A")
        SET @EstBudgetMarginPerc = ROUND((ISNULL(@EstBudgetMargin / abs(NULLIF(@NetRevenue,0)), 0) * 100), 1);

        IF @DebugFlag = 1
        BEGIN
            Print '@EstBudgetMargin - ' + CONVERT(VARCHAR, @EstBudgetMargin);
            Print '@EstBudgetMarginPerc - ' + CONVERT(VARCHAR, @EstBudgetMarginPerc);
        END

        --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotRevExclCont/NR_TOTAL_FEES_AT_STD)
        --=IF(NR_TOTAL_FEES_AT_STD=0,"N/A",TotalRevIncCont/NR_TOTAL_FEES_AT_STD)
        IF(@NrTotalFeesAtStd <> 0)
        BEGIN
            SET @StdRateRealizationInclTravelExclContingentPerc    = @TotalRevenueExcludingContingent / NULLIF(@N
AtStd, 0);
            SET @StdRateRealizationInclTravelInclContingentPerc    =
                CASE WHEN (@budgetTypeID = 2) THEN
                    @TotalRevenueIncludingContingent / NULLIF(@NrTotalFeesAtStd, 0)
                ELSE
                    @NetRevenue / NULLIF(@NrTotalFeesAtStd, 0)
                END

            IF (@StdRateRealizationInclTravelExclContingentPerc > 0)
            BEGIN
                SET @StdRateRealizationInclTravelExclContingentPerc = ROUND((@StdRateRealizationInclTravelExclCon
* 100), 1);
            END

            IF (@StdRateRealizationInclTravelInclContingentPerc > 0)
            BEGIN
```


Copyright 2026 - All Rights Reserved

```
                SET @StdRateRealizationInclTravelInclContingentPerc = ROUND((@StdRateRealizationInclTravelInclCon
* 100), 1);
            END
        END

        --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotRevExclCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
        --=IF(NR_FEES_AT_STD_EXCLUDING_TRAVEL=0,"N/A",TotalRevIncCont/NR_FEES_AT_STD_EXCLUDING_TRAVEL)
        IF(@FeesSubTotal <> 0)
        BEGIN
            SET @StdRateRealizationExclTravelExclContingentPerc    = @TotalRevenueExcludingContingent / NULLIF(@F
Total, 0);
            SET @StdRateRealizationExclTravelInclContingentPerc    =
                CASE WHEN (@budgetTypeID = 2) THEN
                    @TotalRevenueIncludingContingent / NULLIF(@FeesSubTotal, 0)
                ELSE
                    @NetRevenue / NULLIF(@FeesSubTotal, 0)
                END

            IF (@StdRateRealizationExclTravelExclContingentPerc > 0)
            BEGIN
                SET @StdRateRealizationExclTravelExclContingentPerc = ROUND((@StdRateRealizationExclTravelExclCon
* 100), 1);
            END

            IF (@StdRateRealizationExclTravelInclContingentPerc > 0)
            BEGIN
                SET @StdRateRealizationExclTravelInclContingentPerc = ROUND((@StdRateRealizationExclTravelInclCon
* 100), 1);
            END
        END

        --=IFERROR((FIXEDBUDGET!L46-C28)/(FIXEDBUDGET!M42*(1+FIXEDBUDGET!H43)),0)
        SET @AvgHourlyRateInclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NUL
Hours *(1 + @TravelTime), 0) , 1);

        --=IFERROR((FIXEDBUDGET!L46-C28)/FIXEDBUDGET!M42,0)
        SET @AvgHourlyRateExclTravelExclContingent = ROUND((@TotalRevenueExcludingContingent - @ClientBill) / NUL
Hours, 0) , 1);



        --=IFERROR(((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING
DIR.",FIXEDBUDGET!M10:M41))/SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET!M10:M41)),"N/A")
        SET @StaffOrMDHoursLeverage    = ROUND((@TotalHours - @TotalHoursMD) / NULLIF(@TotalHoursMD, 0) , 1);



        --=IF(FIXEDBUDGET!O42>0,((FIXEDBUDGET!M42-SUMIF(FIXEDBUDGET!E10:E41,"Partner & MANAGING DIR.",FIXEDBUDGET
SUMIF(FIXEDBUDGET!E10:E41,"DIRECTOR",FIXEDBUDGET!M10:M41))/FIXEDBUDGET!M42),"")
        IF(@TotalFeesStandard > 0)
        BEGIN
            SET @HoursBelowDirectorPerc    = (@TotalHours  - @TotalHoursMD - @TotalHoursPartner - @TotalHoursDir)
NULLIF(@TotalHours, 0);
            IF @DebugFlag = 1
            BEGIN
                PRINT 'TotalHours - ' + CONVERT(VARCHAR, @TotalHours);
```


Copyright 2026 - All Rights Reserved

```
                PRINT 'TotalHoursMD - ' + CONVERT(VARCHAR, @TotalHoursMD)
                PRINT '@TotalHoursPartner - ' + CONVERT(VARCHAR, @TotalHoursPartner)
                PRINT 'TotalHoursDir - ' + CONVERT(VARCHAR, @TotalHoursDir)
            END
            IF (@HoursBelowDirectorPerc > 0)
            BEGIN
                SET @HoursBelowDirectorPerc = ROUND((@HoursBelowDirectorPerc * 100), 1);
            END
        END

        -- INSERT/UPDATE CALCULATED VALUES INTO CM_BUDGETMETRICS TABLE
        EXEC APSP_InsertCMBudgetMetrics
            @BudgetId
            ,@StdRateRealizationInclTravelExclContingentPerc
            ,@StdRateRealizationInclTravelInclContingentPerc
            ,@StdRateRealizationExclTravelExclContingentPerc
            ,@StdRateRealizationExclTravelInclContingentPerc
            ,@AvgHourlyRateInclTravelExclContingent
            ,@AvgHourlyRateExclTravelExclContingent
            ,@StaffOrMDHoursLeverage
            ,@HoursBelowDirectorPerc
            ,@StaffAverageHoursPerDay
            ,@EstBudgetMarginPerc
            ,@EstBudgetMargin
            ,@LogonUser

        -- RETURN VALUES FOR ENGAGEMENT METRICS
        SELECT * FROM CM_BudgetMetrics WHERE BudgetId=@BudgetId
        RETURN
    END TRY
    BEGIN CATCH
        DECLARE @ErrorNumber VARCHAR(MAX)(SELECT ERROR_NUMBER() AS ErrorNumber);
        DECLARE @ErrorMessage VARCHAR(MAX)(SELECT ERROR_MESSAGE() AS ErrorMessage);

        EXEC dbo.APSP_InsertMarginCalcLogs @LogonUser, @BudgetId, ErrorNumber,   ErrorMessage, 'Failed to calcula
Estimated Budget Margin', 'EBT', 'SP'
    END CATCH
END
GO
```

Uses

[dbo].[CM_BudgetDetail]
[dbo].[CM_BudgetDigitalTool]
[dbo].[CM_BudgetFee]
[dbo].[CM_BudgetHR]
[dbo].[CM_BudgetMetrics]
[dbo].[CM_EmployeeBudgetPerPeriod]
[dbo].[Entity]
[dbo].[EntityGroup]
[dbo].[FxRate]

Copyright 2026 - All Rights Reserved

[dbo].[ICRates]

[dbo].[ProfitHurdle]

[dbo].[Rate]

[dbo].[SAPCountryMaster]

[dbo].[SAPEmployeeMaster]

[dbo].[V_TBDEmployee]

[dbo].[APSP_InsertCMBudgetMetrics]

[dbo].[APSP_InsertMarginCalcLogs]

[dbo].[fn_GetISLServiceLine]

Copyright 2026 - All Rights Reserved

[dbo].[APSP_InsertBudgetMetrics]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@BudgetId	int	4
@StdRateRealizationInclTravelExclContingent	decimal(14,3)	9
@StdRateRealizationInclTravelInclContingent	decimal(14,3)	9
@StdRateRealizationExclTravelExclContingent	decimal(14,3)	9
@StdRateRealizationExclTravelInclContingent	decimal(14,3)	9
@AvgHourlyRateInclTravelExclContingent	decimal(14,3)	9
@AvgHourlyRateExclTravelExclContingent	decimal(14,3)	9
@StaffOrMDHoursLeverage	decimal(14,3)	9
@PercentageHrsBelowDirector	decimal(14,3)	9
@StaffAverageHoursPerDay	decimal(14,3)	9
@EstBudgetMarginPerc	decimal(14,3)	9
@EstBudgetMargin	decimal(14,3)	9
@LogonUser	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************
NAME: APSP_InsertBudgetMetrics
DESCRIPTION: This SP is used to insert data to [dbo].[BudgetMetrics] table, which is used by APSP_Engagement_Budg
HELPER QUERRY:
    EXEC [dbo].[APSP_InsertBudgetMetrics]
         @BudgetId = 1,
         @StdRateRealizationInclTravelExclContingent = 100,
         @StdRateRealizationInclTravelInclContingent = 100,
         @StdRateRealizationExclTravelExclContingent = 100,
         @StdRateRealizationExclTravelInclContingent = 100,
         @AvgHourlyRateInclTravelExclContingent = 100,
         @AvgHourlyRateExclTravelExclContingent = 100,
         @StaffOrMDHoursLeverage = 10,
         @PercentageHrsBelowDirector = 10,
```


Copyright 2026 - All Rights Reserved

```
         @StaffAverageHoursPerDay = 10,
         @EstBudgetMarginPerc = 100,
         @EstBudgetMargin = 100,
         @LogonUser = N'Test'
*************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-------------------------------------------------------------------------------------------------------------------------
Infosys        26-Mar-21    Initial Version
*************************************************************************************************************************
CREATE PROC [dbo].[APSP_InsertBudgetMetrics] (
            @BudgetId int,
            @StdRateRealizationInclTravelExclContingent decimal(14,3),
            @StdRateRealizationInclTravelInclContingent decimal(14,3),
            @StdRateRealizationExclTravelExclContingent decimal(14,3),
            @StdRateRealizationExclTravelInclContingent decimal(14,3),
            @AvgHourlyRateInclTravelExclContingent decimal(14,3),
            @AvgHourlyRateExclTravelExclContingent decimal(14,3),
            @StaffOrMDHoursLeverage decimal(14,3),
            @PercentageHrsBelowDirector decimal(14,3),
            @StaffAverageHoursPerDay decimal(14,3),
            @EstBudgetMarginPerc decimal(14,3),
            @EstBudgetMargin decimal(14,3),
            @LogonUser varchar(50))
AS
BEGIN
    set nocount on
    IF NOT EXISTS
        (
            Select 1 from BudgetMetrics where BudgetID=@BudgetId
        )
        BEGIN
                INSERT  INTO [dbo].[BudgetMetrics] VALUES
                    (
                        @BudgetId,
                        @StdRateRealizationInclTravelExclContingent,
                        @StdRateRealizationInclTravelInclContingent,
                        @StdRateRealizationExclTravelExclContingent,
                        @StdRateRealizationExclTravelInclContingent,
                        @AvgHourlyRateInclTravelExclContingent,
                        @AvgHourlyRateExclTravelExclContingent,
                        @StaffOrMDHoursLeverage,
                        @PercentageHrsBelowDirector,
                        @StaffAverageHoursPerDay,
                        @EstBudgetMarginPerc,
                        @EstBudgetMargin,
                        @LogonUser,
                        GETDATE(),
                        @LogonUser,
                        GETDATE()
                    )
        END
    ELSE
```


Copyright 2026 - All Rights Reserved

```
        BEGIN
            Update [dbo].[BudgetMetrics] SET
                        BudgetID=@BudgetId,
                        StdRateRealizationInclTravelExclContingent=@StdRateRealizationInclTravelExclContingent,
                        StdRateRealizationInclTravelInclContingent=@StdRateRealizationInclTravelInclContingent,
                        StdRateRealizationExclTravelExclContingent=@StdRateRealizationExclTravelExclContingent,
                        StdRateRealizationExclTravelInclContingent=@StdRateRealizationExclTravelInclContingent,
                        AvgHourlyRateInclTravelExclContingent=@AvgHourlyRateInclTravelExclContingent,
                        AvgHourlyRateExclTravelExclContingent=@AvgHourlyRateExclTravelExclContingent,
                        StaffOrMDHoursLeverage=@StaffOrMDHoursLeverage,
                        PercentageHrsBelowDirector=@PercentageHrsBelowDirector,
                        StaffAverageHoursPerDay=@StaffAverageHoursPerDay,
                        EstBudgetMarginPerc=@EstBudgetMarginPerc,
                        EstBudgetMargin=@EstBudgetMargin,
                        CreatedBy=CreatedBy,
                        CreatedDate=CreatedDate,
                        UpdatedBy=@LogonUser,
                        UpdatedDate=GETDATE()
                    WHERE BudgetID=@BudgetId
        END
END
GO
```

Uses

[dbo].[BudgetMetrics]

Used By

[dbo].[APSP_Engagement_Budget_Margin_Calc]

Copyright 2026 - All Rights Reserved

[dbo].[APSP_InsertCMBudgetMetrics]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@BudgetId	int	4
@StdRateRealizationInclTravelExclContingent	decimal(14,3)	9
@StdRateRealizationInclTravelInclContingent	decimal(14,3)	9
@StdRateRealizationExclTravelExclContingent	decimal(14,3)	9
@StdRateRealizationExclTravelInclContingent	decimal(14,3)	9
@AvgHourlyRateInclTravelExclContingent	decimal(14,3)	9
@AvgHourlyRateExclTravelExclContingent	decimal(14,3)	9
@StaffOrMDHoursLeverage	decimal(14,3)	9
@PercentageHrsBelowDirector	decimal(14,3)	9
@StaffAverageHoursPerDay	decimal(14,3)	9
@EstBudgetMarginPerc	decimal(14,3)	9
@EstBudgetMargin	decimal(14,3)	9
@LogonUser	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************
NAME: APSP_InsertBudgetMetrics
DESCRIPTION: This SP is used to insert data to [dbo].[BudgetMetrics] table, which is used by APSP_Engagement_Budg
HELPER QUERRY:
    EXEC [dbo].[APSP_InsertBudgetMetrics]
         @BudgetId = 1,
         @StdRateRealizationInclTravelExclContingent = 100,
         @StdRateRealizationInclTravelInclContingent = 100,
         @StdRateRealizationExclTravelExclContingent = 100,
         @StdRateRealizationExclTravelInclContingent = 100,
         @AvgHourlyRateInclTravelExclContingent = 100,
         @AvgHourlyRateExclTravelExclContingent = 100,
         @StaffOrMDHoursLeverage = 10,
         @PercentageHrsBelowDirector = 10,
```


Copyright 2026 - All Rights Reserved

```
         @StaffAverageHoursPerDay = 10,
         @EstBudgetMarginPerc = 100,
         @EstBudgetMargin = 100,
         @LogonUser = N'Test'
*************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-------------------------------------------------------------------------------------------------------------------------
Infosys        15-Mar-23    Initial Version
*************************************************************************************************************************
CREATE PROC [dbo].[APSP_InsertCMBudgetMetrics] (
            @BudgetId int,
            @StdRateRealizationInclTravelExclContingent decimal(14,3),
            @StdRateRealizationInclTravelInclContingent decimal(14,3),
            @StdRateRealizationExclTravelExclContingent decimal(14,3),
            @StdRateRealizationExclTravelInclContingent decimal(14,3),
            @AvgHourlyRateInclTravelExclContingent decimal(14,3),
            @AvgHourlyRateExclTravelExclContingent decimal(14,3),
            @StaffOrMDHoursLeverage decimal(14,3),
            @PercentageHrsBelowDirector decimal(14,3),
            @StaffAverageHoursPerDay decimal(14,3),
            @EstBudgetMarginPerc decimal(14,3),
            @EstBudgetMargin decimal(14,3),
            @LogonUser varchar(50))
AS
BEGIN
    set nocount on
    IF NOT EXISTS
        (
            Select 1 from [dbo].[CM_BudgetMetrics] where BudgetID=@BudgetId
        )
        BEGIN
                INSERT  INTO [dbo].[CM_BudgetMetrics] VALUES
                    (
                        @BudgetId,
                        @StdRateRealizationInclTravelExclContingent,
                        @StdRateRealizationInclTravelInclContingent,
                        @StdRateRealizationExclTravelExclContingent,
                        @StdRateRealizationExclTravelInclContingent,
                        @AvgHourlyRateInclTravelExclContingent,
                        @AvgHourlyRateExclTravelExclContingent,
                        @StaffOrMDHoursLeverage,
                        @PercentageHrsBelowDirector,
                        @StaffAverageHoursPerDay,
                        @EstBudgetMarginPerc,
                        @EstBudgetMargin,
                        @LogonUser,
                        GETDATE(),
                        @LogonUser,
                        GETDATE()
                    )
        END
    ELSE
```


Copyright 2026 - All Rights Reserved

```
        BEGIN
            Update [dbo].[CM_BudgetMetrics] SET
                        BudgetID=@BudgetId,
                        StdRateRealizationInclTravelExclContingent=@StdRateRealizationInclTravelExclContingent,
                        StdRateRealizationInclTravelInclContingent=@StdRateRealizationInclTravelInclContingent,
                        StdRateRealizationExclTravelExclContingent=@StdRateRealizationExclTravelExclContingent,
                        StdRateRealizationExclTravelInclContingent=@StdRateRealizationExclTravelInclContingent,
                        AvgHourlyRateInclTravelExclContingent=@AvgHourlyRateInclTravelExclContingent,
                        AvgHourlyRateExclTravelExclContingent=@AvgHourlyRateExclTravelExclContingent,
                        StaffOrMDHoursLeverage=@StaffOrMDHoursLeverage,
                        PercentageHrsBelowDirector=@PercentageHrsBelowDirector,
                        StaffAverageHoursPerDay=@StaffAverageHoursPerDay,
                        EstBudgetMarginPerc=@EstBudgetMarginPerc,
                        EstBudgetMargin=@EstBudgetMargin,
                        CreatedBy=CreatedBy,
                        CreatedDate=CreatedDate,
                        UpdatedBy=@LogonUser,
                        UpdatedDate=GETDATE()
                    WHERE BudgetID=@BudgetId
        END
END
GO
```

Uses

[dbo].[CM_BudgetMetrics]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]

Copyright 2026 - All Rights Reserved

[dbo].[APSP_InsertMarginCalcLogs]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@LogonUser	varchar(50)	50
@BudgetId	int	4
@ErrorNbr	varchar(max)	max
@ErrorMessage	varchar(max)	max
@UserMessage	varchar(max)	max
@Source	varchar(255)	255
@Type	varchar(255)	255

SQL Script

```
/*****************************************************************************************************************
NAME: APSP_InsertMarginCalcLogs
DESCRIPTION: This SP is used to insert data to [dbo].[MarginCalcLogs] table, which is used by APSP_Engagement_Buc
HELPER QUERRY:
    EXEC [dbo].[APSP_InsertMarginCalcLogs]
         @LogonUser = N'Test',
         @BudgetId = 1,
         @ErrorNbr = N'400',
         @ErrorMessage = N'Test',
         @UserMessage = N'Test',
         @Source = N'EBT',
         @Type = N'SP'
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        26-Mar-21    Initial Version
*****************************************************************************************************************
CREATE PROC [dbo].[APSP_InsertMarginCalcLogs] ( @LogonUser            [varchar](50)
                              ,@BudgetId    int
                              ,@ErrorNbr            [varchar](max)
                              ,@ErrorMessage        [varchar](max)
                              ,@UserMessage        [varchar](max)
```


Copyright 2026 - All Rights Reserved

```
                                ,@Source            [varchar](255)
                                ,@Type                [varchar](255))
AS
BEGIN
    set nocount on
    INSERT INTO [dbo].[MarginCalcLogs]
           ([LogonUser]
           ,[BudgetId]
           ,[ErrorNbr]
           ,[ErrorMessage]
           ,[UserMessage]
           ,[Source]
           ,[Type]
           ,[InsertDate])
     VALUES
           (COALESCE(@LogonUser,'UNKNOWN')        --[varchar](50)
            ,COALESCE(@BudgetId, 0)          --[int]
            ,@ErrorNbr                             --[varchar](255)
            ,@ErrorMessage                         --[varchar](max)
            ,@UserMessage                        --[varchar](max)
            ,COALESCE(@Source,'UNKNOWN')        --[varchar](255)
            ,COALESCE(@Type,'UNKNOWN')             --[varchar](255)))
            ,GETDATE()
            )
END
GO
```

Uses

[dbo].[MarginCalcLogs]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]

Copyright 2026 - All Rights Reserved

[dbo].[SP_BulkRateDataUpload]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@rateTable	RateInput	max
@user	varchar(150)	150
@date	datetime	8

SQL Script

```
/*****************************************************************************************************************
NAME: SP_BulkRateDataUpload
DESCRIPTION: This SP is used to insert bulk rate data to [dbo].[Rate] table, which is used by Master Data Manage
HELPER QUERY:
    DECLARE @rateTable RateInput
    INSERT INTO @rateTable (
        [RateTypeID] ,
        [Year] ,
        [Rate],
        [SubLevel],
        [IsActive] ,
        [IsDeleted]
    )
    VALUES(5,'2020',8888,'A20',1,0),
          (5,'2020',8888,'A20',1,0),
          (5,'2020',88,'A20',1,0)
    EXEC [dbo].[SP_BulkRateDataUpload]
         @rateTable = @rateTable,
         @user = N'Test',
         @date = N'06-05-2021'
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        15-Feb-21    Initial Version
*****************************************************************************************************************
```


Copyright 2026 - All Rights Reserved

```
CREATE PROCEDURE [dbo].[SP_BulkRateDataUpload]
(
   @rateTable RateInput READONLY,
   @user varchar(150),
   @date DATETIME
)
AS
BEGIN


    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON

    DECLARE @parameterRateTable TABLE (
    [RateID] [int] NULL,
    [RateTypeID] [int] NOT NULL,
    [Year] [varchar](15) NOT NULL,
    [Currency] [varchar](10) NULL,
    [Rate] [money] NULL,
    [SubLevel] [varchar](10) NULL,
    [Country] [varchar](50) NULL,
    [Department] [varchar](50) NULL,
    [Name] [varchar](50) NULL,
    [Unit] [varchar](10) NULL,
    [IsActive] [bit] NULL,
    [IsDeleted] [bit] NULL,
    ActivityType nvarchar(50) NULL
    )
    INSERT INTO @parameterRateTable(
    [RateID],
    [RateTypeID],
    [Year] ,
    [Currency] ,
    [Rate] ,
    [SubLevel] ,
    [Country] ,
    [Department] ,
    [Name] ,
    [Unit] ,
    [IsActive] ,
    [IsDeleted],
    [ActivityType])
    SELECT [RateID],
    [RateTypeID],
    [Year] ,
    Upper([Currency]) ,
    [Rate] ,
    Upper([SubLevel]) ,
    Upper([Country]) ,
    Upper([Department]) ,
    [Name] ,
```


Copyright 2026 - All Rights Reserved

```
    [Unit] ,
    [IsActive] ,
    [IsDeleted],
    [ActivityType]
    FROM @rateTable

    SELECT p.Year AS Year,
                p.Currency AS Currency,
                p.Rate AS Rate,
                p.SubLevel AS SubLevel,
                p.Country AS Country,
                p.Department AS Department,
                p.Name AS Name,
                p.Unit AS Unit,
                p.IsActive AS IsActive,
                p.IsDeleted AS IsDeleted,
                p.ActivityType As ActivityType,
    'Duplicate' AS Reason
    FROM @parameterRateTable p
        INNER JOIN [dbo].[Rate] r ON p.RateTypeId= r.RateTypeId
    WHERE ISNULL(p.Currency,'') = ISNULL(r.Currency,'') AND
    ISNULL(p.Rate,0.0) = ISNULL(r.Rate,0.0) AND ISNULL(p.SubLevel,'') = ISNULL(r.SubLevel,'') AND
    ISNULL(p.Country,'') = ISNULL(r.Country,'') AND ISNULL(p.Department,'') = ISNULL(r.Department,'') AND
    p.[Year] = r.[Year] AND ISNULL(p.[Name],'') = ISNULL(r.[Name],'') AND ISNULL(p.Unit,'') = ISNULL(r.Unit,'')
    AND p.IsActive = r.IsActive AND p.IsDeleted =r.IsDeleted


    DELETE p
    FROM @parameterRateTable p
    INNER JOIN [dbo].[Rate] r ON p.RateTypeId= r.RateTypeId
    WHERE ISNULL(p.Currency,'') = ISNULL(r.Currency,'') AND
    ISNULL(p.Rate,0.0) = ISNULL(r.Rate,0.0) AND ISNULL(p.SubLevel,'') = ISNULL(r.SubLevel,'') AND
    isnull(p.Country,'') = ISNULL(r.Country,'') AND ISNULL(p.Department,'') = ISNULL(r.Department,'') AND
    p.[Year] = r.[Year] AND ISNULL(p.[Name],'') = ISNULL(r.[Name],'') AND ISNULL(p.Unit,'') = ISNULL(r.Unit,'') A
ISNULL(p.ActivityType,'') = ISNULL(r.ActivityType,'')
    AND p.IsActive = r.IsActive AND p.IsDeleted =r.IsDeleted


    INSERT INTO [dbo].[Rate]([RateTypeID],
    [Year] ,
    [Currency] ,
    [Rate] ,
    [SubLevel] ,
    [Country] ,
    [Department] ,
    [Name] ,
    [Unit] ,
    [LastUpdated] ,
    [UpdatedBy] ,
    [IsActive] ,
    [IsDeleted] ,
    [CreatedBy] ,
```


Copyright 2026 - All Rights Reserved

```
    [DateCreated],
    [ActivityType]
    )
    SELECT [RateTypeID],
    [Year] ,
    [Currency] ,
    [Rate] ,
    [SubLevel] ,
    [Country] ,
    [Department] ,
    [Name] ,
    [Unit] ,
    @date ,
    @user ,
    [IsActive] ,
    [IsDeleted] ,
    @user ,
    @date,
    [ActivityType]
    FROM @parameterRateTable p
    WHERE p.RateID IS NULL OR p.RateID=''


    UPDATE r SET
    r.[Year] = p.[Year],
    r.[Currency] =p.[Currency],
    r.[Rate] =p.[Rate],
    r.[SubLevel] =p.[SubLevel],
    r.[Country] =p.[Country] ,
    r.[Department] = p.[Department] ,
    r.[Name]=p.[Name] ,
    r.[Unit] = p.[Unit] ,
    r.[LastUpdated] =@date,
    r.[UpdatedBy] =@user,
    r.[IsActive] = p.[IsActive] ,
    r.[IsDeleted] = p.[IsDeleted],
    r.ActivityType = p.ActivityType
    FROM [dbo].[Rate] r
    INNER JOIN @parameterRateTable p ON r.RateID = p.RateID and r.RateTypeID = p.RateTypeID

END
GO
```

Uses

[dbo].[Rate]
[dbo].[RateInput]

Copyright 2026 - All Rights Reserved

[dbo].[SP_CloneBudget]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@budgetID	int	4
@user	varchar(50)	50
@employeeId	varchar(50)	50
@mdOracleId	varchar(50)	50
@isClone	bit	1

SQL Script

```
/*****************************************************************************************************************************
NAME: SP_CloneBudget
DESCRIPTION: This SP is used to clone a budget, which is used by Engagement Budget Tool
HELPER QUERY:
 DECLARE @return_value int

 EXEC @return_value = [dbo].[SP_CloneBudget]
   @budgetID = 100,
   @user = N'Bednarek, Catherine',
   @employeeId = N'100006',
   @mdOracleId = N'100005',
   @isClone = 1

 SELECT 'Return Value' = @return_value
*****************************************************************************************************************************
AUTHOR  DATE  CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------------------
Infosys  04-JAN-21 Initial Version
AS         27-AUG-25 New BudgetDetail now takes @employeeId for CreatedByEmployeeId instead of cloned value.
*****************************************************************************************************************************
CREATE PROCEDURE [dbo].[SP_CloneBudget]
(
   @budgetID Int,
   @user varchar(50),
   @employeeId varchar(50),
```


Copyright 2026 - All Rights Reserved

```
    @mdOracleId varchar(50),
    @isClone bit
)
AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON
 DECLARE @latestBudgetId int
 DECLARE @myList table (OldId int, NewId int)
 DECLARE @budgetStatusId int
 DECLARE @budgetName varchar(255)

 IF EXISTS (SELECT *  FROM [dbo].[BudgetDetail] b WHERE b.BudgetID = @budgetID AND Year(CreatedDate) < 2023 )
 BEGIN
    EXEC [dbo].[SP_CloneBudgetBefore2023]
   @budgetID ,
   @user ,
   @employeeId ,
   @mdOracleId,
   @isClone
 END
 ELSE
 BEGIN

 SELECT @budgetStatusId = (SELECT bl.BudgetLookupID FROM [dbo].[BudgetLookup] bl WHERE bl.Name = 'Draft')

 SELECT @budgetName = 'Copy of '+ b.EngagementName FROM [dbo].[BudgetDetail] b WHERE b.BudgetID = @budgetID
    -- Insert statements for procedure here
    INSERT INTO [dbo].[BudgetDetail]
           ([BudgetGroupID],
           [CustomerNumber]
           ,[ClientName]
           ,[ProjectNumber]
           ,[EngagementName]
           ,[BudgetStatusID]
           ,[BudgetTypeID]
           ,[PeriodTypeID]
           ,[MdInCharge]
           ,[CurrencyCode]
           ,[CountryCode]
           ,[NoOfPeriods]
           ,[Community]
           ,[StartDate]
           ,[EndDate]
           ,[BuLeader]
           ,[OtherApprovals]
           ,[BudgetLabel]
           ,[IsDeleted]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate]
```

 Copyright 2026 - All Rights Reserved

```
           , [MdEmployeeId]
           ,[createdbyemployeeid]
           ,[UpdatedByEmployeeId])
SELECT [BudgetGroupID],
           [CustomerNumber]
           ,[ClientName]
           ,[ProjectNumber]
           ,@budgetName
           ,@budgetStatusId
           ,[BudgetTypeID]
           ,[PeriodTypeID]
           ,[MdInCharge]
           ,[CurrencyCode]
           ,[CountryCode]
           ,[NoOfPeriods]
           ,[Community]
           ,[StartDate]
           ,[EndDate]
           ,[BuLeader]
           ,[OtherApprovals]
           ,[BudgetLabel]
           ,[IsDeleted]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
           , [MdEmployeeId]
           ,@employeeId --[createdbyemployeeid]
           ,[UpdatedByEmployeeId]
FROM [dbo].[BudgetDetail] bs
WHERE bs.BudgetID = @budgetId;

--Getting newly inserted budgetId
SELECT @latestBudgetId = @@IDENTITY

IF(@isClone=1)
-- BEGIN
--  --Updating parent budget id to Superceded if it is approved
--  Update [dbo].[BudgetDetail]
--  SET  BudgetStatusID = (SELECT bl.BudgetLookupID FROM [dbo].[BudgetLookup] bl WHERE bl.Name = 'Superceded'),
--  UpdatedDate = @date, UpdatedBy = @user
--  WHERE BudgetID = @budgetID and
--  BudgetStatusID = (SELECT bl.BudgetLookupID FROM [dbo].[BudgetLookup] bl WHERE bl.Name = 'Approved');
-- END
--ELSE
 BEGIN
  --Updating BudgetGroupID to latest Budget Id
  Update [dbo].[BudgetDetail]
  SET  BudgetGroupID = @latestBudgetId
  WHERE BudgetID = @latestBudgetId;
 END

INSERT INTO [dbo].[BudgetFee]
```

 Copyright 2026 - All Rights Reserved

```
           ([BudgetID]
           ,[AdminFee]
           ,[TravelTime]
           ,[TravelExpenses]
           ,[EngagementFeeCap]
           ,[ExpectedEtsCostType]
           ,[ExpectedEtsCostAmount]
           ,[ExpensesOrFixedExpenses]
           ,[ExpectedContingentFeeUbb]
           ,[ExpectedWUWDExcludingContingent]
           ,[TotalRevenueExcludingContingent]
           ,[ExpectedWUWDIncludingContingent]
           ,[TotalRevenueIncludingContingent]
           ,[FeesSubtotal]
           ,[PlannedWorkDays]
           ,[PlannedWorkHours]
           ,[AverageHrsPerDay]
           ,[RealizationwithoutContingentFees]
           ,[RealizationIncludingContingentFees]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate])
SELECT  @latestBudgetId
           ,[AdminFee]
           ,[TravelTime]
           ,[TravelExpenses]
           ,[EngagementFeeCap]
           ,[ExpectedEtsCostType]
           ,[ExpectedEtsCostAmount]
           ,[ExpensesOrFixedExpenses]
           ,[ExpectedContingentFeeUbb]
           ,[ExpectedWUWDExcludingContingent]
           ,[TotalRevenueExcludingContingent]
           ,[ExpectedWUWDIncludingContingent]
           ,[TotalRevenueIncludingContingent]
           ,[FeesSubtotal]
           ,[PlannedWorkDays]
           ,[PlannedWorkHours]
           ,[AverageHrsPerDay]
           ,[RealizationwithoutContingentFees]
           ,[RealizationIncludingContingentFees]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
FROM [dbo].[BudgetFee] bf
WHERE bf.BudgetID = @budgetID

INSERT INTO [dbo].[BudgetMetrics]
           ([BudgetID]
           ,[StdRateRealizationInclTravelExclContingent]
           ,[StdRateRealizationInclTravelInclContingent]
```


Copyright 2026 - All Rights Reserved

```
           ,[StdRateRealizationExclTravelExclContingent]
           ,[StdRateRealizationExclTravelInclContingent]
           ,[AvgHourlyRateInclTravelExclContingent]
           ,[AvgHourlyRateExclTravelExclContingent]
           ,[StaffOrMDHoursLeverage]
           ,[PercentageHrsBelowDirector]
           ,[StaffAverageHoursPerDay]
           ,[EstBudgetMarginPerc]
           ,[EstBudgetMargin]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate])
     SELECT @latestBudgetId
           ,[StdRateRealizationInclTravelExclContingent]
           ,[StdRateRealizationInclTravelInclContingent]
           ,[StdRateRealizationExclTravelExclContingent]
           ,[StdRateRealizationExclTravelInclContingent]
           ,[AvgHourlyRateInclTravelExclContingent]
           ,[AvgHourlyRateExclTravelExclContingent]
           ,[StaffOrMDHoursLeverage]
           ,[PercentageHrsBelowDirector]
           ,[StaffAverageHoursPerDay]
           ,[EstBudgetMarginPerc]
           ,[EstBudgetMargin]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
  FROM [dbo].[BudgetMetrics] bm
  WHERE bm.BudgetID = @budgetID

  INSERT INTO [dbo].[BudgetDigitalTool]
           ([BudgetID]
           ,[DigitaltoolType]
           ,[DigitaltoolCost]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate])
SELECT @latestBudgetId
           ,[DigitaltoolType]
           ,[DigitaltoolCost]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
FROM [dbo].[BudgetDigitalTool] BDT
WHERE BDT.BudgetID = @budgetID

 INSERT INTO [dbo].[BudgetHR]
           ([BudgetID]
           ,[EmployeeID]
```


Copyright 2026 - All Rights Reserved

```
           ,[EmployeeTypeID]
           ,[Name]
           ,[Title]
           ,[Role]
           ,[Community]
           ,Region
           ,[BusinessUnit]
           ,IslGrouping
           ,[EngagementBillableHours]
           ,[EngagementRate]
           ,[SubMarkupPercentage]
           ,[SubContractPay]
           ,[TotalNoOfDays]
           ,[TotalHours]
           ,[TotalFeesStandard]
           ,[TotalBillableFees]
           ,[TotalTravelFees]
           ,[ClientBill]
           ,[SubMarkup]
           ,[SubStandardRate]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate])
SELECT @latestBudgetId
           ,[EmployeeID]
           ,[EmployeeTypeID]
           ,[Name]
           ,[Title]
           ,[Role]
           ,[Community]
           ,Region
           ,[BusinessUnit]
           ,IslGrouping
           ,[EngagementBillableHours]
           ,[EngagementRate]
           ,[SubMarkupPercentage]
           ,[SubContractPay]
           ,[TotalNoOfDays]
           ,[TotalHours]
           ,[TotalFeesStandard]
           ,[TotalBillableFees]
           ,[TotalTravelFees]
 ,[ClientBill]
           ,[SubMarkup]
           ,[SubStandardRate]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
FROM [dbo].[BudgetHR] bh
WHERE bh.BudgetID = @budgetID
```


Copyright 2026 - All Rights Reserved

```
INSERT INTO @myList (OldId, NewId)
SELECT T1.BudgetHrID,T2.BudgetHrID
FROM
(SELECT ROW_NUMBER() Over(order by BudgetHrID) X, BudgetHrID FROM [dbo].[BudgetHr]
 WHERE  BudgetId = @budgetId ) T1
 INNER JOIN
(SELECT ROW_NUMBER() Over(order by BudgetHrID) Y, BudgetHrID FROM [dbo].[BudgetHr]
 WHERE  BudgetId = @latestbudgetId) T2
 ON T1.X=T2.Y

INSERT INTO [dbo].[EmployeeBudgetPerPeriod]
           ([BudgetHrID]
           ,[PeriodRange]
           ,[StandardHourlyRate]
           ,[NoOfDays]
           ,[BillableHours]
           ,[TravelHours]
           ,[SubContractPay]
           ,[FeesStandard]
           ,[BillableFees]
           ,[TravelFees]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate]
           ,[StdCostRegion]
           ,[ISLGrouping]
           ,[Sublevel])
SELECT m.NewId
           ,[PeriodRange]
           ,[StandardHourlyRate]
           ,[NoOfDays]
           ,[BillableHours]
           ,[TravelHours]
           ,[SubContractPay]
           ,[FeesStandard]
           ,[BillableFees]
           ,[TravelFees]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
           ,[StdCostRegion]
           ,[ISLGrouping]
           ,[Sublevel]
FROM [dbo].[EmployeeBudgetPerPeriod] ep INNER JOIN @myList m ON ep.BudgetHrID = m.OldId
WHERE ep.BudgetHrID in (SELECT BudgetHrID
                        FROM [dbo].[BudgetHR] bh
      WHERE BudgetID = @budgetID)

   ---If budget is cloned by other MD (not Lead MD). Adding the budget info in BudgetAccess table
IF(@employeeId IS NOT NULL OR @employeeId != '')
BEGIN
```


Copyright 2026 - All Rights Reserved

```
  IF(@mdOracleId != @employeeId)
  BEGIN
   INSERT INTO [dbo].[BudgetAccess]
        ([BudgetID]
        ,[EmployeeID]
        ,[IsEditable]
        ,[IsDeleted]
        ,[CreatedBy]
        ,[CreatedDate]
        ,[UpdatedBy]
        ,[UpdatedDate])
   VALUES
       (@latestBudgetId
       , @employeeId
       , 1
       , 0
       , @user
       , GETUTCDATE()
       , @user
       , GETUTCDATE())
  END
 END
 END

 ----------------------------------------
END

GO
```

Uses

[dbo].[BudgetAccess]
[dbo].[BudgetDetail]
[dbo].[BudgetDigitalTool]
[dbo].[BudgetFee]
[dbo].[BudgetHR]
[dbo].[BudgetLookup]
[dbo].[BudgetMetrics]
[dbo].[EmployeeBudgetPerPeriod]
[dbo].[SP_CloneBudgetBefore2023]

Copyright 2026 - All Rights Reserved

[dbo].[SP_CloneBudgetBefore2023]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@budgetID	int	4
@user	varchar(50)	50
@employeeId	varchar(50)	50
@mdOracleId	varchar(50)	50
@isClone	bit	1

SQL Script

```
/*****************************************************************************************************************
NAME: [SP_CloneBudgetBefore2023]
DESCRIPTION: This SP is used to clone a budget, which is used by Engagement Budget Tool
HELPER QUERY:
 DECLARE @return_value int

 EXEC @return_value = [dbo].[SP_CloneBudgetBefore2023]
   @budgetID = 100,
   @user = N'Bednarek, Catherine',
   @employeeId = N'100006',
   @mdOracleId = N'100005',
   @isClone = 1

 SELECT 'Return Value' = @return_value
******************************************************************************************************************
AUTHOR  DATE  CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys  04-JAN-21 Initial Version
******************************************************************************************************************/
CREATE PROCEDURE [dbo].[SP_CloneBudgetBefore2023]
(
   @budgetID Int,
   @user varchar(50),
   @employeeId varchar(50),
   @mdOracleId varchar(50),
```


Copyright 2026 - All Rights Reserved

```
   @isClone bit
)
AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON
 DECLARE @latestBudgetId int
 DECLARE @myList table (OldId int, NewId int)
 DECLARE @budgetStatusId int
 DECLARE @budgetName varchar(255)
 declare @startdate date

 select @startdate = (select startdate from [dbo].[BudgetDetail] b WHERE b.BudgetID = @budgetID )
 SELECT @budgetStatusId = (SELECT bl.BudgetLookupID FROM [dbo].[BudgetLookup] bl WHERE bl.Name = 'Draft')

 SELECT @budgetName = 'Copy of '+ b.EngagementName FROM [dbo].[BudgetDetail] b WHERE b.BudgetID = @budgetID
    -- Insert statements for procedure here
    INSERT INTO [dbo].[BudgetDetail]
           ([BudgetGroupID],
           [CustomerNumber]
           ,[ClientName]
           ,[ProjectNumber]
           ,[EngagementName]
           ,[BudgetStatusID]
           ,[BudgetTypeID]
           ,[PeriodTypeID]
           ,[MdInCharge]
           ,[CurrencyCode]
           ,[CountryCode]
           ,[NoOfPeriods]
           ,[Community]
           ,[StartDate]
           ,[EndDate]
           ,[BuLeader]
           ,[OtherApprovals]
           ,[BudgetLabel]
           ,[IsDeleted]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate]
           , [MdEmployeeId]
           ,[createdbyemployeeid]
           ,[UpdatedByEmployeeId])
 SELECT [BudgetGroupID],
           [CustomerNumber]
           ,[ClientName]
           ,[ProjectNumber]
           ,@budgetName
           ,@budgetStatusId
           ,[BudgetTypeID]
```


Copyright 2026 - All Rights Reserved

```
           ,[PeriodTypeID]
           ,[MdInCharge]
           ,[CurrencyCode]
           ,[CountryCode]
           ,[NoOfPeriods]
           ,[Community]
           ,'2023-01-01'
           ,'2023-01-01'
           ,[BuLeader]
           ,[OtherApprovals]
           ,[BudgetLabel]
           ,[IsDeleted]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
           , [MdEmployeeId]
           ,[createdbyemployeeid]
           ,[UpdatedByEmployeeId]
FROM [dbo].[BudgetDetail] bs
WHERE bs.BudgetID = @budgetId;

--Getting newly inserted budgetId
SELECT @latestBudgetId = @@IDENTITY

IF(@isClone=1)
-- BEGIN
--  --Updating parent budget id to Superceded if it is approved
--  Update [dbo].[BudgetDetail]
--  SET  BudgetStatusID = (SELECT bl.BudgetLookupID FROM [dbo].[BudgetLookup] bl WHERE bl.Name = 'Superceded'),
--  UpdatedDate = @date, UpdatedBy = @user
--  WHERE BudgetID = @budgetID and
--  BudgetStatusID = (SELECT bl.BudgetLookupID FROM [dbo].[BudgetLookup] bl WHERE bl.Name = 'Approved');
-- END
--ELSE
 BEGIN
  --Updating BudgetGroupID to latest Budget Id
  Update [dbo].[BudgetDetail]
  SET  BudgetGroupID = @latestBudgetId
  WHERE BudgetID = @latestBudgetId;
 END

INSERT INTO [dbo].[BudgetFee]
           ([BudgetID]
           ,[AdminFee]
           ,[TravelTime]
           ,[TravelExpenses]
           ,[EngagementFeeCap]
           ,[ExpectedEtsCostType]
           ,[ExpectedEtsCostAmount]
           ,[ExpensesOrFixedExpenses]
           ,[ExpectedContingentFeeUbb]
```


Copyright 2026 - All Rights Reserved

```
           ,[ExpectedWUWDExcludingContingent]
           ,[TotalRevenueExcludingContingent]
           ,[ExpectedWUWDIncludingContingent]
           ,[TotalRevenueIncludingContingent]
           ,[FeesSubtotal]
           ,[PlannedWorkDays]
           ,[PlannedWorkHours]
           ,[AverageHrsPerDay]
           ,[RealizationwithoutContingentFees]
           ,[RealizationIncludingContingentFees]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate])
SELECT  @latestBudgetId
           ,[AdminFee]
           ,[TravelTime]
           ,[TravelExpenses]
           ,[EngagementFeeCap]
           ,[ExpectedEtsCostType]
           ,[ExpectedEtsCostAmount]
           ,[ExpensesOrFixedExpenses]
           ,[ExpectedContingentFeeUbb]
           ,[ExpectedWUWDExcludingContingent]
           ,[TotalRevenueExcludingContingent]
           ,[ExpectedWUWDIncludingContingent]
           ,[TotalRevenueIncludingContingent]
           ,[FeesSubtotal]
           ,[PlannedWorkDays]
           ,[PlannedWorkHours]
           ,[AverageHrsPerDay]
           ,[RealizationwithoutContingentFees]
           ,[RealizationIncludingContingentFees]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
FROM [dbo].[BudgetFee] bf
WHERE bf.BudgetID = @budgetID

INSERT INTO [dbo].[BudgetMetrics]
           ([BudgetID]
           ,[StdRateRealizationInclTravelExclContingent]
           ,[StdRateRealizationInclTravelInclContingent]
           ,[StdRateRealizationExclTravelExclContingent]
           ,[StdRateRealizationExclTravelInclContingent]
           ,[AvgHourlyRateInclTravelExclContingent]
           ,[AvgHourlyRateExclTravelExclContingent]
           ,[StaffOrMDHoursLeverage]
           ,[PercentageHrsBelowDirector]
           ,[StaffAverageHoursPerDay]
           ,[EstBudgetMarginPerc]
```


Copyright 2026 - All Rights Reserved

```
           ,[EstBudgetMargin]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate])
     SELECT @latestBudgetId
           ,[StdRateRealizationInclTravelExclContingent]
           ,[StdRateRealizationInclTravelInclContingent]
           ,[StdRateRealizationExclTravelExclContingent]
           ,[StdRateRealizationExclTravelInclContingent]
           ,[AvgHourlyRateInclTravelExclContingent]
           ,[AvgHourlyRateExclTravelExclContingent]
           ,[StaffOrMDHoursLeverage]
           ,[PercentageHrsBelowDirector]
           ,[StaffAverageHoursPerDay]
           ,[EstBudgetMarginPerc]
           ,[EstBudgetMargin]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
  FROM [dbo].[BudgetMetrics] bm
  WHERE bm.BudgetID = @budgetID


  INSERT INTO [dbo].[BudgetDigitalTool]
           ([BudgetID]
           ,[DigitaltoolType]
           ,[DigitaltoolCost]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate])
 SELECT @latestBudgetId
           ,[DigitaltoolType]
           ,[DigitaltoolCost]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()
 FROM [dbo].[BudgetDigitalTool] BDT
 WHERE BDT.BudgetID = @budgetID


  INSERT INTO [dbo].[BudgetHR]
           ([BudgetID]
           ,[EmployeeID]
           ,[EmployeeTypeID]
           ,[Name]
           ,[Title]
           ,[Role]
           ,[Community]
```


Copyright 2026 - All Rights Reserved

```
            ,Region
            ,[BusinessUnit]
            ,IslGrouping
            ,[EngagementBillableHours]
            ,[EngagementRate]
            ,[SubMarkupPercentage]
            ,[SubContractPay]
            ,[TotalNoOfDays]
            ,[TotalHours]
            ,[TotalFeesStandard]
            ,[TotalBillableFees]
            ,[TotalTravelFees]
            ,[ClientBill]
            ,[SubMarkup]
            ,[SubStandardRate]
            ,[CreatedBy]
            ,[CreatedDate]
            ,[UpdatedBy]
            ,[UpdatedDate]
            )
 SELECT @latestBudgetId
            ,[EmployeeID]
            ,[EmployeeTypeID]
            ,[Name]
             ,ISNULL(TitleDescription , Title)
            ,[Role]
            ,ISNULL(DepartmentDescription , Community)
            ,ISNULL(RegionDescription, Region)
            ,ISNULL((Select [dbo].[fn_GetStdCostRegionByYear](Emp.Country,year(@startdate))), BusinessUnit)
            ,ISNULL( (SELECT [dbo].[fn_GetISLGroupingByYear](Emp.DepartmentDescription, Emp.departmentcode,
year(@startdate))),IslGrouping)
            ,[EngagementBillableHours]
            ,[EngagementRate]
            ,[SubMarkupPercentage]
            ,[SubContractPay]
            ,[TotalNoOfDays]
            ,[TotalHours]
            ,[TotalFeesStandard]
            ,[TotalBillableFees]
            ,[TotalTravelFees]
  ,[ClientBill]
            ,[SubMarkup]
            ,[SubStandardRate]
            ,@user
            ,GETUTCDATE()
            ,@user
            ,GETUTCDATE()
 FROM [dbo].[BudgetHR] bh  LEFT JOIN SAPEmployeeMaster Emp ON Emp.OracleID = bh.EmployeeID
 WHERE bh.BudgetID = @budgetID  AND NAME NOT LIKE '%TBD%'

 INSERT INTO @myList (OldId, NewId)
 SELECT T1.BudgetHrID,T2.BudgetHrID
```


Copyright 2026 - All Rights Reserved

```
FROM
(SELECT ROW_NUMBER() Over(order by BudgetHrID) X, BudgetHrID FROM [dbo].[BudgetHr]
 WHERE  BudgetId = @budgetId ) T1
 INNER JOIN
(SELECT ROW_NUMBER() Over(order by BudgetHrID) Y, BudgetHrID FROM [dbo].[BudgetHr]
 WHERE  BudgetId = @latestbudgetId) T2
 ON T1.X=T2.Y

INSERT INTO [dbo].[EmployeeBudgetPerPeriod]
           ([BudgetHrID]
           ,[PeriodRange]
           ,[StandardHourlyRate]
           ,[NoOfDays]
           ,[BillableHours]
           ,[TravelHours]
           ,[SubContractPay]
           ,[FeesStandard]
           ,[BillableFees]
           ,[TravelFees]
           ,[CreatedBy]
           ,[CreatedDate]
           ,[UpdatedBy]
           ,[UpdatedDate],[StdCostRegion]
           ,[ISLGrouping]
           ,[Sublevel]
           )
SELECT m.NewId
           ,[PeriodRange]
           ,[StandardHourlyRate]
           ,[NoOfDays]
           ,[BillableHours]
           ,[TravelHours]
           ,[SubContractPay]
           ,[FeesStandard]
           ,[BillableFees]
           ,[TravelFees]
           ,@user
           ,GETUTCDATE()
           ,@user
           ,GETUTCDATE()  ,[StdCostRegion]
           ,[ISLGrouping]
           ,[Sublevel]
FROM [dbo].[EmployeeBudgetPerPeriod] ep INNER JOIN @myList m ON ep.BudgetHrID = m.OldId
WhERE ep.BudgetHrID in (SELECT BudgetHrID
                        FROM [dbo].[BudgetHR] bh
      WHERE BudgetID = @budgetID)

   ---If budget is cloned by other MD (not Lead MD). Adding the budget info in BudgetAccess table
IF(@employeeId IS NOT NULL OR @employeeId != '')
BEGIN
 IF(@mdOracleId != @employeeId)
 BEGIN
```


Copyright 2026 - All Rights Reserved

```
    INSERT INTO [dbo].[BudgetAccess]
         ([BudgetID]
         ,[EmployeeID]
         ,[IsEditable]
         ,[IsDeleted]
         ,[CreatedBy]
         ,[CreatedDate]
         ,[UpdatedBy]
         ,[UpdatedDate])
    VALUES
        (@latestBudgetId
        , @employeeId
        , 1
        , 0
        , @user
        , GETUTCDATE()
        , @user
        , GETUTCDATE())
  END
 END
 ----------------------------------------
END

GO
```

Uses

[dbo].[BudgetAccess]
[dbo].[BudgetDetail]
[dbo].[BudgetDigitalTool]
[dbo].[BudgetFee]
[dbo].[BudgetHR]
[dbo].[BudgetLookup]
[dbo].[BudgetMetrics]
[dbo].[EmployeeBudgetPerPeriod]
[dbo].[SAPEmployeeMaster]
[dbo].[fn_GetISLGroupingByYear]
[dbo].[fn_GetStdCostRegionByYear]

Used By

[dbo].[SP_CloneBudget]

Copyright 2026 - All Rights Reserved

[dbo].[SP_CM_GetWorkingDaysByPeriod]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)	Direction
@BudgetId	int	4	
@StartDate	datetime	8	
@EndDate	datetime	8	
@PeriodTypeId	int	4	
@CountryCode	varchar(10)	10	
@CurrencyCode	varchar(10)	10	
@Rate	bit	1	Out

SQL Script

```
-- =============================================
-- Author:      Infosys
-- Create Date: 16/03/2021
-- Description: Working days calcution
-- =============================================
CREATE PROCEDURE [dbo].[SP_CM_GetWorkingDaysByPeriod]
(
    -- Add the parameters for the stored procedure here
     @BudgetId INT,
     @StartDate DATETIME
    ,@EndDate DATETIME
    ,@PeriodTypeId INT --like : 6- Week/ 7-Month
    ,@CountryCode VARCHAR(10)
    ,@CurrencyCode VARCHAR(10)
    ,@Rate BIT OUTPUT
)
AS
```


Copyright 2026 - All Rights Reserved

```
/*
EXEC SP_GetWorkingDaysByPeriod
@BudgetId = 4721,
@StartDate='2023-04-02'
,@EndDate ='2024-04-02'
,@CountryCode='DE'
,@CurrencyCode='EUR'
,@periodTypeId = 7
,@Rate = 1

2020-09-03     2020-09-06
2020-09-07     2020-09-13
2020-09-14     2020-09-20
2020-09-21     2020-09-27
2020-09-28     2020-10-04

*/
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON


    DECLARE @startDateRange DATE
    DECLARE @endDateRange DATE
    DECLARE @count INT
    DECLARE @day VARCHAR(200)
    DECLARE @endDay VARCHAR(200)
    DECLARE @vDateRange TABLE (
                               [PeriodRange] INT,
                               [StartDateRange] DATE,
                               [EndDateRange] DATE
                               )

    SET @StartDate = CAST(CONVERT(VARCHAR,@StartDate,102) AS DATE)
    SET @EndDate = CAST(CONVERT(VARCHAR,@EndDate,102) AS DATE)
    SET @startDateRange = @startDate
    SET @count = 0
    SET @Rate = 1
    IF (@endDate IS NOT NULL)
        BEGIN
            IF @periodTypeId =6
            BEGIN
                WHILE(@startDate <= @endDate)
                BEGIN
                    SET @day = DATENAME(DW,@startDate)
                    SET @endDay = DATENAME(DW, @endDate)
                    IF @day ='Sunday'
                        BEGIN
                            SET @count = @count + 1
                            SET @endDateRange = @startDate
                            INSERT INTO @vDateRange([PeriodRange], startDateRange, endDateRange)
```


Copyright 2026 - All Rights Reserved

```
                            VALUES(@count, @startDateRange, @enddateRange)
                            SET @startDateRange = DATEADD(day,1,@startDate)
                            SET @startDate = DATEADD(day,1,@startDate)
                        END
                    ELSE
                        BEGIN
                            If @endDay <> 'Sunday' AND @StartDate = @EndDate
                            BEGIN
                                SET @count = @count + 1
                                SET @endDateRange = @startDate
                                IF @startDateRange <> @enddateRange
                                    INSERT INTO @vDateRange([PeriodRange], startDateRange,
endDateRange)
                                    VALUES(@count, @startDateRange, @enddateRange)
                                SET @startDateRange = DATEADD(day,1,@startDate)
                            END
                            SET @startDate = DATEADD(day,1,@startDate)
                        END
                END
            END
            ELSE
            BEGIN
                WHILE(@startDate <= @endDate)
                     BEGIN
                           SET @count = @count + 1
                             SET @endDateRange = EOMONTH(@startDate)
                            If(@endDateRange > @endDate)
                            BEGIN
                                INSERT INTO @vDateRange ([PeriodRange], startDateRange,endDate-
Range)
                           VALUES (@count, @startDateRange,@endDate)

                            END
                            ELSE
                            BEGIN
                                INSERT INTO @vDateRange ([PeriodRange], startDateRange,endDate-
Range)
                                VALUES (@count, @startDateRange,@endDateRange)

                            END


                           SET @startDate = DATEADD(mm,1,@startDate)
                           SET @startDateRange =DATEFROMPARTS(YEAR(@startDate),MONTH(@start-
Date),1)
                     END
            END
        END
        ELSE
        BEGIN
            INSERT INTO @vDateRange (startDateRange) VALUES (@startDateRange)
        END
```


Copyright 2026 - All Rights Reserved

```
    ;WITH YearList AS (
      SELECT YEAR(@StartDateRange) AS DateYear
      UNION ALL
      SELECT (DateYear + 1) AS DateYear
      FROM YearList
      WHERE YEAR(@EndDateRange)>=DateYear + 1
    ),
    RateData AS (
        SELECT y.DateYear AS DateYear,
        COUNT(YEAR(s.StartDate)) AS Rate
        FROM YearList y
         LEFT JOIN [dbo].[SAPStandardBillRateMaster] s ON YEAR(s.StartDate) = y.DateYear
            AND s.CompanyCodeCurrency = @CurrencyCode
        GROUP BY y.DateYear,YEAR(s.StartDate)
    )

    SELECT @Rate = 0
    FROM RateData
    WHERE Rate<=0

    IF EXISTS (SELECT 1 FROM CM_BudgetDetail WHERE BudgetID=@BudgetId)
    BEGIN
        -- LOGIC TO UPDATE START DATE AND END DATE FOR EACH PERIOD
        UPDATE [CM_EmployeeBudgetPerPeriod]
            SET StartDate = DTR.StartDateRange, EndDate = dtr.EndDateRange
            ,Sublevel = ISNULL(EBPP.Sublevel, E.Sublevel)
            ,ISLGrouping= (SELECT [dbo].[fn_GetISLGroupingByYear](BHR.Community,E.Department-
Code,Year(DTR.StartDateRange)))
            ,StdcostRegion=(SELECT [dbo].[fn_GetStdCostRegionByYear](E.Country,Year(DTR.Start-
DateRange)))
            ,ActivityType = ISNULL(EBPP.ActivityType,E.ActivityType)
        FROM [dbo].[CM_EmployeeBudgetPerPeriod] EBPP WITH (NOLOCK)
        INNER JOIN [dbo].[CM_BudgetHR] BHR WITH (NOLOCK)
            ON BHR.BudgetHrID = EBPP.BudgetHrID
        LEFT OUTER JOIN [dbo].SAPEmployeeMaster E ON E.OracleID = BHR.EmployeeID
        INNER JOIN [dbo].[CM_BudgetDetail] BD WITH (NOLOCK)
            ON BD.BudgetID = BHR.BudgetID
        INNER JOIN @vDateRange DTR
            on DTR.PeriodRange=EBPP.PeriodRange
        WHERE BD.BudgetID=@BudgetId
    END

    ;WITH RangeData AS (
        SELECT
          [PeriodRange]
          ,startDateRange AS [StartDate]
          ,endDateRange AS [EndDate]
          ,IIF(YEAR(startDateRange)=YEAR(endDateRange),
            [dbo].[fn_WorkDays](startDateRange,endDateRange)
            -[dbo].[fn_Holidays](startDateRange,endDateRange,@CountryCode),
            [dbo].[fn_WorkDays](startDateRange,EOMONTH(startDateRange))
            -[dbo].[fn_Holidays](startDateRange,EOMONTH(startDateRange),@CountryCode)) AS First-
YearDays
```


Copyright 2026 - All Rights Reserved

```
          ,IIF(YEAR(startDateRange)=YEAR(endDateRange),0,
           [dbo].[fn_WorkDays](DATEFROMPARTS(YEAR(endDateRange),MONTH(endDateRange),1),endDate-
Range)
            -[dbo].[fn_Holidays](DATEFROMPARTS(YEAR(endDateRange),MONTH(endDateRange),1),endDate-
Range,@CountryCode)) AS SecondYearDays
          ,IIF(YEAR(startDateRange)=YEAR(endDateRange),0,1) AS IsMultipleYear
        FROM @vDateRange
    )

    SELECT PeriodRange
          ,StartDate
          ,EndDate
          ,(FirstYearDays + SecondYearDays) AS WorkDays
          ,(FirstYearDays + SecondYearDays) * 8 AS WorkHours
          ,FirstYearDays
          ,SecondYearDays
          ,IsMultipleYear
    FROM RangeData
END
GO
```

Uses

[dbo].[CM_BudgetDetail]
[dbo].[CM_BudgetHR]
[dbo].[CM_EmployeeBudgetPerPeriod]
[dbo].[SAPEmployeeMaster]
[dbo].[SAPStandardBillRateMaster]
[dbo].[fn_GetISLGroupingByYear]
[dbo].[fn_GetStdCostRegionByYear]
[dbo].[fn_Holidays]
[dbo].[fn_WorkDays]

Copyright 2026 - All Rights Reserved

[dbo].[SP_ConvertXmlFileDataToTable]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@XMLdoc	nvarchar(max)	max

SQL Script

```
/*****************************************************************************************************************
NAME: SP_ConvertXmlFileDataToTable
DESCRIPTION: This SP is used to Convert xml data file to table value, which is used by Engagement Budget Tool
HELPER QUERY:
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        05-MAR-21    Initial Version
******************************************************************************************************************/
CREATE PROCEDURE [dbo].[SP_ConvertXmlFileDataToTable]
    -- Add the parameters for the stored procedure here
     @XMLdoc NVARCHAR(MAX)
AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON;


    DECLARE @hDoc AS INT


    EXEC sp_xml_preparedocument  @hDoc OUTPUT, @XMLDoc

    INSERT INTO [dbo].[LocationHolidayCalender](
              [LocationCode]
              ,[HolidayName]
              ,[Category]
              ,[HolidayDate]
              ,[CreatedBy]
```


Copyright 2026 - All Rights Reserved

```
              ,[CreatedDate])
        SELECT
         IIF(c.SAPCode IS NULL, x.LOCATION_CODE, c.SAPCode)
        ,HOLIDAY_NAME
        ,CATEGORY
        ,HOLIDAY_DATE
        ,'System'
        ,GETDATE()
        FROM OPENXML(@hDoc, '/DATA_DS/G_1',2)
        WITH
        (
        HOLIDAY_NAME    [varchar](50),
        CATEGORY        [varchar](50),
        HOLIDAY_DATE    [date],
        LOCATION_CODE    [INT]
        ) x
        LEFT JOIN [dbo].[LocationCodeMapping] c on c.EliteCode = x.LOCATION_CODE
        EXEC sp_xml_removedocument @hDoc

--SELECT * from [dbo].[LocationHolidayCalender]
END
GO
```

Uses

[dbo].[LocationCodeMapping]
[dbo].[LocationHolidayCalender]

Copyright 2026 - All Rights Reserved

[dbo].[SP_CurrencyConversionRate]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

SQL Script

```
/*****************************************************************************************************************
NAME: SP_CurrencyConversionRate
DESCRIPTION: This SP is used to get Currency Conversion Rate
HELPER QUERY: EXEC [dbo].[SP_CurrencyConversionRate]
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        16-JUL-21    Initial Version
*****************************************************************************************************************/
CREATE PROCEDURE [dbo].[SP_CurrencyConversionRate]

AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON

    DECLARE @date DATETIME
    DECLARE @usd VARCHAR(10) = 'USD'
    DECLARE @currTable TABLE (
       FromCurrency VARCHAR(10),
       ToCurrency VARCHAR(10),
       Rate DECIMAL(14,3)
    )
    --Get the Max date for which conversion should be applied
    SELECT @date = MAX(f.ValidFromDate)
        FROM [dbo].[FxRate] f

    ;WITH CurrencyValue AS(
        SELECT ToCurrency AS Currency
        FROM [dbo].[FxRate]
        WHERE ValidFromDate = @date
        GROUP BY ToCurrency
        UNION
```


Copyright 2026 - All Rights Reserved

```
        SELECT FromCurrency AS Currency
        FROM [dbo].[FxRate]
        WHERE ValidFromDate = @date
        GROUP BY FromCurrency
      )

    INSERT INTO @currTable(FromCurrency,ToCurrency)
        SELECT f.Currency AS FromCurrency, t.Currency AS ToCurrency
        FROM CurrencyValue f,
             CurrencyValue t


    UPDATE @currTable
    SET Rate = 1
    WHERE FromCurrency = ToCurrency

    UPDATE c
    SET Rate = f.MarketValue
    FROM @currTable c
    LEFT JOIN [dbo].[FxRate] f ON f.FromCurrency = c.FromCurrency
        AND c.ToCurrency = f.ToCurrency
    WHERE c.FromCurrency = @usd
        AND f.ValidFromDate= @date

    UPDATE c
    SET Rate = 1/f.MarketValue
    FROM @currTable c
    LEFT JOIN [dbo].[FxRate] f ON f.FromCurrency = c.ToCurrency
        AND c.FromCurrency = f.ToCurrency
    WHERE c.ToCurrency = @usd
        AND f.ValidFromDate= @date

    ;WITH CurrencyConversionRate AS(
        SELECT c.FromCurrency, c.ToCurrency, (f.Rate * g.Rate ) AS Rate
        FROM
        @currTable c
        LEFT JOIN @currTable f ON c.FromCurrency = f.FromCurrency AND f.ToCurrency= @usd
        LEFT JOIN @currTable g ON c.ToCurrency = g.ToCurrency AND g.FromCurrency = @usd
        WHERE c.Rate IS NULL
    )

    UPDATE c
    SET c.Rate = f.Rate
    FROM @currTable c
    INNER JOIN CurrencyConversionRate f ON f.FromCurrency = c.FromCurrency
        AND c.ToCurrency = f.ToCurrency
--   Select * from @currTable
    --WHERE FromCurrency <> 'USD'
    --AND FromCurrency<>ToCurrency
    INSERT INTO [dbo].[FxRate]
           ([FromCurrency]
           ,[ToCurrency]
```


Copyright 2026 - All Rights Reserved

```
           ,[MarketValue]
           ,[ValidFromDate]
           ,[FromFactor]
           ,[ToFactor]
           ,[CreatedBy]
           ,[CreatedDate])
    SELECT [FromCurrency]
           ,[ToCurrency]
           ,[Rate]
           ,@date
           ,1.0
           ,1.0
           ,'System'
           ,GETDATE()
    FROM @currTable
      WHERE FromCurrency <> @usd
        AND FromCurrency<>ToCurrency

END

/****** Object:  View [dbo].[V_TBDLegacyEmployee]    Script Date: 8/13/2021 1:28:53 PM ******/
SET ANSI_NULLS ON
GO
```

Uses

[dbo].[FxRate]

Copyright 2026 - All Rights Reserved

[dbo].[SP_EmpLoyeeDetails]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@employee	EmployeeList	max
@currency	varchar(50)	50
@startdate	datetime	8
@enddate	datetime	8

SQL Script

```
CREATE PROCEDURE [dbo].[SP_EmpLoyeeDetails]
    @employee EmployeeList Readonly,
    @currency varchar(50),
    @startdate DateTime,
    @enddate DateTime
AS
BEGIN
    -- Just return the items we passed in
    Declare @table Table(dtYear int)
declare @test int
if (year(@startdate) = year(@enddate))
begin
Insert into @table(dtYear) values(year(@enddate))
end
else
begin
set @test = year(@startdate)
while(@test <= year(@enddate))
begin
Insert into @table(dtYear) values(@test)
set @test = @test + 1
end
end
;with employee1 as(
select e.OracleID, e.EmployeeName, e.TitleDescription, e.DepartmentDescription,
```


Copyright 2026 - All Rights Reserved

```
e.RegionDescription, t.dtYear,e.SubLevel,e.ActivityType from
@table t,SAPEmployeeMaster e
where e.OracleID in (Select [EmpName] from @employee)
group by e.OracleID, e.EmployeeName,t.dtYear,e.SubLevel,e.TitleDescription,e.Department-
Description,e.RegionDescription,e.ActivityType
)
select e.OracleID, e.EmployeeName, e.TitleDescription, e.DepartmentDescription,
e.RegionDescription, e.dtYear,max(s.Rate) as Rate
from employee1 e
left join SAPStandardBillRateMaster s on e.ActivityType = s.ActivityType
and e.dtYear =Year(s.StartDate) and s.CompanyCodeCurrency = @currency
group by e.OracleID, e.EmployeeName,e.dtYear, e.TitleDescription,e.Department-
Description,e.RegionDescription
END
GO
```

Uses

[dbo].[SAPEmployeeMaster]
[dbo].[SAPStandardBillRateMaster]
[dbo].[EmployeeList]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetAssociatedGroupsbyId]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@groupID	int	4

SQL Script

```
/*****************************************************************************************************************
NAME: SP_GetAssociatedGroupsbyId
DESCRIPTION: This SP used to get all associated entity groups based on group id, which is used by Master Data Mar
Tool
HELPER QUERY: EXEC SP_GetAssociatedGroupsbyId @groupID=1
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        02-FEB-21    Initial Version
*****************************************************************************************************************
CREATE PROCEDURE [dbo].[SP_GetAssociatedGroupsbyId](
   @groupID INT
)
AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON

    ;WITH GroupTree
            AS (
              SELECT
              e.EntityId AS Id,
              g.EntityGroupID AS GroupId,
              g.EntityGroupName AS GroupName
              FROM EntityGroup g
               LEFT JOIN Entity e ON e.EntityGroupID=g.EntityGroupID
              WHERE g.EntityGroupID= @groupID
              UNION ALL
              SELECT
```


Copyright 2026 - All Rights Reserved

```
              N.EntityID As Id,
              N.EntityGroupID As GroupId,
              eg.EntityGroupName As GroupName
              FROM GroupTree T
                JOIN Entity N
                INNER JOIN EntityGroup EG on N.EntityGroupID = EG.EntityGroupID
                  ON N.ParentEntityID = T.Id
            )


        SELECT DISTINCT T.GroupId AS GroupId,
                T.GroupName AS GroupName
        FROM GroupTree T

END
GO
```

Uses

[dbo].[Entity]
[dbo].[EntityGroup]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetChildGroupsbyId]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@groupID	int	4

SQL Script

```
/*****************************************************************************************************************
NAME: SP_GetChildGroupsbyId
DESCRIPTION: This SP is used to get all child groups based on group id, which is used by Master Data Management T
HELPER QUERY: EXEC SP_GetChildGroupsbyId @groupID=1
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        03-FEB-21    Initial Version
*****************************************************************************************************************
CREATE PROCEDURE [dbo].[SP_GetChildGroupsbyId](
   @groupID INT
)
AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON

    ;WITH FirstGroup
            AS (
              SELECT
              e.EntityId AS Id,
              g.EntityGroupID AS GroupId,
              g.EntityGroupName AS GroupName
              FROM EntityGroup g
               LEFT JOIN Entity e ON e.EntityGroupID=g.EntityGroupID
              WHERE g.EntityGroupID= @groupID),
            Tree AS
             ( SELECT
                  N.EntityID As Id,
```


Copyright 2026 - All Rights Reserved

```
                    N.EntityGroupID As GroupId,
                    eg.EntityGroupName As GroupName
                    FROM FirstGroup TR
                    JOIN Entity N
                    INNER JOIN EntityGroup EG on N.EntityGroupID = EG.EntityGroupID
                    ON N.ParentEntityID = TR.Id
                    UNION ALL
                    SELECT
                    N.EntityID As Id,
                    N.EntityGroupID As GroupId,
                    eg.EntityGroupName As GroupName
                    FROM Tree T
                      JOIN Entity N
                      INNER JOIN EntityGroup EG on N.EntityGroupID = EG.EntityGroupID
                        ON N.ParentEntityID = T.Id
            )


        SELECT DISTINCT T.GroupId AS GroupId,
                T.GroupName AS GroupName
        FROM Tree T

END
GO
```

Uses

[dbo].[Entity]
[dbo].[EntityGroup]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetEngagementDetails]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@user	varchar(100)	100
@userRole	varchar(100)	100
@userEmail	varchar(100)	100
@employeeId	varchar(50)	50

SQL Script

```
/*****************************************************************************************************************************
NAME: SP_GetEngagementDetails
DESCRIPTION: This SP is used to get all the budgets based on logged in user details, which is used by Engagement
Tool
HELPER QUERY:
    EXEC    [dbo].[SP_GetEngagementDetails]
            @user = N'Pitts, Mike',
            @userRole = N'EBTUser',
            @userEmail = N'mpitts@alixpartners.com',
            @employeeId = N'Test3'
*****************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------------------
Infosys        16-FEB-21    Initial Version
*****************************************************************************************************************************

CREATE PROCEDURE [dbo].[SP_GetEngagementDetails]
(
@user VARCHAR(100),
@userRole VARCHAR(100),
@userEmail VARCHAR(100),
@employeeId VARCHAR(50) = NULL
)
AS
BEGIN
    DECLARE @employeeName VARCHAR(100)
```


Copyright 2026 - All Rights Reserved

```
    SELECT @employeeName = ProfessionalName
    FROM [dbo].[SAPEmployeeMaster]
    WHERE OracleID=@employeeId

    IF (@userRole = 'EBT_MD' OR @userRole = 'MDM_RW_EBT_MD')
        BEGIN
            SELECT  DISTINCT
                        b.BudgetID,
                        b.EngagementName,
                        b.ClientName,
                        bs.Name AS BudgetStatus,
                        b.Community,
                        b.MdInCharge,
                        b.BudgetLabel,
                        bt.Name AS BudgetType,
                        b.UpdatedDate,
                        b.IsDeleted,
                        b.ProjectNumber AS SapProjectId,
                        --YEAR(StartDate) AS BudgetYear,
                        IIF(ba.BudgetAccessID>0
                        OR (bu.BudgetAccessID>1 AND b.CreatedByEmployeeId<>@employeeId),1,0) AS IsShared,
                        IIF(bu.BudgetAccessID>0 AND b.CreatedByEmployeeId<>@employeeId, bu.CreatedBy,NULL) AS Sha
                        IIF(b.MdEmployeeId = @employeeId,1, IIF(bu.BudgetAccessID>0,bu.IsEditable,2)) AS IsEdit
                    FROM BudgetDetail b
                        LEFT JOIN BudgetAccess ba ON b.BudgetID = ba.BudgetID AND ba.IsDeleted =0 AND ba.Employee
@employeeId
                        LEFT JOIN BudgetAccess bu ON b.BudgetID = bu.BudgetID AND bu.EmployeeID = @employeeId AN
Deleted =0
                        INNER JOIN BudgetLookup bs ON b.BudgetStatusID = bs.BudgetLookupID
                        INNER JOIN BudgetLookup bt ON b.BudgetTypeID = bt.BudgetLookupID
                    WHERE b.MdEmployeeId = @employeeId OR bu.EmployeeID = @employeeId
                ORDER BY b.UpdatedDate DESC
            END
        ELSE IF (@userRole = 'IT_MDM_RO_EBT_RO' OR @userRole = 'EBT_FINANCE' OR @userRole = 'MDM_RW_EBT_FINANCE'
Role = 'MDM_RO_EBT_FINANCE' OR @userRole = ISNULL(@userRole,'')) --OR @userRole = 'SuperUser' OR @userRole = ISNU
Role,'')
            BEGIN
                SELECT  DISTINCT
                        b.BudgetID,
                        b.EngagementName,
                        b.ClientName,
                        bs.Name AS BudgetStatus,
                        b.Community,
                        b.MdInCharge,
                        b.BudgetLabel,
                        bt.Name AS BudgetType,
                        b.UpdatedDate,
                        b.IsDeleted,
                        b.ProjectNumber AS SapProjectId,
                        --YEAR(StartDate) AS BudgetYear,
                        IIF((ba.BudgetAccessID>0 AND (bc.BudgetAccessID>0 OR b.createdBy = @user OR @employeeName
Charge))
```


Copyright 2026 - All Rights Reserved

```
                        OR (bu.BudgetAccessID>1 AND b.CreatedByEmployeeId<>@employeeId),1,0) AS IsShared,
                        IIF(bu.BudgetAccessID>0 AND b.CreatedByEmployeeId<>@employeeId, bu.CreatedBy,NULL) AS Sha
                        1 as IsEdit
                FROM BudgetDetail b
                        LEFT JOIN BudgetAccess ba ON b.BudgetID = ba.BudgetID AND ba.IsDeleted =0 AND ba.Employee
@employeeId
                        LEFT JOIN BudgetAccess bu ON b.BudgetID = bu.BudgetID AND bu.EmployeeID = @employeeId AN
Deleted =0
                        LEFT JOIN BudgetAccess bc ON b.BudgetID = bc.BudgetID AND bc.IsDeleted =0 AND bc.Employee
@employeeId and bc.CreatedBy = @user
                        INNER JOIN BudgetLookup bs ON b.BudgetStatusID = bs.BudgetLookupID
                        INNER JOIN BudgetLookup bt ON b.BudgetTypeID = bt.BudgetLookupID
                ORDER BY b.UpdatedDate DESC
            END
    END
GO
```

Uses

[dbo].[BudgetAccess]
[dbo].[BudgetDetail]
[dbo].[BudgetLookup]
[dbo].[SAPEmployeeMaster]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetHierarchyData]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@groupID	int	4
@isHierarchy	bit	1

SQL Script

```
/*****************************************************************************************************************
NAME: SP_GetHierarchyData
DESCRIPTION: This SP is used to get hierarchical data based on entity group id, which is used by Master Data Mana
Tool
HELPER QUERY: EXEC [dbo].[SP_GetHierarchyData] @groupID = 1, @isHierarchy = 1
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        22-FEB-21    Initial Version
*****************************************************************************************************************
CREATE PROCEDURE [dbo].[SP_GetHierarchyData]
(
    @groupID Int,
    @isHierarchy BIT
)
AS
BEGIN
    IF(@isHierarchy=1)
    BEGIN
        DECLARE @sqlLevel NVARCHAR(MAX)
        DECLARE @lastchildId INT
        DECLARE @lastId VARCHAR(50)
        DECLARE @lastchildName VARCHAR(50)
        DECLARE @count INT
        DECLARE @group TABLE
        (
          recordId INT IDENTITY(1,1),
          id INT,
          groupname VARCHAR(50),
```


Copyright 2026 - All Rights Reserved

```
          descCount INT
        )
         ;WITH Tree
            AS (
              SELECT
              DISTINCT
              e.EntityId AS Id,
              e.EntityGroupID As GroupId,
              REPLACE(g.EntityGroupName, ' ','') AS GroupName
              FROM Entity e
              INNER JOIN EntityGroup g on e.EntityGroupID=g.EntityGroupID
              WHERE e.EntityGroupID=@groupID
              UNION ALL
              SELECT
              N.EntityID As Id,
              N.EntityGroupID As GroupId,
              REPLACE(eg.EntityGroupName, ' ','') As GroupName
              FROM Tree T
                JOIN Entity N
                INNER JOIN EntityGroup EG on N.EntityGroupID = EG.EntityGroupID
                  ON N.ParentEntityID = T.Id
            )

        INSERT INTO @group(id,groupname,descCount)
        SELECT T.GroupId AS Id,
               T.GroupName AS GroupName, 0
        FROM Tree T
        WHERE T.Id IS NOT NULL

        DELETE FROM @group
        WHERE recordId NOT IN
        (
            SELECT MAX(recordId) AS MaxRecordID
            FROM @group
            GROUP BY id,
                     groupname
        )

        UPDATE g SET descCount = (SELECT COUNT(e.EntityID)
        FROM [dbo].[entity] e
        WHERE e.EntityDescription IS NOT NULL AND e.EntityGroupID = g.id)
        FROM @group g


        SET @sqlLevel = 'SELECT '

        SELECT @sqlLevel = @sqlLevel + g.groupname + '.EntityName AS ''' + g.groupname + ''','  +
        IIF(g.descCount>0,g.groupname + '.EntityDescription AS Description,' ,'')
        FROM @group g

        SELECT TOP 1 @lastchildId =id, @lastchildName = groupname
        FROM @group
```


Copyright 2026 - All Rights Reserved

```
        ORDER BY recordId

        SELECT @sqlLevel = @sqlLevel + g.groupname + '.IsActive , '+
        + g.groupname + '.IsDeleted, '+ g.groupname + '.CreatedBy,'+ g.groupname + '.CreatedDate,'+ g.groupname +
'.UpdatedBy,'+ g.groupname + '.UpdatedDate '
        FROM @group g WHERE g.recordId in (select MIN(g.recordId) from @group g)


        SELECT @sqlLevel = TRIM(',' FROM @sqlLevel) + ' FROM [dbo].[Entity] '+ @lastchildName

        SET @lastId = @lastchildName

        SELECT @sqlLevel = @sqlLevel + ' LEFT JOIN [dbo].[Entity] ' + g.groupname + ' ON '
                + g.groupname + '.ParentEntityId=' + @lastId + '.EntityId AND ' + g.groupname + '.IsDeleted=0',
                @lastId = g.groupname
        FROM @group g
        WHERE g.id<>@lastchildId
        ORDER BY recordId

        SELECT @sqlLevel = @sqlLevel + ' WHERE ' + @lastchildName + '.EntityGroupId=' + CONVERT(NVARCHAR(10),@gro
        + ' AND ' + @lastchildName + '.IsDeleted=0 ORDER BY ' + @lastchildName + '.[UpdatedDate]'


        EXEC(@sqlLevel)

    END
ELSE
    BEGIN
        DECLARE @column1 NVARCHAR(50)
        DECLARE @column2 NVARCHAR(50)
        DECLARE @column3 NVARCHAR(50)
        DECLARE @column4 NVARCHAR(50)
        DECLARE @column5 NVARCHAR(50)
        DECLARE @column6 NVARCHAR(50)
        DECLARE @column7 NVARCHAR(50)
        DECLARE @column8 NVARCHAR(50)
        DECLARE @column9 NVARCHAR(50)
        DECLARE @sql NVARCHAR(MAX)
        DECLARE @columns NVARCHAR(MAX)
        DECLARE @joincondition NVARCHAR(MAX)

        SELECT
          @column1=COALESCE(MAX(REPLACE(EntityAttributeName1, ' ','')),NULL) ,
          @column2=COALESCE(MAX(REPLACE(EntityAttributeName2, ' ','')),NULL) ,
          @column3=COALESCE(MAX(REPLACE(EntityAttributeName3, ' ','')),NULL) ,
          @column4=COALESCE(MAX(REPLACE(EntityAttributeName4, ' ','')),NULL) ,
          @column5=COALESCE(MAX(REPLACE(EntityAttributeName5, ' ','')),NULL) ,
          @column6=COALESCE(MAX(REPLACE(EntityAttributeName6, ' ','')),NULL) ,
          @column7=COALESCE(MAX(REPLACE(EntityAttributeName7, ' ','')),NULL) ,
          @column8=COALESCE(MAX(REPLACE(EntityAttributeName8, ' ','')),NULL) ,
          @column9=COALESCE(MAX(REPLACE(EntityAttributeName9, ' ','')),NULL)
```


Copyright 2026 - All Rights Reserved

```
          FROM EntityAttributes ea
          left join Entity e on ea.EntityID = e.EntityID
          where e.EntityGroupID=@groupID
        SELECT
          @column1=IIF(@column1 IS NULL,'','[EntityAttributeValue1] AS ' + @column1) ,
          @column2=IIF(@column2 IS NULL,'',',[EntityAttributeValue2] AS ' + @column2) ,
          @column3=IIF(@column3 IS NULL,'',',[EntityAttributeValue3] AS ' + @column3) ,
          @column4=IIF(@column4 IS NULL,'',',[EntityAttributeValue4] AS ' + @column4) ,
          @column5=IIF(@column5 IS NULL,'',',[EntityAttributeValue5] AS ' + @column5),
          @column6=IIF(@column6 IS NULL,'',',[EntityAttributeValue6] AS ' + @column6) ,
          @column7=IIF(@column7 IS NULL,'',',[EntityAttributeValue7] AS ' + @column7),
          @column8=IIF(@column8 IS NULL,'',',[EntityAttributeValue8] AS ' + @column8),
          @column9=IIF(@column9 IS NULL,'',',[EntityAttributeValue9] AS ' + @column9)

         SET @columns =LTRIM(RTRIM(
          @column1 +
                @column2
               + @column3
               + @column4
               + @column5
               + @column6
               + @column7
               + @column8
               + @column9
               ))
          SELECT @columns=TRIM(',' from @columns)
          SET @columns = IIF(@columns='','',','+@columns)
          SET @joincondition = IIF(@columns='','','LEFT JOIN EntityAttributes ea ON ea.EntityID = e.EntityID ')
          SET @sql =  'SELECT e.EntityID
                          ,e.[EntityName]
                          ,eg.[EntityGroupName]
                          ,e.[EntityDescription]' + @columns +
                          ',IIF(e.[IsActive]=0,''false'',''true'') AS IsActive
                          ,IIF(e.[IsDeleted]=0,''false'',''true'') AS Deleted
                          ,e.[CreatedBy]
                          ,e.[CreatedDate]
                          ,e.[UpdatedBy]
                          ,e.[UpdatedDate]
                    FROM  Entity e '+ @joincondition +
                    'LEFT JOIN EntityGroup eg ON e.[EntityGroupID]=eg.[EntityGroupID]
                    WHERE e.EntityGroupID=' + CONVERT(NVARCHAR(10),@groupID) +
                    'ORDER BY e.[UpdatedDate]'
     --print @sql
          EXEC(@sql)
    END
END
GO
```


Copyright 2026 - All Rights Reserved

Uses

[dbo].[Entity]

[dbo].[EntityAttributes]

[dbo].[EntityGroup]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetHolidayDates]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@country	varchar(50)	50
@year	YearList	max

SQL Script

```
/*****************************************************************************************************************
NAME: SP_GetHolidayDates
DESCRIPTION: This SP is used to get single entity groups, which is used by Master Data Management Tool

*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        13-FEB-21    Initial Version
*****************************************************************************************************************

CREATE PROCEDURE [dbo].[SP_GetHolidayDates]
(
    @country VARCHAR(50),
    @year YearList READONLY
)
AS
BEGIN
    -- Just return the items we passed in
    SELECT DISTINCT HolidayDate FROM LocationHolidayCalender WHERE LocationCode in
    (SELECT DISTINCT LocationCode FROM SAPEmployeeMaster WHERE Country = @country) and
    YEAR(HolidayDate) IN (SELECT [YEAR] FROM @year)
END
GO
```

Uses

[dbo].[LocationHolidayCalender]

Copyright 2026 - All Rights Reserved

[dbo].[SAPEmployeeMaster]

[dbo].[YearList]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetSecondaryTitleDescriptionCode]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@ActivityType	nvarchar(50)	100

SQL Script

```
/*****************************************************************************************************************
NAME: [SP_GetSecondaryTitleDescriptionCode]
DESCRIPTION: This function is used to get Berylls Title based on Activity Type
HELPER QUERY: EXEC [dbo].[SP_GetSecondaryTitleDescriptionCode] @ActivityType = ''
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
JM        19-JULY-24    Initial Version
*****************************************************************************************************************
CREATE PROCEDURE [dbo].[SP_GetSecondaryTitleDescriptionCode]

(
    @ActivityType NVARCHAR(50) NULL
)

--Define the output data type.
--RETURNS @secondaryTitles TABLE
--(
--    TitleDescription VARCHAR(50) NOT NULL,
--    TitleCode         VARCHAR(50) NOT NULL
--)

AS
--Calculate the RETURN of the function.
BEGIN
    DECLARE @TempTitles TABLE (TitleDescription VARCHAR(50) NOT NULL, TitleCode VARCHAR(50) NOT NULL, ActivityTyp
    IF @ActivityType IS NOT NULL AND @ActivityType <> ''
```


Copyright 2026 - All Rights Reserved

```
        BEGIN
        INSERT INTO @TempTitles
        select E.EntityDescription AS TitleDescription,M.TitleCode AS TitleCode,M.ActivityType AS ActivityType fr
        JOIN dbo.TitleSublevelActivityMapping M
        ON E.EntityName = M.ActivityType
        Where EntityGroupID = 33 and EntityName = @ActivityType;
    END
    ELSE
        BEGIN
        INSERT INTO @TempTitles
        select E.EntityDescription AS TitleDescription,M.TitleCode AS TitleCode, M.ActivityType AS ActivityType f
        JOIN dbo.TitleSublevelActivityMapping M
        ON E.EntityName = M.ActivityType
        Where EntityGroupID = 33
        END

    --INSERT INTO @secondaryTitles
    select TitleDescription,TitleCode,ActivityType from @TempTitles

    --RETURN
END
GO
```

Uses

[dbo].[Entity]
[dbo].[TitleSublevelActivityMapping]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetSingleGroups]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

SQL Script

```
/*****************************************************************************************************************
NAME: SP_GetSingleGroups
DESCRIPTION: This SP is used to get single entity groups, which is used by Master Data Management Tool
HELPER QUERY: EXEC [dbo].[SP_GetSingleGroups]
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        25-FEB-21    Initial Version
******************************************************************************************************************/
CREATE PROCEDURE [dbo].[SP_GetSingleGroups]

AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON

    ;WITH GroupEntity(GroupId) AS (
        Select EntityGroupID from EntityGroup where EntityGroupID in
        (select distinct EntityGroupID from Entity where ParentEntityID is NULL)
         --SELECT distinct e.EntityGroupID AS GroupId, g.EntityGroupName, en.EntityGroupID
         --FROM Entity e
         --INNER JOIN Entity en ON e.EntityID = en.ParentEntityID
         --INNER JOIN EntityGroup g ON e.EntityGroupID=g.EntityGroupID
         --Where en.ParentEntityID IS NULL
         --UNION
         --SELECT EntityGroupId AS GroupId , EntityDescription
         --FROM dbo.Entity
         --WHERE ParentEntityID IS NOT NULL
    )

    SELECT g.EntityGroupID AS GroupId,
           g.EntityGroupName AS GroupName
    FROM EntityGroup g
    WHERE g.EntityGroupID IN (
        SELECT GroupId
```


Copyright 2026 - All Rights Reserved

```
        FROM GroupEntity)
        AND g.IsDeleted = 0
    ORDER BY g.EntityGroupName

END
GO
```

Uses

[dbo].[Entity]
[dbo].[EntityGroup]

Copyright 2026 - All Rights Reserved

[dbo].[sp_GetSumStdCost]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@BudgetId	int	4

SQL Script

```
/*****************************************************************************************************************
NAME: [sp_GetSumStdCost]
DESCRIPTION: This stored proc is used to get the sum of standardcost of given budgetId
HELPER QUERY: EXEC [dbo].[sp_GetSumStdCost] 32
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        22-FEB-21    Initial Version
******************************************************************************************************************/
 CREATE PROC [dbo].[sp_GetSumStdCost]

(
    @BudgetId INT
)


AS
--Calculate the RETURN of the function.
BEGIN
   BEGIN TRY
        SET NOCOUNT ON;

--Declare @BudgetId INT
        DECLARE @DebugFlag BIT = 0;
        DECLARE @RowCount INT = 0;

        -- VARIABLES FOR MARGIN CALCULATION
        DECLARE @ProfitHurdle DECIMAL(14,3)= 0;
        DECLARE @NetRevenue DECIMAL    (14,3)= 0;
```


Copyright 2026 - All Rights Reserved

```
        DECLARE @EtsCosts DECIMAL(14,3)     = 0;
        DECLARE @SubConCost DECIMAL(14,3)= 0;
        DECLARE @SubConRevenue DECIMAL     (14,3)     = 0;
        DECLARE @StdCosts DECIMAL(14,3) = 0;
        DECLARE @EngagementStdHourlyRateTotal DECIMAL(14,3) = 0;

        -- ENGAGEMENT METRICS VARIABLES FOR BUDGETMETRICS TABLE
        DECLARE @StdRateRealizationInclTravelExclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationInclTravelInclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationExclTravelExclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @StdRateRealizationExclTravelInclContingentPerc    DECIMAL(14,3) = 0;
        DECLARE @AvgHourlyRateInclTravelExclContingent DECIMAL(14,3) = 0;
        DECLARE @AvgHourlyRateExclTravelExclContingent DECIMAL(14,3) = 0;
        DECLARE @StaffOrMDHoursLeverage DECIMAL(14,3) = 0;
        DECLARE @HoursBelowDirectorPerc DECIMAL(14,3) = 0;
        DECLARE @StaffAverageHoursPerDay DECIMAL(14,3) = 0;
        DECLARE @EstBudgetMarginPerc DECIMAL(14,1) = 0;
        DECLARE @EstBudgetMargin DECIMAL(14,3) = 0;

        DECLARE @NrTotalFeesAtStd DECIMAL(14,3) = 0;
        DECLARE @TotalRevenueExcludingContingent DECIMAL(14,3) = 0;
        DECLARE @TotalRevenueIncludingContingent DECIMAL(14,3) = 0;
        DECLARE @FeesSubTotal DECIMAL(14,3) = 0;
        DECLARE @TotalHours DECIMAL(14,3) = 0;
        DECLARE @TotalFeesStandard DECIMAL(14,3) = 0;
        DECLARE @TotalHoursMD DECIMAL(14,3) = 0;
        DECLARE @TotalHoursDir DECIMAL(14,3) = 0;
        DECLARE @TravelTime DECIMAL(14,3) = 0;
        DECLARE @ClientBill DECIMAL(14,3) = 0;

        -- VARIABLES FOR COST CALCULATION
        DECLARE @budgetCountry VARCHAR(50) = '';
        DECLARE @engagementBU VARCHAR(50) = '';
        DECLARE @engagementCommunity VARCHAR(50) = '';
        DECLARE @periodTypeId INT = 0;
        DECLARE @budgetTypeId INT = 0;
        DECLARE @startDate DATE;
        DECLARE @endDate DATE;
        DECLARE @EtsCostMonths DECIMAL(5,2);
        DECLARE @CurConvDate DATETIME;
--SET @BudgetId = 8390
        -- CREATE DB TEMP TABLE FOR ENGAGEMENT BUDGET MARGIN
        IF OBJECT_ID(N'tempdb..#BudgetYears') IS NOT NULL
        BEGIN
            DROP TABLE #BudgetYears
        END

        IF OBJECT_ID(N'tempdb..#Employees') IS NOT NULL
        BEGIN
            DROP TABLE #Employees
        END
```


Copyright 2026 - All Rights Reserved

```
        IF OBJECT_ID(N'tempdb..#BudgetPeriod') IS NOT NULL
        BEGIN
            DROP TABLE #BudgetPeriod
        END

        IF OBJECT_ID(N'tempdb..#TBDEmp') IS NOT NULL
        BEGIN
            DROP TABLE #TBDEmp
        END

        CREATE TABLE #BudgetYears
        (
            WeekOrMonth INT,
            [Year] CHAR(4)
        )

        CREATE TABLE #Employees
        (
            BudgetHrID INT,
            EmployeeId VARCHAR(50),
            Title VARCHAR(MAX),
            FName VARCHAR(MAX),
            LName VARCHAR(MAX),
            EngagementFeeCap INT,
            CurrencyCode CHAR(4),
            [Year] CHAR(4),
            Country VARCHAR(50),
            Community VARCHAR(50),
            SubLevel VARCHAR(20),
            CountryCommunitySubLevel VARCHAR(MAX),
            BusinessUnit VARCHAR(MAX),
            Year_Hrs DECIMAL(14,3),
            NoOfDays DECIMAL(14,3),
            StdHourlyRate DECIMAL(14,3),
            StdCostRate MONEY,
            EngagementStdCost MONEY,
            --ICRate DECIMAL,
            ICBurdenRate DECIMAL(14,3),
            EngagementStdHourlyRate MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input)
            EngagementStdHourlyRateTotal MONEY, -- Engagement Standard Hourly Rate (Hourly Budget Input * Budget
            IsEmployeeIC bit ,-- Added to check for IC
            ActivityType NVARCHAR(50),
            CountryCommunityActivityType VARCHAR(MAX)
        )

        -- Table for TBD

        CREATE TABLE #TBDEmp
        (
                [Name]    VARCHAR(MAX),
                Community    VARCHAR(MAX),
                Region    VARCHAR(MAX),
```


Copyright 2026 - All Rights Reserved

```
            Country    VARCHAR(50),
            Title    VARCHAR(200),
            TitleCode    VARCHAR(10),
            Sublevel    VARCHAR(10),
            ActivityType NVARCHAR(50)
        )

        SELECT @budgetCountry=CTRY.Country
        FROM BudgetDetail BD WITH (NOLOCK)
            INNER JOIN SAPCountryMaster CTRY WITH (NOLOCK) ON BD.CountryCode=CTRY.CountryCode
        WHERE budgetid=@BudgetId;

        --PRINT 'Budget Country' + @budgetCountry

        SELECT DISTINCT TOP 1 @engagementBU=ISNULL(RegionDescription,'')
        FROM [dbo].[SAPEmployeeMaster] EMP WITH (NOLOCK)
            INNER JOIN [dbo].[SAPCountryMaster] CTRY WITH (NOLOCK) ON EMP.Country=CTRY.CountryCode
        WHERE CTRY.Country= @budgetCountry;

        SET @CurConvDate = (SELECT MAX(ValidFromDate) FROM FxRate);

        SELECT @budgetTypeId=BudgetTypeID
            ,@periodTypeId=PeriodTypeID
            ,@engagementCommunity=Community
            ,@startDate=StartDate
            ,@endDate=EndDate
        FROM BudgetDetail WITH (NOLOCK)
        WHERE BudgetId=@BudgetId;

        SELECT @EtsCostMonths = CASE
                                    WHEN DATEDIFF(MONTH, @startDate, @endDate) < 0 THEN 0
                                    ELSE DATEDIFF(MONTH, @startDate, @endDate) + 1
                                END
        -- get MONTH/year -- year 1 to year 6 in the old Proc has been replaced by engagement span years;
        IF(@PeriodTypeId = 7)
        BEGIN
            ;WITH months (DATE)
            AS
            (
                SELECT @startDate
                UNION ALL
                SELECT DATEADD(MONTH, 1, DATE)
                FROM months
                WHERE DATEDIFF(MONTH, DATE, @endDate) > 0 --WHERE DATEADD(MONTH,1,DATE)<=@end
            )

            INSERT INTO #BudgetYears SELECT DatePart(MONTH, DATE), DatePart([Year], DATE) FROM months
        END
        ELSE
        BEGIN
            ;WITH months (DATE)
            AS
```


Copyright 2026 - All Rights Reserved

```
            (
                SELECT @startDate
                UNION ALL
                SELECT DATEADD(WEEK, 1, DATE)
                FROM months
                WHERE DATEADD(WEEK, 1, DATE) < @endDate
            )
            INSERT INTO #BudgetYears SELECT DATEPART(WEEK,DATE), DATEPART([Year], DATE) FROM months
        END

        SELECT [Year],
            [WeekOrMonth],
            ROW_NUMBER() OVER (ORDER BY [YEAR],[WeekOrMonth] ASC) AS RN INTO #BudgetPeriod
        FROM #BudgetYears;

        -- All Employee details are inserted to #Employees TABLE
        INSERT INTO #Employees
        SELECT BHR.BudgetHrID,
            BHR.EmployeeID,
            Title,
            CASE
                WHEN (BHR.[NAME] LIKE '%TBD%')
                    THEN BHR.[NAME]
                ELSE EMP.FirstName
            END,
            EMP.LastName,
            ISNULL(EngagementFeeCap,0),
            CurrencyCode,
            BP.[Year],
            CTRY.Country,
            EMP.DepartmentDescription,
            EMP.SubLevel,
            CONCAT(CTRY.Country, EMP.DepartmentDescription, EMP.SubLevel) AS CountryCommunitySubLevel,
            BusinessUnit,
            CASE
                WHEN (@budgetTypeId = 1)
                    THEN SUM(EBPP.BillableHours)
                ELSE (SUM(EBPP.BillableHours + EBPP.TravelHours))
            END Year_Hrs,
            SUM(NoOfDays) NoOfDays,
            CASE
                WHEN (@PeriodTypeId = 6 AND DATEDIFF(YEAR, @startDate, @endDate) >= 1 AND ISNULL(StandardHourlyRa
                    THEN StandardHourlyRateNextYr
                ELSE StandardHourlyRate
            END
            StandardHourlyRate,
            0, -- StdCostRate
            0, -- EngagementStdCost
            0,  -- ICBurdenRate
            BHR.EngagementRate,  -- EngagementStdHourlyRate
            0, -- EngagementStdHourlyRateTotal
            CASE
```


Copyright 2026 - All Rights Reserved

```
                WHEN (EMP.BusinessPartnerRole = 'Ic')
                    THEN 1
                ELSE 0
            END,
            EMP.ActivityType,
            CONCAT(CTRY.Country,EMP.DepartmentDescription,EMP.ActivityType) AS CountryCommunityActivityType
        FROM #BudgetPeriod BP WITH (NOLOCK)
            INNER JOIN EmployeeBudgetPerPeriod EBPP WITH (NOLOCK)
                ON BP.RN = EBPP.PeriodRange
            INNER JOIN BudgetHR BHR WITH (NOLOCK)
                ON EBPP.BudgetHrID=BHR.BudgetHrID
            INNER JOIN BudgetDetail BD WITH (NOLOCK)
                ON bd.BudgetID=BHR.BudgetID
            INNER JOIN BudgetFee BF WITH (NOLOCK)
                ON BF.BudgetID=bd.BudgetID
            LEFT OUTER JOIN SAPEmployeeMaster EMP WITH (NOLOCK)
                ON BHR.EmployeeID=CAST(EMP.OracleID AS VARCHAR(50))
            LEFT OUTER JOIN SAPCountryMaster CTRY WITH (NOLOCK)
                ON EMP.Country=CTRY.CountryCode
            --LEFT OUTER JOIN CountryLookup CYLK WITH (NOLOCK)
                --ON EMP.Country=CYLK.CountryCode
            --LEFT OUTER JOIN Rate R WITH (NOLOCK)
            --    ON EMP.DepartmentDescription = R.Department AND CTRY.Country=r.Country AND EMP.SubLevel=R.SubLe
        WHERE BD.BudgetId=@BudgetId AND EBPP.NoOfDays > 0
        GROUP BY BHR.BudgetHrID,
            BHR.EmployeeId,
            BP.[Year],
            Title,
            EngagementFeeCap,
            CurrencyCode,
            BusinessUnit,
            StandardHourlyRate,
            StandardHourlyRateNextYr,
            DepartmentDescription,
            EMP.Country,CTRY.Country,CTRY.CountryCode,--CYLK.Country,
            EMP.SubLevel,EMP.FirstName,EMP.LastName,BHR.[Name], BHR.EngagementRate, EMP.BusinessPartnerRole,EMP.A

        --select * from #Employees

        -- Insert TBD details from Views
        INSERT INTO #TBDEmp
        SELECT [Name], ISL, Region, Region, Title, TitleCode, SubLevel,ActivityType FROM V_TBDEmployee (NOLOCK)
        UNION
        SELECT [Name], Community, Region, Country, Title, TitleCode, SubLevel,ActivityType FROM V_TBDLegacyEmploy

        --select * from #TBDEmp
        -- Update TBD Country-COmmunity-SubLevel in #Employees Table
        UPDATE #Employees SET
            EmployeeID ='TBD',
            Country = TBD.Country,
            Community = TBD.Community,
            SubLevel = TBD.Sublevel,
```


Copyright 2026 - All Rights Reserved

```
            CountryCommunitySubLevel = CONCAT(TBD.Country, TBD.Community, TBD.SubLevel),
            ActivityType = TBD.ActivityType,
            CountryCommunityActivityType = CONCAT(TBD.Country,TBD.Community,TBD.ActivityType)
        FROM #Employees EMP WITH (NOLOCK)
            INNER JOIN #TBDEmp TBD WITH (NOLOCK)
                ON EMP.Title=TBD.Title AND EMP.FName = TBD.[Name] WHERE EMP.EmployeeId = 'NA'

        --Update CountryCommunitySubLevel as INVALID if CountryCommunitySubLevel IS NULL or EMPTY
        UPDATE #Employees
            SET CountryCommunitySubLevel='INVALID'
        WHERE CountryCommunitySubLevel IS NULL OR CountryCommunitySubLevel = '';

        --select * from #Employees
        UPDATE #Employees
            SET CountryCommunityActivityType='INVALID'
        WHERE CountryCommunityActivityType IS NULL OR CountryCommunityActivityType = '';

        --Update IC burden rate for each employee only for TBD Employee or IC's
        IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC = 1 OR CountryCommunityActivityType = 'INVALID')
        BEGIN
            ; with IcRate as
            (
            Select * from Rate where RateTypeID = 3 and IsDeleted = 0
            )
            UPDATE #Employees
                SET ICBurdenRate=RT.Rate
            FROM IcRate RT WITH (NOLOCK)
                INNER JOIN #Employees EMP
                    ON RT.Currency=EMP.CurrencyCode AND RT.[Year]=EMP.[Year]
            WHERE EMP.IsEmployeeIC = 1 OR EMP.CountryCommunityActivityType = 'INVALID';

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT 'ICBurdenRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        ----NON MD/IC  -# OF DAYS(BY YEAR)  *10 * STD COST BY ENGAGEMENT CURRENCY CODE
        UPDATE #Employees
            SET StdCostRate=
            CASE
                WHEN ((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='FA
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * 10 * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.Country=EMP.Country AND EMP.Community=RT.Department
            AND RT.ActivityType=EMP.ActivityType AND RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title NOT IN ('Managing Dir.', 'Managing Director', 'Ind Contractor.', 'Managing Director - I/C')
```


Copyright 2026 - All Rights Reserved

```
            AND CountryCommunityActivityType <> 'INVALID';


        --select * from #Employees

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '1 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        --IC  - STD RATE BY ENGAGEMENT CURRENCY CODE/2.5 * HOURS  + IC_BURDEN BY CURRENCY CODE BY HOURS BY YEAR
        IF EXISTS(SELECT 1 FROM #Employees WHERE CountryCommunityActivityType = 'INVALID')
        BEGIN
            UPDATE #Employees
                SET StdCostRate = ((EMP.StdHourlyRate / 2.5) * EMP.Year_Hrs)  + (EMP.ICBurdenRate * EMP.Year_Hrs)
            FROM #Employees EMP
            WHERE EMP.CountryCommunityActivityType = 'INVALID';

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT '2 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        -- AS-IS SP COMMENT-INNER JOIN ON APTBL_STANDARDCOST WAS CAUSING A PROBLEM BECAUSE SOME COUNTRY-COMMUNITY
APTBL_STANDARDCOST TABLE.  Updated to make this outer join.
        -- Updated to check if there's Employee -- I/C associated with the Engagement
        IF EXISTS(SELECT 1 FROM #Employees WHERE IsEmployeeIC =1)
        BEGIN
            UPDATE  #Employees
                SET StdCostRate =
                CASE
                    WHEN IC.ICStandardCost = 0
                        THEN ((RT.Rate)  * EMP.Year_Hrs)
                    ELSE
                        CASE WHEN IC.Currency <> CurrencyCode
                            THEN (IC.ICStandardCost * FXR.MarketValue * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.
                        ELSE
                            (IC.ICStandardCost * EMP.Year_Hrs)  + (EMP.ICBURDENRate * EMP.Year_Hrs)
                        END
                END
            FROM #Employees EMP
            INNER JOIN ICRates IC WITH (NOLOCK)
                ON EMP.EmployeeId=CAST(IC.OracleID AS VARCHAR(50)) -- AND DATEPART([Year],IC.ValidToDate)=EMP.[Ye
            INNER JOIN Rate RT WITH (NOLOCK)
                ON RT.Country=EMP.Country AND EMP.Community=RT.Department AND EMP.ActivityType=RT.ActivityType AN
RT.Currency=EMP.CurrencyCode
            LEFT OUTER JOIN FxRate FXR WITH (NOLOCK)
                ON FXR.FromCurrency = IC.Currency AND FXR.ToCurrency = CurrencyCode AND FXR.ValidFromDate = @Curr
            WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
                AND (EMP.CountryCommunityActivityType <> 'INVALID')
```


Copyright 2026 - All Rights Reserved

```
                AND (EMP.EmployeeId <> 'NA' OR EMP.EmployeeId <> '');

            SET @RowCount = @@ROWCOUNT;
            IF @DebugFlag = 1
            BEGIN
                PRINT '3 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
            END
        END

        -- MD/FAS - STD COST BY ENGAGEMENT CURRENCY CODE * HOURS
        UPDATE  #Employees
            SET StdCostRate = (RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.Country=EMP.Country AND EMP.Community=RT.Department AND EMP.ActivityType=RT.ActivityType AND RT
RT.Currency=EMP.CurrencyCode
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title IN ('Managing Dir.',  'Managing Director')
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '4 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate for NON MD using Engagement Cost variable (Transfer pricing)
        -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN ((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='FA
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * 10 * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND EMP.Commun
Type=EMP.ActivityType
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title NOT IN ('Managing Dir.', 'Managing Director', 'Ind Contractor.', 'Managing Director - I/C')
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '5 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate for MD using Engagement Cost variable (Transfer pricing)
        -- STep 1: If Standard Cost Rate is NULL OR NOT, then StdCostRate use Matter Country, Emp Community & Emp
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
```


Copyright 2026 - All Rights Reserved

```
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND EMP.Commun
Type=EMP.ActivityType
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND Title IN ('Managing Dir.', 'Managing Director')
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '6 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate
        -- STep 1: Done above 2 query (Non MD and MD)
        -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Empl
Country, Community="ADMIN" and Emp SubLevel
        -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel=''
Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        -- Non-MD & Non - CS
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN (((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='F
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * 10 * RT.rate)
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND RT.Departm
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'
            AND Title NOT IN ('Managing Dir.', 'Managing Director', 'Ind Contractor.', 'Managing Director - I/C')
            AND CountryCommunityActivityType <> 'INVALID';

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '7 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- NON MD & CS
        -- User Story #55482 : Updated Admin to CorpSrv
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        UPDATE #Employees
            SET EngagementStdCost=
            CASE
                WHEN (((@budgetTypeID = 2 AND @engagementCommunity='FAS' AND EngagementFeeCap=0) OR (Community='F
                    THEN ((RT.rate)  * EMP.Year_Hrs)
                ELSE (EMP.NoOfDays * 10 * RT.rate)
```


Copyright 2026 - All Rights Reserved

```
            END
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND RT.Departm
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType = 'CS050'))
            AND Title NOT IN ('Managing Dir.', 'Managing Director', 'Ind Contractor.', 'Managing Director - I/C')
            AND CountryCommunityActivityType <> 'INVALID' ;

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '8 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- Standard Cost Rate - MD & Non - CS
        -- STep 1: Done above 2 query (Non MD and MD)
        -- Step 2: If Standard Cost Rate is NULL the use Matter Country, Matter Community, Emp SubLevel) and Empl
Country, Community="ADMIN" and Emp SubLevel
        -- Step 3: If Standard Cost Rate is NULL in Step 2, and use Matter Country, Matter Community, SubLevel=''
Services Matter Country, Community="ADMIN" and SubLevel = 'CS5'
        -- User Story #55482 : Updated Admin to CorpSrv
        -- Updated ASSOC1 to G30 and CS5 to CS50 as per new SubLevelmapping
        -- MD & Non - CS
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
        FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND RT.Departm
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType NOT LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='AG030'
            AND Title IN ('Managing Dir.', 'Managing Director')
            AND (CountryCommunityActivityType <> 'INVALID');

        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '9 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END

        -- MD & CS
        UPDATE #Employees
            SET EngagementStdCost=(RT.Rate * EMP.Year_Hrs)
            FROM Rate RT WITH (NOLOCK)
        INNER JOIN #Employees EMP
            ON RT.[Year]=EMP.[Year] AND RT.Currency=EMP.CurrencyCode AND RT.Country=@budgetCountry AND RT.Departm
        WHERE RT.RateTypeID=4 AND RT.IsDeleted = 0
            AND (StdCostRate = 0 AND EngagementStdCost = 0)
            AND (EMP.ActivityType LIKE 'CS%' AND (RT.ActivityType=EMP.ActivityType OR RT.ActivityType='CS050'))
            AND Title IN ('Managing Dir.', 'Managing Director')
            AND CountryCommunityActivityType <> 'INVALID';
```


Copyright 2026 - All Rights Reserved

```
        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '10 EngagementStdCost - ' + CONVERT(VARCHAR, @RowCount);
        END



        SET @RowCount = @@ROWCOUNT;
        IF @DebugFlag = 1
        BEGIN
            PRINT '11 StdCostRate - ' + CONVERT(VARCHAR, @RowCount);
        END

        UPDATE #Employees
            SET EngagementStdHourlyRateTotal =  ROUND(ISNULL(EngagementStdHourlyRate, 0) * ISNULL(Year_Hrs, 0), 0
        WHERE EngagementStdHourlyRate > 0 AND Year_Hrs > 0;

        -- VALUES FROM BUDGETHR TABLE
        SELECT -- @SubConCost    = ISNULL(SUM(SubContractPay),0),
                --@SubConRevenue = ISNULL(SUM(ClientBill),0),
                --@TotalHours    = ISNULL(SUM(TotalHours),0),
                --@ClientBill    = ISNULL(SUM(ClientBill),0),
                @TotalFeesStandard = ISNULL(SUM(TotalFeesStandard),0),
                @FeesSubTotal = ISNULL(SUM(TotalFeesStandard),0)
        FROM BudgetHr WITH (NOLOCK)
        WHERE Budgetid=@BudgetId




        -- Total Costs
        SELECT @StdCosts=ISNULL(SUM(StdCostRate), 0)/Count(BudgetHrID),
            @EngagementStdHourlyRateTotal= ISNULL(SUM(EngagementStdHourlyRateTotal), 0)
        FROM #Employees;

        BEGIN
            select @budgetId as BudgetId,
            --(ISNULL(SUM(StdCostRate), 0)/@FeesSubTotal)*100 as SumStdCost,
            --CASE WHEN ISNULL(@FeesSubTotal, 0) <> 0 THEN cast(round((( -BM.EstBudgetMargin+ @StdCosts)/@FeesSub
@StdCosts END
            @StdCosts as SumStdCost
            --,@FeesSubTotal,ISNULL(SUM(EngagementStdHourlyRateTotal),0)
            from BudgetMetrics BM where budgetid = @BudgetId
        END

        --return @StdCosts
        Select @StdCosts
    END TRY
    BEGIN CATCH
        DECLARE @ErrorNumber VARCHAR(MAX)(SELECT ERROR_NUMBER() AS ErrorNumber);
```


Copyright 2026 - All Rights Reserved

```
        DECLARE @ErrorMessage VARCHAR(MAX)(SELECT ERROR_MESSAGE() AS ErrorMessage);
    END CATCH
END
GO
```

Uses

[dbo].[BudgetDetail]
[dbo].[BudgetFee]
[dbo].[BudgetHR]
[dbo].[BudgetMetrics]
[dbo].[EmployeeBudgetPerPeriod]
[dbo].[FxRate]
[dbo].[ICRates]
[dbo].[Rate]
[dbo].[SAPCountryMaster]
[dbo].[SAPEmployeeMaster]
[dbo].[V_TBDEmployee]
[dbo].[V_TBDLegacyEmployee]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetTBDEmployeeDetails]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@employee	EmployeeList	max
@tbd	EmployeeList	max
@currency	varchar(50)	50
@startdate	datetime	8
@enddate	datetime	8

SQL Script

```
/*****************************************************************************************************************
NAME: SP_GetTBDEmployeeDetails
DESCRIPTION: This SP is used to get employee details based on currency and year, which is used by Engagement Budg
HELPER QUERY:
    DECLARE @empList EmployeeList, @empList1 EmployeeList
    INSERT INTO @empList VALUES('102619')
    INSERT INTO @empList1 VALUES('TBD Analyst Aerospace, Defense & Airlines EMEA')
    EXEC    [dbo].[SP_GetTBDEmployeeDetails]
            @employee = @empList,
            @tbd = @empList1,
            @currency = N'AED',
            @startdate = N'05-28-2024',
            @enddate = N'06-04-2024'
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
```


Copyright 2026 - All Rights Reserved

```
-----------------------------------------------------------------------------------------------------------------------
Infosys        22-JAN-21    Initial Version
***********************************************************************************************************************

CREATE PROCEDURE [dbo].[SP_GetTBDEmployeeDetails]
(
--DECLARE
    @employee EmployeeList READONLY,
    @tbd EmployeeList READONLY ,
    @currency VARCHAR(50),
    @startdate DATETIME,
    @enddate DATETIME
)
AS
BEGIN
--INSERT INTO @employee VALUES('102619')
--INSERT INTO @tbd VALUES ('TBD Admin CorpSrv Americas')
--,('TBD Partner Consumer Products Americas'),('TBD Analyst Consumer Products Asia'),('TBD Senior Vice President
Defense & Airlines EMEA'),('TBD Vice President Automotive & Industrial Americas'),('TBD Consultant eDiscovery EME
Analyst BMM Americas')
--SET @currency = 'AED'
--SET @startdate = N'09-12-2024'
--SET @enddate = N'09-19-2025'
      IF(@currency is NOT NULL)
       BEGIN
        DECLARE @table TABLE(dtYear INT)
        DECLARE @test INT

        --employee
        DECLARE @empTable TABLE(
                [OracleID] [VARCHAR](50),
                [EmployeeName] [VARCHAR](200),
                [Title] [VARCHAR](50),
                [Department] [VARCHAR](200),
                [RegionDescription] [VARCHAR](200),
                [Year] INT,
                [Rate] [MONEY])
        --tbd
        DECLARE @tbdTempTable TABLE(
                [EmployeeName] [VARCHAR](200),
                [Title] [VARCHAR](50),
                [Department] [VARCHAR](200),
                [RegionDescription] [VARCHAR](200),
                [TitleCode] [VARCHAR](50),
                [SubLevel] [VARCHAR](50),
                [Year] INT,
                [ActivityType] NVARCHAR(50))
        DECLARE @tbdTable TABLE(
                [EmployeeName] [VARCHAR](200),
                [Title] [VARCHAR](50),
                [Department] [VARCHAR](200),
                [RegionDescription] [VARCHAR](200),
                [Year] INT,
```


Copyright 2026 - All Rights Reserved

```
                [Rate] [MONEY])
        --final table
        DECLARE  @finalTable TABLE (
                OracleId VARCHAR(50),
                Name VARCHAR(200),
                Title VARCHAR(200),
                Department VARCHAR(200),
                Region VARCHAR(200),
                Year INT,
                Rate MONEY)
        DECLARE @tbdTemp TABLE(
         EmployeeName VARCHAR(200),
         Year INT,
         Rate MONEY
        )

        DECLARE @empRateTable TABLE(
                [OracleID] [VARCHAR](50),
                EmpName VARCHAR(200),
                [Year] INT,
                [Rate] [MONEY])

        DECLARE @finalRate TABLE(
        [OracleId] VARCHAR(50),
        EmpName VARCHAR(200),
        [Rate] [Money],
        [Year] INT
        )

        IF (YEAR(@startdate) = YEAR(@enddate))
        BEGIN
            INSERT INTO @table(dtYear) VALUES(YEAR(@enddate))
        END
        ELSE
        BEGIN
            SET @test = YEAR(@startdate)
            WHILE(@test <= YEAR(@enddate))
            BEGIN
                INSERT INTO @table(dtYear) VALUES(@test)
                SET @test = @test + 1
            END
        END
        --select * from @table
        IF @currency NOT IN (select Distinct Currency from dbo.Rate
Where RateTypeID = 8)
        BEGIN
            --employee
            ;WITH cte_employee AS(
                SELECT
                    e.OracleID,
                    --e.EmployeeName,
                    IIF((e.ProfessionalName is null OR e.ProfessionalName = ''), e.EmployeeName, e.ProfessionalNa
```


Copyright 2026 - All Rights Reserved

```
EmployeeName,
                    e.TitleDescription,
                    e.TitleCode,
                    e.DepartmentDescription,
                    e.RegionDescription,
                    e.CompanyCode,
                    e.CompanyCodeCurrency,
                    t.dtYear,
                    e.SubLevel,
                    e.ActivityType
                FROM @table t
                    ,SAPEmployeeMaster e
                WHERE e.OracleID in (SELECT [EmpName] FROM @employee)
                GROUP BY
                    e.OracleID,
                    e.EmployeeName,
                    e.ProfessionalName,
                    t.dtYear,
                    e.SubLevel,
                    e.TitleDescription,
                    e.TitleCode,
                    e.DepartmentDescription,
                    e.RegionDescription,
                    e.CompanyCode,
                    e.CompanyCodeCurrency,
                    e.ActivityType
            )
            INSERT INTO @empTable(
                    [OracleID] ,
                    [EmployeeName] ,
                    [Title] ,
                    [Department] ,
                    [RegionDescription] ,
                    [Year] ,
                    [Rate] )
            (SELECT e.OracleID,
                e.EmployeeName, e.TitleDescription,
                e.DepartmentDescription,
                e.RegionDescription, e.dtYear,
                s.Rate AS Rate
            FROM cte_employee e
            LEFT JOIN SAPStandardBillRateMaster s ON e.ActivityType = s.ActivityType
                    AND e.TitleCode = S.TitleCode
                    AND e.dtYear =Year(s.StartDate) AND e.CompanyCode = s.CompanyCode
                    AND s.CompanyCodeCurrency = @currency
            WHERE  e.CompanyCodeCurrency = @currency
            UNION
            SELECT
                e.OracleID,
                e.EmployeeName, e.TitleDescription,
                e.DepartmentDescription,
                e.RegionDescription, e.dtYear,
```


Copyright 2026 - All Rights Reserved

```
                MAX(s.Rate) AS Rate
            FROM cte_employee e
            LEFT JOIN SAPStandardBillRateMaster s ON e.ActivityType = s.ActivityType
                AND e.TitleCode = S.TitleCode
                AND e.dtYear =YEAR(s.StartDate)
                AND s.CompanyCodeCurrency = @currency
            WHERE e.CompanyCodeCurrency<>@currency
            GROUP BY
                e.OracleID,
                e.EmployeeName,
                e.dtYear,
                e.TitleDescription,
                e.DepartmentDescription,
                e.RegionDescription
            )
        END
        ELSE
        BEGIN
            ;WITH cte_employee AS(
                SELECT
                    e.OracleID,
                    --e.EmployeeName,
                    IIF((e.ProfessionalName is null OR e.ProfessionalName = ''), e.EmployeeName, e.ProfessionalNa
EmployeeName,
                    e.TitleDescription,
                    e.TitleCode,
                    e.DepartmentDescription,
                    e.RegionDescription,
                    e.CompanyCode,
                    e.CompanyCodeCurrency,
                    t.dtYear,
                    e.SubLevel,
                    e.ActivityType
                FROM @table t
                    ,SAPEmployeeMaster e
                WHERE e.OracleID in (SELECT [EmpName] FROM @employee)
                GROUP BY
                    e.OracleID,
                    e.EmployeeName,
                    e.ProfessionalName,
                    t.dtYear,
                    e.SubLevel,
                    e.TitleDescription,
                    e.TitleCode,
                    e.DepartmentDescription,
                    e.RegionDescription,
                    e.CompanyCode,
                    e.CompanyCodeCurrency,
                    e.ActivityType
            )

            INSERT INTO @empTable(
```


Copyright 2026 - All Rights Reserved

```
                    [OracleID] ,
                    [EmployeeName] ,
                    [Title] ,
                    [Department] ,
                    [RegionDescription] ,
                    [Year] ,
                    [Rate] )
            (SELECT DISTINCT
                em.OracleID,
                em.EmployeeName,
                em.TitleDescription,
                em.DepartmentDescription,
                em.RegionDescription,
                YEAR(br.StartDate) AS Year,
                MAX(br.Rate) As Rate
            FROM cte_employee em
            LEFT JOIN [dbo].[SAPStandardBillRateMaster] br
            ON em.ActivityType = br.ActivityType
            AND em.TitleCode=br.TitleCode
            AND br.CompanyCodeCurrency = @currency
            AND em.dtYear = Year(br.StartDate)
            WHERE br.Rate IS NOT NULL
            AND em.ActivityType IS NOT NULL AND em.ActivityType <> ''
            GROUP BY em.OracleID,em.EmployeeName, br.StartDate,em.TitleDescription,em.DepartmentDescription,em.Re
Description
            UNION
            SELECT
                em.OracleID,
                em.EmployeeName,
                em.TitleDescription,
                em.DepartmentDescription,
                em.RegionDescription,
                em.dtYear AS Year,
                MAX(R.Rate) As Rate
            FROM cte_employee em
            INNER JOIN TitleSublevelActivityMapping T
            ON em.TitleCode=T.TitleCode AND em.ActivityType = T.ActivityType
            LEFT JOIN dbo.Rate R
            ON em.ActivityType = R.ActivityType AND R.RateTypeID = 8 AND R.Currency = @currency AND em.dtYear = R
            WHERE
            em.ActivityType IS NOT NULL
            AND em.ActivityType <> ''
        GROUP BY em.OracleID,em.EmployeeName,em.dtYear,em.TitleDescription,em.DepartmentDescription,em.RegionDesc
            )

        END
        --select * from @empTable
        IF @currency NOT IN (select Distinct Currency from dbo.Rate
        WHERE RateTypeID = 8)
        BEGIN
            INSERT INTO @empRateTable([OracleID],EmpName,[Year],[Rate])
                SELECT em.OracleID,
```


Copyright 2026 - All Rights Reserved

```
                    em.EmployeeName,
                    MAX(YEAR(br.StartDate)) AS RateYear,
                    MAX(br.Rate)
            FROM [dbo].[SAPEmployeeMaster] em
            LEFT JOIN [dbo].[SAPStandardBillRateMaster] br ON em.ActivityType = br.ActivityType
            AND em.TitleCode=br.TitleCode AND br.CompanyCodeCurrency = @currency
            WHERE br.Rate IS NOT NULL
            AND em.ActivityType IS NOT NULL
            AND em.ActivityType <> ''
            AND em.OracleID in
                    (SELECT [EmpName]
                     FROM @employee)
            GROUP BY em.OracleID,em.EmployeeName
        END
        ELSE
        BEGIN
            INSERT INTO @empRateTable([OracleID],EmpName,[Year],[Rate])
            SELECT em.OracleID,
                    em.EmployeeName,
                    MAX(R.Year) AS RateYear,
                    MAX(R.Rate)
            FROM [dbo].[SAPEmployeeMaster] em
            INNER JOIN TitleSublevelActivityMapping T
            ON em.TitleCode=T.TitleCode AND em.ActivityType = T.ActivityType
            LEFT JOIN [dbo].[Rate] R ON em.ActivityType = R.ActivityType
            AND em.TitleCode=T.TitleCode AND R.Currency = @currency AND RateTypeID = 8
            WHERE
            --R.Rate IS NOT NULL AND
            em.ActivityType IS NOT NULL
            AND em.ActivityType <> ''
            AND em.OracleID in
                    (SELECT [EmpName]
                     FROM @employee)
            GROUP BY em.OracleID,em.EmployeeName
        END

        UPDATE em
        SET em.Rate = rt.Rate*(POWER((1+0.03),(em.Year-rt.Year)))
        FROM @empTable em
        INNER JOIN @empRateTable rt ON em.OracleID = rt.OracleID
        WHERE --em.Rate IS NULL AND
        em.Year>rt.Year

        ----inserting employee details to final table
        INSERT INTO @finalTable (OracleId, Name, Title, Department,Region,Year,Rate)
        SELECT
            OracleID,
            EmployeeName,
            Title,
            Department,
            RegionDescription,
            Year,
```


Copyright 2026 - All Rights Reserved

```
            Rate
        FROM @empTable

        --select * from @finalTable

        --tbd employee
        INSERT INTO @tbdTempTable(
            [EmployeeName] ,
            [Title] ,
            [Department] ,
            [RegionDescription] ,
            [TitleCode],
            [SubLevel] ,
            [Year],
            [ActivityType])
        SELECT
            e.Name,
            e.Title,
            e.Isl,
            e.Region,
            e.TitleCode,
            e.SubLevel,
            t.dtYear,
            e.ActivityType
        FROM @table t, V_TBDEmployee e
        WHERE
            e.Name IN (SELECT [EmpName] FROM @tbd)
        UNION
        SELECT
            e.Name ,
            e.Title ,
            e.Community,
            e.Region ,
            e.TitleCode,
            e.SubLevel,
            t.dtYear,
            e.ActivityType
        FROM @table t, [dbo].[V_TBDLegacyEmployee] e
        WHERE
            e.Name IN (SELECT [EmpName] FROM @tbd)
        GROUP BY
            e.Name ,
            e.Title ,
            e.Community,
            e.Region ,
            e.TitleCode,
            e.SubLevel,
            t.dtYear,
            e.ActivityType
        --PRINT 'TBD Temp Table :'+ (SELECT COUNT(*) from @tbdTempTable)
        --select * from @tbdTempTable
```


Copyright 2026 - All Rights Reserved

```
INSERT INTO @tbdTemp
         SELECT
         e.EmployeeName,
         e.Year,
         CASE WHEN MAX(m.Rate) is NULL THEN MAX(R.Rate) ELSE MAX(m.Rate) END AS Rate
         FROM @tbdTempTable e
          LEFT JOIN  SAPStandardBillRateMaster m ON e.ActivityType = m.ActivityType AND e.TitleCode = m.TitleCode
YEAR(m.StartDate)=e.Year AND m.CompanyCodeCurrency = @currency
          LEFT JOIN  Rate R on e.ActivityType = R.ActivityType AND R.RateTypeID = 8 AND R.Currency = @currency AN
R.Year
          --WHERE (m.CompanyCodeCurrency = 'AED')
         GROUP BY e.EmployeeName, e.SubLevel,  e.Year ,m.CompanyCodeCurrency,e.ActivityType

       --select * from @tbdTemp

         INSERT INTO @tbdTable(
            [EmployeeName] ,
            [Title] ,
            [Department] ,
            [RegionDescription] ,
            [Year] ,[Rate] )
         SELECT  t.EmployeeName, t.Title, t.Department,t.RegionDescription, t.Year,MAX(e.Rate)
         FROM @tbdTempTable t
         LEFT JOIN  @tbdTemp e ON t.EmployeeName = e.EmployeeName and e.Year=t.Year
         GROUP BY t.EmployeeName, t.Title, t.Department,t.RegionDescription, t.Year

         --select * from @tbdTable


         ;WITH tbd AS(
            SELECT EmployeeName, IIF(MAX(YEAR(b.StartDate)) IS NULL,MAX(R.Year),MAX(YEAR(b.StartDate))) AS MaxYea
            FROM @tbdTempTable t
            LEFT JOIN [dbo].[SAPStandardBillRateMaster] b ON t.ActivityType = b.ActivityType
                        AND b.TitleCode=t.TitleCode
            LEFT JOIN dbo.Rate R ON t.ActivityType = R.ActivityType AND r.RateTypeID = 8
            WHERE (b.Rate is not null or R.Rate is not null)
            GROUP BY EmployeeName
            ),
             tbdWithRate AS (
             SELECT e.EmployeeName, e.MaxYear,CASE WHEN MAX(b.Rate) IS NULL THEN MAX(R.Rate) ELSE MAX(b.Rate) END
             FROM tbd e
             LEFT JOIN @tbdTempTable t ON e.EmployeeName= t.EmployeeName
             LEFT JOIN [dbo].[SAPStandardBillRateMaster] b ON t.ActivityType = b.ActivityType
                        AND b.TitleCode=t.TitleCode AND Year(b.StartDate) = e.MaxYear AND b.CompanyCodeCurrency =
             LEFT JOIN  [dbo].[Rate] R on R.ActivityType = t.ActivityType AND R.RateTypeID = 8 AND R.Currency = @
AND R.Year = e.MaxYear
             --WHERE (b.CompanyCodeCurrency=@currency or R.Currency = @currency)
             GROUP BY e.EmployeeName, e.MaxYear
            )
            ,finalTbd AS(SELECT t.EmployeeName,t.Title,t.Department,t.RegionDescription,
            t.Year, IIF(t.Rate is NULL, e.Rate*(POWER((1+0.03),(t.Year-e.MaxYear))),t.Rate) AS Rate
            FROM @tbdTable t
            LEFT JOIN tbdWithRate e ON t.EmployeeName = e.EmployeeName)
```


Copyright 2026 - All Rights Reserved

```
            --UPDATE em
            --SET em.Rate = rt.Rate*(POWER((1+0.03),(em.Year-rt.Year)))
            --FROM @empTable em
            --INNER JOIN @empRateTable rt ON em.OracleID = rt.OracleID
            --WHERE --em.Rate IS NULL AND
            --em.Year>rt.Year

            --select * from finalTbd



            --inserting tbd details to final table
            INSERT INTO @finalTable (Name, Title, Department,Region,Year,Rate)
            SELECT EmployeeName, Title, Department, RegionDescription, Year,Rate
            FROM finalTbd

            --select * from @finalRate

        INSERT INTO @finalRate
        select OracleId,Name,Max(Rate) as Rate,[Year] from @finalTable Group by Name,[Year],OracleId

        --select * from @finalRate

        Select f.OracleId,f.Name as Name,f.Title,f.Department,f.Region,f.Year,MAX(f.Rate) as Rate FROM @finalTabl
        Join @finalRate R ON (f.Rate = R.Rate or f.Rate IS NULL) and (f.OracleId = R.OracleId or f.OracleId IS NU
        GROUP BY
            f.OracleId,
                f.[Name],
                f.Title,
                f.Department,
                f.Region,
                f.[Year],
                f.Rate
        --SELECT  OracleId,
        --        [Name],
        --        Title,
        --        Department,
        --        Region,
        --        [Year],
        --        Rate
        --FROM @finalTable
        --GROUP BY
        --    OracleId,
        --        [Name],
        --        Title,
        --        Department,
        --        Region,
        --        [Year],
        --        Rate

    END
```


Copyright 2026 - All Rights Reserved

```
END
GO
```

Uses

[dbo].[Rate]
[dbo].[SAPEmployeeMaster]
[dbo].[SAPStandardBillRateMaster]
[dbo].[TitleSublevelActivityMapping]
[dbo].[V_TBDEmployee]
[dbo].[V_TBDLegacyEmployee]
[dbo].[EmployeeList]

Copyright 2026 - All Rights Reserved

[dbo].[SP_GetWorkingDaysByPeriod]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)	Direction
@BudgetId	int	4	
@StartDate	datetime	8	
@EndDate	datetime	8	
@PeriodTypeId	int	4	
@CountryCode	varchar(10)	10	
@CurrencyCode	varchar(10)	10	
@Rate	bit	1	Out

SQL Script

```
-- =============================================
-- Author:      Infosys
-- Create Date: 16/03/2021
-- Description: Working days calcution
-- =============================================
CREATE PROCEDURE [dbo].[SP_GetWorkingDaysByPeriod]
(
    -- Add the parameters for the stored procedure here
     @BudgetId INT,
     @StartDate DATETIME
    ,@EndDate DATETIME
    ,@PeriodTypeId INT --like : 6- Week/ 7-Month
    ,@CountryCode VARCHAR(10)
    ,@CurrencyCode VARCHAR(10)
    ,@Rate BIT OUTPUT
)
AS
/*
EXEC SP_GetWorkingDaysByPeriod
```


Copyright 2026 - All Rights Reserved

```
@BudgetId = 8401,
@StartDate='2024-04-02'
,@EndDate ='2025-04-02'
,@CountryCode='US'
,@CurrencyCode='USD'
,@periodTypeId = 6
,@Rate = 1

2020-09-03     2020-09-06
2020-09-07     2020-09-13
2020-09-14     2020-09-20
2020-09-21     2020-09-27
2020-09-28     2020-10-04

*/
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON


    DECLARE @startDateRange DATE
    DECLARE @endDateRange DATE
    DECLARE @count INT
    DECLARE @day VARCHAR(200)
    DECLARE @endDay VARCHAR(200)
    DECLARE @vDateRange TABLE (
                               [PeriodRange] INT,
                               [StartDateRange] DATE,
                               [EndDateRange] DATE
                               )

    SET @StartDate = CAST(CONVERT(VARCHAR,@StartDate,102) AS DATE)
    SET @EndDate = CAST(CONVERT(VARCHAR,@EndDate,102) AS DATE)
    SET @startDateRange = @startDate
    SET @count = 0
    SET @Rate = 1
    IF (@endDate IS NOT NULL)
        BEGIN
            IF @periodTypeId =6
            BEGIN
                WHILE(@startDate <= @endDate)
                BEGIN
                    SET @day = DATENAME(DW,@startDate)
                    SET @endDay = DATENAME(DW, @endDate)
                    IF @day ='Sunday'
                        BEGIN
                            SET @count = @count + 1
                            SET @endDateRange = @startDate
                            INSERT INTO @vDateRange([PeriodRange], startDateRange, endDateRange)
                            VALUES(@count, @startDateRange, @enddateRange)
                            SET @startDateRange = DATEADD(day,1,@startDate)
```


Copyright 2026 - All Rights Reserved

```
                            SET @startDate = DATEADD(day,1,@startDate)
                        END
                    ELSE
                        BEGIN
                            If @endDay <> 'Sunday' AND @StartDate = @EndDate
                            BEGIN
                                SET @count = @count + 1
                                SET @endDateRange = @startDate
                                IF @startDateRange <> @enddateRange
                                    INSERT INTO @vDateRange([PeriodRange], startDateRange,
endDateRange)
                                    VALUES(@count, @startDateRange, @enddateRange)
                                SET @startDateRange = DATEADD(day,1,@startDate)
                            END
                            SET @startDate = DATEADD(day,1,@startDate)
                        END
                END
            END
            ELSE
            BEGIN
                WHILE(@startDate <= @endDate)
                     BEGIN
                           SET @count = @count + 1
                             SET @endDateRange = EOMONTH(@startDate)
                            If(@endDateRange > @endDate)
                            BEGIN
                                INSERT INTO @vDateRange ([PeriodRange], startDateRange,endDate-
Range)
                            VALUES (@count, @startDateRange,@endDate)

                            END
                            ELSE
                            BEGIN
                                INSERT INTO @vDateRange ([PeriodRange], startDateRange,endDate-
Range)
                                VALUES (@count, @startDateRange,@endDateRange)

                            END


                            SET @startDate = DATEADD(mm,1,@startDate)
                            SET @startDateRange =DATEFROMPARTS(YEAR(@startDate),MONTH(@start-
Date),1)
                     END
            END
        END
        ELSE
        BEGIN
            INSERT INTO @vDateRange (startDateRange) VALUES (@startDateRange)
        END

    ;WITH YearList AS (
      SELECT YEAR(@StartDateRange) AS DateYear
```


Copyright 2026 - All Rights Reserved

```
      UNION ALL
      SELECT (DateYear + 1) AS DateYear
      FROM YearList
      WHERE YEAR(@EndDateRange)>=DateYear + 1
    ),
    RateData AS (
        SELECT y.DateYear AS DateYear,
        COUNT(YEAR(s.StartDate)) AS Rate
        FROM YearList y
         LEFT JOIN [dbo].[SAPStandardBillRateMaster] s ON YEAR(s.StartDate) = y.DateYear
            AND s.CompanyCodeCurrency = @CurrencyCode
        GROUP BY y.DateYear,YEAR(s.StartDate)
    )

    SELECT @Rate = 0
    FROM RateData
    WHERE Rate<=0

    IF EXISTS (SELECT 1 FROM BudgetDetail WHERE BudgetID=@BudgetId)
    BEGIN
        -- LOGIC TO UPDATE START DATE AND END DATE FOR EACH PERIOD
        UPDATE [EmployeeBudgetPerPeriod]
            SET StartDate = DTR.StartDateRange, EndDate = dtr.EndDateRange
            ,Sublevel = E.Sublevel
            ,ISLGrouping= (SELECT [dbo].[fn_GetISLGroupingByYear](BHR.Community,E.Department-
Code,Year(DTR.StartDateRange)))
            ,StdcostRegion=(SELECT [dbo].[fn_GetStdCostRegionByYear](E.Country,Year(DTR.Start-
DateRange)))
            ,ActivityType = E.ActivityType
        FROM [dbo].[EmployeeBudgetPerPeriod] EBPP WITH (NOLOCK)
        INNER JOIN [dbo].[BudgetHR] BHR WITH (NOLOCK)
            ON BHR.BudgetHrID = EBPP.BudgetHrID
        LEFT OUTER JOIN [dbo].SAPEmployeeMaster E ON E.OracleID = BHR.EmployeeID
        INNER JOIN [dbo].[BudgetDetail] BD WITH (NOLOCK)
            ON BD.BudgetID = BHR.BudgetID
        INNER JOIN @vDateRange DTR
            on DTR.PeriodRange=EBPP.PeriodRange
        WHERE BD.BudgetID=@BudgetId
    END

    ;WITH RangeData AS (
        SELECT
          [PeriodRange]
          ,startDateRange AS [StartDate]
          ,endDateRange AS [EndDate]
          ,IIF(YEAR(startDateRange)=YEAR(endDateRange),
            [dbo].[fn_WorkDays](startDateRange,endDateRange)
            -[dbo].[fn_Holidays](startDateRange,endDateRange,@CountryCode),
            [dbo].[fn_WorkDays](startDateRange,EOMONTH(startDateRange))
            -[dbo].[fn_Holidays](startDateRange,EOMONTH(startDateRange),@CountryCode)) AS First-
YearDays
          ,IIF(YEAR(startDateRange)=YEAR(endDateRange),0,
           [dbo].[fn_WorkDays](DATEFROMPARTS(YEAR(endDateRange),MONTH(endDateRange),1),endDate-
```


Copyright 2026 - All Rights Reserved

```
Range)
            -[dbo].[fn_Holidays](DATEFROMPARTS(YEAR(endDateRange),MONTH(endDateRange),1),endDate-
Range,@CountryCode)) AS SecondYearDays
          ,IIF(YEAR(startDateRange)=YEAR(endDateRange),0,1) AS IsMultipleYear
        FROM @vDateRange
    )

    SELECT PeriodRange
          ,StartDate
          ,EndDate
          ,(FirstYearDays + SecondYearDays) AS WorkDays
          ,(FirstYearDays + SecondYearDays) * 8 AS WorkHours
          ,FirstYearDays
          ,SecondYearDays
          ,IsMultipleYear
    FROM RangeData
END
GO
```

Uses

[dbo].[BudgetDetail]
[dbo].[BudgetHR]
[dbo].[EmployeeBudgetPerPeriod]
[dbo].[SAPEmployeeMaster]
[dbo].[SAPStandardBillRateMaster]
[dbo].[fn_GetISLGroupingByYear]
[dbo].[fn_GetStdCostRegionByYear]
[dbo].[fn_Holidays]
[dbo].[fn_WorkDays]

Copyright 2026 - All Rights Reserved

[dbo].[SP_IsNewRate]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@budgetId	int	4

SQL Script

```
/*****************************************************************************************************************
NAME: SP_IsNewRate
DESCRIPTION: This SP is used to check if new rate is available for the employees of given budget id, which is use
HELPER QUERY: EXEC [dbo].[SP_IsNewRate] @budgetId = 8437
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        20-JAN-21    Initial Version
JM            06/12/2024    Revamped the Procedure
******************************************************************************************************************

CREATE PROCEDURE [dbo].[SP_IsNewRate]
--DECLARE
    @budgetId INT
AS
BEGIN
--SET @budgetId = '8430';
   DECLARE @startDateRange DATETIME
    DECLARE @endDateRange DATETIME
    DECLARE @count INT
    DECLARE @periodTypeId INT
    DECLARE @day VARCHAR(200)
    DECLARE @vDateRange TABLE (
                               [PeriodRange] INT,
                               [StartDateRange] DATETIME,
                               [EndDateRange] DATETIME
```


Copyright 2026 - All Rights Reserved

```
                                )

    DECLARE @actualCount INT, @currentCount INT
    DECLARE @years TABLE(RowNum INT, DateYear INT)
    DECLARE @icRate TABLE(DateYear INT, Rate MONEY)
    DECLARE @employees TABLE(DateYear INT,
                             EmployeeID VARCHAR(50),
                             EmpName VARCHAR(200),
                             TitleCode VARCHAR(10),
                             EmployeeTypeID INT,
                             StandardHourlyRate MONEY,
                             ActivityType NVARCHAR(50),
                             CompanyCode VARCHAR(50))
    Declare  @RateTable TABLE (StartDateYear INT,
    Rate Money,
    Titlecode NVARCHAR(50),
    ActivityType NVARCHAR(50),
    CompanyCodeCurrency NVARCHAR(50),
    CompanyCode VARCHAR(50),
    RN INT
    )
    Declare @CurrentRate TABLE (
    DateYear INT,
    EmployeeID VARCHAR(50),
    Name NVARCHAR(200),
    EmployeeTypeID INT,
    Rate Money,
    RateType INT
    )
    Declare @EmployeeRate TABLE (
    RowNum INT,
    DateYear INT,
    EmployeeID VARCHAR(50),
    Name VARCHAR(200),
    EmployeeTypeID INT,
    Rate Money
    )
    Declare @TBDRate TABLE(DateYear INT,
               TitleCode  NVARCHAR(50),
               Name NVARCHAR(MAX),
               StandardHourlyRate MONEY,
               ActivityType NVARCHAR(50),
               CompanyCode VARCHAR(50)
    )
    Declare @FinalEmpRate TABLE(
    Count INT
    )
    Declare @FinalIcRate TABLE(
    Count INT
    )
    Declare @FinaltbdRate TABLE(
    Count INT
    )
```


Copyright 2026 - All Rights Reserved

```
    DECLARE @startDate DATETIME,
            @endDate DATETIME,
            @currency VARCHAR(10),
            @empRate INT,
            @icEmpRate INT,
            @tbdEmpRate INT

    SELECT @startDate =StartDate, @endDate = Enddate,
           @currency=CurrencyCode,
           @periodTypeId = PeriodTypeID
    FROM [dbo].[BudgetDetail]
    WHERE BudgetID=@budgetId

    PRINT 'Currency Value' + @currency;

    --Get period Range and dates
    SET @StartDate = CAST(CONVERT(VARCHAR,@StartDate,102) AS DATETIME)
    SET @EndDate = CAST(CONVERT(VARCHAR,@EndDate,102) AS DATETIME)
    SET @startDateRange = @startDate
    SET @count = 0
    IF (@endDate IS NOT NULL)
        BEGIN
            IF @periodTypeId =6
            BEGIN
                WHILE(@startDate <= @endDate)
                BEGIN
                    SET @day = DATENAME(DW,@startDate)
                    IF @day ='Sunday'
                        BEGIN
                            SET @count = @count + 1
                            SET @endDateRange = @startDate
                            INSERT INTO @vDateRange([PeriodRange], startDateRange, endDateRange)
                            VALUES(@count, @startDateRange, @enddateRange)
                            SET @startDateRange = DATEADD(day,1,@startDate)
                            SET @startDate = DATEADD(day,1,@startDate)
                        END
                    ELSE
                        BEGIN
                            SET @startDate = DATEADD(day,1,@startDate)
                        END
                END
            END
            ELSE
            BEGIN
                WHILE(@startDate <= @endDate)
                     BEGIN
                           SET @count = @count + 1
                             SET @endDateRange = EOMONTH(@startDate)

                           INSERT INTO @vDateRange ([PeriodRange], startDateRange,endDateRange)
                           VALUES (@count, @startDateRange,@endDateRange)

                           SET @startDate = DATEADD(mm,1,@startDate)
```


Copyright 2026 - All Rights Reserved

```
                        SET @startDateRange =DATEFROMPARTS(YEAR(@startDate),MONTH(@startDate),1)
                END
            END
        END
        ELSE
        BEGIN
            INSERT INTO @vDateRange (startDateRange) VALUES (@startDateRange)

        END
        --Get period Range and Year
        ;WITH PeriodData AS (
            SELECT PeriodRange,
                    YEAR(StartDateRange) AS StartYear,
                    YEAR(EndDateRange) AS EndYear
            FROM @vDateRange
        ),
        SelectedPeriodData AS(
            SELECT MIN(PeriodRange) OVER(PARTITION BY StartYear) AS PeriodRange,
                   StartYear AS DateYear
            FROM PeriodData
            UNION
            SELECT MIN(PeriodRange) OVER(PARTITION BY EndYear) AS PeriodRange,
                   EndYear AS DateYear
            FROM PeriodData
        ),
        YearData AS (
            SELECT MAX(PeriodRange) OVER(PARTITION BY DateYear) AS PeriodRange,
                   DateYear
            FROM SelectedPeriodData
        )

        INSERT INTO @years(RowNum, DateYear)
        SELECT PeriodRange,
               DateYear
        FROM YearData
        GROUP BY PeriodRange,
                 DateYear
        INSERT INTO @CurrentRate
        SELECT y.DateYear,h.EmployeeID,h.Name,h.EmployeeTypeID, e.StandardHourlyRate, 0 AS RateType
                    from EmployeeBudgetPerPeriod e
                    INNER JOIN BudgetHr h ON e.BudgetHrID = h.BudgetHrID
                    INNER JOIN @years y ON e.PeriodRange = y.RowNum
                    WHERE h.BudgetId = @budgetId
                        AND (h.EmployeeTypeID = 8 OR h.EmployeeTypeID = 9)
                    GROUP BY y.DateYear,h.EmployeeID,h.Name,h.EmployeeTypeID, e.StandardHourlyRate
                    UNION ALL
                    SELECT y.DateYear,h.EmployeeID,
                           h.Name,
                           h.EmployeeTypeID,
                           e.StandardHourlyRateNextYr AS StandardHourlyRate, 1 AS RateType
                    FROM EmployeeBudgetPerPeriod e
                    INNER JOIN BudgetHr h ON e.BudgetHrID = h.BudgetHrID
                    INNER JOIN @years y ON e.PeriodRange = y.RowNum
```


Copyright 2026 - All Rights Reserved

```
                    WHERE h.BudgetId = @budgetId
                        AND (h.EmployeeTypeID = 8 OR h.EmployeeTypeID = 9)
                        AND e.StandardHourlyRateNextYr IS NOT NULL
                    GROUP BY y.DateYear,h.EmployeeID,h.Name,h.EmployeeTypeID, e.StandardHourlyRateNextYr

        INSERT INTO @EmployeeRate
        SELECT ROW_NUMBER() OVER(PARTITION BY c.DateYear,c.EmployeeID,c.Name Order By c.RateType) AS RowNum,
            c.DateYear,c.EmployeeID,c.Name,c.EmployeeTypeID, c.Rate
            from @CurrentRate c

        --select * from @EmployeeRate

        INSERT INTO @employees
        Select c.DateYear,c.EmployeeID,c.Name,ISNULL(e.TitleCode,NULL),c.EmployeeTypeID,c.Rate,ISNULL(e.ActivityT
Code,NULL) from @EmployeeRate c
        Left join dbo.SAPEmployeeMaster e
        ON c.EmployeeID = e.OracleID
        Where c.RowNum = 1

        --select * from @employees



        UPDATE @employees
        SET EmployeeTypeID = 0
        WHERE EmpName LIKE 'TBD%'

        Update E
        SET E.ActivityType = S.ActivityType,E.TitleCode = S.TitleCode,E.CompanyCode = (CASE WHEN S.RegionCode = 1
S.RegionCode = 300 THEN 'UK02' ELSE 'JP01' END)
        from @employees E
        INNER JOIN dbo.V_TBDEmployee S
        ON E.EmpName = S.Name
        Where E.EmployeeTypeID = 0
        --select * from @employees

        INSERT INTO @RateTable
        SELECT YEAR(x.StartDate),
        x.Rate,
        x.TitleCode,
        x.ActivityType,
        x.CompanyCodeCurrency,
        x.CompanyCode,
        x.RN
        FROM
        (SELECT s.StartDate as StartDate,
               s.ActivityType as ActivityType,
               s.TitleCode as TitleCode,
               s.CompanyCodeCurrency as CompanyCodeCurrency,
               s.CompanyCode,
               s.Rate as Rate,
               RN = ROW_NUMBER() over (partition by s.Rate order by s.StartDate desc)
        FROM dbo.SAPStandardBillRateMaster s WHERE s.CompanyCodeCurrency = @currency and YEAR(s.StartDate) IN (se
@employees) and ActivityType IN (select ActivityType from @employees)
```


Copyright 2026 - All Rights Reserved

```
        )x
        WHERE x.RN = 1


        --select max(r.Rate),r.ActivityType,r.Titlecode,r.CompanyCode,r.CompanyCodeCurrency,r.StartDateYear from
r.StartDateYear,r.ActivityType,r.Titlecode,r.CompanyCode,r.CompanyCodeCurrency,r.StartDateYear
        --ON E.ActivityType = r.ActivityType and e.TitleCode = r.Titlecode and e.CompanyCode = r.CompanyCode and
@currency and e.EmployeeTypeID = 8 and e.DateYear = r.StartDateYear
        --select * from @RateTable r


        INSERT INTO @FinalEmpRate
        Select IIF(e.StandardHourlyRate = r.Rate or r.Rate IS NULL, 0,1) as EmpRate--,e.StandardHourlyRate,r.Rate
Type,r.ActivityType
        from @Employees e
        LEFT JOIN (select max(r.Rate) as Rate,r.ActivityType as ActivityType,r.Titlecode as Titlecode,r.CompanyCo
Code,r.CompanyCodeCurrency as CompanyCodeCurrency,r.StartDateYear from @RateTable r Group by r.StartDateYear,r.Ac
Type,r.Titlecode,r.CompanyCode,r.CompanyCodeCurrency) r
        ON E.ActivityType = r.ActivityType and e.TitleCode = r.Titlecode and e.CompanyCode = r.CompanyCode and r.
@currency and e.EmployeeTypeID = 8 and e.DateYear = r.StartDateYear--and r.RN = 1
        --GROUP BY e.EmployeeID,e.StandardHourlyRate,r.Rate
        --Where x.EmpRate = 1
        --select * from @FinalEmpRate
        ----------IC Rate Check
        INSERT INTO @icRate
        SELECT e.DateYear, s.Rate
        FROM @employees e
        LEFT JOIN @RateTable s ON e.DateYear= YEAR(s.StartDateYear)
                AND s.CompanyCodeCurrency = @currency and s.RN = 1
         GROUP BY e.DateYear, s.Rate

        INSERT INTO @FinalIcRate
        SELECT IIF(e.StandardHourlyRate=r.Rate OR r.Rate IS NULL,0,1) AS IcRate
        FROM @employees e
        LEFT JOIN @icRate r ON e.DateYear=r.DateYear AND (e.StandardHourlyRate=r.Rate OR r.Rate IS NULL)
        WHERE e.EmployeeTypeID=9
        GROUP BY e.DateYear,e.StandardHourlyRate, r.Rate,e.EmpName

        --------------TBD Rate Check
        INSERT INTO @TBDRate
        SELECT e.DateYear,
        e.TitleCode,
        e.EmpName,
        e.StandardHourlyRate,
        e.ActivityType,
        e.CompanyCode
        FROM @employees e
        --INNER JOIN [dbo].[V_TBDEmployee] s ON e.EmpName=s.Name
        WHERE e.EmployeeTypeID=0


        --select * from @TBDRate

        INSERT INTO @FinaltbdRate
        Select IIF(r.StandardHourlyRate=s.Rate OR s.Rate IS NULL,0,1) AS TBDRate--,r.StandardHourlyRate,s.Rate
        from @TBDRate r
        LEFT JOIN (select max(r.Rate) as Rate,r.ActivityType as ActivityType,r.Titlecode as Titlecode,r.CompanyCo
```


Copyright 2026 - All Rights Reserved

```
Code,r.CompanyCodeCurrency as CompanyCodeCurrency,r.StartDateYear from @RateTable r Group by r.StartDateYear,r.Ac
Type,r.Titlecode,r.CompanyCode,r.CompanyCodeCurrency) s ON r.DateYear=s.StartDateYear AND
                    r.ActivityType = s.ActivityType AND r.TitleCode = s.TitleCode and r.CompanyCode = s.CompanyCo
                    AND s.CompanyCodeCurrency = @currency --and s.RN = 1

        --select * from @FinaltbdRate

        Select @empRate = COUNT(*) from @FinalEmpRate f
        Where f.Count = 1
        Select @icEmpRate = COUNT(*) from @FinalIcRate f
        Where f.Count = 1
        Select @tbdEmpRate = COUNT(*) from @FinaltbdRate f
        Where f.Count = 1
        PRINT 'EMP Rate :' + CAST(@empRate as VARCHAR)
        PRINT 'Ic Rate :' + CAST(@icEmpRate as VARCHAR)
        PRINT 'TBD Rate :' + CAST(@tbdEmpRate as VARCHAR)

        SELECT IIF(@empRate = 0 AND
               @icEmpRate = 0 AND
               @tbdEmpRate = 0, 0,1) AS IsNewRate

END
GO
```

Uses

[dbo].[BudgetDetail]
[dbo].[BudgetHR]
[dbo].[EmployeeBudgetPerPeriod]
[dbo].[SAPEmployeeMaster]
[dbo].[SAPStandardBillRateMaster]
[dbo].[V_TBDEmployee]

Copyright 2026 - All Rights Reserved

[dbo].[SP_TBDEmployee]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@name	nvarchar(max)	max

SQL Script

```
/*****************************************************************************************************************
NAME: SP_TBDEmployee
DESCRIPTION: This SP is used to get tbd employee names, which is used by Engagement Budget Tool
HELPER QUERY: EXEC [dbo].[SP_TBDEmployee] @name = 'tbd'
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        22-JAN-21    Initial Version
******************************************************************************************************************/
CREATE PROCEDURE [dbo].[SP_TBDEmployee]
(
@name nvarchar(max)
)
AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON

    -- Insert statements for procedure here
    --Select distinct * from [dbo].[V_TBDEmployee] where Name like @name+'%'
    Select Name from [dbo].[V_TBDEmployee]
    ORDER BY Name
END
GO
```


Copyright 2026 - All Rights Reserved

Uses

[dbo].[V_TBDEmployee]

Copyright 2026 - All Rights Reserved

[dbo].[spGetBlockInfo_20]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@job_id	uniqueidentifier	16
@minwaittime	int	4

SQL Script

```
/*
exec spGetBlockInfo
exec spGetBlockInfo NULL, 60000
exec spGetBlockInfo '2D63114B-2B6F-4ECD-AE2A-10236E2BC2AF' 'A36B1B84-CC78-45E6-932F-5C3A4BF4F6D5', 50000
*/
CREATE PROC [dbo].[spGetBlockInfo_20]
    @job_id         UNIQUEIDENTIFIER = NULL,    --if job_id not passed in, will return ALL blocks.
    @minwaittime     int = 0                     --minimum wait time (in milliseconds)
--WITH ENCRYPTION
AS
    SET NOCOUNT ON
    --drop table #blockinfo
    --drop table #blockinfo_job

    DECLARE @return_empty_set BIT

    CREATE TABLE #requests
    (
         session_id smallint
        ,blocking_session_id smallint
        ,database_id smallint
        ,start_time datetime
        ,statement_start_offset int
        ,statement_end_offset int
        ,wait_type nvarchar(60)
        ,wait_time int
        ,wait_resource nvarchar(256)
```


Copyright 2026 - All Rights Reserved

```
    )

    CREATE TABLE #blockinfo
    (
        spid smallint,
        blocked smallint,
        waittype binary(2),
        waittime int,
        waitresource nvarchar(256),
        dbname sysname,
        last_batch datetime,
        ecid smallint,
        hostname nvarchar(128),
        hostprocess int null,
        program_name nvarchar(128),
        loginame nvarchar(128),
        object_name nvarchar(128),
        waittext nvarchar(120),
        cmdtext nvarchar(max)
    )

    INSERT INTO #requests
    SELECT
             session_id
            ,blocking_session_id
            ,database_id
            ,start_time
            ,statement_start_offset
            ,statement_end_offset
            ,wait_type
            ,wait_time
            ,wait_resource
    FROM sys.dm_exec_requests

    INSERT INTO #blockinfo
    SELECT session_id, blocking_session_id, waittype, wait_time, wait_resource, database_name,
start_time, exec_context_id, host_name, host_process_id, program_name, login_name, objectname,
waittext,
    CASE WHEN ValidOffsets = 1
        THEN SUBSTRING (cmdtext_raw, (statement_start_offset / 2) + 1, ((CASE WHEN
statement_end_offset <= statement_start_offset THEN statement_length ELSE statement_end_offset
END - statement_start_offset) / 2) + 1)
        ELSE cmdtext_raw END AS cmdtext
    FROM
    (
        SELECT
             es.session_id as session_id
            ,statement_start_offset
            ,statement_end_offset
            ,ISNULL(er.blocking_session_id, 0) AS blocking_session_id
            ,0 AS waittype
            ,ISNULL(er.wait_time, 0) AS wait_time
            ,ISNULL(er.wait_resource, '') AS wait_resource
```


Copyright 2026 - All Rights Reserved

```
            ,COALESCE(db_name(COALESCE(er.database_id, es.database_id)), '') database_name
            ,ISNULL(er.start_time, es.last_request_start_time) AS start_time
            ,0 AS exec_context_id
            ,es.host_name
            ,es.host_process_id
            ,es.program_name
            ,es.login_name
            ,ISNULL(OBJECT_NAME(st.objectid, st.dbid), '') AS objectname
            ,st.text as cmdtext_raw
            ,DATALENGTH(st.text) as statement_length
            ,CASE WHEN er.statement_start_offset < DATALENGTH(st.text) THEN 1 ELSE 0 END AS
ValidOffsets
            ,ISNULL(er.wait_type, '') AS waittext --still need to work out the conversions for
2005/2008
        FROM sys.dm_exec_sessions es
        LEFT OUTER JOIN sys.dm_exec_connections ec on es.session_id = ec.session_id
        INNER JOIN
            (
                SELECT session_id
                FROM #requests
                WHERE blocking_session_id > 0
                  AND blocking_session_id <> session_id
            UNION
                SELECT blocking_session_id
                FROM #requests
                WHERE blocking_session_id > 0
                  AND blocking_session_id <> session_id
            ) blocksessions
            ON es.session_id = blocksessions.session_id
        LEFT OUTER JOIN #requests er
            ON es.session_id = er.session_id
        OUTER APPLY
            sys.dm_exec_sql_text(ec.most_recent_sql_handle) as st
    ) requests

    IF (@@rowcount = 0)            -- no blocks, so exit now.
        SET @return_empty_set = 1

    ELSE
      BEGIN--1
        declare @maxwaittime int    -- declare this here since can be used by both general or
job-level checks.

        IF (@job_id IS NULL)    -- no @job_id passed in, so return all blocks.
          BEGIN
            -- get waittime for spid that's been blocked the longest.
            SET @maxwaittime =
                   (SELECT MAX(waittime)
                    FROM #blockinfo)

            IF (@maxwaittime > @minwaittime) -- blocking chain is older than the specified min
wait time, so continue. (not 100% accurate since can be more than one chain)
                SELECT     bi.*
```


Copyright 2026 - All Rights Reserved

```
                FROM #blockinfo bi
            ELSE
                SET @return_empty_set = 1
            END

        ELSE                    -- look for job's spid in the blocking chain.
            BEGIN--2
            declare @job_id_char nvarchar(34)
            declare @job_id_bin varbinary(100)
            -- not using builtin proc as it's fatter than the code below, also from Microsoft.
            -- uncomment the line below to change back to proc.
            --EXEC sp_convert_jobid_to_char @job_id, @job_id_char OUTPUT
            set @job_id_bin = cast(@job_id as varbinary(100))

            declare @i int
            declare @length int
            declare @hexstring char(16)
            select @job_id_char = '0x'
            select @i = 1
            select @length = datalength(@job_id_bin)
            select @hexstring = '0123456789ABCDEF'

            while (@i <= @length)
            begin
                declare @tempint int
                declare @firstint int
                declare @secondint int

                select @tempint = convert(int, substring(@job_id_bin, @i, 1))
                select @firstint = floor(@tempint / 16)
                select @secondint = @tempint - (@firstint * 16)

                select @job_id_char = @job_id_char +
                        substring(@hexstring, @firstint + 1, 1) +
                        substring(@hexstring, @secondint + 1, 1)

                select @i = @i + 1
            end

            declare @jobspid smallint, @blockedby smallint, @startspid smallint
            declare @jobwaittime int

            SELECT     @jobspid = spid,
                    @jobwaittime = waittime,
                    @blockedby = blocked
            FROM #blockinfo
            WHERE program_name LIKE '%' + @job_id_char + '%'

            IF NOT (@jobspid IS NULL)     -- we know job is either blocked or blocking.
              BEGIN--3
                -- create temp holding table for other spids in the jobs blocking chain.
                create table #blockinfo_job
```


Copyright 2026 - All Rights Reserved

```
                        (
                            spid smallint
                        )

                -- to capture all spids in the job's blocking chain, we must start with a single
spid,
                -- either the job's spid (if blocking), or the spid blocking the job.
                IF (@blockedby = 0)
                  BEGIN
                    -- the job spid must be the blocking spid, so start with it.
                    SET @startspid = @jobspid
                    -- get the longest waittime for any of the spids blocked by the job.
                    -- we must use this since if the job is blocking its waittime may be 0,
                    -- or it may be continously updated as the job is doing its work and
therefore won't be accurate.
                    SET @maxwaittime =
                           (SELECT MAX(waittime)
                            FROM #blockinfo
                            WHERE blocked = @jobspid)
                  END
                ELSE
                  BEGIN
                    -- the job is being blocked, so add the spid that's blocking it.
                    SET @startspid = @blockedby
                    -- use the job's waittime as the max.
                    SET @maxwaittime = @jobwaittime
                  END

                IF (@maxwaittime > @minwaittime) -- job has been active in the blocking chain
longer than the specified minimum wait time, so continue.
                  BEGIN--4
                    INSERT INTO #blockinfo_job
                            ( spid )
                    VALUES      ( @startspid )

                    -- first traverse down the blocking chain, adding any spids blocked by
@startspid to the holding table.
                    -- loop will continue to add other blocked spids until the end of the chain.
                    WHILE 1 = 1
                      BEGIN
                        INSERT INTO #blockinfo_job
                        SELECT bi.spid
                        FROM #blockinfo bi
                         INNER JOIN #blockinfo_job
                          ON bi.blocked = #blockinfo_job.spid
                        WHERE bi.spid NOT IN
                                    (SELECT spid FROM #blockinfo_job)

                        IF (@@rowcount > 0)
                            CONTINUE
                        ELSE
                            BREAK
                      END
```


Copyright 2026 - All Rights Reserved

```
                    -- next traverse up the blocking chain, adding the spids that are blocking
any previously added blocked spids,
                    -- as long as they don't already exist in the holding table.
                    -- loop will stop when it gets to the top of the chain, ie, when it reaches
the spid with blocked = 0.
                    WHILE 1 = 1
                      BEGIN
                        INSERT INTO #blockinfo_job
                        SELECT bi.blocked
                        FROM #blockinfo bi
                         INNER JOIN #blockinfo_job
                          ON bi.spid = #blockinfo_job.spid
                        WHERE bi.blocked NOT IN
                                    (SELECT spid FROM #blockinfo_job)
                         AND bi.blocked > 0

                        IF (@@rowcount > 0)
                            CONTINUE
                        ELSE
                            BREAK
                      END

                    -- return the results from the original blockinfo table, filtered by only
those spids in the job's blocking chain.
                    SELECT     bi.*
                    FROM #blockinfo bi
                    INNER JOIN #blockinfo_job
                      ON bi.spid = #blockinfo_job.spid

                    drop table #blockinfo_job
                  END--4

                ELSE
                    SET @return_empty_set = 1

              END--3

            ELSE
                SET @return_empty_set = 1

          END--2

      END--1

    IF (@return_empty_set = 1)
        SELECT *
        FROM #blockinfo
        WHERE 1 = 0

    DROP TABLE #blockinfo
RETURN
GO
```


Copyright 2026 - All Rights Reserved

Copyright 2026 - All Rights Reserved

[dbo].[usp_add_FkConstraint]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

SQL Script

```
/*****************************************************************************************************************
NAME: usp_add_FkConstraint
DESCRIPTION: This SP is used to add foreign key constraint to BudgetHr table, which is used by Engagement Budget
HELPER QUERY: EXEC [dbo].[usp_add_FkConstraint]
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        25-JAN-21    Initial Version
******************************************************************************************************************/
CREATE PROCEDURE [dbo].[usp_add_FkConstraint]
AS
BEGIN
 ALTER TABLE BudgetHR
  ADD CONSTRAINT FK_BudgetHR_SAPEmployeeMaster FOREIGN KEY (EmployeeID)
      REFERENCES dbo.SAPEmployeeMaster (OracleID);
END
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[usp_GetIcRate]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@startDate	datetime	8
@endDate	datetime	8
@currencyCode	varchar(10)	10

SQL Script

```
-- =============================================
-- Author:      Infosys
-- Create Date: 23/06/2021
-- Description: IC Rate for the given year
--EXEC [dbo].[usp_GetIcRate]
--@StartDate='2020-09-03'
--,@EndDate ='2020-10-04'
--,@CurrencyCode='USD'
-- =============================================

/*****************************************************************************************************************
  AUTHOR  DATE  CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
##01 AS   09-JUL-2025 Wrapped AND/OR clause in parentheses to fix logic for @maxRateYear.
##02 AS   11-JUL-2025 Update logic to pull from Rates (exception bill rates) if no data was found in SAPStandardR
Master.
*****************************************************************************************************************

CREATE PROCEDURE [dbo].[usp_GetIcRate]
(
    -- Add the parameters for the stored procedure here
     @startDate DATETIME
    ,@endDate DATETIME
    ,@currencyCode VARCHAR(10)
)
AS

BEGIN
```


Copyright 2026 - All Rights Reserved

```
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON
    DECLARE @rateTable TABLE (DateYear INT,
                              Rate MONEY)
    DECLARE @yearList TABLE (DateYear INT)
    DECLARE @maxYear INT,
            @maxRateYear INT,
            @notNullRateCount INT;


        WITH YearList AS (
          SELECT YEAR(@startDate) AS DateYear
          UNION ALL
          SELECT (DateYear + 1) AS DateYear
          FROM YearList
          WHERE YEAR(@endDate)>=DateYear + 1
      )

      INSERT INTO @yearList (DateYear)
        SELECT * FROM YearList

    INSERT INTO @rateTable (DateYear , Rate )
        SELECT yl.DateYear,
               sm.Rate
        FROM @yearList yl
        LEFT JOIN SAPStandardBillRateMaster sm ON yl.DateYear = YEAR(sm.StartDate)
                AND sm.CompanyCodeCurrency = @currencyCode
        GROUP BY yl.DateYear, sm.Rate

    SELECT @notNullRateCount = COUNT(DateYear)
    FROM @rateTable
    WHERE Rate IS NOT NULL

    IF(@notNullRateCount = 0)
      BEGIN
        --If there were no rates found in SAPStandardBillRateMaster, then check Exception Bill Rates.
        INSERT INTO @rateTable (DateYear , Rate )
        SELECT yl.DateYear,
               r.Rate
        FROM @yearList yl
        JOIN Rate r ON yl.DateYear = YEAR(r.Year)
                AND r.Currency = @currencyCode AND RateTypeID = 8
        GROUP BY yl.DateYear, r.Rate

        --Check again if there are no rates.
        SELECT @notNullRateCount = COUNT(DateYear)
        FROM @rateTable
        WHERE Rate IS NOT NULL

        IF(@notNullRateCount = 0)
            BEGIN
```


Copyright 2026 - All Rights Reserved

```
            DECLARE @currentYear INT = YEAR(@startDate),
            @diff INT
            SELECT @maxRateYear = MAX(YEAR(StartDate))
            FROM [dbo].[SAPStandardBillRateMaster]
            WHERE (Rate IS NOT NULL OR Rate <>'')
                  AND CompanyCodeCurrency = @currencyCode

            SET @diff = @currentYear - @maxRateYear
            ;WITH StandardRates AS (
               SELECT sm.Rate AS Rate
               FROM [dbo].[SAPStandardBillRateMaster] sm
               WHERE YEAR(sm.StartDate) = @maxRateYear
                   AND sm.Rate IS NOT NULL AND sm.Rate <> ''
                   AND sm.CompanyCodeCurrency = @currencyCode
               GROUP BY Year(sm.StartDate), sm.Rate
            )

            INSERT INTO @rateTable (DateYear , Rate )
               SELECT @currentYear AS DateYear,
                      CAST((sm.Rate * POWER((1 + 0.03),@diff)) AS MONEY) AS Rate
               FROM StandardRates sm
          END
     END

    SELECT @maxYear = MAX(DateYear)
    FROM @rateTable

    SELECT @maxRateYear = MAX(DateYear)
    FROM @rateTable
    WHERE RATE IS NOT NULL

    -- Add 3% inflated rate when rates are not available for a given year.
    ;WITH YearRateList AS (
        SELECT DateYear,Rate
        FROM @rateTable
        UNION ALL
        SELECT rt.DateYear AS DateYear,CAST(yl.Rate * (1 + 0.03) AS MONEY) AS Rate
        FROM  @rateTable rt
        INNER JOIN YearRateList yl ON rt.DateYear = yl.DateYear + 1
        WHERE rt.Rate IS NULL AND rt.DateYear>@maxRateYear AND rt.DateYear<=@maxYear

    )

    SELECT DISTINCT DateYear,
                    ROUND(Rate, 0) AS Rate
    FROM YearRateList
    WHERE Rate IS NOT NULL
        AND ROUND(Rate, 0)>0
    ORDER BY DateYear, Rate
END

/****** Object:  StoredProcedure [dbo].[SP_CurrencyConversionRate]    Script Date: 8/13/2021 12:46:07 PM ******/
SET ANSI_NULLS ON
```


Copyright 2026 - All Rights Reserved

```
GO
```

Uses

[dbo].[Rate]
[dbo].[SAPStandardBillRateMaster]

Copyright 2026 - All Rights Reserved

[dbo].[usp_PurgeDeletedData]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@timeFrame	int	4
@currentDate	datetime	8

SQL Script

```
/*****************************************************************************************************************
NAME: usp_PurgeDeletedData
DESCRIPTION: This SP is used to delete the data from MDM and EBT tables, which is used by Master Data Management
HELPER QUERY: EXEC [dbo].[usp_PurgeDeletedData] @timeFrame = 1, @currentDate = '07-28-2023'
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        20-FEB-21    Initial Version
*****************************************************************************************************************
CREATE PROCEDURE [dbo].[usp_PurgeDeletedData]
(
    @timeFrame INT,
    @currentDate DATETIME
)
AS
BEGIN

    SET NOCOUNT ON

    DECLARE @dataTable TABLE(
     BudgetId INT
    )

    DECLARE @dataTable_CM TABLE(
     BudgetId INT
    )

    --Delete From MDM tables
```


Copyright 2026 - All Rights Reserved

```
    DELETE
    FROM [dbo].[Rate]
    WHERE IsDeleted = 1 AND DATEDIFF(hh, LastUpdated,@currentDate)>@timeFrame

    DELETE
    FROM [dbo].[ProfitHurdle]
    WHERE IsDeleted = 1 AND DATEDIFF(hh, LastUpdated,@currentDate)>@timeFrame

    DELETE
    FROM [dbo].[EntityAttributes]
    WHERE (IsDeleted = 1 AND DATEDIFF(hh, UpdatedDate,@currentDate)>@timeFrame)
    OR EntityID IN (SELECT EntityID
                    FROM [dbo].[Entity]
                    WHERE IsDeleted = 1 AND DATEDIFF(hh, UpdatedDate,@currentDate)>@timeFrame)

    DELETE
    FROM [dbo].[Entity]
    WHERE IsDeleted = 1 AND DATEDIFF(hh, UpdatedDate,@currentDate)>@timeFrame

    DELETE
    FROM [dbo].[EntityGroup]
    WHERE IsDeleted = 1 AND DATEDIFF(hh, UpdatedDate,@currentDate)>@timeFrame

     --Delete From EBT Tables
     --Add deleted BudgetIds to a table
     INSERT INTO @dataTable(BudgetId)
     SELECT BudgetID
        FROM [dbo].[BudgetDetail]
        WHERE IsDeleted = 1 AND DATEDIFF(hh, UpdatedDate,@currentDate)>@timeFrame

     INSERT INTO @dataTable_CM(BudgetId)
     SELECT BudgetID
        FROM [dbo].[CM_BudgetDetail]
        --WHERE DATEDIFF(hh, UpdatedDate,@currentDate)>@timeFrame


        select * from @dataTable
        select * from @dataTable_CM
        --Delete from EmployeeBudgetPerPeriod table
            DELETE
            FROM [dbo].[EmployeeBudgetPerPeriod]
            WHERE BudgetHrID IN (SELECT BudgetHrID
                                 FROM [dbo].[BudgetHR]
                                 WHERE BudgetID IN (SELECT BudgetID
                                                    FROM @dataTable))

        --Delete From BudgetHr table
            DELETE
            FROM [dbo].[BudgetHR]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable)
```


Copyright 2026 - All Rights Reserved

```
        --Delete From BudgetDigital Tool table
            DELETE
            FROM [dbo].[BudgetDigitalTool]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable)

        --Delete From BudgetFee table
            DELETE
            FROM [dbo].[BudgetFee]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable)

        --Delete From BudgetMetrics table
            DELETE
            FROM [dbo].[BudgetMetrics]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable)

        --Delete From BudgetAccess table
            DELETE
            FROM [dbo].[BudgetAccess]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable)

        --Delete From BudgetDetails table
            DELETE
            FROM [dbo].[BudgetDetail]
            WHERE IsDeleted = 1 AND DATEDIFF(hh, UpdatedDate,@currentDate)>@timeFrame

            --Delete from EmployeeBudgetPerPeriod table
            DELETE
            FROM [dbo].[CM_EmployeeBudgetPerPeriod]
            WHERE BudgetHrID IN (SELECT BudgetHrID
                                 FROM [dbo].[CM_BudgetHR]
                                 WHERE BudgetID IN (SELECT BudgetID
                                                    FROM @dataTable_CM))

        --Delete From BudgetHr table
            DELETE
            FROM [dbo].[CM_BudgetHR]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable_CM)

        --Delete From BudgetDigital Tool table
            DELETE
            FROM [dbo].[CM_BudgetDigitalTool]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable_CM)

        --Delete From BudgetFee table
            DELETE
            FROM [dbo].[CM_BudgetFee]
```


Copyright 2026 - All Rights Reserved

```
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable_CM)

        --Delete From BudgetMetrics table
            DELETE
            FROM [dbo].[CM_BudgetMetrics]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable_CM)



        --Delete From BudgetDetails table
            DELETE
            FROM [dbo].[CM_BudgetDetail]
            WHERE BudgetID IN (SELECT BudgetID
                               FROM @dataTable_CM)
END
GO
```

Uses

[dbo].[BudgetAccess]
[dbo].[BudgetDetail]
[dbo].[BudgetDigitalTool]
[dbo].[BudgetFee]
[dbo].[BudgetHR]
[dbo].[BudgetMetrics]
[dbo].[CM_BudgetDetail]
[dbo].[CM_BudgetDigitalTool]
[dbo].[CM_BudgetFee]
[dbo].[CM_BudgetHR]
[dbo].[CM_BudgetMetrics]
[dbo].[CM_EmployeeBudgetPerPeriod]
[dbo].[EmployeeBudgetPerPeriod]
[dbo].[Entity]
[dbo].[EntityAttributes]
[dbo].[EntityGroup]
[dbo].[ProfitHurdle]
[dbo].[Rate]

Copyright 2026 - All Rights Reserved

[dbo].[usp_remove_Employee]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

SQL Script

```
/*****************************************************************************************************************
NAME: usp_remove_Employee
DESCRIPTION: This SP is used to remove FK constraint from Budget Hr table, which is used by Engagement Budget Too
HELPER QUERY: EXEC [dbo].[usp_remove_Employee]
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        05-MAR-21    Initial Version
******************************************************************************************************************/
CREATE PROCEDURE [dbo].[usp_remove_Employee]
AS
BEGIN
  ALTER TABLE BudgetHR
      DROP Constraint FK_BudgeHR_SAPEmployeeMaster;
  TRUNCATE TABLE SAPEmployeeMaster;


END
GO
```

Uses

[dbo].[SAPEmployeeMaster]

Copyright 2026 - All Rights Reserved

[SQLSentry].[spGetProcedureStatsData]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@MinDuration	bigint	8
@MinCPU	bigint	8
@MinIOReads	bigint	8
@MinIOWrites	bigint	8
@BaseSampleSeconds	smallint	2
@Debug	bit	1
@UniqueID	nvarchar(1000)	2000

SQL Script

```
CREATE PROCEDURE [SQLSentry].[spGetProcedureStatsData]
    @MinDuration bigint = 0,
    @MinCPU bigint = 0,
    @MinIOReads bigint = 0,
    @MinIOWrites bigint = 0,
    @BaseSampleSeconds smallint,
    @Debug bit = 0,
    @UniqueID nvarchar(1000)
AS

SET NOCOUNT ON

DECLARE @LastSampleTime datetime;
DECLARE @SampleStartTimeUtc datetime;
DECLARE @SampleEndTimeUtc datetime;
DECLARE @FilterFactor float;
DECLARE @FirstPass bit;

DECLARE @SqlStatement nvarchar(max), @SQLParams nvarchar(1000)

DECLARE @TempTable1Name nvarchar(max)
SET @TempTable1Name = 'ProcedureStats_1' + @UniqueID;
```


Copyright 2026 - All Rights Reserved

```
DECLARE @TempTable2Name nvarchar(max)
SET @TempTable2Name = 'ProcedureStats_2' + @UniqueID;

DECLARE @TempTableOneCreationTime DATETIME
SET @SqlStatement = 'SELECT @TempTableOneCreationTime = COALESCE(last_user_update, ''1753-01-01'') FROM sys.dm_db_index_usage_stats WHERE object_id = OBJECT_ID(N''[SQLSentry].[TempTable1]'')'
SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable1', @TempTable1Name)
SET @SQLParams =
    N'@TempTableOneCreationTime DATETIME OUTPUT'
EXEC sp_executesql @SqlStatement, @SQLParams,
    @TempTableOneCreationTime = @TempTableOneCreationTime OUTPUT

DECLARE @TempTableTwoCreationTime DATETIME
SET @SqlStatement = 'SELECT @TempTableTwoCreationTime = last_user_update FROM sys.dm_db_index_usage_stats WHERE object_id = OBJECT_ID(N''[SQLSentry].[TempTable2]'')'
SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)
SET @SQLParams =
    N'@TempTableTwoCreationTime DATETIME OUTPUT'
EXEC sp_executesql @SqlStatement, @SQLParams,
    @TempTableTwoCreationTime = @TempTableTwoCreationTime OUTPUT

PRINT '@TempTableOneCreationTime = ' + CONVERT(VARCHAR(24), @TempTableOneCreationTime, 121)
PRINT '@TempTableTwoCreationTime = ' + CONVERT(VARCHAR(24), @TempTableTwoCreationTime, 121)

IF (@TempTableOneCreationTime < @TempTableTwoCreationTime)
BEGIN
    SET @TempTable1Name = @TempTable2Name
    SET @TempTable2Name = 'ProcedureStats_1' + @UniqueID;
    PRINT 'Switched Tables'
END



SET @LastSampleTime = GETDATE()
SET @FirstPass = 0;

SET @SqlStatement =
N'IF OBJECT_ID(N''[SQLSentry].[TempTable2]'') IS NOT NULL
  BEGIN
      SET @LastSampleTimeOUT = (SELECT last_user_update FROM sys.dm_db_index_usage_stats WHERE object_id = OBJECT_ID(N''[SQLSentry].[TempTable1]''))
    SET @FilterFactorOUT = DATEDIFF(SECOND, @LastSampleTimeOUT, GETDATE()) / CAST(@BaseSample-Seconds AS float)
    SET @SampleStartTimeUtcOUT = (SELECT DATEADD(second, DATEDIFF(second, GETDATE(), GETUTCDATE()), @LastSampleTimeOUT))

    SELECT
         @MinDurationOUT = (@MinDuration * @FilterFactorOUT)
        ,@MinCPUOUT= (@MinCPU * @FilterFactorOUT)
        ,@MinIOReadsOUT = (@MinIOReads * @FilterFactorOUT)
        ,@MinIOWritesOUT = (@MinIOWrites * @FilterFactorOUT)

    IF (@Debug = 1)
```


Copyright 2026 - All Rights Reserved

```
      BEGIN
        PRINT ''@LastSampleTime = '' + CAST(@LastSampleTimeOUT AS varchar(50))
        PRINT ''@FilterFactor = '' + CAST(@FilterFactorOUT AS varchar(50))
        PRINT ''@MinDuration = '' + CAST(@MinDurationOUT AS varchar(50))
        PRINT ''@MinCPU = '' + CAST(@MinCPUOUT AS varchar(50))
        PRINT ''@MinIOReads = '' + CAST(@MinIOReadsOUT AS varchar(50))
        PRINT ''@MinIOWrites = '' + CAST(@MinIOWritesOUT AS varchar(50))
      END

    IF OBJECT_ID(N''[SQLSentry].[TempTable1]'') IS NULL
        BEGIN
            CREATE TABLE [SQLSentry].[TempTable1]
            (
                [database_id] smallint,
                [object_id] int,
                [InstanceCount] int,
                [sql_handle] [varbinary](64),
                [plan_handle] [varbinary](64),
                [cached_time] [datetime],
                [last_execution_time] [datetime],
                [execution_count] [bigint],
                [total_worker_time] [bigint],
                [total_physical_reads] [bigint],
                [total_logical_reads] [bigint],
                [total_logical_writes] [bigint],
                [total_elapsed_time] [bigint],
                [last_worker_time] [bigint],
                [last_physical_reads] [bigint],
                [last_logical_reads] [bigint],
                [last_logical_writes] [bigint],
                [last_elapsed_time] [bigint]
            ) ON [PRIMARY]
        END

        TRUNCATE TABLE [SQLSentry].[TempTable2];
  END
ELSE
  BEGIN
    SET @FirstPassOUT = 1

    CREATE TABLE [SQLSentry].[TempTable2]
    (
        [database_id] smallint,
        [object_id] int,
        [InstanceCount] int,
        [sql_handle] [varbinary](64),
        [plan_handle] [varbinary](64),
        [cached_time] [datetime],
        [last_execution_time] [datetime],
        [execution_count] [bigint],
        [total_worker_time] [bigint],
        [total_physical_reads] [bigint],
```


Copyright 2026 - All Rights Reserved

```
        [total_logical_reads] [bigint],
        [total_logical_writes] [bigint],
        [total_elapsed_time] [bigint],
        [last_worker_time] [bigint],
        [last_physical_reads] [bigint],
        [last_logical_reads] [bigint],
        [last_logical_writes] [bigint],
        [last_elapsed_time] [bigint]
    ) ON [PRIMARY]
  END'

SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable1', @TempTable1Name)
SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)
SET @SQLParams =
    N'@MinDuration bigint,
    @MinCPU bigint,
    @MinIOReads bigint,
    @MinIOWrites bigint,
    @BaseSampleSeconds smallint,
    @Debug bit,

    @MinDurationOUT bigint OUTPUT,
    @MinCPUOUT bigint OUTPUT,
    @MinIOReadsOUT bigint OUTPUT,
    @MinIOWritesOUT bigint OUTPUT,
    @LastSampleTimeOUT datetime OUTPUT,
    @SampleStartTimeUtcOUT datetime OUTPUT,
    @FilterFactorOUT float OUTPUT,
    @FirstPassOUT bit OUTPUT'

EXEC sp_executesql @SqlStatement, @SQLParams,
    @MinDuration = @MinDuration,
    @MinCPU = @MinCPU ,
    @MinIOReads = @MinIOReads,
    @MinIOWrites = @MinIOWrites,
    @BaseSampleSeconds = @BaseSampleSeconds,
    @Debug = @Debug,

    @MinDurationOUT = @MinDuration OUTPUT,
    @MinCPUOUT = @MinCPU OUTPUT,
    @MinIOReadsOUT = @MinIOReads OUTPUT,
    @MinIOWritesOUT = @MinIOWrites OUTPUT,
    @LastSampleTimeOUT = @LastSampleTime OUTPUT,
    @SampleStartTimeUtcOUT = @SampleStartTimeUtc OUTPUT,
    @FilterFactorOUT = @FilterFactor OUTPUT,
    @FirstPassOUT = @FirstPass OUTPUT

SET @SampleEndTimeUtc = GETUTCDATE()

SET @SqlStatement =
N'DECLARE @db_id INT = DB_ID();
INSERT INTO [SQLSentry].[TempTable2]
```


Copyright 2026 - All Rights Reserved

```
SELECT totals.*,
    lastExecution.[last_worker_time],
    lastExecution.[last_physical_reads],
    lastExecution.[last_logical_reads] ,
    lastExecution.[last_logical_writes],
    lastExecution.[last_elapsed_time]
FROM
(SELECT
    [database_id]
    ,[object_id]
    ,InstanceCount = COUNT(1)
    ,[sql_handle] = MAX([sql_handle])
    ,[plan_handle]
    ,[cached_time]
    ,[last_execution_time] = MAX([last_execution_time])
    ,[execution_count] = SUM([execution_count])
    ,[total_worker_time] = SUM([total_worker_time])
    ,[total_physical_reads] = SUM([total_physical_reads])
    ,[total_logical_reads] = SUM([total_logical_reads])
    ,[total_logical_writes] = SUM([total_logical_writes])
    ,[total_elapsed_time] = SUM([total_elapsed_time])
FROM sys.dm_exec_procedure_stats PS2
WHERE database_id = @db_id
GROUP BY [database_id]
    ,[object_id]
    ,[plan_handle]
    ,[cached_time]
HAVING SUM([total_elapsed_time]) >= ISNULL(@MinDuration, 0)
    AND SUM([total_worker_time]) >= ISNULL(@MinCPU, 0)
    AND SUM([total_logical_reads]) >= ISNULL(@MinIOReads, 0)
    AND SUM([total_logical_writes]) >= ISNULL(@MinIOWrites, 0)
    AND MAX(DATEADD(ms, [last_elapsed_time] / 1000, [last_execution_time])) > @LastSampleTime
) totals INNER JOIN
(SELECT
[last_worker_time],
[last_physical_reads],
[last_logical_reads] ,
[last_logical_writes],
[last_elapsed_time],
[database_id],
[object_id],
[cached_time],
[plan_handle],
[last_execution_time]
FROM sys.dm_exec_procedure_stats
WHERE database_id = @db_id
) lastExecution
ON totals.[object_id] = lastExecution.[object_id]
AND totals.[plan_handle] = lastExecution.[plan_handle]
AND totals.[cached_time] = lastExecution.[cached_time]
AND totals.[last_execution_time] = lastExecution.[last_execution_time]
OPTION (ORDER GROUP);'
```


Copyright 2026 - All Rights Reserved

```
SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)
SET @SQLParams =
    N'@MinDuration bigint,
    @MinCPU bigint,
    @MinIOReads bigint,
    @MinIOWrites bigint,
    @BaseSampleSeconds smallint,
    @Debug bit,
    @LastSampleTime datetime'

EXEC sp_executesql @SqlStatement, @SQLParams,
    @MinDuration = @MinDuration,
    @MinCPU = @MinCPU,
    @MinIOReads = @MinIOReads,
    @MinIOWrites = @MinIOWrites,
    @BaseSampleSeconds = @BaseSampleSeconds,
    @Debug = @Debug,
    @LastSampleTime = @LastSampleTime

IF @FirstPass = 0
    BEGIN
        SET @SqlStatement =
        N'SELECT
             PS2.[database_id]
            ,PS2.[object_id]
            ,PS2.[InstanceCount]
            ,PS2.[sql_handle]
            ,PS2.[plan_handle]
            ,PS2.[cached_time]
            ,PS2.[last_execution_time]
            ,PS2.[execution_count]
            ,DeltaExecutions = CASE
                               WHEN PS2.[cached_time] > @LastSampleTime
                                   THEN PS2.[execution_count]
                               WHEN PS1.[execution_count] IS NULL
                                   THEN 1
                               ELSE (PS2.[execution_count] - PS1.[execution_count])
                               END
            ,DeltaDurationMicroSecs = CASE
                               WHEN PS2.[cached_time] > @LastSampleTime
                                   THEN PS2.[total_elapsed_time]
                               WHEN PS1.[total_elapsed_time] IS NULL
                                   THEN PS2.[last_elapsed_time]
                               ELSE (PS2.[total_elapsed_time] - PS1.[total_elapsed_time])
                               END
            ,DeltaCPUMicroSecs = CASE
                               WHEN PS2.[cached_time] > @LastSampleTime
                                   THEN PS2.[total_worker_time]
                               WHEN PS1.[total_worker_time] IS NULL
                                   THEN PS2.[last_worker_time]
                               ELSE (PS2.[total_worker_time] - PS1.[total_worker_time])
```


Copyright 2026 - All Rights Reserved

```
                                END
            ,DeltaIOPhysicalReads = CASE
                                WHEN PS2.[cached_time] > @LastSampleTime
                                    THEN PS2.[total_physical_reads]
                                WHEN PS1.[total_physical_reads] IS NULL
                                    THEN PS2.[last_physical_reads]
                                ELSE (PS2.[total_physical_reads] - PS1.[total_physical_reads])
                                END
            ,DeltaIOLogicalReads = CASE
                                WHEN PS2.[cached_time] > @LastSampleTime
                                    THEN PS2.[total_logical_reads]
                                WHEN PS1.[total_logical_reads] IS NULL
                                    THEN PS2.[last_logical_reads]
                                ELSE (PS2.[total_logical_reads] - PS1.[total_logical_reads])
                                END
            ,DeltaIOLogicalWrites = CASE
                                WHEN PS2.[cached_time] > @LastSampleTime
                                    THEN PS2.[total_logical_writes]
                                WHEN PS1.[total_logical_writes] IS NULL
                                    THEN PS2.[last_logical_writes]
                                ELSE (PS2.[total_logical_writes] - PS1.[total_logical_writes])
                                END
            ,schemaName = OBJECT_SCHEMA_NAME(PS2.[object_id] , PS2.[database_id])
            ,objectName = OBJECT_NAME(PS2.[object_id] , PS2.[database_id])
            ,sampleStartTimeUtc = @SampleStartTimeUtc
            ,sampleEndTimeUtc = @SampleEndTimeUtc
        FROM [SQLSentry].[TempTable2] AS PS2
        LEFT OUTER JOIN [SQLSentry].[TempTable1] AS PS1
          ON PS1.[object_id] = PS2.[object_id]
         AND PS1.plan_handle = PS2.plan_handle
         AND PS1.cached_time = PS2.cached_time
         WHERE CASE
                WHEN PS2.[cached_time] > @LastSampleTime
                    THEN PS2.[total_elapsed_time]
                WHEN PS1.[total_elapsed_time] IS NULL
                    THEN PS2.[last_elapsed_time]
                ELSE (PS2.[total_elapsed_time] - PS1.[total_elapsed_time])
             END >= ISNULL(@MinDuration, 0)
         AND CASE
                WHEN PS2.[cached_time] > @LastSampleTime
                    THEN PS2.[total_worker_time]
                WHEN  PS1.[total_worker_time] IS NULL
                    THEN  PS2.[last_worker_time]
                ELSE (PS2.[total_worker_time] - PS1.[total_worker_time])
             END >= ISNULL(@MinCPU, 0)
         AND CASE
                WHEN PS2.[cached_time] > @LastSampleTime
                    THEN PS2.[total_logical_reads]
                WHEN  PS1.[total_logical_reads] IS NULL
                    THEN  PS2.[last_logical_reads]
                ELSE (PS2.[total_logical_reads] - PS1.[total_logical_reads])
             END >= ISNULL(@MinIOReads, 0)
```


Copyright 2026 - All Rights Reserved

```
         AND CASE
                WHEN PS2.[cached_time] > @LastSampleTime
                    THEN PS2.[total_logical_writes]
                WHEN PS1.[total_logical_writes] IS NULL
                    THEN PS2.[last_logical_writes]
                ELSE (PS2.[total_logical_writes] - PS1.[total_logical_writes])
            END >= ISNULL(@MinIOWrites, 0);'

        SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable1', @TempTable1Name)
        SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)
        SET @SQLParams =
            N'@MinDuration bigint,
            @MinCPU bigint,
            @MinIOReads bigint,
            @MinIOWrites bigint,
            @BaseSampleSeconds smallint,
            @Debug bit,
            @SampleStartTimeUtc datetime,
            @SampleEndTimeUtc datetime,
            @LastSampleTime datetime'

        EXEC sp_executesql @SqlStatement, @SQLParams,
            @MinDuration = @MinDuration,
            @MinCPU = @MinCPU,
            @MinIOReads = @MinIOReads,
            @MinIOWrites = @MinIOWrites,
            @BaseSampleSeconds = @BaseSampleSeconds,
            @Debug = @Debug,
            @SampleStartTimeUtc = @SampleStartTimeUtc,
            @SampleEndTimeUtc = @SampleEndTimeUtc,
            @LastSampleTime = @LastSampleTime
    END
ELSE
    SELECT
         [database_id] = NULL
        ,[object_id] = NULL
        ,[InstanceCount] = NULL
        ,[sql_handle] = NULL
        ,[plan_handle] = NULL
        ,[cached_time] = NULL
        ,[last_execution_time] = NULL
        ,[execution_count] = NULL
        ,DeltaExecutions = NULL
        ,DeltaDurationMicroSecs = NULL
        ,DeltaCPUMicroSecs = NULL
        ,DeltaIOPhysicalReads = NULL
        ,DeltaIOLogicalReads = NULL
        ,DeltaIOLogicalWrites = NULL
        ,schemaName = NULL
        ,objectName = NULL
        ,sampleStartTimeUtc = NULL
        ,sampleEndTimeUtc = NULL
```


Copyright 2026 - All Rights Reserved

```
GO
```

Uses

SQLSentry

Copyright 2026 - All Rights Reserved

[SQLSentry].[spGetQueryStatsData]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@MinDuration	bigint	8
@MinCPU	bigint	8
@MinIOReads	bigint	8
@MinIOWrites	bigint	8
@BaseSampleSeconds	smallint	2
@Debug	bit	1
@UniqueID	nvarchar(1000)	2000

SQL Script

```
CREATE PROCEDURE [SQLSentry].[spGetQueryStatsData]
    @MinDuration bigint = 0,
    @MinCPU bigint = 0,
    @MinIOReads bigint = 0,
    @MinIOWrites bigint = 0,
    @BaseSampleSeconds smallint,
    @Debug bit = 0,
    @UniqueID nvarchar(1000)
AS

SET NOCOUNT ON

DECLARE @LastSampleTime datetime;
DECLARE @SampleStartTimeUtc datetime;
DECLARE @SampleEndTimeUtc datetime;
DECLARE @FilterFactor float;
DECLARE @FirstPass bit;

DECLARE @SqlStatement nvarchar(max), @SQLParams nvarchar(1000)

DECLARE @TempTable1Name nvarchar(max)
SET @TempTable1Name = 'QueryStats_1' + @UniqueID;
```


Copyright 2026 - All Rights Reserved

```
DECLARE @TempTable2Name nvarchar(max)
SET @TempTable2Name = 'QueryStats_2' + @UniqueID;

DECLARE @TempTableOneCreationTime DATETIME
SET @SqlStatement = 'SELECT @TempTableOneCreationTime = COALESCE(last_user_update, ''1753-01-01'') FROM sys.dm_db_index_usage_stats WHERE object_id = OBJECT_ID(N''[SQLSentry].[TempTable1]'')'
SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable1', @TempTable1Name)
SET @SQLParams =
    N'@TempTableOneCreationTime DATETIME OUTPUT'
EXEC sp_executesql @SqlStatement, @SQLParams,
    @TempTableOneCreationTime = @TempTableOneCreationTime OUTPUT

DECLARE @TempTableTwoCreationTime DATETIME
SET @SqlStatement = 'SELECT @TempTableTwoCreationTime = last_user_update FROM sys.dm_db_index_usage_stats WHERE object_id = OBJECT_ID(N''[SQLSentry].[TempTable2]'')'
SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)
SET @SQLParams =
    N'@TempTableTwoCreationTime DATETIME OUTPUT'
EXEC sp_executesql @SqlStatement, @SQLParams,
    @TempTableTwoCreationTime = @TempTableTwoCreationTime OUTPUT

PRINT '@TempTableOneCreationTime = ' + CONVERT(VARCHAR(24), @TempTableOneCreationTime, 121)
PRINT '@TempTableTwoCreationTime = ' + CONVERT(VARCHAR(24), @TempTableTwoCreationTime, 121)

IF (@TempTableOneCreationTime < @TempTableTwoCreationTime)
BEGIN
    SET @TempTable1Name = @TempTable2Name
    SET @TempTable2Name = 'QueryStats_1' + @UniqueID;
    PRINT 'Switched Tables'
END

SET @LastSampleTime = GETDATE()
SET @FirstPass = 0;

SET @SqlStatement =
N'IF OBJECT_ID(N''[SQLSentry].[TempTable2]'') IS NOT NULL
  BEGIN
      SET @LastSampleTimeOUT = (SELECT last_user_update FROM sys.dm_db_index_usage_stats WHERE object_id = OBJECT_ID(N''[SQLSentry].[TempTable1]''))
    SET @FilterFactorOUT = DATEDIFF(SECOND, @LastSampleTimeOUT, GETDATE()) / CAST(@BaseSampleSeconds AS float)
    SET @SampleStartTimeUtcOUT = (SELECT DATEADD(second, DATEDIFF(second, GETDATE(), GETUTCDATE()), @LastSampleTimeOUT))

    SELECT
         @MinDurationOUT = (@MinDuration * @FilterFactorOUT)
        ,@MinCPUOUT= (@MinCPU * @FilterFactorOUT)
        ,@MinIOReadsOUT = (@MinIOReads * @FilterFactorOUT)
        ,@MinIOWritesOUT = (@MinIOWrites * @FilterFactorOUT)

    IF (@Debug = 1)
      BEGIN
```


Copyright 2026 - All Rights Reserved

```
        PRINT ''@LastSampleTime = '' + CONVERT(VARCHAR(24), @LastSampleTimeOUT, 121)
        PRINT ''@FilterFactor = '' + CAST(@FilterFactorOUT AS varchar(50))
        PRINT ''@MinDuration = '' + CAST(@MinDurationOUT AS varchar(50))
        PRINT ''@MinCPU = '' + CAST(@MinCPUOUT AS varchar(50))
        PRINT ''@MinIOReads = '' + CAST(@MinIOReadsOUT AS varchar(50))
        PRINT ''@MinIOWrites = '' + CAST(@MinIOWritesOUT AS varchar(50))
      END

      IF OBJECT_ID(N''[SQLSentry].[TempTable1]'') IS NULL
        BEGIN
            CREATE TABLE [SQLSentry].[TempTable1]
            (
                [query_hash] [binary](8),
                [query_plan_hash] [binary](8),
                [statement_start_offset] [int],
                [statement_end_offset] [int],
                [obj] [varbinary](4),
                [InstanceCount] int,
                [sql_handle] [varbinary](64),
                [plan_handle] [varbinary](64),
                [creation_time] [datetime],
                [last_execution_time] [datetime],
                [execution_count] [bigint],
                [total_worker_time] [bigint],
                [total_physical_reads] [bigint],
                [total_logical_reads] [bigint],
                [total_logical_writes] [bigint],
                [total_elapsed_time] [bigint],
                [last_worker_time] [bigint],
                [last_physical_reads] [bigint],
                [last_logical_reads] [bigint],
                [last_logical_writes] [bigint],
                [last_elapsed_time] [bigint]
            ) ON [PRIMARY]
        END

        TRUNCATE TABLE [SQLSentry].[TempTable2];
  END
ELSE
  BEGIN
    SET @FirstPassOUT = 1

    CREATE TABLE [SQLSentry].[TempTable2]
    (
        [query_hash] [binary](8),
        [query_plan_hash] [binary](8),
        [statement_start_offset] [int],
        [statement_end_offset] [int],
        [obj] [varbinary](4),
        [InstanceCount] int,
        [sql_handle] [varbinary](64),
        [plan_handle] [varbinary](64),
```


Copyright 2026 - All Rights Reserved

```
        [creation_time] [datetime],
        [last_execution_time] [datetime],
        [execution_count] [bigint],
        [total_worker_time] [bigint],
        [total_physical_reads] [bigint],
        [total_logical_reads] [bigint],
        [total_logical_writes] [bigint],
        [total_elapsed_time] [bigint],
        [last_worker_time] [bigint],
        [last_physical_reads] [bigint],
        [last_logical_reads] [bigint],
        [last_logical_writes] [bigint],
        [last_elapsed_time] [bigint]
    ) ON [PRIMARY]
  END'

SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable1', @TempTable1Name)
SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)

SET @SQLParams =
    N'@MinDuration bigint,
    @MinCPU bigint,
    @MinIOReads bigint,
    @MinIOWrites bigint,
    @BaseSampleSeconds smallint,
    @Debug bit,

    @MinDurationOUT bigint OUTPUT,
    @MinCPUOUT bigint OUTPUT,
    @MinIOReadsOUT bigint OUTPUT,
    @MinIOWritesOUT bigint OUTPUT,
    @LastSampleTimeOUT datetime OUTPUT,
    @SampleStartTimeUtcOUT datetime OUTPUT,
    @FilterFactorOUT float OUTPUT,
    @FirstPassOUT bit OUTPUT'

EXEC sp_executesql @SqlStatement, @SQLParams,
    @MinDuration = @MinDuration,
    @MinCPU = @MinCPU ,
    @MinIOReads = @MinIOReads,
    @MinIOWrites = @MinIOWrites,
    @BaseSampleSeconds = @BaseSampleSeconds,
    @Debug = @Debug,

    @MinDurationOUT = @MinDuration OUTPUT,
    @MinCPUOUT = @MinCPU OUTPUT,
    @MinIOReadsOUT = @MinIOReads OUTPUT,
    @MinIOWritesOUT = @MinIOWrites OUTPUT,
    @LastSampleTimeOUT = @LastSampleTime OUTPUT,
    @SampleStartTimeUtcOUT = @SampleStartTimeUtc OUTPUT,
    @FilterFactorOUT = @FilterFactor OUTPUT,
    @FirstPassOUT = @FirstPass OUTPUT
```


Copyright 2026 - All Rights Reserved

```
SET @SampleEndTimeUtc = GETUTCDATE()


SET @SqlStatement =
N'DECLARE @db_id INT = DB_ID()
DECLARE @db_id_bytes binary(2) = CONVERT(binary(2), REVERSE(CONVERT(binary(2), db_id())))

IF OBJECT_ID(''tempdb..#totals'') IS NOT NULL
DROP TABLE #totals

IF OBJECT_ID(''tempdb..#lastExecution'') IS NOT NULL
DROP TABLE #lastExecution

SELECT
     [query_hash]
    ,[query_plan_hash]
    ,[statement_start_offset]
    ,[statement_end_offset]
    ,obj = CASE WHEN SUBSTRING(plan_handle, 1, 2) = 0x06 THEN 0x00000000 ELSE
SUBSTRING(plan_handle, 5, 4) END
    ,InstanceCount = COUNT(1)
    ,[sql_handle] = MAX([sql_handle])
    ,[plan_handle] = MAX([plan_handle])
    ,[creation_time] = MIN([creation_time])
    ,[last_execution_time] = MAX([last_execution_time])
    ,[execution_count] = SUM([execution_count])
    ,[total_worker_time] = SUM([total_worker_time])
    ,[total_physical_reads] = SUM([total_physical_reads])
    ,[total_logical_reads] = SUM([total_logical_reads])
    ,[total_logical_writes] = SUM([total_logical_writes])
    ,[total_elapsed_time] = SUM([total_elapsed_time])
INTO #totals
FROM sys.dm_exec_query_stats QS2
WHERE SUBSTRING(plan_handle,3,2) = @db_id_bytes
GROUP BY [query_hash]
    ,[query_plan_hash]
    ,[statement_start_offset]
    ,[statement_end_offset]
    ,SUBSTRING(plan_handle,3,2)
    ,CASE WHEN SUBSTRING(plan_handle, 1, 2) = 0x06 THEN 0x00000000 ELSE SUBSTRING(plan_handle, 5,
4) END
HAVING SUM([total_elapsed_time]) >= ISNULL(@MinDuration, 0)
    AND SUM([total_worker_time]) >= ISNULL(@MinCPU, 0)
    AND SUM([total_logical_reads]) >= ISNULL(@MinIOReads, 0)
    AND SUM([total_logical_writes]) >= ISNULL(@MinIOWrites, 0)
    AND MAX(DATEADD(ms, [last_elapsed_time] / 1000, [last_execution_time])) > @LastSampleTime;

SELECT
[last_worker_time],
[last_physical_reads],
[last_logical_reads] ,
[last_logical_writes],
```


Copyright 2026 - All Rights Reserved

```
[last_elapsed_time],
[query_hash],
[query_plan_hash],
[statement_start_offset],
[statement_end_offset],
obj = CASE WHEN SUBSTRING(plan_handle, 1, 2) = 0x06 THEN 0x00000000 ELSE SUBSTRING(plan_handle,
5, 4) END,
[last_execution_time]
INTO #lastExecution
FROM sys.dm_exec_query_stats
WHERE SUBSTRING(plan_handle,3,2) = @db_id_bytes

INSERT INTO [SQLSentry].[TempTable2]
SELECT totals.*,
    lastExecution.[last_worker_time],
    lastExecution.[last_physical_reads],
    lastExecution.[last_logical_reads] ,
    lastExecution.[last_logical_writes],
    lastExecution.[last_elapsed_time]
FROM #totals as totals
INNER JOIN #lastExecution AS lastExecution
ON totals.[query_hash] = lastExecution.[query_hash]
AND totals.[query_plan_hash] = lastExecution.[query_plan_hash]
AND totals.[statement_start_offset] = lastExecution.[statement_start_offset]
AND totals.[statement_end_offset] = lastExecution.[statement_end_offset]
AND totals.obj = lastExecution.obj
AND totals.[last_execution_time] = lastExecution.[last_execution_time]
OPTION (ORDER GROUP);'

SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)
SET @SQLParams =
    N'@MinDuration bigint,
    @MinCPU bigint,
    @MinIOReads bigint,
    @MinIOWrites bigint,
    @BaseSampleSeconds smallint,
    @Debug bit,
    @LastSampleTime datetime'

EXEC sp_executesql @SqlStatement, @SQLParams,
    @MinDuration = @MinDuration,
    @MinCPU = @MinCPU,
    @MinIOReads = @MinIOReads,
    @MinIOWrites = @MinIOWrites,
    @BaseSampleSeconds = @BaseSampleSeconds,
    @Debug = @Debug,
    @LastSampleTime = @LastSampleTime

IF @FirstPass = 0
    BEGIN
        SET @SqlStatement =
        N'SELECT
             statement_text = SUBSTRING(st.text, (QS2.statement_start_offset/2)+1, ((CASE
```


Copyright 2026 - All Rights Reserved

```
QS2.statement_end_offset WHEN -1 THEN DATALENGTH(st.text) ELSE QS2.statement_end_offset END -
QS2.statement_start_offset)/2) + 1)
            ,QS2.[query_hash]
            ,QS2.[query_plan_hash]
            ,QS2.[statement_start_offset]
            ,QS2.[statement_end_offset]
            ,QS2.[obj]
            ,QS2.[InstanceCount]
            ,QS2.[sql_handle]
            ,QS2.[plan_handle]
            ,QS2.[creation_time]
            ,QS2.[last_execution_time]
            ,QS2.[execution_count]
            ,DeltaExecutions = CASE
                                WHEN QS2.[creation_time] > @LastSampleTime
                                    THEN QS2.[execution_count]
                                WHEN QS1.[execution_count] IS NULL
                                    THEN 1
                                ELSE (QS2.[execution_count] - QS1.[execution_count])
                                END
            ,DeltaDurationMicroSecs = CASE
                                WHEN QS2.[creation_time] > @LastSampleTime
                                    THEN QS2.[total_elapsed_time]
                                WHEN QS1.[total_elapsed_time] IS NULL
                                    THEN QS2.[last_elapsed_time]
                                ELSE (QS2.[total_elapsed_time] - QS1.[total_elapsed_time])
                                END
            ,DeltaCPUMicroSecs = CASE
                                WHEN QS2.[creation_time] > @LastSampleTime
                                    THEN QS2.[total_worker_time]
                                WHEN QS1.[total_worker_time] IS NULL
                                    THEN QS2.[last_worker_time]
                                ELSE (QS2.[total_worker_time] - QS1.[total_worker_time])
                                END
            ,DeltaIOPhysicalReads = CASE
                                WHEN QS2.[creation_time] > @LastSampleTime
                                    THEN QS2.[total_physical_reads]
                                WHEN QS1.[total_physical_reads] IS NULL
                                    THEN QS2.[last_physical_reads]
                                ELSE (QS2.[total_physical_reads] - QS1.[total_physical_reads])
                                END
            ,DeltaIOLogicalReads = CASE
                                WHEN QS2.[creation_time] > @LastSampleTime
                                    THEN QS2.[total_logical_reads]
                                WHEN QS1.[total_logical_reads] IS NULL
                                    THEN QS2.[last_logical_reads]
                                ELSE (QS2.[total_logical_reads] - QS1.[total_logical_reads])
                                END
            ,DeltaIOLogicalWrites = CASE
                                WHEN QS2.[creation_time] > @LastSampleTime
                                    THEN QS2.[total_logical_writes]
                                WHEN QS1.[total_logical_writes] IS NULL
```


Copyright 2026 - All Rights Reserved

```
                                    THEN QS2.[last_logical_writes]
                                ELSE (QS2.[total_logical_writes] - QS1.[total_logical_writes])
                                END
            ,convert(int,convert(binary(4), reverse(QS2.[obj]))) as objectId
            ,schemaName = OBJECT_SCHEMA_NAME(convert(int,convert(binary(4), reverse(QS2.[obj]))))
            ,objectName = OBJECT_NAME(convert(int,convert(binary(4), reverse(QS2.[obj]))))
            ,sampleStartTimeUtc = @SampleStartTimeUtc
            ,sampleEndTimeUtc = @SampleEndTimeUtc
        FROM [SQLSentry].[TempTable2] AS QS2
        LEFT OUTER JOIN [SQLSentry].[TempTable1] AS QS1
          ON QS1.[query_hash] = QS2.[query_hash]
         AND QS1.[query_plan_hash] = QS2.[query_plan_hash]
         AND QS1.[statement_start_offset] = QS2.[statement_start_offset]
         AND QS1.[statement_end_offset] = QS2.[statement_end_offset]
         AND QS1.[obj] = QS2.[obj]
        CROSS APPLY sys.dm_exec_sql_text(QS2.sql_handle) st
       WHERE CASE
                WHEN QS2.[creation_time] > @LastSampleTime
                    THEN QS2.[total_elapsed_time]
                WHEN QS1.[total_elapsed_time] IS NULL
                    THEN QS2.[last_elapsed_time]
                ELSE (QS2.[total_elapsed_time] - QS1.[total_elapsed_time])
             END >= ISNULL(@MinDuration, 0)
         AND CASE
                WHEN QS2.[creation_time] > @LastSampleTime
                    THEN QS2.[total_worker_time]
                WHEN  QS1.[total_worker_time] IS NULL
                    THEN  QS2.[last_worker_time]
                ELSE (QS2.[total_worker_time] - QS1.[total_worker_time])
             END >= ISNULL(@MinCPU, 0)
         AND CASE
                WHEN QS2.[creation_time] > @LastSampleTime
                    THEN QS2.[total_logical_reads]
                WHEN  QS1.[total_logical_reads] IS NULL
                    THEN  QS2.[last_logical_reads]
                ELSE (QS2.[total_logical_reads] - QS1.[total_logical_reads])
             END >= ISNULL(@MinIOReads, 0)
         AND CASE
                WHEN QS2.[creation_time] > @LastSampleTime
                    THEN QS2.[total_logical_writes]
                WHEN QS1.[total_logical_writes] IS NULL
                    THEN QS2.[last_logical_writes]
                ELSE (QS2.[total_logical_writes] - QS1.[total_logical_writes])
             END >= ISNULL(@MinIOWrites, 0);'

        SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable1', @TempTable1Name)
        SET @SqlStatement = REPLACE(@SqlStatement, 'TempTable2', @TempTable2Name)
        SET @SQLParams =
            N'@MinDuration bigint,
            @MinCPU bigint,
            @MinIOReads bigint,
            @MinIOWrites bigint,
```


Copyright 2026 - All Rights Reserved

```
            @BaseSampleSeconds smallint,
            @Debug bit,
            @SampleStartTimeUtc datetime,
            @SampleEndTimeUtc datetime,
            @LastSampleTime datetime'

        EXEC sp_executesql @SqlStatement, @SQLParams,
            @MinDuration = @MinDuration,
            @MinCPU = @MinCPU,
            @MinIOReads = @MinIOReads,
            @MinIOWrites = @MinIOWrites,
            @BaseSampleSeconds = @BaseSampleSeconds,
            @Debug = @Debug,
            @SampleStartTimeUtc = @SampleStartTimeUtc,
            @SampleEndTimeUtc = @SampleEndTimeUtc,
            @LastSampleTime = @LastSampleTime
    END
ELSE
    SELECT
         statement_text = NULL
        ,[query_hash] = NULL
        ,[query_plan_hash] = NULL
        ,[statement_start_offset] = NULL
        ,[statement_end_offset] = NULL
        ,obj = NULL
        ,[InstanceCount] = NULL
        ,[sql_handle] = NULL
        ,[plan_handle] = NULL
        ,[creation_time] = NULL
        ,[last_execution_time] = NULL
        ,[execution_count] = NULL
        ,DeltaExecutions = NULL
        ,DeltaDurationMicroSecs = NULL
        ,DeltaCPUMicroSecs = NULL
        ,DeltaIOPhysicalReads = NULL
        ,DeltaIOLogicalReads = NULL
        ,DeltaIOLogicalWrites = NULL
        ,objectId = NULL
        ,schemaName = NULL
        ,objectName = NULL
        ,sampleStartTimeUtc = NULL
        ,sampleEndTimeUtc = NULL
GO
```

Uses

SQLSentry

Copyright 2026 - All Rights Reserved

Scalar-valued Functions

Objects

Name
dbo.fn_GetDeptCodeByName
dbo.fn_GetISLGroupingByYear
dbo.fn_GetISLServiceLine
dbo.fn_GetRegionByYear
dbo.fn_GetStdCostRegionByYear
dbo.fn_Holidays
dbo.fn_WorkDays

Copyright 2026 - All Rights Reserved

[dbo].[fn_GetDeptCodeByName]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@ISLServiceLine	varchar(255)	255
@year	int	4

SQL Script

```
/*****************************************************************************************************************************
NAME: [fn_GetISLGroupingByYear]
DESCRIPTION: This function is used to get ISLGrouping by year
HELPER QUERY: SELECT [dbo].[fn_GetDeptCodeByName]('Digital')
*****************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------------------
Infosys        15-MAR-24    Initial Version
*****************************************************************************************************************************
CREATE FUNCTION [dbo].[fn_GetDeptCodeByName]

(
    @ISLServiceLine varchar(255),
    @year int
)

--Define the output data type.
RETURNS VARCHAR(255)

AS
--Calculate the RETURN of the function.
BEGIN
    DECLARE @ISLServiceLineGroupId int = (SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE Entit

     RETURN (SELECT EntityNAme FROM [dbo].[Entity] WITH (NOLOCK)
                    WHERE EntityGroupID = ( @ISLServiceLineGroupId ) and Entitydescription like '%'+ @ISLServiceL
Year(ValidTo) >=@year)
END
GO
```


Copyright 2026 - All Rights Reserved

Uses

[dbo].[Entity]

[dbo].[EntityGroup]

Copyright 2026 - All Rights Reserved

[dbo].[fn_GetISLGroupingByYear]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@ISLServiceLine	varchar(255)	255
@ISLCode	int	4
@year	int	4

SQL Script

```
/*****************************************************************************************************************
NAME: [fn_GetISLGroupingByYear]
DESCRIPTION: This function is used to get ISLGrouping by year
HELPER QUERY: SELECT [dbo].[fn_GetISLGroupingByYear]('Digital',110,2023)
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        15-MAR-24    Initial Version
******************************************************************************************************************
CREATE FUNCTION [dbo].[fn_GetISLGroupingByYear]

(
    @ISLServiceLine varchar(255),
    @ISLCode int,
    @year int
)

--Define the output data type.
RETURNS VARCHAR(255)

AS
--Calculate the RETURN of the function.
BEGIN
    DECLARE @ISLServiceLineGroupId int = (SELECT EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE Entit

     RETURN IIF(@ISLServiceLine = 'CORPSRV',@ISLServiceLine,(SELECT ISNULL(EntityName,'') FROM [dbo].[Entity] WIT
       WHERE EntityID = (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
```


Copyright 2026 - All Rights Reserved

```
                    WHERE EntityGroupID = ( @ISLServiceLineGroupId ) and EntityName = @ISLCode AND Year(ValidFrom
END
GO
```

Uses

[dbo].[Entity]
[dbo].[EntityGroup]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[SP_GetWorkingDaysByPeriod]

Copyright 2026 - All Rights Reserved

[dbo].[fn_GetISLServiceLine]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@MdIncharge	varchar(255)	255

SQL Script

```
/*****************************************************************************************************************
NAME: [fn_GetISLServiceLine]
DESCRIPTION: This function is used to get department code to match ISLServiceLine
HELPER QUERY: SELECT [dbo].[fn_GetISLServiceLine]('Bill Krivoshik')
*****************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------
Infosys        22-FEB-21    Initial Version
*****************************************************************************************************************
CREATE FUNCTION [dbo].[fn_GetISLServiceLine]

(
    @MdIncharge VARCHAR(255)
)

--Define the output data type.
RETURNS INT

AS
--Calculate the RETURN of the function.
BEGIN
    DECLARE @DepartmentCode INT

   SELECT @DepartmentCode = DepartmentCode FROM SAPEmployeeMaster where EmployeeName like '%'+@MdIncharge+'%' OR
Incharge+'%'

    RETURN (

            SELECT @DepartmentCode AS Holidays
            )
```


Copyright 2026 - All Rights Reserved

```
END
GO
```

Uses

[dbo].[SAPEmployeeMaster]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New_Debug]

Copyright 2026 - All Rights Reserved

[dbo].[fn_GetRegionByYear]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@Country	varchar(255)	255
@year	int	4

SQL Script

```
/*****************************************************************************************************************************
NAME: [fn_GetRegionByYear]
DESCRIPTION: This function is used to get ISLGrouping by year
HELPER QUERY: SELECT [dbo].[fn_GetRegionByYear]('Japan',2023)
*****************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------------------
Infosys        15-MAR-24    Initial Version
*****************************************************************************************************************************
CREATE FUNCTION [dbo].[fn_GetRegionByYear]

(
    @Country varchar(255),
    @year int
)

--Define the output data type.
RETURNS VARCHAR(255)

AS
--Calculate the RETURN of the function.
BEGIN
    DECLARE @RegionGroupId INT, @CountryGroupId INT


        SELECT @RegionGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'Reg
        SELECT @CountryGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'Co
```


Copyright 2026 - All Rights Reserved

```
     RETURN  (SELECT ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
            WHERE EntityID in (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                    WHERE EntityGroupID = (@CountryGroupId) and EntityDescription = @Country)
                                          AND EntityGroupID = (@RegionGroupId) AND Year(ValidFrom) = @year)
END
GO
```

Uses

[dbo].[Entity]
[dbo].[EntityGroup]

Copyright 2026 - All Rights Reserved

[dbo].[fn_GetStdCostRegionByYear]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@Country	varchar(255)	255
@year	int	4

SQL Script

```
/*****************************************************************************************************************************
NAME: [fn_GetStdCostRegionByYear]
DESCRIPTION: This function is used to get ISLGrouping by year
HELPER QUERY: SELECT [dbo].[fn_GetStdCostRegionByYear]('Japan',2023)
*****************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------------------
Infosys        15-MAR-24    Initial Version
*****************************************************************************************************************************
CREATE FUNCTION [dbo].[fn_GetStdCostRegionByYear]

(
    @Country varchar(255),
    @year int
)

--Define the output data type.
RETURNS VARCHAR(255)

AS
--Calculate the RETURN of the function.
BEGIN
    DECLARE @StdCostRegionGroupId INT, @CountryGroupId INT

    SELECT @StdCostRegionGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = '
        SELECT @CountryGroupId = EntityGroupID FROM [dbo].[EntityGroup] WITH (NOLOCK) WHERE EntityGroupName = 'Co

     RETURN  (SELECT ISNULL(EntityDescription,'') FROM [dbo].[Entity] WITH (NOLOCK)
```


Copyright 2026 - All Rights Reserved

```
            WHERE EntityID in (SELECT [ParentEntityID] FROM [dbo].[Entity] WITH (NOLOCK)
                    WHERE EntityGroupID = ( @CountryGroupId) and EntityName = @Country)
                                        AND EntityGroupID = (@StdCostRegionGroupId) AND Year(ValidFrom) <= @
END
GO
```

Uses

[dbo].[Entity]
[dbo].[EntityGroup]

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]
[dbo].[APSP_Engagement_Budget_Margin_Calc_New]
[dbo].[SP_CloneBudgetBefore2023]
[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[SP_GetWorkingDaysByPeriod]

Copyright 2026 - All Rights Reserved

[dbo].[fn_Holidays]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@StartDate	datetime	8
@EndDate	datetime	8
@CountryCode	varchar(max)	max

SQL Script

```
/*****************************************************************************************************************
NAME: fn_Holidays
DESCRIPTION: This function is used to get the count of holiday dates based on startdate, enddate and country, whi
HELPER QUERY: SELECT [dbo].[fn_Holidays]('02-10-2020','10-10-2021', 'US')
******************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
------------------------------------------------------------------------------------------------------------------
Infosys        22-FEB-21    Initial Version
******************************************************************************************************************
 CREATE FUNCTION [dbo].[fn_Holidays]

(
    @StartDate DATETIME
    ,@EndDate   DATETIME
    ,@CountryCode VARCHAR(MAX)
)

--Define the output data type.
RETURNS INT

AS
--Calculate the RETURN of the function.
BEGIN
    DECLARE @count INT
   ;WITH Holiday AS(
    SELECT HC.HolidayDate AS HolidayDate
          FROM [dbo].[LocationHolidayCalender] HC
```


Copyright 2026 - All Rights Reserved

```
        INNER JOIN [dbo].[SAPEmployeeMaster] EM ON EM.LocationCode=HC.LocationCode
        WHERE
         EM.country=@CountryCode
         AND
         HC.HolidayDate BETWEEN @StartDate AND @EndDate
         AND DATENAME(dw, HC.HolidayDate) NOT IN  ('Saturday','Sunday')
         GROUP BY HC.HolidayDate
         )

    SELECT @count = COUNT(HolidayDate)
    FROM Holiday

    RETURN (
        --all holidays
            SELECT @count AS Holidays
            )
END
GO
```

Uses

[dbo].[LocationHolidayCalender]
[dbo].[SAPEmployeeMaster]

Used By

[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[SP_GetWorkingDaysByPeriod]

Copyright 2026 - All Rights Reserved

[dbo].[fn_WorkDays]

Properties

Property	Value
ANSI Nulls On	True
Quoted Identifier On	True

Parameters

Name	Data Type	Max Length (Bytes)
@StartDate	datetime	8
@EndDate	datetime	8

SQL Script

```
/*****************************************************************************************************************************
NAME: fn_WorkDays
DESCRIPTION: This function is used to get the count of working dates based on startdate and enddate, which is use
HELPER QUERY: SELECT [dbo].[fn_WorkDays]('02-10-2020','10-10-2021')
*****************************************************************************************************************************
AUTHOR        DATE        CHANGE DESCRIPTION
-----------------------------------------------------------------------------------------------------------------------------
Infosys        22-FEB-21    Initial Version
*****************************************************************************************************************************
 CREATE FUNCTION [dbo].[fn_WorkDays]
--Presets
--Define the input parameters (OK if reversed by mistake).
(
    @StartDate DATETIME,
    @EndDate   DATETIME = NULL --@EndDate replaced by @StartDate when DEFAULTed
)

--Define the output data type.
RETURNS INT

AS
--Calculate the RETURN of the function.
BEGIN
    --Declare local variables
    --Temporarily holds @EndDate during date reversal.
    DECLARE @Swap DATETIME

    --If the Start Date is null, return a NULL and exit.
```


Copyright 2026 - All Rights Reserved

```
    IF @StartDate IS NULL
        RETURN NULL

    --If the End Date is null, populate with Start Date value so will have two dates (required by DATEDIFF below)
    IF @EndDate IS NULL
        SELECT @EndDate = @StartDate

    --Strip the time element from both dates (just to be safe) by converting to whole days and back to a date.
    --Usually faster than CONVERT.
    --0 is a date (01/01/1900 00:00:00.000)
    SELECT @StartDate = DATEADD(dd,DATEDIFF(dd,0,@StartDate), 0),
           @EndDate   = DATEADD(dd,DATEDIFF(dd,0,@EndDate)  , 0)

    --If the inputs are in the wrong order, reverse them.
    IF @StartDate > @EndDate
        SELECT @Swap      = @EndDate,
               @EndDate   = @StartDate,
               @StartDate = @Swap

    --Calculate and return the number of workdays using the input parameters.
    --This is the meat of the function.
    --This is really just one formula with a couple of parts that are listed on separate lines for documentation
    RETURN (
        SELECT
        --Start with total number of days including weekends
        (DATEDIFF(dd,@StartDate, @EndDate)+1)
        --Subtact 2 days for each full weekend
        -(DATEDIFF(wk,@StartDate, @EndDate)*2)
        --If StartDate is a Sunday, Subtract 1
        -(CASE WHEN DATENAME(dw, @StartDate) = 'Sunday'
            THEN 1
            ELSE 0
        END)
        --If EndDate is a Saturday, Subtract 1
        -(CASE WHEN DATENAME(dw, @EndDate) = 'Saturday'
            THEN 1
            ELSE 0
        END)

        )
    END
GO
```

Used By

[dbo].[SP_CM_GetWorkingDaysByPeriod]
[dbo].[SP_GetWorkingDaysByPeriod]

Copyright 2026 - All Rights Reserved

User-Defined Table Types

Objects

Name
dbo.EmployeeList
dbo.RateInput
dbo.RateInput_1
dbo.YearList

Copyright 2026 - All Rights Reserved

[dbo].[EmployeeList]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True

Columns

Name	Data Type	Max Length (Bytes)	Nullability
EmpName	varchar(max)	max	NULL allowed

SQL Script

```
CREATE TYPE [dbo].[EmployeeList] AS TABLE
(
[EmpName] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
)
GO
```

Used By

[dbo].[SP_EmpLoyeeDetails]
[dbo].[SP_GetTBDEmployeeDetails]

Copyright 2026 - All Rights Reserved

[dbo].[RateInput]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True

Columns

Name	Data Type	Max Length (Bytes)	Nullability
RateID	int	4	NULL allowed
RateTypeID	int	4	NOT NULL
Year	varchar(15)	15	NOT NULL
Currency	varchar(10)	10	NULL allowed
Rate	money	8	NULL allowed
SubLevel	varchar(10)	10	NULL allowed
Country	varchar(50)	50	NULL allowed
Department	varchar(50)	50	NULL allowed
Name	varchar(50)	50	NULL allowed
Unit	varchar(10)	10	NULL allowed
IsActive	bit	1	NULL allowed
IsDeleted	bit	1	NULL allowed
ActivityType	nvarchar(50)	100	NULL allowed

SQL Script

```
CREATE TYPE [dbo].[RateInput] AS TABLE
(
[RateID] [int] NULL,
[RateTypeID] [int] NOT NULL,
[Year] [varchar] (15) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Rate] [money] NULL,
[SubLevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Department] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Unit] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NULL,
[IsDeleted] [bit] NULL,
```


Copyright 2026 - All Rights Reserved

```
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
)
GO
```

Used By

[dbo].[SP_BulkRateDataUpload]

Copyright 2026 - All Rights Reserved

[dbo].[RateInput_1]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Heap	True

Columns

Name	Data Type	Max Length (Bytes)	Nullability
RateID	int	4	NULL allowed
RateTypeID	int	4	NOT NULL
Year	varchar(15)	15	NOT NULL
Currency	varchar(10)	10	NULL allowed
Rate	money	8	NULL allowed
SubLevel	varchar(10)	10	NULL allowed
Country	varchar(50)	50	NULL allowed
Department	varchar(50)	50	NULL allowed
Name	varchar(50)	50	NULL allowed
Unit	varchar(10)	10	NULL allowed
IsActive	bit	1	NULL allowed
IsDeleted	bit	1	NULL allowed
ActivityType	nvarchar(50)	100	NULL allowed

SQL Script

```
CREATE TYPE [dbo].[RateInput_1] AS TABLE
(
[RateID] [int] NULL,
[RateTypeID] [int] NOT NULL,
[Year] [varchar] (15) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Currency] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Rate] [money] NULL,
[SubLevel] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Country] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Department] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Name] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Unit] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[IsActive] [bit] NULL,
[IsDeleted] [bit] NULL,
```


Copyright 2026 - All Rights Reserved

```
[ActivityType] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
)
GO
```


Copyright 2026 - All Rights Reserved

[dbo].[YearList]

Properties

Property	Value
Heap	True

Columns

Name	Data Type	Max Length (Bytes)	Nullability
Year	int	4	NULL allowed

SQL Script

```
CREATE TYPE [dbo].[YearList] AS TABLE
(
[Year] [int] NULL
)
GO
```

Used By

[dbo].[SP_GetHolidayDates]

Copyright 2026 - All Rights Reserved

Users

Objects

Name
dbo
guest
NT AUTHORITY\SYSTEM
NT Service\SqlServerExtension

Copyright 2026 - All Rights Reserved

dbo

Properties

Property	Value
Type	WindowsUser
Login Name	ONEFIRM\adminss
Default Schema	dbo

Database Level Permissions

Type	Action
CONNECT	Grant

SQL Script

```
GO
```


Copyright 2026 - All Rights Reserved

guest

Properties

Property	Value
Type	SqlUser
Default Schema	guest

SQL Script

```
GO
```


Copyright 2026 - All Rights Reserved

NT AUTHORITY\SYSTEM

Properties

Property	Value
Type	WindowsUser
Login Name	NT AUTHORITY\SYSTEM
Default Schema	dbo

Database Level Permissions

Type	Action
CONNECT	Grant

SQL Script

```
IF NOT EXISTS (SELECT * FROM master.dbo.syslogins WHERE loginname = N'NT AUTHORITY\SYSTEM')
CREATE LOGIN [NT AUTHORITY\SYSTEM] FROM WINDOWS
GO
CREATE USER [NT AUTHORITY\SYSTEM] FOR LOGIN [NT AUTHORITY\SYSTEM]
GO
```

Used By

SQLArcExtensionUserRole

Copyright 2026 - All Rights Reserved

NT Service\SqlServerExtension

Properties

Property	Value
Type	WindowsUser
Login Name	NT Service\SqlServerExtension
Default Schema	dbo

Database Level Permissions

Type	Action
CONNECT	Grant

SQL Script

```
IF NOT EXISTS (SELECT * FROM master.dbo.syslogins WHERE loginname = N'NT Service\SqlServer-Extension')
CREATE LOGIN [NT Service\SqlServerExtension] FROM WINDOWS
GO
CREATE USER [NT Service\SqlServerExtension] FOR LOGIN [NT Service\SqlServerExtension]
GO
```


Copyright 2026 - All Rights Reserved

Database Roles

Objects

Name
db_accessadmin
db_backupoperator
db_datareader
db_datawriter
db_ddladmin
db_denydatareader
db_denydatawriter
db_owner
db_securityadmin
public
SQLArcExtensionUserRole

db_accessadmin

Properties

Property	Value
Owner	dbo

db_backupoperator

Properties

Property	Value

Copyright 2026 - All Rights Reserved

Owner	dbo

db_datareader

Properties

Property	Value
Owner	dbo

db_datawriter

Properties

Property	Value
Owner	dbo

db_ddladmin

Properties

Property	Value
Owner	dbo

Copyright 2026 - All Rights Reserved

db_denydatareader

Properties

Property	Value
Owner	dbo

db_denydatawriter

Properties

Property	Value
Owner	dbo

db_owner

Properties

Property	Value
Owner	dbo

db_securityadmin

Copyright 2026 - All Rights Reserved

Properties

Property	Value
Owner	dbo

public

Properties

Property	Value
Owner	dbo

SQLArcExtensionUserRole

Properties

Property	Value
Owner	dbo

Members

- NT AUTHORITY\SYSTEM

SQL Script

```
CREATE ROLE [SQLArcExtensionUserRole]
AUTHORIZATION [dbo]
GO
ALTER ROLE [SQLArcExtensionUserRole] ADD MEMBER [NT AUTHORITY\SYSTEM]
GO
```


Copyright 2026 - All Rights Reserved

Uses

NT AUTHORITY\SYSTEM

Copyright 2026 - All Rights Reserved

Schemas

Objects

Name
Archive
SQLSentry

Copyright 2026 - All Rights Reserved

Archive

Properties

Property	Value
Owner	dbo

SQL Script

```
CREATE SCHEMA [Archive]
AUTHORIZATION [dbo]
GO
```

Used By

[Archive].[APSP_Engagement_Budget_Margin_Calc_New_pre20250522]

Copyright 2026 - All Rights Reserved

SQLSentry

Properties

Property	Value
Owner	dbo

SQL Script

```
CREATE SCHEMA [SQLSentry]
AUTHORIZATION [dbo]
GO
```

Used By

[SQLSentry].[ProcedureStats_1_64C73CD49DAC4C39DC18C28B919540E2]
[SQLSentry].[ProcedureStats_2_64C73CD49DAC4C39DC18C28B919540E2]
[SQLSentry].[QueryStats_1_64C73CD49DAC4C39DC18C28B919540E2]
[SQLSentry].[QueryStats_2_64C73CD49DAC4C39DC18C28B919540E2]
[SQLSentry].[SQLSentryObjectVersion_20]
[SQLSentry].[spGetProcedureStatsData]
[SQLSentry].[spGetQueryStatsData]

Copyright 2026 - All Rights Reserved