

InstantAudit report dc027245df56

InstantAudit ? automated smart-contract scan report

Report ID: dc027245df56

Verification hash: de0b034c6d1cd793205220f9ee84b8e73e19fc018dc52610b308cb72d785693c

Generated: 2026-10-03T11:33:36Z

Contract: 0x833589fCD6eDb6E08f4c7C32D4f71b54bdA02913 (chain: base)

Bytecode SHA-256: 98d785fcb1bf847f287adc2310759fd94cc13e754b974bc72131382e8266f607

Risk score: 47/100 (100 = no flags raised by this automated scan)

Source submitted: no (bytecode-only scan)

IMPORTANT: This is an automated scan, not a manual security audit and not a security guarantee. It does not certify that a contract is safe. Always obtain a professional manual audit before handling user funds.

FINDINGS

1. [HIGH] SELFDESTRUCT opcode present (bytecode)

Bytecode contains SELFDESTRUCT. Depending on reachability, the contract may be destructible or able to force-send ETH.

Remediation: Confirm SELFDESTRUCT is unreachable by non-admin callers.

2. [HIGH] upgradeTo present (proxy upgrade) (bytecode)

Function selector 0x3659cfe6 is dispatched in the runtime bytecode.

Remediation: Upgradeable contracts can be changed after deployment. Users must trust the upgrade key holder indefinitely.

3. [HIGH] upgradeToAndCall present (proxy upgrade) (bytecode)

Function selector 0x4f1ef286 is dispatched in the runtime bytecode.

Remediation: Upgradeable contracts can be changed after deployment. Users must trust the upgrade key holder indefinitely.

4. [MEDIUM] DELEGATECALL opcode present (bytecode)

The runtime bytecode contains DELEGATECALL (proxy or library pattern). Execution can be redirected to other code.

Remediation: Identify the delegate target; if it is upgradeable, treat the contract as mutable.

CHECKS PERFORMED

- Bytecode retrieved: 1852 bytes, sha256 98d785fcb1bf847f?
- CREATE2 opcode present (deterministic deployments possible).
- EIP-1967 implementation slot empty (not an EIP-1967 proxy).
- owner() returns 0x3abd6f64a422225e61e435bae41db12096106df7 (privileged role is set).
- Selector scan: 12 PUSH4 selectors extracted and screened.
- No source submitted: bytecode-only scan (reduced coverage).

METHODOLOGY

Automated heuristic scan: runtime-bytecode capability screen (selectors/opcodes), EIP-1967 proxy slot probe, owner() probe, and source pattern matching when source is supplied.

This is an automated scan, not a manual security audit and not a security guarantee. It does not certify that a contract is safe. Always obtain a professional manual audit before handling user funds.