

[Contests](#)[Virtual
Contests](#)[Problems](#)[Submit](#)[Runs Status](#)[Rank List](#)[Forum](#)

1412. Above Average

Time Limit: 1.0 Seconds Memory Limit: 65536K

Total Runs: 8198 Accepted Runs: 4051

It is said that 90% of frosh expect to be above average in their class. You are to provide a reality check.

The first line of standard input contains an integer C , the number of test cases. C data sets follow. Each data set begins with an integer, N , the number of people in the class ($1 \leq N \leq 1000$). N integers follow, separated by spaces or newlines, each giving the final grade (an integer between 0 and 100) of a student in the class. For each case you are to output a line giving the percentage of students whose grade is above average, rounded to 3 decimal places.

Sample Input

```
5
5 50 50 70 80 100
7 100 95 90 80 70 60 50
3 70 90 80
3 70 90 81
9 100 99 98 97 96 95 94 93 91
```

Output for Sample Input

```
40.000%
57.143%
33.333%
66.667%
55.556%
```

Source: *Waterloo Local Contest Sep. 28, 2002*

[Submit](#) [List](#) [Runs](#) [Forum](#) [Statistics](#)

[Tianjin University Online Judge v1.3.0](#)

Maintance: Fxz. Developer: [SuperHacker](#), [G.D.Retop](#), [Fxz](#)