

Oven Scheduling Case Study

Helmut Simonis

Constraint Based Production Scheduling

Licence



This work is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <https://creativecommons.org/licenses/by-nc-sa/4.0/>.

This license requires that reusers give credit to the creator. It allows reusers to distribute, remix, adapt, and build upon the material in any medium or format, for noncommercial purposes only. If others modify or adapt the material, they must license the modified material under identical terms.



Acknowledgments



This publication was developed as part of the ENTIRE EDIH project, which received funding from Enterprise Ireland and the European Commission.

Part of this work is based on research conducted with the financial support of Science Foundation Ireland under Grant number 12/RC/2289-P2 at Insight the SFI Research Centre for Data Analytics at UCC, which is co-funded under the European Regional Development Fund.

Part of this work is based on research conducted within the ASSISTANT European project, under the framework program Horizon 2020, ICT-38-2020, Artificial intelligence for manufacturing, grant agreement number 101000165.

Key Points



- Discusses two topics:
 - Solve a very specific industrial scheduling problem from the ASSISTANT EU project
 - Discuss the general issue of short-term scheduling vs. long-term objectives

Research Challenge





- Often the long-term business objectives are not visible in the operational decision problem
- We optimize a short-term objective without understanding the impact in the long term
- What choices should we make in short-term to improve overall result?
- Especially important when future data not yet visible
- Surprisingly, this problem is rarely discussed in literature

Examples



- Production Scheduling
- Nearly all scheduling benchmarks use c_{max} (makespan) as objective
- Why?
- Do we want to close factory as rapidly as possible?

- Car Sequencing
- The best heuristics push difficult cars to the edge of schedule
- Because they are easier to schedule this way
- But: It makes it hard to schedule next day



Examples



- Personnel Rostering
- Satisfy working rules and demands for period
- But: rules apply on a rolling horizon
- Easy to over-constrain problem for next period

- Transportation Planning
- Build daily delivery tours, optimizing cost
- Where are your trucks at 10PM?
- Also, avoid cherry-picking at start of week

EDIH Planification de Services — ENTIREplanning.xls													
Filtres	Actions	Nom des Objets	ID	Phase	Urgence	Urgent	Objectif	Pla	Phase	XYTV	Statut	Colonne	
TT 10 min	Objets	Objet 10 min	1000	TT 10 min	1000	0	1000	1000	TT 10 min	1000	0	0	
TT 10 min	Objets	Objet 10 min	1001	TT 10 min	1001	0	1001	1001	TT 10 min	1001	0	0	
TT 10 min	Objets	Objet 10 min	1002	TT 10 min	1002	0	1002	1002	TT 10 min	1002	0	0	
TT 10 min	Objets	Objet 10 min	1003	TT 10 min	1003	0	1003	1003	TT 10 min	1003	0	0	
TT 10 min	Objets	Objet 10 min	1004	TT 10 min	1004	0	1004	1004	TT 10 min	1004	0	0	
TT 10 min	Objets	Objet 10 min	1005	TT 10 min	1005	0	1005	1005	TT 10 min	1005	0	0	
TT 10 min	Objets	Objet 10 min	1006	TT 10 min	1006	0	1006	1006	TT 10 min	1006	0	0	
TT 10 min	Objets	Objet 10 min	1007	TT 10 min	1007	0	1007	1007	TT 10 min	1007	0	0	
TT 10 min	Objets	Objet 10 min	1008	TT 10 min	1008	0	1008	1008	TT 10 min	1008	0	0	
TT 10 min	Objets	Objet 10 min	1009	TT 10 min	1009	0	1009	1009	TT 10 min	1009	0	0	
TT 10 min	Objets	Objet 10 min	1010	TT 10 min	1010	0	1010	1010	TT 10 min	1010	0	0	
TT 10 min	Objets	Objet 10 min	1011	TT 10 min	1011	0	1011	1011	TT 10 min	1011	0	0	
TT 10 min	Objets	Objet 10 min	1012	TT 10 min	1012	0	1012	1012	TT 10 min	1012	0	0	
TT 10 min	Objets	Objet 10 min	1013	TT 10 min	1013	0	1013	1013	TT 10 min	1013	0	0	
TT 10 min	Objets	Objet 10 min	1014	TT 10 min	1014	0	1014	1014	TT 10 min	1014	0	0	
TT 10 min	Objets	Objet 10 min	1015	TT 10 min	1015	0	1015	1015	TT 10 min	1015	0	0	
TT 10 min	Objets	Objet 10 min	1016	TT 10 min	1016	0	1016	1016	TT 10 min	1016	0	0	
TT 10 min	Objets	Objet 10 min	1017	TT 10 min	1017	0	1017	1017	TT 10 min	1017	0	0	
TT 10 min	Objets	Objet 10 min	1018	TT 10 min	1018	0	1018	1018	TT 10 min	1018	0	0	
TT 10 min	Objets	Objet 10 min	1019	TT 10 min	1019	0	1019	1019	TT 10 min	1019	0	0	
TT 10 min	Objets	Objet 10 min	1020	TT 10 min	1020	0	1020	1020	TT 10 min	1020	0	0	
TT 10 min	Objets	Objet 10 min	1021	TT 10 min	1021	0	1021	1021	TT 10 min	1021	0	0	
TT 10 min	Objets	Objet 10 min	1022	TT 10 min	1022	0	1022	1022	TT 10 min	1022	0	0	
TT 10 min	Objets	Objet 10 min	1023	TT 10 min	1023	0	1023	1023	TT 10 min	1023	0	0	
TT 10 min	Objets	Objet 10 min	1024	TT 10 min	1024	0	1024	1024	TT 10 min	1024	0	0	
TT 10 min	Objets	Objet 10 min	1025	TT 10 min	1025	0	1025	1025	TT 10 min	1025	0	0	
TT 10 min	Objets	Objet 10 min	1026	TT 10 min	1026	0	1026	1026	TT 10 min	1026	0	0	
TT 10 min	Objets	Objet 10 min	1027	TT 10 min	1027	0	1027	1027	TT 10 min	1027	0	0	
TT 10 min	Objets	Objet 10 min	1028	TT 10 min	1028	0	1028	1028	TT 10 min	1028	0	0	
TT 10 min	Objets	Objet 10 min	1029	TT 10 min	1029	0	1029	1029	TT 10 min	1029	0	0	
TT 10 min	Objets	Objet 10 min	1030	TT 10 min	1030	0	1030	1030	TT 10 min	1030	0	0	
TT 10 min	Objets	Objet 10 min	1031	TT 10 min	1031	0	1031	1031	TT 10 min	1031	0	0	
TT 10 min	Objets	Objet 10 min	1032	TT 10 min	1032	0	1032	1032	TT 10 min	1032	0	0	
TT 10 min	Objets	Objet 10 min	1033	TT 10 min	1033	0	1033	1033	TT 10 min	1033	0	0	
TT 10 min	Objets	Objet 10 min	1034	TT 10 min	1034	0	1034	1034	TT 10 min	1034	0	0	
TT 10 min	Objets	Objet 10 min	1035	TT 10 min	1035	0	1035	1035	TT 10 min	1035	0	0	
TT 10 min	Objets	Objet 10 min	1036	TT 10 min	1036	0	1036	1036	TT 10 min	1036	0	0	
TT 10 min	Objets	Objet 10 min	1037	TT 10 min	1037	0	1037	1037	TT 10 min	1037	0	0	
TT 10 min	Objets	Objet 10 min	1038	TT 10 min	1038	0	1038	1038	TT 10 min	1038	0	0	
TT 10 min	Objets	Objet 10 min	1039	TT 10 min	1039	0	1039	1039	TT 10 min	1039	0	0	
TT 10 min	Objets	Objet 10 min	1040	TT 10 min	1040	0	1040	1040	TT 10 min	1040	0	0	
TT 10 min	Objets	Objet 10 min	1041	TT 10 min	1041	0	1041	1041	TT 10 min	1041	0	0	
TT 10 min	Objets	Objet 10 min	1042	TT 10 min	1042	0	1042	1042	TT 10 min	1042	0	0	
TT 10 min	Objets	Objet 10 min	1043	TT 10 min	1043	0	1043	1043	TT 10 min	1043	0	0	
TT 10 min	Objets	Objet 10 min	1044	TT 10 min	1044	0	1044	1044	TT 10 min	1044	0	0	
TT 10 min	Objets	Objet 10 min	1045	TT 10 min	1045	0	1045	1045	TT 10 min	1045	0	0	
TT 10 min	Objets	Objet 10 min	1046	TT 10 min	1046	0	1046	1046	TT 10 min	1046	0	0	
TT 10 min	Objets	Objet 10 min	1047	TT 10 min	1047	0	1047	1047	TT 10 min	1047	0	0	
TT 10 min	Objets	Objet 10 min	1048	TT 10 min	1048	0	1048	1048	TT 10 min	1048	0	0	
TT 10 min	Objets	Objet 10 min	1049	TT 10 min	1049	0	1049	1049	TT 10 min	1049	0	0	
TT 10 min	Objets	Objet 10 min	1050	TT 10 min	1050	0	1050	1050	TT 10 min	1050	0	0	
TT 10 min	Objets	Objet 10 min	1051	TT 10 min	1051	0	1051	1051	TT 10 min	1051	0	0	
TT 10 min	Objets	Objet 10 min	1052	TT 10 min	1052	0	1052	1052	TT 10 min	1052	0	0	
TT 10 min	Objets	Objet 10 min	1053	TT 10 min	1053	0	1053	1053	TT 10 min	1053	0	0	
TT 10 min	Objets	Objet 10 min	1054	TT 10 min	1054	0	1054	1054	TT 10 min	1054	0	0	
TT 10 min	Objets	Objet 10 min	1055	TT 10 min	1055	0	1055	1055	TT 10 min	1055	0	0	
TT 10 min	Objets	Objet 10 min	1056	TT 10 min	1056	0	1056	1056	TT 10 min	1056	0	0	
TT 10 min	Objets	Objet 10 min	1057	TT 10 min	1057	0	1057	1057	TT 10 min	1057	0	0	
TT 10 min	Objets	Objet 10 min	1058	TT 10 min	1058	0	1058	1058	TT 10 min	1058	0	0	
TT 10 min	Objets	Objet 10 min	1059	TT 10 min	1059	0	1059	1059	TT 10 min	1059	0	0	
TT 10 min	Objets	Objet 10 min	1060	TT 10 min	1060	0	1060	1060	TT 10 min	1060	0	0	
TT 10 min	Objets	Objet 10 min	1061	TT 10 min	1061	0	1061	1061	TT 10 min	1061	0	0	
TT 10 min	Objets	Objet 10 min	1062	TT 10 min	1062	0	1062	1062	TT 10 min	1062	0	0	
TT 10 min	Objets	Objet 10 min	1063	TT 10 min	1063	0	1063	1063	TT 10 min	1063	0	0	
TT 10 min	Objets	Objet 10 min	1064	TT 10 min	1064	0	1064	1064	TT 10 min	1064	0	0	
TT 10 min	Objets	Objet 10 min	1065	TT 10 min	1065	0	1065	1065	TT 10 min	1065	0	0	
TT 10 min	Objets	Objet 10 min	1066	TT 10 min	1066	0	1066	1066	TT 10 min	1066	0	0	
TT 10 min	Objets	Objet 10 min	1067	TT 10 min	1067	0	1067	1067	TT 10 min	1067	0	0	
TT 10 min	Objets	Objet 10 min	1068	TT 10 min	1068	0	1068	1068	TT 10 min	1068	0	0	
TT 10 min	Objets	Objet 10 min	1069	TT 10 min	1069	0	1069	1069	TT 10 min	1069	0	0	
TT 10 min	Objets	Objet 10 min	1070	TT 10 min	1070	0	1070	1070	TT 10 min	1070	0	0	
TT 10 min	Objets	Objet 10 min	1071	TT 10 min	1071	0	1071	1071	TT 10 min	1071	0	0	
TT 10 min	Objets	Objet 10 min	1072	TT 10 min	1072	0	1072	1072	TT 10 min	1072	0	0	
TT 10 min	Objets	Objet 10 min	1073	TT 10 min	1073	0	1073	1073	TT 10 min	1073	0	0	
TT 10 min	Objets	Objet 10 min	1074	TT 10 min	1074	0	1074	1074	TT 10 min	1074	0	0	
TT 10 min	Objets	Objet 10 min	1075	TT 10 min	1075	0	1075	1075	TT 10 min	1075	0	0	
TT 10 min	Objets	Objet 10 min	1076	TT 10 min	1076	0	1076	1076	TT 10 min	1076	0	0	
TT 10 min	Objets	Objet 10 min	1077	TT 10 min	1077	0	1077	1077	TT 10 min	1077	0	0	
TT 10 min	Objets	Objet 10 min	1078	TT 10 min	1078	0	1078	1078	TT 10 min	1078	0	0	
TT 10 min	Objets	Objet 10 min	1079	TT 10 min	1079	0	1079	1079	TT 10 min	1079	0	0	
TT 10 min	Objets	Objet 10 min	1080	TT 10 min	1080	0	1080	1080	TT 10 min	1080	0	0	
TT 10 min	Objets	Objet 10 min	1081	TT 10 min	1081	0	1081	1081	TT 10 min	1081	0	0	
TT 10 min	Objets	Objet 10 min	1082	TT 10 min	1082	0	1082	1082	TT 10 min	1082	0	0	
TT 10 min	Objets	Objet 10 min	1083	TT 10 min	1083	0	1083	1083	TT 10 min	1083	0	0	
TT 10 min	Objets	Objet 10 min	1084	TT 10 min	1084	0	1084	1084	TT 10 min	1084	0	0	
TT 10 min	Objets	Objet 10 min	1085	TT 10 min	1085	0	1085	1085	TT 10 min	1085	0	0	
TT 10 min	Objets	Objet 10 min	1086	TT 10 min	1086	0	1086	1086	TT 10 min	1086	0	0	
TT 10 min	Objets	Objet 10 min	1087	TT 10 min	1087	0	1087	1087	TT 10 min	1087	0	0	
TT 10 min	Objets	Objet 10 min	1088	TT 10 min	1088	0	1088	1088	TT 10 min	1088	0	0	
TT 10 min	Objets	Objet 10 min	1089	TT 10 min	1089	0	1089	1089	TT 10 min	1089	0	0	
TT 10 min	Objets	Objet 10 min	1090	TT 10 min	1090	0	1090	1090	TT 10 min	1090	0	0	
TT 10 min	Objets	Objet 10 min	1091	TT 10 min	1091	0	1091	1091	TT 10 min	1091	0	0	
TT 10 min	Objets	Objet 10 min	1092	TT 10 min	1092	0	1092	1092	TT 10 min	1092	0	0	
TT 10 min	Objets	Objet 10 min	1093	TT 10 min	1093	0	1093	1093	TT 10 min	1093	0	0	
TT 10 min	Objets	Objet 10 min	1094	TT 10 min	1094	0	1094	1094	TT 10 min	1094	0	0	
TT 10 min	Objets	Objet 10 min	1095	TT 10 min	1095	0	1095	1095	TT 10 min	1095	0	0	
TT 10 min	Objets	Objet 10 min	1096	TT 10 min	1096	0	1096	1096	TT 10 min	1096	0	0	
TT 10 min	Objets	Objet 10 min	1097	TT 10 min	1097	0	1097	1097	TT 10 min	1097	0	0	
TT 10 min	Objets	Objet 10 min	1098	TT 10 min	1098	0	1098	1098	TT 10 min	1098	0	0	
TT 10 min	Objets	Objet 10 min	1099	TT 10 min	1099	0	1099	1099	TT 10 min	1099	0	0	
TT 10 min	Objets</												

Problem Studied Here




- Example from the ASSISTANT EU project (ended last year)
- Oven schedule for one of the industrial partners
- Schedule tasks on a set of ovens
- Tasks can share oven only if they are compatible
- Conflicting objectives
 - Energy use of ovens very significant, reduce when ovens are used
 - Waiting for an oven affects quality of product
- Jobs only visible when previous process step starts
- Currently scheduled by hand, industry partner expressed strong need for change

What does this look like in the real world?



Industrial Oven



Rotors in Compressor

Solution Approach: Constraint Programming




- Declarative modelling approach for combinatorial problems
 - Problem expressed in terms of variables and constraints
- Global constraints
 - Combines expressive modelling abstractions and powerful reasoning
 - Examples: disjunctive, cumulative, global_cardinality
- Compositional: Add constraints as required
- Main application areas
 - Scheduling, rostering, transportation
 - Also: test generation, verification, configuration



Overall Decomposition (Standard)



- We can only see that far into future
- We do not want to take decisions now that we might regret later
- We have to make some decisions now otherwise we never do anything
- *Rolling horizon* decomposition
 - We schedule up to *lookahead horizon* units into the future
 - We commit to implement resulting schedule only to up *commitHorizon*
 - We reschedule when we receive new information, or we reach the end of commitment
 - We solve each short-term sub problem based on short-term objectives



Short-Term Schedule Modelling



- Challenge: There is no global constraint to express the oven resource constraint
- We are not able to invest a lot of time/resources to develop such a constraint
- Two choices:
 - Two traditional models with variables linking them (Lackner et al, Constraints 2023)
 - Direct model expressing conditions as disjunctions of basic constraints

The Standard Pieces



- Jobs N consisting of multiple stages Q , tasks for each stage of each job, running on machines M
- Release dates r_i of jobs given by up-stream schedule
- WiP w_k on certain machines resulting from earlier schedule
- Machine m_{ij} and start variables s_{ij} for each task
- Precedence constraints between tasks of each jobs, with total waiting time c_i when waiting for resource
- Total number of ovens used in schedule $nrOvens$ by *nvalue* constraint

$\text{nvalue}(\text{nrOvens}, [m_{ij} | i \in N, j \in Q] ++ [k | k \in M \text{ s.t. } w_k > 0])$

Resource Constraints



We start from the basic decomposition of the disjunctive machine choice constraint

$$\begin{aligned} \forall i_1, i_2 \in N \forall j_1, j_2 \in Q \text{ s.t. } < i_1, j_1 > \neq < i_2, j_2 > : \quad m_{i_1 j_1} \neq m_{i_2 j_2} \vee \\ s_{i_1 j_1} \geq s_{i_2 j_2} + d_{i_2 j_2} \vee \\ s_{i_2 j_2} \geq s_{i_1 j_1} + d_{i_1 j_1} \end{aligned}$$

Express case where tasks share an oven (only when types and stages are the same)

$$\begin{aligned} \forall i_1, i_2 \in N \text{ s.t. } i_1 \neq i_2 \forall j \in Q : \quad m_{i_1 j} \neq m_{i_2 j} \vee \\ s_{i_1 j} \geq s_{i_2 j} + d_{i_2 j} \vee \\ s_{i_2 j} \geq s_{i_1 j} + d_{i_1 j} \vee \\ (t_{i_1 j_1} = t_{i_2 j_2} \wedge m_{i_1 j} = m_{i_2 j} \wedge s_{i_1 j} = s_{i_2 j}) \end{aligned}$$

Limit stacking

Need binary variables $b_{i_1 i_2 j}$ to state that two jobs i_1 and i_2 share oven in stage j



$$\begin{aligned} \forall i_1, i_2 \in N \text{ s.t. } i_1 < i_2 \quad \forall j \in Q : \quad & (b_{i_1 i_2 j} = 0 \wedge (m_{i_1 j} \neq m_{i_2 j}) \vee \\ & s_{i_1 j} \geq s_{i_2 j} + d_{i_2 j} \vee \\ & s_{i_2 j} \geq s_{i_1 j} + d_{i_1 j}) \vee \\ & (b_{i_1 i_2 j} = 1 \wedge t_{i_1 j_1} = t_{i_2 j_2} \wedge m_{i_1 j} = m_{i_2 j} \wedge s_{i_1 j} = s_{i_2 j}) \end{aligned}$$

Count how many jobs share stage j with job i

$$\forall i \in N \quad \forall j \in Q : \quad Z_{ij} = \sum_{i_1=1}^{i-1} b_{i_1 ij} + \sum_{i_2=i+1}^n b_{ii_2 j}$$

Limit how many tasks can be stacked together

$$\forall i \in N \quad \forall j \in Q : \quad Z_{ij} < \text{maxStacked}$$

This should not work!



- Weakness of basic decomposition model was the reason to develop the scheduling constraints in the first place
- Does not scale well to thousands of tasks
- But model is well suited to some solvers
 - SAT based solvers, Chuffed, CP-SAT (OR-Tools)
 - MIP solvers
- This works (only) as long as problem size stays manageable


Compound Objective




$$\min \alpha_1 \sum_{i \in N} c_i + \alpha_2 \text{nrOvens} + \alpha_3 \sum_{i \in N, j \in Q} z_{ij}$$

- Three conflicting elements
 - Total waiting time for jobs
 - Number of ovens used
 - Number of tasks stacked (negative coefficient)
- Reducing waiting time requires using more ovens
- Improved stacking will require for one job to wait until second is ready

Short-Term Schedule: Job View



Short Term Schedule: Resource View



Are the short-term solutions good?



- We solve many problems to optimality, depending on solver
- Optimality gap is small, increasing search time helps a bit
- But are we optimizing the best possible objective?

Long Term Schedule: Detailed Schedule



Long Term Schedule: Abstracted Oven Runs




Is that a good global schedule? KPIs




Name	Unit	Explanation
Global Time	Seconds	Total time for solving all sub problems
Nr Jobs	-	Total number of jobs scheduled
Nr Tasks	-	Total number of tasks scheduled
Percent Optimal	Percentage (0-100)	How many sub problems were solved to optimality
Percent Stacked Tasks	Percentage (0-100)	Percentage of all tasks scheduled that were stacked
Percent Jobs No Wait	Percentage (0-100)	Percentage of jobs that were scheduled without any waiting time
Job Average Wait	Minutes	Average wait time over all jobs
Job Maximal Wait	Minutes	Largest waiting time for any job scheduled
Ovens Used	-	Total number of ovens used during period
Avg Task Duration	Minutes	Average tasks duration (influenced by stacking)
Oven Runs	-	Number of oven runs over total horizon
Run Overhead Percent	Percentage (0-100)	Overhead during oven runs when machine is idle
Avg Runs per Oven Used	-	Average number of oven runs per oven used


Impact of Lookahead Parameter



Impact of CommitHorizon Parameter



Comparing Different Solvers



Is the global solution really good?



- We schedule with limited information
- Hindsight is 20/20, we cannot expect best possible solution from partial information
- Process Challenge: Can we improve data visibility?
- Demand is variable over time, no steady-state solution
- Modelling Challenge: Can we define a short-term objective that produces better long-term solutions?
- Algorithm Challenge: Can we solve the global problem to optimality?
 - Assumes "a priori" visibility of data
 - This would provide a lower bound
 - But we need optimality to use as bound

Summary



- Discussed a non-standard oven scheduling problem from industry
- Models with decomposition of resource constraints
- Good/very good short-term solutions
- But is the overall schedule close to the global optimum?
- In any case, industry partner was happy with solution and analysis