MICROBIOLOGY

1. **20 years old female come with non-offensive vaginal discharge, cruddy milk, most likely diagnose is:**
    a) gardenalia vaginalis
    b) trichomonas vaginalis.
    c) Candida albicans.
    d) Bacterial vaginosis
2. **VDRL AND PRP for syphilis testing are;**
    a) specific
    b) non specific
    c) confirmatory
    d) diagnostic
3. **periventricular calcification in TORCH infection commonly associated with: -**
    a) Toxoplasmosis
    b) Cytomegalovirus
    c) rubella
    d) syphilis
4. **3year-old child presents at the physician's office with symptoms of coryza, conjunctivitis, low-grade fever, and Koplik's spots. The causative agent of this disease belongs to which group of viruses?**
    a) Adenovirus
    b) Picornavirus
    c) Orthomyxovirus
    d) Paramyxovirus
5. **The following are true about HIV/AIDS except:**
    a) type c is most common
    b) HIV 1 not HIV 2 is responsible for current epidemic
    c) can be transmitted by sexual contact contaminated blood
    d) can be caused by HBV
6. **in late stage of HIV;**

a) viral load is decreased
b) CD4 cells are depleted
c) acquired immunity unaffected

7. cause of painful genital ulcer;

a) herpes simplex virus
b) syphilis
c) Hemophilus ducreyi

8. Infection with hepatitis D occur with HBV a coinfection or in a carrier What test can be used to determine patient with HDV IS HBV carrier?

a) HBsAg
b) HBc IgM
c) HBe Ag
d) HBs IgM

9. Infectious mononucleosis, a viral disorder that can be debilitating, is characterized by which of the following statements?

a) It is most prevalent in children less than 14 years old
b) It is caused by a rhabdovirus
c) The causative pathogen is an Epstein-Barr virus
d) Ribavirin is the treatment of choice

10. most common cause of UTI:

a) E. coli
b) E- proteus
c) F- pseudomonas aerigenosa

11. Purulent urethritis, most commonly caused by:

a) N. gonorrhea
b) Chlamydia trachomatis
c) Treponema palledium

12. Which of the following viruses causes an acute febrile rash and produces disease in immunocompetent children but has been associated with transient aplastic crises in persons with sickle cell disease?

a) reobulla
b) varicella zoster
c) parvovirus
d) rubella

13. urine culture is best specimen is from:

a) early morning urine
b) midstream urine

14. pt c/o of acute hemorrhagic conjunctivitis and blurring of vision what is the cause:

a) crypto virus
b) enterovirus
c) parvovirus

15. Which of the following is most specific and confirmative in diagnosis of HIV:

a) ELISA
b) western blots
c) total blood count
d) urine test

16. What is infection of women reproductive organs that often cause spread from vagina to uterus to fallopian tube or ovary:

a) PID
b) trichomonas vaginalis
c) STDs
d) UTI

17. regarding HSV described by which of the following statements?

a) The CNS and visceral organs are usually involved
b) It rarely recurs in a host who has a high antibody titer

c) It can be reactivated by emotional disturbances or prolonged exposure to sun light
d) Initial infection usually occurs by intestinal absorption of the virus
e) Infection with type 1 virus is most common

18. All of the following is cause of sexual transmitted disease except:

a) Neisseria
b) chlamydia
c) gardenalia
d) pseudomonas aeruginosa

19. which one of the following statements best describes interferon suspected mode of action in producing resistance to viral infection:

a) it stimulates cell mediated immunity
b) it stimulates humeral immunity
c) its direct antiviral action related to the suppression of m RNA formation
d) its action is related to the synthesis of a protein that inhibits translation or transcription

20. Mutation if which the following corresponding gene can result in resistant to HIV infection:

a) T cell receptor
b) chemokine receptor
c) Fc receptor
d) CD28 receptor

21. Which of the following cells affected by Rabies virus:

a) Astrocyte
b) Ganglia
c) Neurons
d) NK cell
e) Oligodendrocytes

22. Transfer of antibiotic resistance between tow bacteria through Abridge (sex pilus) is called:

a) transduction
b) transformation
c) conjugation
d) transversion
e) transition

23. Leishmania affect all of the following organs except:

a) Skin
b) CNS
c) GIT
d) lymph node
e) liver

24. HIV pt complain of high-grade fever, investigation reveal Mycobacterium which type of mycobacterium mostly associated:

a) mycobacterium leprosy
b) mycobacterium avium
c) mycobacterium Bovis
d) mycobacterium tuberculosis

25. On x-ray done for 65 years old patient from suffering Schistosomiasis small areas of calcification in his liver this Calcification is

a) Cercaria
b) Eggs
c) Adult worms
d) Small worm

26. Which of the following is share characteristic between ureaplasma urealyticum and Mycoplasma hominis:

a) Both cause positive cold agglutinins blood test
b) Both cause urethritis
c) Both are bacitracin sensitive
d) both urease positive

27. Syndrome of mycoplasma pneumonia:

a) lobar pneumonia
b) bolus myringitis
c) tracheobronchitis

28. Severe complicated Dengue fever cause shock differs from the uncomplicated one in that It:

a) Ascending of virus to CNS
b) enhance the immune response
c) neuron destruction
d) meningitis

29. Influenza hemagglutinin is important for virus replication for:

a) Uncoating
b) adsorption
c) assembly
d) synthesized mRNA

30. HIV patient after the infection will convert from seronegative to Seropositive in:

a) 2_3 weeks
b) Days
c) 3-6 months
d) 10 yrs

31. enterovirus closely related to:

a) hepatitis A
b) herpes simplex virus
c) Rota virus
d) rabies virus
e) hepatitis E

32. Which of the following is the metabolically active form of Chlamydia:

a) reticulate form
b) elementary form
c) dividing form

d) collateral form

33. Which of the following is not true about trichomonas:

a) Cyst is the stage of transmission
b) If treat both partner we reduce the recurrence of disease
c) Male are asymptomatic but effectively transmit infection
d) It produces greenish frothy discharge
e) In severe form cause cervix erithematus (Strawberry cervix)

34. About S. agalactia following is true except

a) group B beta hemolytic
b) common cause of UTI in elderly and diabetic pt.
c) normal colonic in female genitalia
d) cause Toxic Shock syndrome

35. VIRULANCE factor that associated with strain of E. coli that cause UTI is

a) endotoxin
b) alpha hemolysin
c) K antigen
d) capsule
e) pili

36. Bacterial cells are at their metabolic peak during

a) lag phase
b) log
c) stationary
d) decline

37. Viral DNA is resistant to DNA Of the host cell because it contains

a) 5-HMC
b) 5-HMA
c) 5-CHM
d) 5-MHC

38. Mycoplasma are bacterial cells that

a) fail to reproduce on artificial media

b) have a rigid cell wall
c) are resistant to penicillin
d) stain well with gram s stain

39.which of the following was non-neural vaccine for rabies

a) HEPV
b) Card vaccine
c) BPL (beta-propiolactone)
d) Simple

40.Example for live vaccine is

a) Rubella and BCG
b) Polio and TAB
c) Diphtheria and Tetanus
d) Hepatitis A and Rabies.

41.Lyme disease is caused by

a) bacteria
b) Fungi
c) Spirochaete
d) Virus

42.The mode of reproduction which occurs in mycoplasma is

a) Budding
b) Bursting
c) Binary fission
d) Binary fusion

43.Streptococcus faecalis, the conjugation take place at

a) pili
b) Cell membrane
c) cell wall
d) flagella.

44.Endotoxin produced by gram negative bacteria is present in

a) Peptidoglycan
b) Lipopolysaccharide

c) Teichoic acid
d) Inner membrane

45.which one of the following is about herpes viruses

a) Icosahedral, with envelope, ds DNA
b) Polyhedral with envelope, dsDNA
c) RNA, helical with envelope
d) Ds DNA, brick shape

46.Cold like symptoms are caused by which bacteria

a) Pseudomonas
b) E. coli
c) Hemophilus influenza
d) Hemophilus streptococcus.

47.AIDS disease (HIV) is caused by a virus which belongs to

a) Retro virus
b) Rhabdo virus
c) Hepatitis virus
d) Adeno virus

48.Incubation period for infective hepatitis disease

a) 45-80 days
b) 15-35 days
c) 35-50 days
d) 5-15 days

49.Vaccines prepared from toxins and chemicals are

a) Cellular vaccines
b) Sub-cellular vaccines
c) Attenuated vaccines
d) Heterologous vaccines

50.Most common pneumonia in HIV patients due to

a) Pneumocystis carinii
b) Cryptosporidium
c) S. pneumoniae

d) Toxoplasma

51. Pregnant lady in her first trimester developed skin rash and fever for few days. after delivery her baby presented with small head and skin rash, what is your diagnosis?

a) T. pallidum
b) Measles
c) Rubella
d) CMV

52. Genetic material of influenza virus is?

a) Single helix DNA
b) Single helix RNA
c) Double strand RNA
d) Single strand RNA

53. Which of the following is an example of live vaccine?

a) pertussis
b) mumps
c) cholera
d) rabies

54. Triple toxoid vaccine gives protection against:

a) diphtheria, tetanus, and rabies
b) tetanus, whooping cough, tuberculosis
c) whooping cough, tetanus, and diphtheria
d) whooping cough, cancer and T.B

55. Virus causing Rabies is:

a) Orthomyxovirus
b) Paramyxovirus
c) Rhabdomyxo virus
d) Toga virus

56. Which of the following is an example of RNA virus?

a) SV 40
b) T4 phage
c) Tabacco mosaic virus

d) Adeo virus

57.E. coli produces the following toxins:

a) Enterotoxins
b) Endotoxins
c) Verocytotoxins
d) Hemolysins

58.Measles is characterized by:

a) Negri bodies
b) Babes-Ernest granules
c) Koplik's spots
d) Fever

59.Gastroenteritis caused by:

a) Shigella
b) V. cholerae
c) V. cholerae Parahaemolyticus
d) S. typhi

60.Lymphogranuloma venerum (LGV) is sexually transmitted disease is caused by:

a) C. ophthalmia
b) C. trachomatis
c) C. pneumonias
d) C. psittasi

61.Scrup typhus is caused by:

a) R. Quintana
b) R. rickettsii
c) R. orinetalis
d) R. prowazekii

62.Tetanus is caused by spread of:

a) exotoxin in sympathetic system
b) exotoxin in parasympathetic system
c) endotoxin in sympathetic system
d) endotoxin in parasympathetic system

63. Virulence in Gonococcus is due to:

a) Pilli
b) cell membrane
c) its cellular location
d) cyclic enzyme

64. In the congenital syphilis:

a) Hutchinson teeth
b) ascending infection through vagina
c) chancer in tertiary syphilis
d) severe if occurs in first trimester

65. Virus attacks mycoplasma:

a) bacteriophage
b) mycoplasma phage
c) virion
d) tiny strain

66. About S. typhi:

a) bacteraemia in 1st week
b) 90% of patients are carrier c.
c) has rose spots in s.typhi

67.0 The latest and most effective therapy for AIDS patients includes azidothymidine (AZT), dideoxyinosine (DDI), and saquinavir or similar agents. Use of these three drugs would inhibit which of the following viral processes?

a) RNase, DNase
b) gp120 formation
c) p24 antibody expression
d) All membrane synthesis
e) Reverse transcriptase, protease

68. N. gonorrhoeae is a fastidious pathogen and found in sites often contaminated with normal flora. The best medium for isolation is

a) Sheep blood agar
b) Löffler's medium
c) Thayer-Martin agar

d) Thiosulfate citrate bile salts sucrose medium
e) Löwenstein-Jensen medium

69. The class of antibiotics known as the quinolones are bactericidal. Their mode of action on growing bacteria is thought to be?

a) Inhibition of DNA gyrase
b) Inactivation of penicillin-binding protein II
c) Inhibition of B-lactamase
d) Prevention of the cross-linking of glycine
e) Inhibition of reverse transcriptase

70. Chorioamnionitis (intra-amniotic infection) is typically caused by which of the following organisms?

a) Group B B-hemolytic streptococcus (GBS)
b) Escherichia coli
c) Staphylococcus aureus
d) Ureaplasma urealyticum
e) Multiple pathogens

71. Which of the following organisms is the most common cause of early onset neonatal conjunctivitis?

a) GBs
b) Toxoplasmosis
c) Chlamydia
d) Trichomoniasis
e) E. coli

72. An 18-year-old Go presents at 30 weeks' gestation complaining of malodorous vaginal discharge. A wet prep reveals motile flagellated organisms. The treatment plan would include which of the following antibiotics?

a) Ampicillin
b) Metronidazole
c) Gentamicin
d) Bactrim

73. The Smallest virus is

a) Parvo virus
b) Pox virus
c) Adeno virus
d) Rhapdomyxo virus

74. Bacteria in the blood is?

a) Bactericidal
b) Septicemia
c) Viremia
d) Bacteremia

75. Exotoxin is:

a) Heat labile
b) Heat stable
c) Part from cell wall
d) Polymerized complexes

76. The dengue fever virus is:

a) Arbo virus
b) Echovirus
c) Enterovirus
d) Orthomyxovirus

77. toxin or enzyme which are not produced by streptococcus pyogens is:

a) hyaluronidase
b) phosphate
c) hemolysin
d) streptokinase

78. virulence of the microorganism can be reduced by:

a) attenuation
b) A virulence
c) In activation
d) Freezing

79. Pus-forming forms are called as

a) Pyoderma
b) Pyogenic
c) Pyrogen

80. Regarding bacterial Cell-wall is:

a) Thick in Gram positive than Gram negative
b) Thick in Gram negative than Gram positive
c) Equal in both
d) In Gram negative cell-wall is absent

81. Sero conversion in HIV infection take place in:

a) 3 weeks

b) 6 weeks
c) 9 weeks
d) 12 weeks

82. plasmids are good vector for genetic engineering because:

a) they self-replicate within bacterial cell
b) replicate freely outside bacterial cell
c) can be replicated in culture
d) can be replicated in laboratory using enzyme

83. Multiple antibiotics resistant due to:

a) plasmid
b) Co plasmid
c) Both b and c

84. Viral genome that become integrated in bacteria genome is called:

a) Prophage
b) Bacteriophage
c) Meta phage
d) Temperate phage

85. Bacterial pneumonia:

a) Patchy infiltrate most sign in atypical pneumonia
b) Consolidation of lung is characteristic of bronchial pneumonia
c) Bacterial clearance by lymphocytes
d) Lobar distribution is anatomical.

86. Which of the following is most cause of Pneumonia in aids pt

a) klebsiella
b) mycobacterium Tuberculosis
c) Mycoplasma
d) S. Pneumoniae

87. Bacterial ribosomes composed of:

a) Protein + DNA
b) Protein + rRNA
c) Protein + mRNA
d) Protein + tRNA

88. HIV diagnostic marker?

a) RNA polymerase
b) DNA polymerase

c) Transcriptase
d) Reverse transcriptase

89. Type of bacteria that live in aerobic and anaerobic conditions:

a) Facultative anaerobic
b) Restrict aerobic
c) Restrict anaerobic

﴿وَمَا تَوْفِيقِي إِلَّا بِاللَّهِ ۚ عَلَيْهِ تَوَكَّلْتُ وَإِلَيْهِ أُنِيبُ﴾