QUESTIONS BANK 2

1.Oral contraception prevents pregnancy by each of these methods, EXCEPT:
A/Inhibition of ovulation
B/Thickening of cervical mucus to prevent sperm transport
C/Creating a local inflammatory response in the endometrium with release of excess prostaglandins,✅
D/Alteration of endometrium to prevent implantation of fertilized eggs

2. Which of the following statements is FALSE regarding the progestin-containing IUD?
A/The progestin disrupts endometrial maturation and creates an environment unfavorable for implantation
B/The risk of ectopic pregnancy is greater for women with IUDs than for those using no form of contraception✅
C/The IUD does not abort a successfully implanted pregnancy
D/Itis associated with less bleeding than the copper IUD

3.Rank the following methods of contraception in order from lowest failure rate to highest.
A/Tubaligation = IUD, OCPs, Depo-Provera, spermicides, condoms
B/Tubal ligation =IUD, Depo-Provera, OCPs, spermicides, condoms
C/Tubal ligation =IUD, Depo-Provera, OCPs, condoms, spermicides✅
D/Tubal ligation = IUD, OCPs, Depo-Provera, condoms, spermicides

4.Postmenopausal combination hormone replacement therapy (HRT) is associated with an increase in the risk of all of the following, EXCEPT:
A/Colon cancer✅
B/Breast cancer
C/Heart disease
D/Pulmonary emboli

5.Hot flashes occur in what percentage of peri- and early postmenopausal women?
A/100%
B/75%✅

C/25%
D/50%

6.Physiologic changes that commonly occur during menopause include all of the following, EXCEPT:
A/Increased follicle-stimulating hormone (FSH)
B/Increased prostaglandins
C/Increased estradiol✅
D/Increased dopamine

7.The age of menopause is affected by all of the following, EXCEPT:
A/Maternal menopausal age
B/Smoking
C/Age at time of menarche✅
D/Exposure to chemotherapeutic agents

8.The transcellular pathways required for appropriate milik formation include all of the following, EXCEPT:
A/Secretion of monovalent cations
B/Receptor-mediated transport of immunglobulins
C/Synthesis and transport of milk lipids
D/Endocytosis of secretory vesicles containing milk proteins, minerals and lactose✅

9.What percentage of human milk is composed of protein?
A/1%✅
B/5%
C/7%
D/10%

10.Which hormone effectively suppresses lactation?
A/Prolactin
B/Estrogen✅
C/Growth hormone
D/Insulin

11.The human mammary gland is derived from which of the following?

A/ Endoderm
B/ Mesoderm
C/ Ectoderm✅
D/ P/yoderm

12.All of the following mechanisms are involved in labor induction, EXCEPT:
A/Oxytocin release from the anterior pituitary✅
B/ G protein activation on myometrial cells via oxytocin receptors
C/ Myometrial cell contractions due to an increase in intracellular calcium
D/Prostaglandin synthesis by the decidua

13.Which of the following statements concerning prostaglandin (PG) activity in labor is FALSE?
A)Concentrations of PGs in amniotic fluid are increased
B)Ps can induce cervical ripening
C)PGs increase in maternal plasma prior to the onset of labor
D)PGs do not affect myometrial sensitivity to oxytocin✅

14.How long does the average human gestation last?
A)266 days after the beginning of the last menstrual period
B)280 days after the beginning of the last menstrual period✅
C)240 days after the beginning of the last menstrual period
D)294 days after the beginning of the last menstrual period

15.Oxytocin and prostaglandins induce contractions and cause the cervix to dilate during which phase of labor?
A)Phase 1
B)Phase 2✅
C)Phase 3
D)Phase 4

16.Which of these statements is true of maternal immunity during pregnancy?
A)The mother has specific immune defects, including an impaired resistence to chickenpox (varicella virus)✅
B)The mother is protected from all viral diseases

C)The placenta increases its expression of classic MHC class I and ll transplantation antigens to signal to the mother that she is pregnant
D)Transfer of maternal lgG to the fetus is inhibited throughout pregnancy

17.Which are the three most important dietary minerals in pregnancy?
A) Cadmiun, selenium and iron
B) lron, sodium and calcium
C) lodine,iron and sodium
D) Iron, calcium and iodide✅

18.Which of the following thyroid test patterns are characteristic of normal pregnancy?
A) Decreased thyroid binding globulin (TB6), elevated free T3 andTa
B) Decreased TBG, elevated total T3 and T4
C) Elevated TBG, no change in total T3 and T4
D) Elevated TBG, no change in free T3 and T4✅

19.Which hormone causes delayed gastric and gallbladder emptying during pregnancy?
A) Human placental lactogen
B) Progesterone✅
C) Estrogens
D) Parathyroid hormone

20.Which of the following is NOT a common maternal hematologic change during pregnancy?
A) Hypercoagulabilty
B) Leukocytosis
C) Anemia
D) Reduced red blood cell mass✅

21.Maternal changes in the kidney during pregnancy include which of the following?
A) Decrease in urine flow through the collecting system✅
B) Decrease in glomerular filtration rate
C) Decrease in creatinine clearance
D) Decrease in size

22.Maternal circulating blood volume typically increases by what percentage?
A) 09
B) 10%
C) 40%✅
D) 80%

23.Maternal physiologic adaptations to pregnancy include all of the following
EXCEPT:
A) Vasodilatation
B) Increased tidal volume
C) Decreased renal glomerular filtration✅
D) Darkening of the skin on the cheeks

24.Which of the following statements is not true regarding changes in pregnancy?
A) The zona fasciculata of the maternal adrenal gland increases in size
B) Cortisol-binding globulin production increases
C) The level of free cortisol decreases✅
D) Plasma aldosterone levels increase

25.Which estrogen is primarily produced by the placenta?
A) Estrone
B) Estradiol
C) Estriol✅
D) Aromatase

26.Which of the following is the major androgen precursor for placental estrogen production?
A) Dehydroepiandosterone sulfate✅
B) Progesterone
C) Pro-opiomelanocortin
D) 17a-hydroxylase

27.What tissue supplies progesterone during pregnancy until placental production alone is sufficient?

A) The implantation site of the placenta

B) The remaining granulosa cells are blocked from converting progesterone into estrogen

C) The fetal ovary

D) Luteal tissue in the ovary✅

28.H.F. is a 27-year-old white woman who presents for her 6-week postpartum visit reporting that she is unable to breastfeed her infant. She reports having no problem with breastfeeding her previous two children, but this time her milk supply would not come in. Her delivery was complicated by postpartum hemorrhage. On postpartum day 2, she required a blood transfusion for symptomatic anemia. With this information, what is the likely cause of her inability to breastfeed?

A) Pituitary gland failure✅

B) Mammary gland necrosis

C) Rapid increase in estrogen production after delivery

D) Rise in corticotropin-releasing hormone

29.P.W. is a 34-year-old woman at 18 weeks gestation. She has a history of hypothyroidism and has been on medication for the past 2 years. Which of the following true regarding thyroid testing in pregnancy?

A) Free T3 and T4 are generally very low in pregnancy, even in the absence of maternal hypothyroidism

B) The thyroid-binding globulin is elevated, therefore total T3 and T4 are decreased

C) Free T3 and T4 amounts are normal✅

D) Thyroid-stimulating hormone levels increase in response to increased prolactin

30.Human placental lactogen is produced by which of the following?

A) Only the placenta✅

B) Placenta and the maternal pituitary gland

C) Fetal and maternal pituitary gland

D) Fetal pancreas

31.All of the following are true about human chorionic gonadotropin EXCEPT:

A) In early pregnancy, the levels are expected to double every 2-3 days

B) It is structurally related to oxytocin, and binds to receptors to support the corpus luteum✅

C) It is initially produced by the trophoblast cells of the embryo

D) During the first trimester, it stimulates the fetal gonads to make steroid hormones responsible for sexual differentiation

32.There are at least four mechanisms involved in transporting critical molecules between maternal circulation and the placenta. Which of the following molecules is matched with the appropriate mechanism?

A) Respiratory gases are transported by active transport

B) Immunoglobulin G (IgG) binds a membrane receptor and enters via endocytosis✅

C) Calcium crosses the membrane by diffusion down a concentration gradient

D) Glucose is bound to membrane receptors and enters the placental tissue by endocytosis

33.Which of the following is thought not to contribute to immune tolerance of the fetal allograft?

A) Elevated progesterone and prolactin levels act as immunosuppressants

B) Villous cytotrophoblast cell of the placenta do not express MHC class I and 11 transplantation antigens on their surfaces

C) Placental tissues may have altered metabolic processes that promote immunosuppression

D) Large numbers of fetal blood cells are actively transported into the maternal circulation provoking tolerance✅

34.What is the glistening membrane that covers the fetal surface of the placenta?

A) Chorion

B) Decidua

C) Amnion✅

D) Cotyledon

35. 19-year-old college student, majoring in biology, just delivered her first baby. She is very interested in studying early pregnancy and asks you about the origin of the placental tissue. Which of the following develop into the placenta?

A) Trophectoderm✅

B) Inner cell mass of the blastocyst

C) Decidua

D) Myoblast cells

36.S.D. is a 25-year-old woman who has been attempting to conceive for 1 year. she presented to an infertility doctor, as her efforts have been unsuccessful. She reported that she has been timing intercourse based on the change in her vaginal discharge. She noted that midcycle, her discharge becomes thin and watery. High levels of which hormone account for this change along with softening of the cervical stroma?

A) Estrogen✅

B) Progesterone

C) Prolactin

D) Antidiuretic hormone

37. D.E. is a 19-year-old college student who presented to the ER for vaginal spotting. She reported that she had a positive home pregnancy test 2 days ago, and her last menstrual period was 5 5 weeks ago. The ER physician ordered a quantitative human chorionic gonadotropin (hCG) test that was reported as 213 mlU/ml. What is the source of this hormone?

A) Fetal pituitary gland

B) Developing trophoblast✅

C) Ovarian corpus luteum

D) Maternal pituitary gland

38.Prevention of polyspermy ensures that the diploid zygote is protected. Which of the following mechanisms is involved in this process?

A) Resumption of the second meiotic division of the egg

B) Activation of the polar body to begin mRNA synthesis

C) Depolarization of the egg membrane by a rise in intracellular calcium✅

D) Initiation of the acrosome reaction in the sperm

39. M.T. is a 27-year-old white woman who has been attempting pregnancy for 15 months. She is monitoring her ovulation with LH testing. Her test today indicated that she will ovulate tomorrow. In what phase will the ovulated germ cell be arrested?

A) Prophase of the first mitotic division
B) Anaphase of the first meiotic division
C) Metaphase of the second meiotic division✅
D) Zygotic phase

40. Which of the following statements is FALSE?

A) Muscular contractions in the prostate, seminal vesicles and vas deferens drive emission
B) Men cannot usually achieve an erection after spinal cord injuries✅
C) Contractions in the urethra, bulbocavernosus and ischiocavernosus muscles promote ejaculation
D) Although the penis is completely refractory to stimulation during the primary stage of the resolution phase, this stage is relatively short

41.Which phase of the sexual response is the most individually, socially and culturally derived?

A) Excitement phase
B) Plateau phase
C) Sexual attraction or arousal✅
D) Resolution phase

42.Which of the following statements correctly describes one of the three physiologic differences between male and female orgasms?

A) The male is capable of rapidly successive orgasms
B) The female is capable of rapidly successive orgasms✅
C) The duration of the female orgasm is shorter than that of the male orgasm
D) The female experiences emission and ejaculation, but to a lesser extent than the male

43.What is the correct order to the phases of the sexual response cycle?

A) Sexual attraction or arousal, excitement phase, plateau phase, orgasm, resolution phase✅

B) Sexual attraction or arousal, excitement phase, orgasm, plateau phase, resolution phase
C) Sexual attraction or arousal, excitement phase, orgasm, resolution phase, plateau phase
D) Plateau phase, excitement phase, orgasm, resolution phase, sexual attraction or arousal

44.Which of the following statements is FALSE?
A) Deviation from the typical 28-day menstrual cycle typically occurs because of different lengths in the follicular phases
B) Although one oocyte is is typically ovulated per cycle, several will begin their development
C) Prolonged elevations in progesterone levels trigger the LH surge✅
D) During menstruation thromboxane and prostaglandin homeostasis control myometria and vascular contractions in the uterus

45.The LH surge is primarily responsible for which menstrual cycle event?
A) Apoptosis
B) Endometrial sloughing
C) A decrease in PGF2a
D) Ovulation✅

46.During the follicular phase, the dominant follicle arises in response to which of the following?
A) Matrix-degrading proteases
B) hcG
C) FSH✅
D) Androgens

47.Which of the following represents the correct order of events during the menstrual cycle?
A) FSH rise, ovulation, LH surge, luteal phase, menstruation
B) Luteal phase, menstruation, FSH rise, ovulation, follicular phase
C) Follicular phase, luteal phase, FSH rise, ovulation, menstruation
D) Menstruation, FSH rise, LH surge, ovulation, luteal phase✅

48.Which of the following statements is correct?

A) Males have all their germ cells present at the time of birth
B) Dihydrotestosterone is the major regulator of LH secretion in the male
C) Testosterone decreases the frequency of GnRH pulses in the hypothalamus✅
D) Testosterone inhibits FSH release, l but not LH release, through hypothalamic-pituitary feedback mechanisms

49.Erection occurs after activation of which of the following?
A) Parasympathetic nervous system✅
B) Sympathetic neryous system
C) Norepinephrine release
D) Serotonin

50.What is the primary function of Leydig cells?
A) Regulate pituitary secretion of prolactin
B) Testosterone synthesis✅
C) Nitric oxide release
D) Inhibin secretion

51.Which hormone initiates spermatogenesis?
A) FSH✅
B) Testosterone
C) LH
D) DHEA-S

52.Which of the following statements concerning puberty is true?
A) Men are taller than women because the growth spurt in boys occurs earlier than in girls
B) Estrogens are involved in keratinization of the vaginal mucosa at puberty✅
C) Adrenarche always precedes thelarche
D) The initial increases in gonadotropin secretion with the onset of puberty occur after the morning meal

53.Which of the following statements concerning puberty is true?
A) Men are taller than women because the growth spurt in boys occurs earlier than in girls
B) Estrogens are involved in keratinization of the vaginal mucosa at puberty✅

C) Adrenarche always precedes thelarche
D) The initial increases in gonadotropin secretion with the onset of puberty occur after the morning meal

54.Besides the maturation of the hypothalmic-pituitary-ovarian axis, what other factor is suspected to be related with the onset of menarche?
A) Testosterone
B) Prolactin
C) Body fat✅
D) Oxytocin

55.Which hormones initiate the growth of pubic and axillary hair?
A) ACTH
B) FSHandLH
C) IGF-1
D) DHEA and DHEA-S✅

56.Which of the following represents the typical order of physical and physiologic changes of puberty in females?
A) Menarche, thelarche, andrenarche, peak growth velocity
B) Thelarche, andrenarche, peak growth velocity, menarche✅
C) Peak growth velocity, adrenarche, menarche, thelarche
D) Adrenarche, menarche, thelarche, peak growth velocity

57.The adrenal gland produces all of the following, EXCEPT:
A) Dehydroepiandrosterone sulfate (DHEA-S)
B) Dihydrotestosterone (DHT)✅
C) Dehydroepiandrosterone (DHEA)
D) Androstenedione

58.Which of the following is unlikely to be the result of testicular growth?
A) Increased mass of seminiferous tubules
B) Initiation of spermatogenesis
C) Decreased Müllerian inhibiting substance✅
D) Leydig cell stimulation

59.A 14-year-old boy is taller than everyone in his class. What hormone normally mediated by IGF-1 is responsible for maximum linear bone growth during puberty?
A) Growth hormone✅
B) Estrogen
C) Testosterone
D) Inhibin

60.Which of the following is the typical first visible sign of male puberty?
A) Facial hair
B) Pubic hair
C) Enlargement of the testes✅
D) Lengthening of the penis

61. Which of the following statements is FALSE rgarding the myometrium?
A) It is composed of smooth muscle cells
B) Gap junctions allow rapid communication between myocytes
C) ltcan enlarge via hypertrophy and recruitment of new myocytes
D) It produces progesterone to support pregnancy✅

62. a 28-year-old woman is evaluated for premature ovarian failure. She asks you about the ovaries and egg production. You tell her that in human females the greatest number of oocytes is found in the ovary at:
A) Birth✅
B) Puberty
C) Menopause
D) During ovulation

63. a 25-year-old woman undergoing laparoscopy is noted to have a cyst on her ovary. The cyst is described as a blister" on the surface of the ovary. Which of the following is this most consistent with?
A) Corpus luteum
B) Cancer
C) Impending ovulation✅
D) Ectopic pregnancy

64. Which of the following describes the correct progression of the endometrium through the menstrual cycle?
A) Secretory phase, ovulation, proliferative phase, decidualization, menstruation
B) Proliferative phase, ovulation, secretory phase, decidualization, menstruation✅
C) Menstruation, secretory phase, decidualization, proliferative phase, ovulation
D) Secretory phase, menstruation, ovulation, proliferative phase, decidualization

65. a 16-year-old female presents to the emergency department with the complaint abdominal pain.On exam she is noted to have purulent cervical drainage and cervical motion tenderness. She is diagnosed with pelvic inflammatory disease. This infection gained access to her abdominal cavity through which order of anatomic connections?
A) Vagina, cervix, uterus, fallopian tube✅
B) Cervix, vagina, uterus, fallopian tube
C) Vagina, uterus, cervix, fallopian tube
D) Vagina, cervix, fallopian tube, uterus

66. 29-year-old woman underwent bilateral tubal ligation after her last pregnancy: During her procedure the middle portions of both fallopian tubes were removed. Which function of the fallopian tube is NOT disrupted by this procedure?
A) Egg transport
B) Sperm transport
C) Embryo transport
D) Intratubal ciliary motion✅

67. Branches of the internal iliac (hypogastric) arteries supply blood to all of the following, EXCEPT?
A) Vulva
B) Ovaries✅
C) Uterus
D) Cervix

68. a first-year resident obstetrics and gynecology physician is performing his/her first abdominal hysterectomy (removal of the uterus). To complete this procedure he/she must transect the cardinal ligaments bilaterally.

What structures lie in close proximity to this ligament and should be avoided during surgery?
A) Uterosacral ligaments
B) Broad ligaments
C) Ureters✅
D) Uterine arteries

69. Spermatogenesis is divided into three phases: (i) mitotic proliferation; (ii) meiotic division; (iii) maturation. Fill in the blanks: a primitive spermatogonial stem cell remains dermatom until ..... Primary spermatocytes then undergo ..... meiotic cell divisions to produce ..... spermatids.
A) Puberty, 2,4✅
B) Birth, 2,4
C) Puberty, 1,4
D) Birth, 1,4

70. Which of the following is NOT a function of Sertoli cells?
A) Metabolic support of developing spermatozoa
B) Maintaining the position of primordial germ cells against the basement membrane✅
C) Aromatization of androgen precursors to estrogen
D) Maintenance of the blood-testis barrier

71.A 25-year-old man produces a semen analysis that is remarkable for low sperm count. A previous analysis last year was normal. What event could have contributed to the most recent abnormality?
A) Traumatic injury 2 years ago
B) Severe viral illness 2-3 months ago✅
C) Daily hot tub usage in the last week
D) Antidepressant medication 6 months ago

72. 39-year-old man is noted to have azoospermia on semen analysis. On further questioning his history is significant for a vasectomy. The vas deferens is important for what important function of spermatogenesis?
A) Testosterone production
B) Sperm storage

C) Sperm transit✅
D) Maintaining the blood-testis barrier

73.The penis is innervated by which nerves?
A) Labialscrotal nerve
B) Sciatic nerve
C) Sacral nerves 2, 3 and 4✅
D) Genitofemoral nerve

74. Where does the blood supply to the penis arise from?
A) Penile artery
B) Internal pudendal arteries✅
C) Pampiniform plexus
D) Genitofemoral artery

75. The left testicular vein drains into which vascular structure?
A) Inferior vena cava
B) Superior vena cava
C) Left renal vein✅
D) Pampiniform plexus

76. The right testicular vein drains into which vascular structure?
A) Inferior vena cava✅
B) Superior vena cava
C) Right renal vein
D) Pampiniform plexus

77. The presence of which hormone is both necessary and sufficient to promote the development of a recognizable male phenotype?
A) Testosterone
B) Dihydrotestosterone (DHT)✅
C) 5a-reductase
D) Progesterone

78. The Mullerian ducts form which of the following structures?
A) Uterus✅
B) Ovaries

D) G Upper two-thirds of the vagina
D) Urogenital sinus

79. What is MIS an acronym for?
A) Male inhibiting substance
B) Müllerian inhibiting substance✅
C) Metanephros initiating substance
D) Morphology instigating substance

80. MIS is secreted by which cells?
A) Sertoli cells✅
B) Leydig cells
C) Metanephric kidneys
D) Müllerian duct epithelium

81.The mesenchyme arising beneath the germinal epithelium is the origin of which analogous cell types?
A) Leydig and thecal cells✅
B) Spermatogonia and oogonia
C) Sertoli and granulosa cells
D) Sex cords

82. In fetal development, when does ovarian differentiation occur?
A) About the same time as testicular development
B) 2 weeks prior to testicular development
C) 2 weeks after testicular development✅
D) At 20 weeks' gestation

83. What part of the embryo is the origin of the primordia germ cells?
A) Gonadal ridge
B) Endoderm of the yolk sack✅
C) Coelomic epithelium
D) Extraembryonic mesoderm

84.Which of the following is a true statement in an otherwise normal gestation?
A) In the presence of SRY, a female phenotype will develop

B) In the absence of SRY, a female phenotype will develop✅
C) SRY is located on the X chromosome
D) Only one chromosome is necessary for normal ovarian development

85.What is the correct order of the steps of prophase 1 of meiosis?
A) Leptotene, zygotene, pachytene, diplotene/diakinesis✅
B) Zygotene, leptotene, pachytene, diplotene/diakinesis
C) Diplotene/diakinesis, pachytene, leptotene, zygotene
D) Leptotene, pachytene, zygotene, diplotene/diakinesis

86.Which of the following disorders is monosomic?
A) Dermoid tumors of the ovary
B) Hydatidaform moles
C) Turner syndrome ✅
D) Klinefelter syndrome

87. Oocytes are arrested at what stage in the cell cycle from birth until ovulation?
A) Prophase 1 of meiosis✅
B)Prophase 2 ofr meiosis
B)Anaphase
D)Telophase

88. If you examine primordial germ cells in a prepubertal male under the microscope, in what stage of the cell cycle will you find them?
A) Prophase
B) Anaphase
C) Telophase
D) Interphase✅

89.Which of the following is the major estrogen secreted by the ovary?
A) Estrone (E1)
B) Estradiol (E2)✅
C) Estriol (E3)
D) All are secreted equally

90.Which of the following statements regarding steroid excretion is FALSE?

A) Steroids are excreted in urine and bile

B) Steroids enter the nucleus and therefore cannot be excreted✅

C) Prior to elimination, most active steroids are conjugated as either sulfates or glucuronides

D) Conjugated hormones can serve as precursors to active hormone metabolites in target tissues that have the enzymes to hydrolyze the conjugation

91.Tamoxifen and clomiphene both have agonist/antagonist effects on certain steroid receptors. Which of the following statements best differentiates the two?

A) Tamoxifen cannot enter the cell

B) Clomiphene is a potent antagonist to the estrogen receptor in breast tissue

C) Tamoxifen is an agonist at steroid receptors in the uterus and bones✅

D) Clomiphene is used in breast cancer patients who are "estrogen receptor positive"

92.Which of the following statements best reflects the activity of sex steroids after they leave their gland of origin?

A) Most steroid hormones are not bound to specific transport proteins as they circulate in the bloodstream

B) Once inside the cell, a steroid can only produce responses in cells that have specific intracellular receptors for that hormone✅

C) Steroids require transport proteins to enter cells

D) Androgens,progestins and estrogens each have a unique sequence of events from entry into cells to protein synthesis

93. Which steroid metabolite has the most carbon atoms and thus acts as an obligatory precursor to the others?

A) Progestins✅

B) Androgens

C) Estrogens

D) Allhave the same number of carbon atoms

94.Which of the following statements is FALSE regarding cholesterol and steroidogenesis?

A) All steroid-producing organs with the exception of the placenta can synthesize cholesterol from acetate
B) Under most circumstances, synthesis cannot meet demand and circulating cholesterol must be used
C) Steroids are protein hormones✅
D) LDL is the major carrier of cholesterol in the bloodstream

95. The ovary has a two-cell, two-gonadotropin model of steroidogenesis. Which of the following statements best describe this system of production?
A) Granulosa cells produce androgens which then diffuse to the theca cells where they are converted to estrogens
B) Theca cells produce androgens which then diffuse to the granulosa cells where they are converted to estrogens✅
C) Theca cell-derived testosterone is the primary androgen used by the granulosa cellto produce estrogen
D) Stimulation of aromatase activity in the granulosa cell is driven primarily by the interactions of LH with its cell surface receptor

96.Which of the following is a mitochondrial enzyme that mediates all steps in the conversion of cholesterol to pregnenolone and is the rate-;limiting step for the entire steroid synthetic pathway?
A) P450P10
B) P450sCc✅
C) P450MWC
D) P450ACC

97.Which of the following statements is true regarding inhibin and activin?
A) They are both exclusively produced by the ovary and testes
B) Inhibin increases gonadotrope function and activin inhibits it
C) Inhibin appears to be the most biologically important regulator of the FSH gene✅
D) Activin is structurally similar to follistatin

98.Which of the following statements about the hypothalamic-pituitary-gonadal axis is FALSE?
A) Neuroendocrine signals pass down neuroendocrine cells and are released into the portal blood system that bathes the anterior pituitary

B) LH and FSH are produced by the same type of cell known as as the gonadotrope
C) Unlike most hormones, GnRH is is r normally released in a pulsatile fashion
D) In general, estrogen, progesterone and testosterone exert positive feedback control over FSH and LH synthesis and secretion✅

99.Which glycoproteins are most analogous?
A) LH and hCG✅
B) TSH and FSH
C) hcG and FSH
D) LH and TSH

100.Which hormones are produced by the posterior pituitary?
A) FSH, ADH and ACTH
B) Oxytocin and ADH✅
C) LH, prolactin and oxytocin
D) LH, ADH and growth hormone

101.Human immunodeficiency virus uses all of the following virus-specific enzymes to reproduce within the host cell, EXCEPT:
A/Integrase
B/ Reverse transcriptase
C/ Apoptase✅
D/ Protease

102.Which of the following statistics concerning transmission of human immunodeficiency virus (HIV) is incorrect?
A/ Male-to-female sexual transmission of HIV occurs in approximately 1 in 200 sexual encounters✅
B/ Approximately one in four children born to untreated HIV-positive mothers will acquire the infection
C/Heterosexual transmission is much more common than homosexual transmission
D/Vertical transmission of HIV from infected mother to fetus can be decreased to 1-2%
E/with aggressive antenatal and perinatal therapy

103.Which of the following statements concerning Treponema pallidum is true?

A/Polymorphonuclear cells (PMNs), lymphocytes and macrophages surround and efficiently kill spirochetes

B/ Spirochetes effectively evade immune detection so that antibody responses are nearly undetectable

C/T. pallidum is an inefficient organism - only 1 in 15 sexual contacts of an infected person will become infected

D/ The major manifestations of syphilis result from host inflammatory responses to the organism✅

104.Which of the following is an incorrect matching of syphilis stage and characteristics?

A/Primary localized genital chancre lesion f for 1-2 months

B/ Tertiary - end-organ damage that willkl approximately 25% of untreated patients

C/ Latent - asymptomatic stage of variable length between primary and secondary stage syphilis✅

D/ Secondary - disseminated disease with immune complex deposition in joints, kidneys and eyes

105.Which of the following herpetic infections will have the shortest duration of viral shedding from the cervix?

A/ Primary genital HSV-1 infection

B/ Nonprimary first episode HSV-1 infection

C/ Recurrent genital HSV-2 infection✅

D/Nonprimary, first episode HSV-2 infection

106.Why do herpesvirus infections recur?

A/ The virus remains dormant in the infected mucosal and skin cells for indeterminate periods of time

B/The virus inserts its DNA into host cell DNA and immortalizes the cells

C/The virus spreads first to autonomic nerves and then to the nerve root ganglia where it remains dormant for indeterminate periods of time✅

D/The virus is capable of penetrating latex

107.Which of the following pairs of human papillomavirus (HPV) genes-gene functions are correct?
A/ E1 - enhances E6 activity
B/ E6- inhibits p53, the tumor suppressor gene✅
C/ E 7enhances p53,the tumor suppressor gene
D/ E12- smallest HPV gene

108.Which of the following pairs of human papillomavirus (HPV) descriptors is incorrect?
A/ Increasing age of female host - increased HPV prevalence✅
B/ Genital warts (condyloma acuminata) - HPV genotypes 6 and 11
C/ HPV-associated neoplasms -HPV genotypes 16,18 and 31
D/ HPV-associated neoplasms - viral DNA integrated into host chromosomes

109.Which type of cell is most likely to be infected by Neisseria gonorrhoeae and Chlamydia trachomatis?
A/ Germ cells
B/ Columnar epithelial cells✅
C/ Squamous cels
D/ Endothelial cells

110.Which of the following statements is true?
A/ Chlamydia trachomatis is a Gram-negative diplococcus
B/Antibiotic resistance is more common after infection with Chlamydia trachomatis than after infection with Neisseria gonorrhoeae
C/Infection with the lymphogranuloma (LGV) strain of chlamydia is the most common cause of pelvic inflammatory disease (PID)
D/Neisseria gonorrhoeae and Chlamydia trachomatis can both result in neonatal eye infections✅

111.Which sexual pathogen is most likely to become resistant to antibiotics through plasmid-mediated mechanisms?
A/Treponema pallidum
B/Neiserria gonorrhoeae✅
C/Chlamydia trachomatis
D/Human immunodeficiency virus (HIV)

112.Which of the following statements is FALSE?
A/ Gonorrhea is more symptomatic in men than women
B/Gonorhea is more destructive in men than women✅
C/The two most common pathogens found in women with positive cultures and pelvic inflammatory disease are Neiserria gonorrhoeae and Trichomonas vaginalis
D/Approximately one in four heterosexual men with gonococcal urethritis will also be
infected with Chlamydia trachomatis

113. A duplicate set of maternal
chromosomes is typically found in which of the following?
A/Complete hydatidiform mole
B/ Benign ovarian teratoma (dermoid)✅
C/ Spontaneously aborted pregnancies
D/Germ-cell tumors of the ovary

114.Which of the following is NOT a presenting feature of complete hydatidiform mole?
A/ Thyroid storm
B/Hyperemesis gravidarum
C/ Markedly elevated human chorionic gonadotropin (hCG)
D/Anemia✅

115. Which of the following forms of gestational trophoblastic disease may be associated with a normal conception?
A/ Complete hydatidiform mole
B/ Partial hydatidiform mole
C/Choriocarcinoma✅
D/All may be associated with a normal conception

116. Which of the following is the most likely karyotype and parental origin of a large mass of hydropic placental villi with no fetal tissue?
A/46, XX; paternal✅
B/46, XX; paternal and maternal
C/46, XY; paternal
D/69,XXY; paternal and maternal

117. Why is early diagnosis of cervical cancer in postmenopausal women more difficult?

A/The transformation zone is high within the endocervical canal after menopause✅

B/Postmenopausal women are less likely to develop cervical cancer

C/Postmenopausal women are less likely to have symptoms that suggest the diagnosis

D/Progression from CIN to invasive cancer is more rapid after menopause

118. Compared with ovarian cancer, which of the following statements is true of cervical cancer?

A/More prevalent in industrialized countries

B/Potentially preventable✅

C/More prevalent among nuns

D/More likely to be associated with a familial cancer syndrome

119.What is the role of human papillomavirus (HPV) infection in cervical cancer?

A/necessary but not sufficient precedent for the neoplasia✅

B/Is undocumented for adenocarcinomas

C/ Still not well understood

D/Indirect for all but adenocarcinomas

120.Which of the following is NOT a risk factor for the development of cervical cancer?

A/Smoking

B/Early onset of sexual activity

C/Multiple sexual partners

S/Unopposed estrogen exposure✅

121.Compared with type I endometrial cancers, which of the following statements is true of type ll tumors?

A/Occur in older postmenopausal women✅

B/ Require more estrogen exposure

C/ Carry a better prognosis

D/Are similar in their molecular genetic alterations

122.What is the role of progesterone in the prevention of adenocarcinoma of the uterus?

A/ To prevent ovulation and hence unopposed estrogen secretion by the ovary

B/To suppress aromatase activity in fat cells

C/To stop endometrial proliferation and convert it to a secretory state✅

D/To compete with endometrial estrogen receptors, which then produces necrosis and sloughing of the hyperplastic endometrium

123.Which of the following is the most accurate statement about endometrial hyperplasia?

A/Once endometrial hyperplasia is present, it will invariably progress to cancer

B/ Atypical complex hyperplasia is associated with the highest risk of progression to cancer✅

C/Endometrial hyperplasia is irreversible

D/Allwomen with hyperplasia should have a hysterectomy unless there is a contraindication to the procedure

124.What is the single most important risk factor for the development of type I endometrial cancer?

A/Age

B/Obesity✅

C/Residence in an industrialized country

D/Absence of prior pregnancies

125.What is an 8-year-old girl who presents with vaginal bleeding, breast development and pelvic pain most likely to have?

A/benign teratoma (dermoid)

B/Agranulosa cell tumor✅

C/Unexplained precocious puberty

D/DES exposure

126.Which of the following is significant in the pathogenesis of malignant epithelial ovarian tumors as suggested by epidemiologic data?

A/The number of ovulations a woman experiences over a lifetime✅

B/ A history of douching

C/Exposure to baby powder

D/Asister with premature menopause

127.A family history that contains a sister who developed colon cance at age 40, a mother with ovarian cancer at age 38, a maternal aunt with endometrial cancer at age 45 and a maternal grandfather with colon cancer at age 48 is most likely to have a familial cancer syndrome linked to mutation of which of the following?
A/ BRCA 1
B/ BRCA2
C/ ERBB2
D/ DNA mismatch repair genes✅

128.A healthy 60-year-old woman enquires about her risk of developing ovarian cancer Which of the following is this patient's most important risk factor for ovarian cancer. malignancy?
A/Parity
B/ Environmental exposures
C/Age✅
D/Latemenopause

129.Which of the following is NOTa stromal growth factor that is over expressed in prostate cancer?
A/ IGF
B/ EGF
C/ TGF-s
D/ bFGF✅

130.Prostate cancer spreads locally to which lymph node chain?
A/ Peri-aortic
B/ Inguinal
C/Obturator
D/Hypogastric✅

131.Which of the following is NOT a risk factor for prostate cancer?
A/ Dietary fat intake
B/ Race
C/ Family history

D/ History of smoking✅

132.BPH occurs in which of the following? 1. Peripheral zone; 2. Transition zone; 3 Central zone.
A/ 2,3✅
B/ 1,3
C/ 1,2
D/ 1,2,3

133.What is the single largest risk factor for germ-cell tumors?
A/ Family history
B/ Cryptorchidism✅
C/ Race
D/Personal history of chemotherapy treatment

134.Which chromosome is suspected to have a prominent role in the development of germ-cell tumors?
A/ 7q
B/18p
C/12p ✅
D/ 14p

135.What do yolk sac tumors typically secrete?
A/ AFP✅
B/ B-hCG
C/ PLAP
D/ LDH

136.Which of the following germ cell tumors is more common in men over age 50?
A/ Choriocarcinoma
B/Teratomas
C/Endodermal sinus tumor
D/Spermatocytic seminomas✅

137. What is TP53?
A/Oncogene

B/Tumor suppressor gene✅
C/Telomerase
D/Mitotic spindle inhibitor

138.Which of the following confers the highest relative risk for development of breast cancer?
A/Pre menopausal breast cancer in a first-degree relative✅
B/Post menopausal breast cancer in a first-degree relative
C/Late menopause
D/Obesity

139.What is the most common type of invasive breast cancer?
A/ Lobular
B/Ductal✅
C/ Medullary
D/Page

140.Which of the following does the ultimate prognosis for breast cancer NOT depend on?
A/Size of tumor
B/Number of positive lymph nodes
C/Lymphovascular space invasion
D/Breast laterality✅

141.What is the final common pathway for pre-eclampsia?
A/ Endothelial dysfunction and injury✅
B/ Abnormal placentation
C/ Abnormal immune response
D/ Maternal genetic abnormalities

142.Which of the following is NOT elevated in pre-eclampsia?
A/Thromboxane
B/Nitric oxide✅
C/Cytokines
D/ Free radicals

143.Which of the following is NOT a known risk factors for pre-eclampsia?

A/ Primigravid
B/ Diabetes
C/ Hydatiform mole
D/ Maternal smoking✅

144.What is the overall incidence of pre-eclampsia?
A/3-5%
B/7-10%✅
C/12-15%
D/20%

145.Placenta previa refers to the presence of placenta tissue near or over the internal os of the cervix. Which of the following is a reason that a placenta previa may develop?
A/The embryo enters the uterine cavity earlier than usual and falls lower because it is not ready to implant
B/The uterus is scarred from a prior procedure such a cesarean delivery or curettage and the embryo cannot implant properly✅
C/ The tar from cigarette smoking makes the embryo stickier than usual
D/Older women are more likely to have a uterine malformation

146.Placental abruption occurs when maternal vessels in the decidua basalis next to he placenta rupture. Which of the following statements is true about the consequences of the rupture?
A/The bleeding that ensues typically is fetal in origin
B/The size of the abruption can be estimated from the amount of vaginal bleeding that ensues
C/The thrombin released in response to the rupture can trigger uterine contractions✅
O/The fetus is always compromised

147.Which tocolytic acts as a competitive antagonist for calcium?
A/Magnesium sulfate✅
B/ Indomethacin
C/ Progesterone
D/Terbutaline

148. Which of the following is NOT a risk factor for preterm labor?
A/Multiple gestation
B/Tobacco use
C/Decreased amniotic fluid✅
D/Excessive amniotic fluid

149.Which of the following is a fetal cause of stillbirth?
A/Abruption
B/Chromosomal abnormalities✅
C/Abdominal trauma
D/ Intrauterine infection

150.Which of the following is NOT an absolute risk factor for ectopic pregnancy?
A/Prior tubal surgery
B/Exposure to elevated levels of progesterone
C/ In vitro fertilization (IVF)
D/Intrauterine device (IUD) use✅

151.A woman in the early first trimester of pregnancy presents for evaluation of vaginal bleeding. You order a B-hCG test. Over what time period would you expect the B-hCG level to approximately double?
A/ 48-72h✅
B/12-24h
C/ 24-48h
D/ 96-110h

152.What is the most common reason for a spontaneous abortion in the first trimester?
A/Uterine abnormality
B/Chromosomal abnormality✅
C/Endocrine disorder
D/Thrombophilia

153.Which infertility treatment has the highest rate of quadruplets?
A/Ovulation induction with clomid
B/Ovulation induction with gonadotropins

C/Artificial insemination
D/In vitro fertilization✅

154.Twin gestations are at increased risk for all of the following complications, EXCEPT:
A/ Post-term delivery✅
B/ Growth restriction
C/ Cord accident
D/ Fetal demise

155.What types of twinning arise when division of the embryo occurs within the first week following fertilization?
A/Diamniotic monochorionic and monoamniotic monochorionic
B/Diamniotic dichorionic and diamniotic monochorionic✅
C/Diamniotic dichorionic and monoamnioic monochorionic
D/Monoamniotic monochorionic and conjoined twins

156.A 23-year-old woman with ani identical twin sister presents at approximately o week 1 from her! last menstrual period. What is the I likelihood t that she will have twins?
A/10%
B/40%
C/25%
D/<1%✅

157.30-year-old woman with a history of polycystic ovarian syndrome presents for evaluation of infertility after 1 year of unprotected intercourse. What is the initial step in her evaluation?
A/Anatomic assessment of the female genital tract
B/Serum AMH, FSH and estradiol
C/Laparoscopy
D/Determination of ovulation✅

158.24-year-old Caucasian man presents for evaluation of infertility. He and his wife have been actively trying to conceive without success for 3 years. His wife has previously undergone evaluation. He has a family

history of pulmonary disease and he has been hospitalized in the past for respiratory difficulties. What is the most likely cause of their infertility?
A/Kallmann syndrome
B/Varicocele
C/Congenital absence of the vas deferens✅
D/Antisperm antibodies

159.29-year-old woman who has never been pregnant presents after 2 years of inability to conceive. She has a history of asthma, frequent urinary tract infections and an appendectomy for a ruptured appendix. Her cycles are regular every 30 days. Her partner has two children from a previous relationship. What is the most likely cause of their infertility?
A/Endometriosis
B/Male factor infertility
C/Anovulation
D/Fallopian tubal occlusion✅

160.couple presents for evaluation of infertility. They have been actively trying to conceive for 1 year and have not yet achieved pregnancy. The woman is 34 years old and has a 6-year-old child. She has a history of endometriosis and regular cycles. Her partner is a 58- year-old man with a history of prostate cancer at age 50. He is status post prostatectomy, but is otherwise healthy. What is the most likely cause of this couple's infertility?
A/Retrograde ejaculation✅
B/ Antiphospholipid syndrome
C/Abnormal female anatomy
D/ Varicocele

161.A 30-year-old woman describes tightening of the vagina with penetration during intercourse. She denies a history of pain with intercourse but has had this problem since her early twenties. Which of the following is most likely contributing to this issue?
A/Hypothyroidism
B/ Sexual trauma✅
C/Endometriosis
D/Polycystic ovarian syndrome

162. 32-year-old woman presents in distress regarding a new relationship. She states her new partner is becoming frustrated with her lack of sexual desire. Through further questioning, she reveals that she has never been a sexual person and does not have sexual fantasies. In fact, she states that the thought of a sexual encounter makes her so uncomfortable that she tries to avoid such encounters. What is the most likely diagnosis?
A/Sexual aversion disorder✅
B/Hypoactive sexual disorder
C/Vaginismus
D/Dyspareunia

163.62-year-old man with a history of hypertension and coronary artery disease presents for evaluation of erectile dysfunction. He states he has been unable to obtain and maintain an erection for the past 2 years. What is the most likely origin of his erectile dysfunction?
A/Hypothyroidism
B/Hypogonadism
C/Hypertension
D/Atherosclerosis✅

164.A 56-year-old man presents with a complaint of sexual dysfunction. He states this problem has greatly interfered with his marriage and he would like a thorough evaluation. What is the most common type of sexual dysfunction in men?
A/Premature ejaculation
B/Erectile dysfunction✅
C/Psychogenic disturbances
D/ Retrograde ejaculation

165.Which of the following is NOT associated with increased prolactin secretion?
A/ sleep
B/Exercise
C/Luteal phase of the menstrual cycle
D/Pituitary infarct✅

166.Which statement is true of hyperprolactinemic, amenorrheic females?

A/All will experience galactorrhea
B/They will note hot flashes due to their hypoestrogenic state
C/Anesthetic agents commonly include medications that upregulate dopamine secretion and thus lead to elevated prolactin secretion
D/Of all the physiologic hyperprolactinemic states, only lactation is associated with amenorhea✅

167.Which is the most common primary pituitary cause of hyperprolactinemia?
A/Cushing disease
B/Prolactin-secreting adenoma✅
C/Acromegaly
D/Nonsecreting adenomas

168. Which statement is true of the regulation of prolactin secretion?
A/Estrogen stimulates prolactin secretion✅
B/Negative feedback from target organs eads to decreased prolactin secretion
C/Dopamine stimulates prolactin secretion
D/Thyrotropin-releasing hormone inhibits prolactin secretion

169.Which of the following is not a plausible explanation for the amenorrhea seen with hypothyroidism?
A/Thyroxine increases estrogen and progesterone secretion by granulosa cells, so thyroxine deficiency leads to deficient production of these hormones
B/Increased prolactin secretion inhibits pulsatile GnRH secretion
C/Thyrotropin-releasing factor secretion is increased and leads to elevated prolactin secretion
D/Exaggerated pulsatile GnRH secretion causes elevated LH and an increased LH: FSH ratio ✅

170.24-year-old woman presents with no period for the past 6 months, and irregular periods since menarche at the age of 13. She is morbidly obese with normal vital signs, but you notice significant lower abdominal and facial hair as well as acne over her shoulders and back. Which of the following pathogenetic mechanisms is least likely to be involved in her case?
A/Hyperandrogenism causing local follicular arrest and anovulation

B/Increased somatotropic activity due to exaggerated growth hormone pulse amplitude✅
C/Defects in insulin signaling for glucose transport and lipolysis
D/Insulin and LH working synergistically in a stimulatory fashion on thecal cells

171.What percentage of secondary amenorrhea is due to premature ovarian failure?
A/ 50%
B/ 30%
C/10%✅
d/ 1%

172. 20-year-old sexually active woman has had no vaginal bleeding for 6 months she is obese, slightly hypertensive, has excess hair growth on her chin and galactorrhea. What diagnosis should you consider first?
A/Hypothyroidism
B/Androgen-secreting tumor
C/Pituitary adenoma✅
D/Pregnancy

173. Which cause of amenorrhea is classified as a primary pituitary disorder?
A/Kallmann syndrome
B/Mayer-Rokitansky-Kuster-Hauser syndrome
C/Sheehan syndrome✅
D/ Anorexia nervosa

174. What is the most common mode of transmission for complete androgen insensitivity?
A/X-linked✅
B/ Sporadic
C/Autosomal recessive
D/Autosomal dominant

175. 17-year-old female presents with Tanner stage IV breast development but no menses. Ultrasound confirms a blind vaginal vault and no uterus or

cervix. What laboratory test would be most helpful in determining the etiology of her problem?
A/Pathologic examination of her gonads
B/Serum thyroid-stimulating hormone level
C/Serum prolactin level
D/Karyotype✅

176. What is the most common cause of primary amenorrhea?
A/Kallmann syndrome
B/Gonadal dysgenesis✅
C/Müllerian agenesis
D/Anorexia nervosa

177. What percentage of 45X conceptuses spontaneously abort and what is the incidence of Turner syndrome among liveborn females?
A/99%; 1 in 5000✅
B/50%; 1 in 500
C/ 99%; 1 in 500
D/ 50%; 1 in 5000

178. Which syndrome leads to progressive sclerotic changes within the seminiferous tubules that render affected males infertile?
A/Kallmann syndrome
V/ Down syndrome
C/Klinefelter syndrome✅
D/Cystic fibrosis

179. Which of the following characteristics would not be suggestive of constitutional pubertal delay?
A/16-year-old female with absent secondary sexual characteristics and a bone age of 14✅
B/Bone age-appropriate linear growth velocity
C/GnRH secretary pattern appropriate for bone age
D/Familial pattern of late-onset puberty

180. Which of the following is a definition of delayed puberty?
A/Absence of secondary sexual characteristics by age 11 in boys

B/Absence of secondary sexual characteristics by age 13 in girls✅
C/Absence of secondary sexual characteristics by age 16 in girls
D/Absence of menses by age 13 in girls

181. Which of the following statements is FALSE regarding contrasexual precocious puberty?
A/The most common cause in boys is an estrogen-secreting adrenal tumor
B/Mild 21-hydroxylase deficiency may manifest as late virilization, polycystic ovarian disease or postpubertal oligomenorrhea
C/A deficiency in 21 hydroxylase commonly results in virilizing precocious puberty in males✅
D/Peutz-Jeghers syndrome in males may manifest as feminizing precocious puberty

182. What is the most common cause of incomplete isosexual precocity in girls?
A/McCune-Albright syndrome
B/ Granulosa cell tumor
C/Functional ovarian cysts✅
D/ Congenital adrenal hyperplasia

183. causes of true or ox central precocious puberty include all of the following, except:
a/tuberous sclerosis
b/ kallmann syndrome✅
c/ cns neoplasms
o/ primary hypothyroidism

184. which of the following is an example of pubarche and thelarche at age 6 in a female as a result of an adrenal tumor?
a/complete or true sexual precocity
b/incomplete or peripheral sexual precocity✅
c/heterosexual precocity
d/latrogenic precocity

185. the presence of sry in an infant with turner syndrome will result in which of the following?

a/presence of uterus and cervix with female-appearing external genitalia
b/ambiguous genitalia and gynecomastia
c/ rudimentary testes with female-appearing external genitalia✅
d/fused labia with enlarged phallus

186. which of the following statements is true regarding congenital adrenal hyperplasia (cah)?
a/inadequate steroid feedback to the hypothalamic-pituitary axis results in increased acth secretion that stimulates excess adrenal steroid production prior to the site blocked by the specific enzyme deficiency✅
b/male infants with cah have a higher risk of testicular malignancy
c/ karyotypic females often have absent uteri and vaginas due to increased circulating müllerian inhibiting substance
d/first-line treatment of females virilized by cah is removal of the adrenal gland

187. diethylstilbestrol (des) has been linked with all of the following effects, except:
a/infertility
b/ recurrent pregnancy loss
c/hemi-uterus✅
d/ malignancy arising from vaginal adenosis

188. when a uterine anomaly is discovered, which system should be evaluated for a related anomaly?
a/gastrointestinal
b/immunologic
c/urinary✅
d/neurologic

189.which of the following is false regarding patients with 5a-reductase deficiency?
a/ inheritance is x-linked recessive✅
b/ masculinization of phenotypically appearing females occurs at puberty
c/hypospadias may be present
d/an elevated serum testosterone: dihydrotestosterone (t: dht) level is present

190. a 16-year-old girl presents with amenorrhea. exam shows appropriate breast development but scant pubic and axillary hair. pelvic exam reveals a shortened vagina with no cervix. which of the following is the most likely diagnosis?
a/complete androgen insensitivity syndrome✅
b/congenital adrenal hyperplasia
c/5a-reductase deficiency
d/anti-mullerian hormone deficiency

191. hypospadias is a result of which of the following?
a/inherited gene mutations of the cftr (cystic fibrosis transmembrane receptor)
b/anti-mullerian hormone defects that prevent closure of the urogenital sinus
c/failure of complete central closure of the urethral groove✅
d/inadequate development of the wolffan duct

192. which of the following statements regarding cryptorchidism is false?
a/it is the most common genital abnormality in male newborns
b/it occurs when the gubernaculums fails to pull the testes into the scrotum because of inadequate androgen activity
c/the pudendal canal is the most common location of testes with cryptorchidisim✅
d/if cryptorchidism is diagnosed before the age of 15, a child's risk of testicular malignancy without orchipexy or medical management is doubled

193. which of the following statements is true regarding sterilization?
a/the failure rate is zero if properly performed
b/tubal reanastamosis results in a 10% postprocedure pregnancy rate
c/ following vasectomy, intercourse may be resumed immediately without need for backup contraception
d/the risk of ectopic pregnancy is 40-50% if a pregnancy occurs following tubal ligation✅

BEST OF LUCK
Mr. MOHAMED YAHIA ABUELGASEM KHATEM