

LOCAL OBS & GYNAE

(part 1)

RECALL APRIL 2025

Collected by: Special study group

Written by: Mr. Mohamed Yahia Abuelgasem

PHYSIOLOGY:

1. Percentage of plasma in total body weight:

a) 2%
b) 5% ✓
c) 7%
d) 10%

2. With regard to puberty:

a) Puberty begins with the increased release of luteinizing hormone ✓
b) The onset of menstruation in females occurs at roughly 47 kg irrespective of age
c) In males, luteinizing hormone stimulates the release of testosterone from the Sertoli cells
d) Secondary sexual characteristics are stimulated by testosterone

3. An orgasm:

a) is due to a reflex activation of the parasympathetic nerves in both males and females
b) in males involves the mixing of the sperm and the secretions of the bulbourethral gland, seminal vesicle and prostate gland before they enter the urethra
c) in males involves the secretion of the sugar glucose to provide energy
d) in females may involve the release of pituitary oxytocin elicited by mechanical stimulation of the cervix ✓

4. During fertilization:

a) acid in the uterus triggers capacitation of sperm
b) the glycoprotein ZP2 acts as a sperm receptor on the zona pellucida
c) the ovum undergoes electrical depolarization and discharges granules that impair further binding of sperm ✓
d) after about 10 h the male and female pronuclei fuse

5. Human chorionic gonadotropin (hCG):

a) begins to be produced about 4 weeks after fertilization
b) is produced by the corpus luteum after ovulation
c) maintains the corpus luteum for a short period ✅
d) signals that a new menstrual cycle should begin

6. Release of the hormone relaxin:

a) inhibits the development of additional ova
b) inhibits uterine contraction
c) stimulates the development of the endometrium
d) softens the cervix prior to parturition ✅

7. Regarding the control of lactation:

a) prolactin stimulates milk ejection
b) placental steroid secretion inhibits lactation during pregnancy ✅
c) vasopressin (ADH) is secreted in response to suckling
d) oxytocin secretion can be suppressed by dopamine agonists

8. How do circulating TSH levels change during pregnancy?

a) Increased
b) Decreased
c) Remain unchanged ✅
d) Increase then decrease

9. A person with 60 kg wt. and haematocrit 40% what is total blood volume:

a) 6L
b) 5L ✅
c) 4L
d) 3L

10. Which of the following is correct:

a) angiotensin 2 increase H Secretion in proximal ✅
b) parathyroid increase ph. reabsorption

c) ADH increase water reabsorption in proximal convoluted tubule
d) Aldosterone increases reabsorption of K at distal convoluted tubule

11. Regarding Lymph flow:

a) proportionate to ECF volume ✅
b) Decrease with increase hydrostatic pressure
c) increase with increase protein in Interstitium
d) Increase with decrease protein in plasma

12. Na/k ATPase is inhibited by:

a) Dopamine ✅
b) G actin
c) Thyroid hormone

13. hypo ventilated patient co2 doubled to 80. Patient breathing at room air, which of the following is true:

a) Arterial pressure of PO2 is 70hg
b) Arterial pressure of PO2 is 35 hg
c) C-HB saturation to o2 is 80% ✅
d) D-HB saturation o2 is 50%

14. Vit D:

a) 1,25 hydroxy cholecalciferol receptors may be found in skin
b) if calcium level is high, 24,25 cholecalciferol also will be elevated ✅
c) 25 cholecalciferol hydroxylation occurs in proximal convoluted tubules
d) 1,25 cholecalciferol hydroxylation stimulated by angiotensin II

15. Skeletal muscle depolarization:

a) long refractory period than nerve ✅
b) spread in variable strength in muscle fibre

16. Autonomic nervous system and Cholinergic receptor :

a) Increase gastric secretion and gastric vasculature ✅

17. Which of the following is true about acid base balance:

a) Decreased renal secretion of cl in metabolic acidosis ✅
b) Chemoreceptor limit the respiratory compensation in metabolic acidosis
c) Decrease production of glutamine by liver
d) Hco3 decreased in compensated respiratory acidosis

18. 22-year-old man Stand suddenly from supine position, which of the following is a compensatory mechanism:

a) Increase contractility ✅
b) Increase TPR
c) decrease cardiac output
d) Decrease heart rate

19. coagulation:

a) prothrombin activate fibrinogen to fibrin ✅

20. Milk letdown caused by:

a) Dopamine
b) Oxytocin ✅
c) Prolactin
d) ADH

21. Why capillaries have low blood flow rate:

a) high cross section ✅
b) high osmolality
c) high viscosity
d) High diameter

22. Membrane potential:

a) Inside is more negative than outside ✅
b) maintain many by Na+/k+ pump

c) Na/K pump has no role

23. Steroid hormones:

a) have receptors in cytoplasmic and nucleus ✅
b) Increase cAMP
c) Increase tyrosine kinase activity

24. The most potent Vitamin D metabolite is:

a) 25-Hydroxycholecalciferol
b) 1,25-Dihydroxycholecalciferol ✅
c) 24, 25-Dihydroxycholecalciferol
d) 7-Dehydrocholesterol

25. Levels of hCG in the maternal circulation typically peak at what level and at what gestational age?

a) 100,000 ml U/mL at 10 weeks ✅
b) 10,000 ml U/mL at 10 weeks
c) 10,000 ml U/mL at 20 weeks
d) 100,000 ml U/mL at 40 weeks
e) 10,000 ml U/mL at 40 weeks

ANATOMY:

1. Within the anal canal are anal cushions (dilated venous spaces and anastomoses):

a) 3, 7 and 11 o'clock ✅
b) 2, 6, and 10 o'clock
c) 1, 7 and 12 o'clock
d) 1, 7 and 9 o'clock

2. Pelvic joints and ligaments:

a) the sacroiliac joint is a fibrous joint between the auricular surfaces of the ilium and sacrum

b) the wedge shape of the sacrum contributes to its stability
c) the Sacro tuberous and sacrospinous ligaments enclose the greater sciatic foramen
d) the iliolumbar ligament is V-shaped with the apex at L5 ✅

3. The unfertilized ovum can survive for __ after ovulation

a) 1–2 h
b) 10–12 h
c) 24 h ✅
d) 2–3 days

4. Primary support of uterus by:

a) Lateral transverse cervical ligament ✅
b) Round ligament
c) Pubocervical ligament
d) broad ligament

5. Inguinal canal has four wall which of the following from the posterior wall:

a) Internal oblique
b) External oblique
c) Transverse abdominis
d) conjoint tendon ✅
e) lacunar ligament

6. Regarding The anterior abdominal wall:

a) the deep surface above the umbilicus has lymphatic drainage to mediastinal nodes
b) the deep surface below the umbilicus has lymphatic drainage to the internal iliac and paraaortic nodes
c) rectus abdominis is supplied by lower intercostal and subcostal n. (T8-T10)
d) internal oblique and transversus abdominis are supplied solely by the iliohypogastric and ilioinguinal nerves

e) the superior and inferior epigastric vessels (arteries) anastomose within the body of the rectus muscle ✅

7. Which of the following is true:

a) the deep inguinal ring lies 1 cm above and at the junction of the lateral third and medial two thirds of the inguinal ligament
b) the deep inguinal ring is formed by an opening in the transversalis fascia ✅
c) an indirect inguinal hernia bulges into the inguinal triangle, posterior to the canal and medial to the inferior epigastric artery
d) contains the spermatic cord that has two fascial layers/coverings and eight contents

8. Genitofemoral nerve is:

a) Branch from femoral
b) Pass in deep inguinal canal
c) Pass anterior to iliacus ✅
d) Supply sensation of medial portion of thigh

9. Obstetrician with anaesthetist perform episiotomy. block pudendal nerve at sacrospinous ligament, has he blocked cutaneous or dermatome field?

a) Cutaneous field because it arises from single spinal level
b) Dermatomal because it arises from single spinal level
c) Cutaneous field because it arises from many spinal level ✅
d) Dermatome because it arises from many spinal level

10. Superior gluteal artery and inferior gluteal artery named for their relation to:

a) Gluteus maximus
b) Gluteus Medius
c) Sciatic nerve
d) Piriformis muscle ✅

11. Trauma by bicycle injured perineal body and structure attached to it, which structure will be spared:

a) levator ani
b) external anal sphincter
c) coccygeus ✅
d) Bulbospongiosus muscle
e) Perineal membrane

12. Infection and bleeding below umbilicus in deep peritoneum spread to perineum by:

a) Scarpa s fascia ✅
b) Camper fascia
c) Parietal peritoneum
d) Deep fascia

13. The ureter passes deep to the:

a) femoral nerve
b) gonadal artery ✅
c) psoas muscle
d) genitofemoral nerve
e) common iliac artery

14. In differentiation between male and female what is true:

a) Lymph drainage from the gonads can reach the para-aortic lymph node in both ✅
b) in male the cavities open outside where in female it's not
c) ureter has the same path across the pelvic in both

15. Lymph drainage of the lower anal canal

a) Superficial inguinal LN ✅
b) Internal iliac LN
c) External iliac LN
d) Deep inguinal LN

16. Regarding Lower limb veins:

a) dermatitis characteristic in Buerger disease
b) thrombosis more in superficial veins ✅
c) Superficial veins is source of pulmonary thrombus
d) 20% of people have thrombosis

MICROBIOLOGY:

1. Which of the following organisms is the most common cause of early onset neonatal conjunctivitis?

a) GBs
b) Toxoplasmosis
c) Chlamydia ✅
d) Trichomoniasis
e) E. coli

2. dengue fever virus is:

a) Arbo virus ✅
b) Echovirus
c) Enterovirus
d) Orthomyxovirus virus

3. Regarding bacterial Cell-wall is:

a) Thick in Gram positive than Gram negative ✅
b) Thick in Gram negative than Gram positive
c) Equal in both
d) In Gram negative cell-wall is absent

4. plasmids are good vector for genetic engineering because:

a) they self-replicate within bacterial cell ✅
b) replicate freely outside bacterial cell
c) can be replicated in culture

d) can be replicated in laboratory using enzyme

5. bacterial cell replicate by:

a) Mitosis
b) Binary fission ✅
c) Meiosis
d) budding

6. HIV from seronegative to seropositive is:

a) 9 weeks ✅
b) 12 weeks.
c) 7 weeks
d) 3 weeks

7. Multiple antibiotics resistant due to:

a) plasmid
b) Co plasmid
c) Both b and c ✅

8. Viral genome that become integrated in bacteria genome is called:

a) Prophage ✅
b) Bacteriophage
c) Meta phage
d) Temperate phage

9. Bacterial pneumonia:

a) Patchy infiltrate most sign in atypical pneumonia
b) Consolidation of lung is characteristic of bronchial pneumonia
c) Bacterial clearance by lymphocytes
d) Lobar distribution is anatomical. ✅

10. Which of the following is most cause of Pneumonia in aids pt

a) klebsiella
b) mycobacterium Tuberculosis ✅

c) Mycoplasma
d) S. Pneumoniae

11. Bacterial ribosomes composed of:

a) Protein + DNA
b) Protein + rRNA ✅
c) Protein + mRNA
d) Protein + tRNA

12. HIV diagnostic marker?

a) RNA polymerase
b) DNA polymerase
c) Transcriptase
d) Reverse transcriptase ✅

13. Which of the following is most specific in diagnosis of HIV:

a) IHA
b) Western blot ✅
c) ELISA
d) Immunoelectrophoresis

14. Type of bacteria that live in aerobic and anaerobic conditions:

a) Facultative anaerobic ✅
b) Restrict aerobic
c) Restrict anaerobic

BIOCHEMISTRY:

1. technique involved in comparing the DNA components of two samples is known as:

a) Monoclonal antibody techniques
b) Genetic fingerprinting ✅
c) Recombinant DNA technology

d) Polymerase chain

2. In b12 deficiency which of the following found in urine:

a) Malate
b) Methylmalonate ✅
c) Pyruvate
d) Lactate

3. The 4 rate limiting enzymes of gluconeogenesis are:

a) Glucokinase, Pyruvate carboxylase, phosphoenolpyruvate carboxykinase and glucose-6-phosphatase
b) Pyruvate carboxylase, phosphoenolpyruvate carboxykinase, fructose 1,6 bisphosphatase and glucose-6-phosphatase ✅
c) Pyruvate kinase, pyruvate carboxylase, phosphoenolpyruvate carboxykinase and glucose-6-phosphatase
d) Phosphofructokinase, pyruvate carboxylase, phosphoenolpyruvate carboxykinase and fructose 1, 6 bisphosphatase

4. Ethanol decreases gluconeogenesis by:

a) Inhibiting glucose-6-phosphatase
b) Inhibiting PEP carboxykinase
c) Converting NAD+ into NADH and decreasing the availability of pyruvate ✅
d) Converting NAD+ into NADH and decreasing the availability of lactate

5. Compared to the resting state, vigorously contracting muscle shows:

a) An increased conversion of pyruvate to lactate ✅
b) Decreased oxidation of pyruvate of CO2 and water
c) A decreased NADH/NAD+ ratio
d) Decreased concentration of AM

6. Which one of the following would be expected in pyruvate kinase deficiency?

a) Increased levels of lactate in the R.B.C
b) Haemolytic anaemia ✅
c) Decreased ratio of ADP to ATP in R.B.C
d) Increased phosphorylation of Glucose to Glucose-6-phosphate

7. Which one of the following statements concerning glucose metabolism is correct?

a) The conversion of Glucose to lactate occurs only in the R.B.C
b) Glucose enters most cells by a mechanism in which Na+ and glucose are co-transported
c) Pyruvate kinase catalyses an irreversible reaction ✅
d) An elevated level of insulin leads to a decreased level of fructose 2, 6-bisphosphate in hepatocyte

8. Enzymes catalysing electron transport are present mainly in the:

a) Ribosomes
b) Endoplasmic reticulum
c) Lysosomes
d) Inner mitochondrial membrane ✅

9. Mature erythrocytes do not contain:

a) Glycolytic enzymes
b) HMP shunt enzymes
c) Pyridine nucleotide ✅
d) ATP

10. In mammalian cells rRNA is produced mainly in the:

a) Endoplasmic reticulum
b) Ribosome
c) Nucleolus ✅
d) Nucleus

11. Inherited deficiency of β−β−β−glucosidase causes:

a) Tay-Sachs disease

b) Metachromatic leukodystrophy
c) Gaucher's disease ✅

12. Which one of the following statements concerning glucose-6-phosphate dehydrogenase deficiency is correct?

a) Young RBCs, particularly reticulocytes, contain the highest enzyme activity cells show less enzyme activity ✅
b) Glucose-6-P Dehydrogenase deficiency leads to dysfunction of many tissues
c) G-6-p Dehydrogenase deficiency is due to a single deletion of a large sequence of DNA in the G-6-PD gene
d) G-6-PD deficiency is precipitated by ingestion of drugs such as aspirin

13. The synthesis of glucose from pyruvate by gluconeogenesis:

a) Requires the participation of biotin ✅
b) Occurs exclusively in the cytosol
c) Is inhibited by elevated level of insulin
d) Requires oxidation/reduction of FAD

14. Glycogen branching after how many glucose units?

a) 50
b) 10 ✅
c) 15
d) 20

15. Which of the following statements is correct about membrane cholesterol?

a) The hydroxyl group is located near the centre of the lipid layer
b) Most of the cholesterol is in the form of a cholesterol ester
c) The steroid nucleus form forms a rigid, planar structure ✅
d) The hydrocarbon chain of cholesterol projects into the extracellular fluid

16. The enzymes which are commonly used in genetic engineering are:

a) Exonuclease and ligase
b) Restriction endonuclease and polymerase
c) Ligase and polymerase
d) Restriction endonuclease and ligase ✅

17. The smallest unit of genetic material that can undergo mutation is called:

a) Gene
b) Cistron
c) Replicon
d) Muton ✅

18. Poly A tail is frequently found in:

a) Histone in RNA
b) Bacterial RNA
c) Eukaryotic RNA ✅
d) tRNA

19. DNA replication:

a) M phase
b) S phase ✅
c) G phase
d) G0 phase

PATHOLOGY:

1. Irreversible cell injury is characterized by:

a) Cell swelling
b) Lysosomal ruptured
c) Cell membrane defects ✅
d) Nuclear chromatin clumping

2. Antigens and haptens have the following similarity:

a) They have high molecular weights
b) They can elicit immune response by themselves
c) They can elicit an immune response only in association with some other large molecule
d) Once an immune response develops, free antigen and free hapten can be recognized by the antibody ✅

3. What is the first sign of bone healing:

a) Lamellar bone
b) Woven bone ✅
c) Collagen
d) Inflammation

4. In Acute pancreatitis:

a) Alcohol causes direct damage to islet cells
b) Cause necrosis to intraperitoneal fats ✅
c) Caused by trauma in 30%

5. Hepatorenal syndrome:

a) increase renal blood flow
b) loss ability to concentrate urine
c) oliguria characteristic ✅
d) Urine is hyperosmolar
e) High sodium in urine

6. Metaplasia:

a) Irreversible
b) Barrett's oesophagus an example ✅
c) 70% in twins

7. type 1 diabetes pathogenesis:

a) autoimmune insulitis ✅
b) Led to glucokinase

c) Due to insulin insensitivity

8. Liver cirrhosis:

a) Fibrosis confined to delicate band around central veins
b) Ito cells are responsible for excess production of fibrosis ✅
c) Left lobe of liver is more common affected

9. Bronchial asthma:

a) Extrinsic asthma non selection immune mediated
b) eosinophils and neutrophils had roll ✅

10. Type 2 hypersensitivity:

a) Serum sickness is example
b) In transfusion reaction ✅
c) Cell mediated complex

11. In haemolytic jaundice:

a) Unconjugated bilirubin bound tightly to albumin ✅
b) Conjugated bilirubin bound tightly to albumin
c) Bilirubin concentration in urine increases
d) Unconjugated bilirubin increase in urine
e) Cause kernicterus in adults

12. Acute tubular necrosis:

a) cause hyperkalaemia not hypokalaemia
b) non oliguric better recovery ✅
c) ischemic cortical cell
d) 80% anuria

13. Pyelonephritis:

a) 85% caused by gram negative bacteria
b) obstruction and spread of infection ✅
c) Cause abscess of kidney

14. Dystrophic calcification in heart valves:

a) Not cause dysfunction
b) rarely occur in mitochondria
c) cardiac valves not involve
d) deposit of crystal calcium ✅

15. Chronic inflammation is:

a) always preceded by acute inflammation
b) characterized by hyperaemia, oedema and leukocyte infiltration
c) most frequently results in resolution
d) the factors underlying monocyte infiltration are the same as for acute
e) inflammation ✅

16. Compensated hypertrophic cardiomyopathy:

a) High capillary/myocyte ratio
b) increase fibrous
c) increase vascular density ✅
d) hyperplasia

17. Question about smooth muscle atrophy…

PHARMACOLOGY:

1. Which of the following agents are known teratogen in humans?

a) Vitamin A ✅
b) Vancomycin
c) Oral contraceptives
d) Ampicillin

2. Which of the following medications is recommended most commonly for the treatment of maternal hyperthyroidism in pregnancy?

a) Carbimazole
b) Propylthiouracil ✅
c) Levothyroxine

d) Radioactive iodine
e) Corticosteroids

3. Which of the following medications is not associated with central nervous system (CNS) abnormalities?

a) Valproic acid
b) Methotrexate
c) Tegretol
d) Vitamin A
e) Thalidomide ✅

4. Which of the following drugs is a known foetus teratogen?

a) Marijuana
b) Alcohol ✅
c) Heroin
d) Caffeine
e) Nicotine

5. Pt after injected spinal anaesthesia became hypotensive, first treatment is:

a) Sympathomimetic infusion ✅
b) Blood transfusion
c) Plasma
d) Fluids

STATISTICS:

1. Null Hypothesis is:

a) there is no significant association between the variables ✅
b) there is a significant association between the variables
c) Subjective in nature
d) The same as research hypothesis

2. Type I error in testing hypothesis is:

a) Rejects null hypothesis when it is true ✓
b) Accepts null hypothesis when it is false
c) Accepts null hypothesis when it is true
d) Reject null hypothesis when it is false

3. Standard deviation:

a) The Sum. Of Deviation from the mean
b) The square root of variance ✓
c) can be calculated for both sample and population data
d) The date set is perfectly distributed

4. confidence interval:

a) A point estimate of the population parameter
b) A range of values within which the population parameter is expected to fall ✓
c) A range of values within which the mean is expected to fall
d) The total number of observations in a sample

5. Probably distribution of variables including all values in the sample:

a) Sample statistic
b) Simple random sampling
c) Sample distribution ✓
d) Parameter

6. P-value:

a) The probability that the null hypothesis is true
b) The probability of rejecting the alternative hypothesis
c) probability of observing data assuming null hypothesis is true ✓
d) probably the data results by chance

CLINICAL OBS & GYNAE:

1. Which of the following findings would confirm a diagnosis of 'severe' pre-eclampsia?

a) Serum creatinine of 0.8 mg/dL
b) Serum AST (aspartate transaminase) 140 mg/dL ✔
c) 1+ proteinuria on dipstick
d) BP 158/96 mmHg

2. What type of chorionicity results when the blastocyst divides between days 9 and 12 post-conception?

a) Conjoined twins
b) Dichorionic/diamniotic placentation
c) Monochorionic/monoamniotic placentation ✔
d) Monochorionic/diamniotic placentation

3. Which of the following tests is the most accurate in diagnosing a pulmonary embolism during pregnancy?

a) Ventilation-perfusion (V/Q) scan
b) Spiral chest CT scan
c) EKG
d) Pulmonary angiography ✔
e) Serum D-dimer measurements

4. At what gestational age is the amniotic fluid volume at its maximum?

a) 22 weeks
b) 26 weeks
c) 30 weeks ✔
d) 34 weeks
e) 38 weeks

5. of the following statements regarding caesarean section delivery is TRUE?

a) Maternal morbidity is significantly increased with caesarean compared with vaginal delivery ✅
b) Elective caesarean section delivery can be performed before 39 weeks' gestation without documenting foetal lung maturity
c) Elective surgeries (such as myomectomy) can be performed safely at the time of caesarean section
d) A desire for permanent sterilization by bilateral tubal ligation is an acceptable indication for cesarean section delivery
e) One-third of all cesarean section deliveries in the USA are elective cesarean sections

6. In Shoulder dystocia:

a) Due to obstructing outlet
b) Can occur with normal birth wt. ✅
c) In 1 in 200
d) Preventable in majority of cases

7. What is the single greatest cause of intrauterine growth restriction (IUGR) worldwide?

a) Maternal cocaine use
b) Malaria ✅
c) Uteroplacental insufficiency
d) Foetal chromosomal abnormality
e) Foetal alcohol syndrome

8. A 39-year-old G2P1 presents at 38 weeks' gestation with a BP 174/112 mmHg and 2+ proteinuria. You proceed with induction of labour. Your primary aim in lowering her BP is to prevent which of the following complications?

a) Seizures (eclampsia)
b) Renal failure
c) Pulmonary oedema
d) Preterm labour
e) Stroke ✅

9. A 39-year-old G2P1 presents at 18 weeks' gestation for her scheduled foetal anatomic survey. During the examination, the foetal anatomy is noted to be normal, but the cervical length is measured at 15 mm. Despite counselling about the lack of consistent data showing a benefit in this setting, the patient requests that a cervical cerclage be placed. Which of the following, if present, would be considered an absolute contraindication to cervical cerclage placement?

a) Advanced maternal age
b) Prolapse of foetal membranes into the vagina
c) Positive foetal fibronectin test
d) Rupture of foetal membranes ✅
e) Placenta previa

10. A number of screening tests are performed in all pregnancies at designated gestational ages. Which of the following screening tests is correctly matched with the gestational age?

a) Glucose load test at the first prenatal visit
b) Chlamydia test at 22-24 weeks
c) foetal anatomic survey at 34-36 weeks
d) Group B ß-haemolytic streptococcus (GBS) carrier status at 35-37 weeks ✅
e) Rubella serology at the 6-week postpartum visit

11. patient presents for her first prenatal visit at 10 weeks' gestation. Her routine prenatal intake laboratory tests reveal that she is not immune to rubella. what should you recommend?

a) Administer MMR vaccination now
b) Administer MMR vaccination at 28 weeks
c) Administer MMR vaccination postpartum ✅
d) She does not need MMR vaccination

12. Regarding Amniotic fluid embolism

a) If she survives in the first 30 min, she will develop DIC, pulmonary oedema and respiratory distress syndrome ✅

13. Which of the following maternal cardiac lesions is associated with a pregnancy-associated maternal mortality rate of 50% or more?

a) Surgically corrected tetralogy of Fallot
b) Ventricular septal defect (VSD)
c) Marfan syndrome with an aortic root diameter of 5 cm ✅
d) Previous myocardial infarction
e) Prosthetic heart valve

14. Which of the following obstetric emergencies is associated with a maternal mortality rate of -90%?

a) Myocardial infarction
b) Pulmonary embolism
c) Postpartum haemorrhage
d) Eclampsia
e) Amniotic fluid embolism ✅

15. What is the primary goal of diagnosing and treating gestational diabetes?

a) To prevent congenital malformations
b) To prevent miscarriage
c) To decrease the incidence of fetal macrosomia ✅
d) To reduce the risk of type 2 diabetes in the offspring
e) All of the above

﴿وَمَا تَوْفِيقِي إِلَّا بِاللَّهِ ۚ عَلَيْهِ تَوَكَّلْتُ وَإِلَيْهِ أُنِيبُ﴾

\