RECALL

of

OBS & GYNAE

Local exam part 1

28/8/2021

Dr. MOHAMED YAHIA ABUELGESWM

PHYSIOLOGY:

1.When a person standing up and leans to one side the other side stretches and the same Side contracts, stretch reflex is described as:

A. Short fiber to obtain good contraction
B. Monosynaptic
C. Polysynaptic
D. Contain type 2fiber
E. Ocurr in higher center

2.The principal androgen responsible for transforming undifferentiated fetal external genitalia into male external genitalia is

a. Müllerian-inhibiting substance
b. Androstenedione
c. Dihydrotestosterone
d. Testosterone
e. Androsterone

3.Myocardial contractility may be defined as the intrinsic ability of cardiac muscle fibres to Do work with a given preload and afterload Which of the following is the best measure of Left ventricular (LV) contractility?

a. Ejection fraction
b. LV end-diastolic pressure
c. LV end-diastolic volume
d. LV end-systolic pressure
e. Stroke volume

4.Pt has large hand and foot, gynecomastia and hirstism. The causes Is due to tumor in:

a. Posterior pituitary gland
b. Anterior pituitary gland
c. Hypothalamus
d. Adrenal gland
e. Thyroid gland

5.Decrease in Chloride conduction through cell wall will cause :

a. Hyperpolarisation if outside increase more than inside
b. hyperpolarization if outside lesser than inside
c. nochange
d. it increase depolarization
e. None of the above

6.Which of the following is similarity between myoglobin and Hemoglobin:

a. Has the same affinity to oxygen
b. Has the same P50
c. Has the same saturation
d. Has the same sigmoid curve shape
e. Has the same 2,3 DPG content

7.Skeletal muscle fibers are broadly classified as "slow-twitch" (type 1) and "fast-twitch" (type 2) muscle type 11 rapid twitch because

A. Have more myoglobin
B. More mitochondria

8.hypoxic cell injury occur due to following except

A. reduce ATP
B. low PH
C. Decrease in hydrogen ion

9.depolarization occurs because

A. Na come inwards
B. Na go out word.

10.Which one of the following statements is correct?

a. About 100 mg of iron is absorbed per day
b. Iron is absorbed rapidly from the small intestine
c. Iron is transported in the blood bound to ferritin
d. Ferrous sulfate iron is 3 to 4 times has better availablability and better absoprtion than the iron from ferric sulfate.
e. Iron absorption is a passive process regulated by plasma iron levels

11.common cause of hyponatrima.

A. Cone syndrome
B. low sodium intake
C. high ADH

12.RMP _60 after opening of cl channels

A. depolrization -30
B. Depolrization +30
C. hyperpolarization-70

13.what of the flowing indicate the ovulation tacke place.

A. Progesterone
B. .LH hormone

MICROBIOLOGY:

14.Which of the following cells affected by Rabies virus:

a. Asterocyte
b. Ganglia
c. Neurons
d. Nk cell
e. Oligodendrocytes

15.Transfer of antibiotic resistance between tow bacteria through Abridge(sex pillus) is called:

a. transduction
b. transformation
c. conjugation
d. transversion
e. transition

16.Leishmania affect all of the following organs except:

a. Skin
b. CNS
c. GIT
d. lymph node

e. liver

17.HIV pt complain of high grade fever, investigation reveal Mycobacterium which type of mycobacterium mostly associated:

a. mycobacterium leprosy
b. mycobacterium avium
c. mycobacterium bovis
d. mycobacterium tuberculosis

18.On x-ray done for 65 years old patient from suffering Schistosomiasis small areas of calcification in his liver this Calcification is

a. Cercaria
b. Eggs
c. Adult worms
d. Small worm

19.Which of the following is share characteristic between ureaplasma urealyticum and Mycoplasma hominis:

A. Both cause positive cold agglutinins blood test
B. Both cause urethritis
C. Both are bactercin sensitive
D. both urease positive

20.Syndrome of mycoplasma pneumonia:

a. lobar pneumonia
b. bollus maryngitiis
c. tracheobronchitis

21.Severe complicated Dengue fever cause shock differ from the uncomplicated one in that It :

a. Ascending of virus to CNS
b. enhance the immune response
c. neuron destruction
d. meningitis

22.Influenza haemaglutnin is important for virus replication for:

a. Uncoating
b. adsorption
c. assembly
d. sythesized MRNA

23.HIV patient after the infection will convert from seronegative to Seropositive in :

a. 2_3 weeks
b. Days
c. 3-6 months
d. 10 yrs

24.enterovirus closely related to:

a. hepatitis A
b. herpis simplix virus
c. rota virus
d. rabies virus
e. hepatitis E

25.Which of the following is the metabolically active form of Chlamydia:

a. reticulate form
b. elementary form
c. dividing form
d. collateral form

26.Which of the following is not true about trichomonous:

a. Cyst is the stage of transmission
b. If treat both partner we reduce the recurrence of disease
c. Male are asymptomatic but effectively transmit infection
d. It produce greenish frothy discharge
e. In severe form cause cervix erithematus (Strawberry cervix)

27.About S..aglactia following is true except

A. group B beta heamolitc
B. common cause of UTI in elderly and diabetic pt.
C. normal colonic in female genitalia

D. cause Toxic Strept syndrome

28. VIRULANCE factor that associated with strain of E.coli that cause UTI is

a) endotoxine
b) alpha hemolysine
c) K antigen
d) capsule
e) pilli

29. Infectious mononucleosis, a viral disorder that can be debilitating, is characterized by which of the following statements?

A. It is most prevalent in children less than 14 years old
B. It is caused by a rhabdovirus
C. The causative pathogen is an Epstein-Barr virus
D. Ribavirin is the treatment of choice

BIOCHEMISTRY & GENETICS:

30.The following are purine nucleotides?

a. CTP and GDP
b. NAD and TDP
c. ATP and CMP
d. GMP and ADP

31.Which of the following amino acids is glucogenic but not Ketogenic;

a. Tyrosine
b. Tryptophan
c. Valine
d. Phenylalanine
e. Isoleucine

32.Beriberi?

a. is not common in alcoholics
b. the deficient vitamin never affect the brain
c. the deficiency of riboflavin

d. affect the nerves and the heart
e. is the combination of diarrhea ,dementia, dermatitis

33.Which phase of meiosis we found DNA coupled and cross over:

a. Metaphase1
b. Metaphase 2
c. Anaphase
d. Prophase1
e. Telophase

34.Synthetic nucleotide analogs?

a. can inhibit DNA synthesis
b. Are always modified purine nucleotides
c. lack phosphate group
d. allow replicaton to proceed at faster rate
e. they cause denaturation of DNA

35.All the following use ketone bodies oxidation as significant source Of energy except:

a. Liver
b. Kidney
c. RBC
d. Heart
e. Skeletal muscle

36.The bonds that stabilize the structure of DNA are:

a. Hydrogen bonds and peptide bonds
b. Phosphodiester bonds and hydrogen bonds
c. Glycosidic bonds and thioester bonds
d. Disulphide bonds and hydrogen bonds
e. Van dar Waals forces

37. A Lipoprotein lipase:

a. Hydrolyses cholesteryl ester
b. Is present in the cytosol of adipocytes
c. Is active during starvation
d. Hydrolyses TAG in chylomicrons and VLDL

e. Is activated by glucagon

38.Waston and crick model of DNA structure implied that:

a. Thymine base pairs with adenine
b. Thymine base paires with cytosine
c. DNA is a single strand
d. The purine content is not equal to the pyrimidine content
e. The nitrogenous bases from the backbone of the molecule

39.Which of the following statement about galactosemia is correct?

a. treatment involves restriction of glucose in the diet
b. A deficiency of glucokinase is the major cause
c. is treated by elimination of galactose from the diet
d. can be treated by restricting sucrose in the diet
e. is inherited as autosomal dominant character

40.Pyruvate carboxylase:

a. Converts acetyl CoA to pyruvate
b. Requires carnitine
c. Converts pyruvate to oxaloacetate
d. Is activated by high fructose 1,6 bisphosphate
e. Requires pyridoxalcarboxylase

41.Nucleosome:

a. Contain negatively charged protein
b. Is coiling of each single strand of DNA and histone
c. Is association of each DNA and arginine rich protein
d. Is combination of DNA and chromatin
e. Is association of DNA ,RNA,and non histone protein

42.During prolonged fasting?

a. B-Oxidation of fatty acid is initiated
b. glycogenesis is very active
c. blood glucose level is maximum
d. ketogenesis is maximum
e. bicarbonate is high in the blood

43.All of the following are consumed in urea cycle except :

a. aspartate
b. Co2
c. Ornithine
d. NH3

44.In experiment a poison was injected and caused disruption to rough endoplasmic Reticulum. Which of the following will be affected :

a. Protein synthesis
b. DNA replication
c. Transcription
d. Transformation
e. Protein storage

45.Which of the following is true about DNA ligase:

a. it link DNA fragments
b. it act in leading strands
c. act to recoil strands
d. act only in 5 to 3 direction
e. make template strand

46. Cholesterol :

a. Normal cell membrane constituent
b. Precursor of sphingilipids
c. Main source of energy in the body
d. Produced by HMG lyase

47.Which clinical laboratory Observation below is suggestive of Hartnup disease (neutral amino acid Transport deficiency)?

a. Burnt-sugar smell in urine
b. High plasma phenylalanine levels
c. Extremely high levels of citrulline in urine
d. Elevation of glutamine in blood and urine
e. Elevated plasma tyrosine and methionine levels
f. Dark urine

g. **High fecal levels of indole derivatives**

48.Mutations which occur in body Cells which do not go on to form Gametes can be classified as:

a. auxotrophic mutations
b. somatic mutations
c. morphological mutations
d. oncogenes
e. temperature sensitive mutations

49.Polyploidy refers to:

a. extra copies of a gene adjacent to each other on a chromosome
b. an individual with complete extra sets of chromosomes
c. a chromosome which has replicated but not divided
d. multiple ribosomes present on a single mRNA
e. an inversion which does not include the centromere

50.A gene showing codominancea.

a. Has both alleles independently Expressed in the heterozygote
b. has one allele dominant to the other
c. has alleles tightly linked on the same chromosome
d. has alleles expressed at the same time in development
e. has alleles that are recessive to each other

51.X-chromosome inactivation

a. normally takes place in males but not females
b. is the cause of the Y chromosome being genetically inactive
c. takes place in humans so that the same X chromosome is inactive in all of the cells of a female
d. occurs in fruit flies but not in mammals
e. results in genetically turning off one of the two X chromosomes in female mammals

53.The polymerase chain reaction or PCR is a technique that

A. was used to demonstrate DNA as The genetic material
B. is used to determine the content of Minerals in a soil sample

C. uses short DNA primers and Thermostable DNA Polymerase to replicate Specific DNA sequences in Vitro.

D. measures the ribosome transfer rate During translation Detects the level of polymerases Involved in replication

54.Lactic acidosis caused by deficiency of?

A. a.thymine

B. B1

C. c.folic acid

D. d.Biotin

55. antimycin inhipit electrone transport chain which of the following not affected.

A. Proximal convoluted tubule

B. RBC

C. Nerve cell

D. Cardiac cell

56. why glutamate is important in transfere of ketoacid in transdeamination reaction;

A- algha ketoglutrate is abundant in body

B- oxidative deamination in the liver

57.Arachidodonic acid

a. A.Is branched fatty acid

b. Contains 3 double bond

c. Is a precursor for eicosanoids

d. Contain 5 double bonds

e. Is a20-carbon saturated fatty acid

58.Synthesis of glucose from pyruvate by gluconeogenesis in the liver:

A. Occurs exclusively in the liver

B. Is inhibited during prolonged fasting

C. Requires participation of Biotin

D. Requires lactate as intermediate

E. Occurs exclusively in the mitochondria

59.Free redcal cause cell death by

A. denatured of protein contain sh group

a. B .apptosis

60. Replication of dNa

a. takes place in a “conservative” manner
b. takes place in a “dispersive” manner
c. takes place in a “semiconservative” manner
d. usually involves one origin of replication per chromosome in eukaryotes
e. takes place only in the 3’ to 5’ direction

PATHOLOGY:

61.Clotting factor VIII synthesize from:

a. Hepatocyte
b. Kupffer cells
c. Endothelial cells
d. Skin
e. Splenic cells

62.Which of the following is most significant in the diagnosis of Early acute myocardial infarction:

a. ESR
b. ASO titre
c. Troponin
d. LDH
e. CK-BB

63.Vonwillbrand factor deficiency mode of inheritance:

a. Autosomal dominant
b. Autosomal recessive
c. X linked dominant
d. X linked recessive
e. Mitochondrial

64.In which of the following conditions does Exudate occur:

a. CHF
b. Decrease protein level
c. Chronic inflamation
d. Renal failure
e. Increase hydrostatic pressure

65.Which of the following bleeding profile consistent with DIC:

a. prolonged PT and APTT increase fibrinogen
b. normal PT and APTT reduced fibrinogen
c. normal PT and prolonged APTT reduced fibrinogen
d. prolonged PT and APTT reduced fibrinogen
e. normal bleeding time

66.Which of the following is true about reversible cell injury?

a. cell membrane fragmentation
b. clumping of chromatin
c. Kriohexis
d. Pycnosis
e. No nuclear change

67.Which of the following is responsible for the regression of the Uterus size after delivery :

a. Endoplasmic reticulum
b. Golgi appararus
c. Nucleus
d. Mitochondria
e. Lysosomes

68.Which one of the following is a metastatic calcification :

B. Shistosomasis
C. Pulmonary tuberculosis
D. Bening prostatic hyperplasia
E. sarcidosis

69.Which of the following is true about DKA:

a. **omit of insulin dose**
b. hypokalemia is feature
c. acidosis occur due to hyperglycemia
d. Hypoosmlalty

70.Which of the following immunoglobulin is the largest:

a. **IgM**
b. IgG
c. IgD
d. IgE
e. IgA

71.Patient with chronic renal failure has normocytic normochromic Anemia what is the best treatment to correct anemia:

a. **erythropiotein**
b. ferrous sulphate
c. folic acid
d. vit B6
e. vit B12

72.Which of the following mediator is likely to cause pain and Increase in vascular permeability?

a. **bradykinin**
b. prostaglandins
c. Il-1
d. Leuckotrien

73.Early sign detected in diabetic nephropathy is?

a. Pyeurea
b. **microalbuminurea**
c. high urea
d. high creatinin
e. persistant glucosurea

74.After delivering a baby a sample was taken from the umbilical Cord and electrophoresis done. We found abundant Immunoglobulin In the sample. This is :

a. IgM
b. IgG
c. IgE
d. IgA
e. IgD

75.Enzyme that increase due to liver damage is :

a. GoD
b. GPT
c. ALP
d. Bilirubin
e. Serine hydroxyamelase

76.Nephrotic syndrome:

a. High cholesterol levels
b. Oliguria is a feature
c. mild proteinurea
d. high blood albumin
e. no swelling

77.All of the following are examples of physiological cells Death(apoptosis)except :

a. Thymic aplasia
b. Menstruation
c. RBCs at spleen
d. development of digits
e. Viral hepatitis

78.Lymphedema caused by:

a. congestive heart failure
b. accumulation of lymph extracellularly
c. secondary from others organ
d. increase hydrostatic pressure

79.Which of the following occur with chronic renal failure:

a. decrease serum urea
b. hypokalemia

c. hypocalcemia
d. decrease creatinine clearance
e. hyponatremia

80.Benefit of acute inflammation include:

a. fibrosis
b. vasoconstriction
c. initiate immunity
d. abscess formation
e. lymphocytosis

81.Following true about necrosis

A. Gangrene necrosis is gangrene +infarction
B. fibrnoid necrosis come with malignant HTN
C. brain necrosis is coagulative necrosis

ANATOMY:

82.60 year old female known case of ovarian CA presented with Medial thigh Parasethia the nerve involved by CA is

a. obturator N
b. medial cutaneous N of the thigh
c. intermediate cutaneous N of the thigh
d. femoral trunk
e. lumbosacral trunk

83.Hip joint characterize by huge capsule. Which of the following is Attached to it posteriorly:

a. greater trochanter
b. lesser trochanter
c. Inter truchontaric line
d. Mid cervical line (Femoral neck)
e. intertubercular line

84.Ischiorectal fossa is clinically important space. Which of the Following is site of their connection:

a. Anteriorly
b. Lateraly
c. Medially
d. Posteriorly
e. In front

85.2 years old boy has hernia sac that lying above and medial to the Pubic tubercle. Which of the following is diagnosis:

a. Femoral hernia
b. Umbilical hernia
c. Post surgical hernia
d. Direct inguinal hernia
e. Indirect inguinal hernia

86.In a patient with small volume of fluid collection in the abdomen Likely site for fluid collection in the erect position is:

a. Iesser sac
b. Greater sac
c. Douglas pouch
a. D.Rt hepatorenal pouch
d. Paraduedenal recesses

87.Femoral pulsation is detected best at which point:

a. mid inguinal point
b. 2/3 away from the pubic tubercle.
c. Inferior and lateral to pubic tubercle
d. Lateral to femoral nerve
e. Medial and above pubic tubercle

88.Which of the following Muscles not attached to perineal body:

a. Levator ani
b. Puborectalis
c. Pubovaginalis
d. superficial Transverse perineal muscle
e. External anal sphincter

89.Epiploic foramen bounded anteriorly by:

a. Inferior vena cava
b. Caudate lobe
c. First part duodenum
d. portal vein
e. stomach

90.Concerning urinary bladder

a. Against fascia of levator ani
b. Detruser muscle supplied by sympathetic motor fibre
c. Connected to remnant of cloaca
d. In female is completely pelvic organ
e. Its sphincter vesicae has parasympathetic motor supply

91.Regarding the anterior abdominal wall:

a. A.Superficial tissues of the anterolateral wall above theumbilicus to axillary nodes
b. Intertubercular plane lies at the level of L4
c. Mid-inguinal point lying halfway between the pubic tubercle and Anterior Superior Iliac Spine
d. Posterior wall of the inguinal canal is formed by the transversalis abdomius muscle
e. Sugrical incision at linea alba heals faster than that along paramedian abd wall

92.about left ureter

A. has lumenal construction when enter the pelvic brim

93.Ingunal LN mean Mets from which internal organ

A. overy
B. uterus
C. falobian tube

94.Most precancerous organ and can predictable by screening?

A. Ovary
B. Vulva
C. Cervix.
D. Endometrium

95.Which of the following ligaments is attached to the uterus and composed of peritoneum:

a) Transverse cervical (cardinal) ligaments
b) Broad ligament
c) Round ligament
d) Suspensory ligament of ovary
e) Medial umbilical

96.cancerfrom pelvic viscera can deposits cancerous cells in the vertebrae, this Communication occurs between the internal iliac viens and vertebral veins through:

a. lateral sacral veins
b. lumbar vein
c. umbilical veins
d. prostatic plexus

97.to avoid static nerve injury

A. expoloration in the safe lateral side

98.trigon of the bladder cancer metastatic to.

A. paraortic lymph node
B. external and internal illiac LN
C. internal LN
A. D .superfasial inguinal LN

99.Anal canal above pectoral line

A. innervated by inferior budundal nerve
B. contain columus

100.posterior fornix is a gate way to:

A. Retroperterinal space
B. Vesicouertine pouch
C- Rectouertin pouch dougaous pouch

101. Muscle of urogenital diaphragm include

a. Sphincter urethrae

b. Sphincter vesicae
c. Levator ani
d. Ischiocavernosus
e. Obturator internus

102.Primary support of uterus by:

a. Cardinal ligament
b. Round ligament
c. Pubocervial ligament

PHARMACOLOGY:

103.A patient with chronic renal failure receiving an intravenous Diamorphine infusion has had a respiratory arrest. Which of the Following is the most likely cause?

a. Decreased plasma clearance of diamorphine
b. Decreased plasma volume following dialysis leading to increased
a. plasma concentration of diamorphine
b. Impaired renal excretion of diamorphine
c. Increased plasma concentration of 6-monoacetyl morphine
d. Increased plasma concentration of morphine-6-glucuronide

104.An experiment is being designed to assess speed of gastric Emptying. It is planned to administer a standard dose of a marker rug orally to healthy volunteers and then measure plasma drug Concentrations at standard times after the oral dose. Which of the Following drugs is likely to be most useful in this experiment?

a. Aspirin
b. Morphine
c. Paracetamol
d. Propranolol
e. Vancomycin

105.An intravenous infusion of a drug is administered to a 60 kg Subject and, at steady state, urine is collected over four hours from a Urinary catheter. The following data are obtained:

Plasma concentration at steady state = 25 mcg ml

Urinary concentration = 2.5 mg ml

Total urinary volume = 240 ml

What is the renal clearance of the substance?

a. 24 ml min
b. 60 ml min
c. 100 ml min
d. 120 ml min
e. 240 ml min

STATISTICS:

106.Which of the following is correct?

a. alarge sample always ensure that sample is represent of population
b. in random samples the randomization ensure that we have precise And accurate estimate
c. we do not need to randomize if our sample size is sufficiency enogh
d. if all other things are equal,we need alarger sample size

107.2group of patients followed for period of 10 yrs to study the Effect of cigarette smoking in lung cancer ,type of study?

a. Cohort study
b. Cross sectional study
c. Case control study
d. Experimental study
e. Descriptive study

108.epidemiological test of 3 groups or more is:

a. chi square
b. ANOVA

CLINICAL OBS & GYNAE:

109.common cause of secondary post partum hemorrhage

A. Atony
B. Placental tissue
C. Truma
D. Endometritis (uterine infection)

110.primary post Partum hemorrhage occur with in:

A. 1hours
B. 6 hours
C. 12 hours
D. 24 hourse

111.common cause of perinatal mortality worldwide

A. congnital malformation
B. Prematuraty
C. Asphixia
D. infection

112.female come with abdominal pain on US show cyst with echogenisty like dermoid cyst The cause of pain

A. rubtuer
B. torsion

113.to diagnose ectopic pergnany

A. Serum level of B hcg
B. transvginal US
C. abdominal US with fluid in DOP(doglushof pous)
D. Laparoscopy

114.In preach presentation

A. increase with parity
B. pass of miconium indicate fetal distress
C. breach extraction flexed presentation
D. cord prolapse mor with flexed

115.postmenopausal bleeding evaluation:

A. vaginal U S
A. B.D&C
B. hystroscopy and endometrium biopsy
C. abdominal U/S

116.Commonest cause of induction of labaor

A. pregnancy induse hypertension
B. prolong pregnancy
C. IUGR
D. IUFD

117.Assessment of Fetal well being :

A. Doppler umblical artery
B. Doppler umblical vein
C. Middile cerebral artery

118.pregnant in 37 week came with vaginal bleeding and abdominal pain most likely due to

A. Placental abruption +fetal heart rate 160
B. placenta previa
C. vasa previa+ fetal heart rate 60

119.pregnant lady admitted to hospital because has high blood pressure she develop tonic Colonic convulsion and nurse call you what is your management

A. A.mg sulphate
B. airway ,breathing,circulation (ABC)
C. IV line
D. labitelol

120.Common cause of primary Post partum hemorrhage

A. Atony
B. Placental tissue
C. Truma
D. endometritis