EXAM 2



94 Question

Physiology:

1/ similar B/W facilitated and simple diffusion is;

A. need energy.
B. need carrier.
C. Down concentration gradient.
D. Na dependant.

2/ best index to describe after load is?

A. increase peripheral resistance.
B. end diastolic volume.
C. heart rate.
D. end systolic volume.

3/ best index to describe preload is?

A. heart rate.
B. prolonged Pr interval.
C. increase peripheral resistance.
D. end diastolic volume.
E. end systolic volume.

4/ when person in supine position increase in

A. GFR.
B. RBF.
C. HR.
D. CCOP

5/ when person standing wesuspected?

A. increase stroke volume
B. venous return increase
C. COP increase
D. HR

6/ splitting of 2nd heart sound due to

A. increase stroke volume
B. decrease stroke volume
C. deep inspiration
D. opening of aortic valve
E. opening of pulmonary valve

7/1st heart sound is due to

A. isovolumetric contraction
B. isovolumetric relaxation
C. opening of tricuspid

8/which of following site of highest air resistance

A. trachea
B. largest bronchi
C. medium size bronchi
D. smallest size bronchi
E. alveoli

9/ hypoxia causes vasoconstriction in which following

A. cerebral
B. coronary
C. muscle
D. pulmonary
E. skin

10/ hypoxaemia produces hyperventilation by direct effect on

A. phernic nerve
B. j receptors
C. lung stretch receptors
D. medullary chemoreceptors
E. carotid and aortic bodys receptors

11/ in patient with asthma which of t following parameter increase

A. FRC
B. FEVI
C. VC
D. respiratory rate
E. V/Q ratio

12/ A patient in hyperkalamic renal failure was given I.V glucose and insulin the action of insulin include which of the following?

A. converting glycogen to glucose
B. stimulation gluconeogensis
C. increase plasma amino acid concentration
D. enter K to cells
E. decrease Urine volume

13/ GFR is increase by

A. constriction ofafferent arterioles
B. constriction of efferent arterioles
C. increase of plasma protein concentration

D. infusion of inulin
E. contraction of ureter

14/in the thick ascending of the loop of henle.

A. Na is Passively absorbed
B. NH4 is reabsorbed
C. osmolarity of tubular fluids increase
D. H_2O permeability increase
E. Cl reabsorption increase

15/ when parasympathetic is stimulated it leads to

A. erection
B. decrease gastric motility
C. ejaculation
D. increase HR
E. Bronchodilation

16/ stimulation of aortic sinuses will leads to

A. Increase heart rate
B. Increase contractility
C. Increase stroke volume
D. Decrease heart rate
E. Decrease firing

17/ smooth and skeletal muscles share

A. Actin and Myosin
B. tropomysin
C. dependent intracellular Ca
D. dependent

18/ Oxytocin is stimulated by all of the following except

A. head of the fetus
B. sexual
C. milk _ejection
D. uterine contraction
E. increase extracellular volume

19/ in 35 days menstrual cycle / ovulation occurs on day

A. 12
B. 14
C. 17
D. 21
E. 28

20/ 34 yrs patient with chornic asthma started glucocorticoid therpy the treatment may couses bone loss because glucocrticoid dose which of the following:

A. Increase Ca absorption
B. Increase osteoblast
C. Decrease bone resporption
D. Suppress vit D activity
E. Decrease bone formation

21/ cAMP is 2nd messenger of the following

A. Insulin
B. Epinephrine
C. ADH

22/ WHICH of the following is not formed by hypothalamus

A. ACTH
B. Prolactin
C. Dopamin
D. FSH
E. LH

23/ GH stimulated by

A. Sleep
B. Increase glucose

24/ patient with DKA WHICH of the following will not occurs

A. Hyper ventetilation
B. Alkalosis
C. Hyperkalmia
D. acidosis

25/ which of the following true about hemoglobin F

A. consist 2alpha and 2 delta
B. 2 alpha and 2gama

26/ patient has increase phosphate / low Ca received parathyroid analogues which investigation furtherfound to have high urine cyclic AMP what is the diagnosis?

A. hypo parathyrodism
B. oseudo hypoparathyrodism

27/patient with hyper prolactinemia received bromocreptine what is the action of this drug?

A. block the action of dopamine in hypothalamus
B. enhance action of dopamine in the hypothalamus
C. block proIictin synthesis in the anterior pituitary

28/ A 30 yrs old woman has the anterior pituitary surgical removed due to tumor growth without hormoned replacement therapy which of the following will occurs after operation.

A. absence of menses.
B. in ability to concentrated urine
C. failure to secreted catecholamines in response to stress
D. failure to insulin
E. failure to secret PTH

29/ A 56 yrs old man .resent with post prandial diarrhea persisting since ilea resection bile acid malabsorption is suspected which of the following best describes bile acid function?

A. They are essentially water insoluble.
B. majority of bile is absorbed passively
C. glycine conjucated are more soluble than taurine
D. amount lost in stool represent the daily lost of cholesterol
E. bile acid dependant fructose

30/ what is the relationship between presence of 2/3DPG in HbA and HbF :

a. more in HbA
b. more in HbF
c. less in HbF
d. … More in HbA and less in HbF

Or answer is (C)if ((D)) not present

31/ patient with hyperglycemia , central obesity, muscles wasting, protein depletion, increase plasma ACTH which of the following is the diagnosis?


A. cushing disease
B. conn,s disease
C. Addison disease
D. exogenous ACTH

32/ which of the following is cell membrane receptors?

A. TH
B. VIT D
C. aldsterone
D. testosterone
E. Non of above

Pathology:

33/ characteristic of granuloma;?



A. fibro blast
B. neovascularisation
C. epitheloid cells
D. epithelial cells
E. epithelial cells and neovascularation

34/ patient with sunburn which of the following occurs?



A. swelling
B. superfacial burn
C. partial epederm damage
D. complete epederm damage

35/ 6yrs old child has tonsil enlargement, in histopathlogy showed increase neutrophil, lymphocytes, which of the following you will expected?

A. tonsil hyperplasia.
B. follicular tonsillitis.
C. tonsil dysplasia
D. tonsil hyperatmohy

36/in signs of inflammation rubar occurs due to


A. increase permeability
B. vasodilation
C. swelling

D. loss of function

37/ which of the following cells secreted histamine?.

A. mast cells
B. monocytes
C. basophils

38/ histamine secreted in response to acute inflammation act on.




A. arterioles
B. venules
C. capillary
D. post capillary venules
E. post capillary arterioles

39/ harmful effects of acute inflammation include;

A. swelling.
B. immune response
C. …. Toxin
D. phacocytosis


40/ definition of chemotaxis

a. coating of antigen by antibodies
b. emigration and accumulation in site of inflammation
c. intracellular killing
d. slowing of blood



41/ substance that produce on immune response after entering the body is;?

A. Haptin.
B. immnogen.
C. Adjuvant



42/ postmortem changes in the heart of the patient with cardiomegaly after staining with Congo red stain produce green color in heart, which of the following diagnosis?

A. amyloidosis
B. MI
C. ……
D. …….


43/Which of the following immunoglobulin can cross the Placenta;?

A. lgG
B. lgD
C. IgE
D. IgM
E. IgA

44/ Which of the following occurs in primary response;?


A. IgG
B. IgM
C. IgD
D. IgE
E. IgA

45/ which of the following vaccine is live attenuated vaccine;?



A. pertesus
B. HB vaccine
C. BCG

46/the lipoprotein causes atheroma?



A. LDL
B. VLDL
C. HDL
D. chylomicrons
E. IDL


Microbiology:

47/ patient delivered a baby with cataract ,cranial calcification defines, cardiac abnormality, mental retarded, nasal bridge depression, which of the following is the causative agent:?

A. T. pallidum.
B. CMV
C. rubella
D. rubelella
E. ……

48/which of the following viruses responsib1e for 1st trimester congenital anomalies?

A. HSV




B. CMV ✓
C. rubfa
D. HBV
E. HIV

49/ sexually active female presented to your clinic complaing of genital ulcer(painIss) enlargement inguinal lymphnode, in the lab (silver stain),what is your diagnosis;?



A. T, pallidum
B. chancroid
C. chancre ✓
D. granulomavearum
E. herpes simplex

50/ type of clostridium, heat resistance and boiling?;



A. Clostridium deficile
B. Clostridium tetani
C. Clostridium wetchri
D. Clostridium perfringes
E. Clostridium botillinum ✓

51/ which of the following organisms inhibit neurotransmitter release at neuromuscular Junction?.

A. clostridium botulinium ✓
B. clostridiuim difficele
C. niesseria meninigitides
D. ……..

52/ commonest cause of neonatal meningitis is;

A. N .menigitids.
B. L. monocytogens
C. group B streptococuse ✓
D. E. colli


53/ how to differentiated B/W staph aureus and staph epidermis;

A. coagulase ✓
B. virulence
C. toxin
D. catalase
E. carbohydrate in cell wall

54/ characteristic of mycobacterium TB compare to other mycobacterium species;

A. living within macrophage.
B. resistant to antibiotics
C. acid fast stain
D. resistant to disinfection. ✓

55/ viru1enc of streptoccouse is;



A. streptolysinO. ✓
B. M protein
C. hemolysin

56/ patient received blood and developed transfusion reaction which of the following describe this reaction;

A. cellular antigen -antibody cytotoxicity. ✓
B. antigen- antibody complex reaction.
C. anaphylaxis

57/ Which of the following organism resist to penicillin?

A. Staph aureus ✓
B. N-Gonorrhes.
C. L. monocytogens.
D. Clostadium tetani.

58/ Bacteria, not flagellated, type of salmonella.

يلا القصيرة م عندها flagella
والاسمها طويل عندها flagella

A. S. Typhi ✓
B. S. paratayphi.
C. S. …….

59/ which of the following is not group of poxvirus;?


A. Small pox.
B. Chicen pox. ✓
C. Cowpox.
D. ……

60/ Which of the following oncogenic virus?

A. Adenovirus
B. HPV ✓
C. rehenoovirus

61/ which virus can synthesis DNA from RNA and restore genome?

A. adenoviruse
B. varicella.
C. pox virus.
D. ✓ retrovirus



63/ which of the following does not causes chronic carrier Status; ?

A. ✓ Influenza virus.
B. HBV.
C. Simplex herpes virus.
D. Adenovirus
E. CMV

63/ in patient with HBV, window phase. Describe by?;

A. HBV s Ag
B. HBV antibody.
C. HBV core Ag.
D. ✓ None of the above.

Biochemistry:

64/gluconeogensis activated by all of the following hormones except;?


A. glucogon
B. epinephrine
C. ✓ Insulin


65/in anaerobic glycolysis the amount of ATP produce insulin is;?

A. ✓ 2 ATP
B. 8 ATP
C. 6ATP
D. 12 ATP

66/ alanine transported from muscle to liver by which of the following?

A. CAC
B. alanine pyrovat cycle
C. ✓ cori cycle
D. crebs cycle





67/ in cori cycle,


A. ✓ lactate from muscle to liver.
B. lactate from liver to muscle.
C. Pyruvate from muscle to liver
D. by lactate pyrvate cycle.

68/ which of the following is not reduceing sugar?

A. glucose
B. fructose
C. lactose
D. ✓ sucrose

69/ which of the following procoagulant;?

A. thrombomodulin.
B. ✓ von willbrand.
C. thromboplastin.



70/ which of the following is true about restrict endonuclosis;?

A. ✓ cleavage nucleotide in specific site.
B. cleavage nucleotide in different site.
C. nucleotide activated.

71/which metabolic intermediate share B/W glycolysis and fatty acid;?

A. lactate
B. pyruvate
C. ✓ acetyl coA
D. oxaloacetate

72/ tRNA have which properties;

A. 3 methylated.
B. ✓ un methylated
C. 3-5 methylated
D. 5-3 tail

73/ sulpher containing amino acid;

A. alanine
B. valine
C. ✓ methonine
D. isolucine

Anatomy:

74/ which of the following not content of broad ligament;

A. utrine artery
B. ovarin artery
C. utrine tube
D. epoophoron
E. ureter ✓

75/ all of the following support direct and in direct theutrus except;
A. levaterani muscle
B. mesosalpinx ✓
C. utrocervical ligament
D. bupocervical ligment

76/ which of the following pass through greater sciatic foramen;
A. obturator intrnus muscle
B. sciatic nerve ✓
C. Levator ani

77/ illioiguanal nerve related to psoas muscle pass
A. anterior
B. lateral ✓
C. medial
D. posterior

78/lymph drainage of external genitalia
A. superficial inguinal nod. ✓
B. external iliac nod.
C. internal iliac nod
D. internal and external ilic nod

79/lymph drainage of the cervix;
A. external iliac nodes.
B. external and internal iliacs nods. ✓
C. superficial inguinal nods.
D. internal inguinal nods.


80/ left ovarian vein drainage into;
A. inferior vena cava
B. superior vena cava
C. RT renal vein
D. LF renal vein ✓
E. para aortic lymph nods

81/ femoral sheath formed by;
A. transversalis fascia and fascia ilicus. ✓
B. fascia transversalis and fascia lata
C. fascia lata
D. scarpa fascia

82 / root of obturater nerve is;
A. L 2,3,4. ✓
B. S 2,3,4
C. L 1,2,3
D. L1,2

83/ ovarian tumor mets to uterus by:
A. round ligament
B. broad ligaments ✓
C. cervical ligament
D. suspensory ligament

Pharmacology:



84/ pain transmited by
A. Small un myelinated c ✓
B. Myelinated group B
C. Group c

85/ which of the following true about chemotherapy
A. act on all phase of cell cycle
B. its alkalyting ✓
C. best work in G0
D. does not contain antimetabolite


86/which o the following drugs interact with warfarin, on cytochrom B450.
A. Rifampacin
B. cimitidine ✓
C. tetracycline
D. amikacin



87/anti histamine share with anti psychotic (T.C antideprssion) in.
A. increase gastric acid secretion
B. decrease gastric motility. ✓
C. vasodilation
D. vomiting

88/ side effect of the NO, isosorbid, …,include.

A. vomiting.
B. Headache
C. Hypotension
D. augmented cytosis




89/ site effect of nifidipine

A. postural hypotension
B. ...metabolite.
C. polyuria

90/ the oocyte reach the maximum account at.

A. at birth
B. at 5 month interutrine
C. after birth
D. …….




91/the main lipid in surfactant is

A. di phosphatidyl - choline
B. di-palmitoyl-phosphatidyl-choline
C. ……..
D. ……..

92/ block of Ach at neuromuscular junction by

A. Atropine
B. Hexamethonium
C. Acetyl choline.
D. Curare
E. scopolamine



93/ gonorrhea treated by single dose of the following drug;

A. procaine
B. doxacycline
C. ceftraxone
D. tetracycline
E. …….

500mg ceftriaxone single dose intramuscular

94/ a study design to research about patient smoker for 10 years ,type of study is

A. Case control
B. Cohort study
C. Cross section