EXAM 4



91 Question

Physiology

1- The lowest conduction velocity in the heart occur at

a. SA node
b. Atrial fibers
c. AV node
d. birkinj fibers
e. ventricular fibers

2-In the ECG the QRS complex represent

A- Atrial depolarization
B- Atrial contraction
C- Ventricular contraction
D- Burkinji fibers excitation

3-HR less than 60 bpm is

A- A SINUS bradycardia

4- the following is not steroid hormone

A- Testosterone
B- Vit D
C- Aldesterone
D- ACTH

5-The following is type 1 hormons

A- Insulin
B- Glucagon
C- Thyroids hormons
D- TSH

6- IN Pt with vit D deficiency

A- High s.Ca
B- High s. phos
C- High PTH level
D- Low s. Alkaline Phosphtase
E- Increase bone menrilization

7-After thyroidectomy the production of the following incease

A- T4
B- Calcitonin
C- TSH
D- T3

8- Pt with large hands and feets and oesteoarthritic changes also has galactorrhea he has tumour in

A- Thyroid glands
B- Anterior pituitary
C- Adrenal gland

9-pt with small bowel obustrution NG tube for suction inserted which of the following metabolic disorder may occurs

A- Metabolic acidosis
B- Metabolic Alkalosi
C- Respirory acidosis

10- An elderly proloned bed ridden with home nursing brought to hospital , confused ,serum .Na 154,heamatocrit 55, most like cause

A- Dehyderation
B- Fever
C- Hyperosmolar coma

11-EXCess GH will result in

A- Decrease bone formation
B- Decrease protein synthesis
C- Insulin resistance
D- Drcreased lipolysis
E- Hypoglyceamia

12-Which of the following increase in obustructive but not restrictive Lung disease

A- FEV1
B- TV
C- FRC
D- FVC

13-In the preovulatroy time granulose cell secret

A- LH
B- FSH
C- ESteogen
D- Androgen
E- Progesterone

14-the following is not true about corpus lutum

A- Produce progesrtone in postovulatory time
B- Maintained by HCG in early pregnancy
C- Produce FSH , LH
D- Produce progesterone

15- in the week fpllowing ovulation the endometrial thickness increase from 5 to 7cm is by action of

A- Estrogen
B- Progesterone(secretory phase)
C- HCG
D- LH

16- Lady takes Combined C p mechanism of Action that prevent pregnancy

A- increase estrogen
B- increase FSH ,LH Secretion
C- Prevent Development of graffian follicle
D- Stimulate GnRh

17- regarding ovulation

A- body temp decrease
B- there is negative feedback by eostrogen on LH
C- preceed by LH surge
D- decrease eostrogen secretion

18-5 alpha reductase inhibitor prevent production of

a- Testosterone
b- Progesterone
c- DHT
d- Esterogen

19- testosterone converted by aromatase in adipose tissue to

a- Progesterone
b- Esterogen
c- DHT

20- Eosterogen

a- Increase cx thickness
b- Responsible from secretory phase
c- Increase the ductal tissue development in breast

21- suckiling lead to

a- increase prolactin secretion
b- increase dopamine secretion
c- Increase oxytocin release from posterior pitutory

22-in alactating women milk move from mother to baby is action of

a- TSH
b- oxytocin
c- Dopamin
d- prolactin

23-Renal blood flow will not affected by:

a- sympathetic activity
b- Mean renal arterial pressure 85 mmHg
c- efferent constriction
d- Mean renal arterial pressure 200 mmHg

24-cleaarnce of a substance more than inulin in normal healthy individual , this substance is

a- Na
b- glucose
c- k
d- amino acids
e- albumin

25-in the proximal convoluted tubules

a- 25% of H2O reabsorped
b- 100%of Na reabsorped
c- 85% of HCO3 reabsorped
d- 75% of amino acids absorped
e- 50 %of glucose reabsoroed

26-the reabsoption of HCO3 in the proximal tubules depend on

a- hco3\cl cotransporter
b- glucose/hco3- cotransporter
c- H+/Na+ exchanger
d- Hco3-/h+ cotransporter

27-Asthamtic pt start corticosteroid, the mechanism by which stetoid cause osteoporosis is

a- inhibit bone formation
b- inhibt steoclast
c- increase mineralization

28-regarding bile acids

a- the amount lost dialy repreasnt the dialy loss of cholesterol
b- reabsorped passively in the terminal ileium

29-in the glomerulotubular balance ,increase in GFR lead to increase salt and water absoption in proximal tubules is due to

a- an increase in peritubular capillary hydrostatic pressure
b- incease in peritbular oncotic pressure
c- decrease in peritubular Na concenteration
d- release of vasoactive substance by macula densa

30-Leptin

a- regulate food intake
b- decrease GH release

31-In respose to exercise an increase in muscle perfusion is met primarly by

a- variation of breathing
b- locally mediated vasodilation
c- decrease HR

Pathology

32-in mismatch blood transfusion haemolysis occur due to

a- Antibodies(Abs) in donor blood against reciepent RBCS
b- Abs in reciepent blood against donor blood
c- Neutrophills in the donor blood

33-Haemolytic disease of neoborn involve

a- type 2 hypersensitivty reaction
b- type3 hypersensetivty reaction
c- type 1

34-in blood transfusion heamolytic reaction is due to

a- Activation of complement and function of memberane Attack Complex(MAC)
b- Activation of CD8
c- Activation of macrophages
d- Activation of neutrophills

35-in the mast cell which of the following isnot performed and have to be synthesitized

a- histamine
b- heparin
c- PG D2
d- cytokine

36- in the arthus reaction the recruded cells is

a- mast cells
b- neutrophils
c- eosinophills
d- macrophages
e- langerhans cell

37-which of the following organsis specifically vulnerable to shock

a- heart muscle
b- brain
c- skeletal muscle
d- kidneys

38-in reversible cell injury there is

a- fragmentation of cell memberane
b- loss of ribosomes
c- rupture of lysosomes
d- Amorphus denseties in the mitichoderia
e- chromatin clumping

39-which is true regarding dysplasia

a- irreversible
b- assocated with invasion of basement memberane
c- can occur in ulcerative colitis
d- may progress to metaplasia
e- is associated with low nuclear cytoplasmic ratio

40-which of the following is not considered anon metastatic manifestation of cancer

a- mopathy
b- polycythaemia
c- venous thrombosis
d- jaundice
e- acanthosis nigricans

41- Sensitized pt given purified protein subcutanouslyafter 48 hours askin lesion appear at site of injection this best described

a- irritant dermatitis
b- contact dermatitis
c- Mantoux test

42- fatty Necrosis

a- is due to cholesterol deposition in cell
b- irreversble
c- can occur in hepatitis B
d- can progress to dysplasia or neolasia

43-among leukaemias the followind is associated with disseminated intra vascular coagulapthy(DIC)

a- ALL
b- CML (M4)
c- CML (M5)
d- chronic promyelocytic leukaemia (M)

Microbiology:-

44- Icosahedral capsid viral:

a- cause systemic disease
b- protein arrange in tube
c- The capsid is bilayer

45-HIV belong to which family:

a- reovirus
b- retrovirus
c- lentivirus

46-which of the following is dsRNA virus:

a- rotavirus
b. HAV
c. HBV
d. HIV

47-Kaposis sarcoma cause by:

a. HIV
b. Human herpis simplex type 8
c. herpis type 2

48-regarding the fungi the foiiowing is true except :

a. contain ergosterol in its wall
b. the cell will contain chitin
c. heterophil
d. they synthesized their own organic material

49-the following is not true:

a. gram -ve rod are found in the nose
b- bactroid is normal flora in colon
b. streptococus in the throat
c. staph epidermis in the skin

50-which of the following is commoner cause of UTI:

a- Staph aurus
b- Strept fecalis
c- Klebsila
d- Protus species

51-MRSA differ from staph in :

a- coagulase –ve
b- cause wound infection
c- More virulent

52-infected wound discharging blue green pus the causative organism is:

a- staph epidermis
b- asprigelus flavus
c- pseudomonus aerogenosa
d- staph pyogen

53-nosocomial infection most commonly seen in:

a- Surgical ward
b- Medical ward
c- ICU
d- Out pt

54-52 yrs oid woman admitted to hospital b/c of chest pain ,2 nd day developed severe watery diarrhea stool culture reveal salmonella the following is true:

a- this is nosocomial infection
b- community acquiered infection
c- the source is food

55-the following are causes of steril pyurea except:

a- Antibiotics
b- urinary tract tumour
c- stone
d- TB
e- Epithelial cell

56-the following is not countribute to protection of H-pylori:

a- Urease secretion
b- acidity of chyme
c- its curve shape

57- in HIV infected pt the organism responsible to opportunistic infection is:

a- staph aurus
b- pseudo.argenosa
c- candida albicans
d- mycoplasma
e- ameba

58-the following is unique for UTI EXCEPT:

a- Pus cell in the urine
b- Dysurea
c- Frequency
d- Burning micturition

Statstics

59-peakedness is measured by:

a- kurtosis

60-in statistic the measured used for compareson b/w 2 or more group and is measured in different unit :

a- Mode
b- Coeficent

61- Which of the following statistical measure is afected by very high or very low variant:

a- Mean

Pharmacology

62- The amount of drug that found in circulation from the total amount at site of administration called

a- Bioavailability
b- Absorption
c- Bioineqvilence
d- dose

63-alpha 2 agonist used to increase vagal tone and decrease the sympathetic

outflow, which of the following is not belong to them

a. clodine
b. methydopa
c. epinephrine (beta agonist not alpha)

64-which of the following is not B2 agonist

a- turbutaline

65-Antithyroid medication which is not currently used

a- propylthiouracil
b- carbimazole
c- Na---------
d- k threcholate
e- Methizal

66-definition of agonist

a- substance bind to cell receptor and stimulate activity

67-which is sulph alkylating antineoplastic agent

A- Vincristine
B- btamixifen
C- Busulfan

68-of the following penicillin has anti beta lactamase activity

a- Oxacillin
b- amoxcillin
c- Ampicillin
d- pipercillin
e- penicillin G

69-biosynthetic penicillin is effective against

a- Gram +ve cocci and clostridium
b- Gram +ve rods and recketssia
c- Gram -ve and viruse

70- the following is not true except

a- Amphotricin is an antifugal but has no antiviral or antibacterial activity
b- bacteria can synthesise it,s own folic acid but human can,t

71-drug effective against bacteriods fragalis

A- mertrinidazole

Anatomy

72- the origin of lft ovarian artery is from

a- lft renal artery
b- abdominal aorta
c- Rt renal artery
d- Common iliac artery

73- The origin of oviduct

a- mesonephric
b- paramesonephric

74- The femoral sheath is from

a- The facsia lata

75-when there is infamation in the deep perineal pouch and u perform digital rectalexaminatin you will feel

b- colle,s fascia
c- superfiscial perineal memberane
d- deep perineal memberane

76-concerning horseshoe kidney

a- It is situated in the pelvis

77-the ovarian fossa is bounded above by external iliac artery and behind by:

a- Ovarian artery
b- Uterine artery
c- Internal iliac artery
d- Deep circumflex artery

78- the segmental origin of obturater nerve is

a- L2 ,3 and 4

79-during childbirth women was exposed to pelvic floor tear which of following structure was affected

a- Levator ani muscle
b- Obturater interneus muscle

80-the urinary bladder

a- Is lined by stratified squamous epithelium
b- Has lymphatic which drian into nods alongside the internal iliac artery
c- Has tigon whose endotheliumis endoderm – derived
d- Has amedial umbilical ligament arising from it,s apex
e- Lies anterior to anal canal in male

81- a woman has CA endomertium can metastise directly to the inguinal lymph nodes through

a- Round ligament
b- Broad ligament

82-primary support of uterus derived from

a- lateral (tranvese) ligament
b- broad ligament

83 regarding the pelvic pat of ureter the following is true except

84-the following statement concerning the ischiorectal foaa correct, except

a- The pudendal nerve lies in it,s lateral wall
b- The flor formed by superficial fascia andskin
c- The latera lwall is formed by obturator internus muscle and it,s fascia
d- The medial wall is formed in part by levator ani
e- The roof is fomed by urogenital diaphragm

Genetics

85-Polymorphism occur in

a- a-70% of population
b- 50%
c- 25%
d- 1%

86-the part of gene that containDNA sequence for different transcription called

a- a-Allele
b- b-locus
c- c-genotype
d- d-phenotype

3-lady with heamophilia A, and red green colour blindness gene in one x chromosomes ,and her husband normal

a- 50% of sons and 50% of daughters will affected
b- 50% of sons will be affected
c- 100 %oif sons will be afeected
d- 100% of daughters will be affected

87-the mother brought her 10 yrs old was found to have lactic acidosis and encephalopathy with seizures and hypotonia with abnormal muscle biopsy ,the mother has mild muscle weakness and his daughter has history of repeated headaches and seizures the mood of inheritance is

a- Autosomal dominant
b- Autsomal ressive
c- X-linked dominant
d- X-linked ressive

88-the uniqe charcter of turner syndrome is

a- Short stature female
b- Amenorrhea and infertility
c- Chromosome x0
d- Wide chest with widely separated nipples

BIOCHEMISTERY

89-the form of vit A that cause toxic hypervitiminosis is

a- retinal
b- retinol
c- glycogenlysis
c- Retinoic acid

90- Source of energy of brain during starvation is;

a- Ketone body

91- A girl who refused feeding for 3 days the source of glucose is

a- gluconeogensis
b- glycolysis