EXAM 8

RECALL DECEMBER 2018

119 Question

1) femoral pulsation is detected at which point

a. a) midpoint in inguinal ligament
b. b) 2/3 away from the pubic tubercle)
c. c) mid inguinal point
d. d) between the aSIS and pupic tubercle
e. e) at the deep inguinal ring

2) In 50 yrs old female)) blood supply to the head of femur is from

a. a) Profunda femoris artery
b. b) branches from Obturator artery
c. c) from the marrow
d. d) Retinacular arteries
e. e) Superior gluteal

3) Pt diagnosed as ovarian carcioma came complain of medial side of the thigh parathesia which nerve is affected

a. a) femaral trunk
b. b) Obtorator nerve
c. c) Medial cutaneous nerve if the thigh
d. d) Lumbo)sacral trunk
e. e) Intermediate cutaneous nerve of the thigh

4) Muscle not attached to perineal body

a. a) Levator ani
b. b) Puporectalis
c. c) Pupovaginalis
d. d) Transverse perineal muscle
e. e) ex anal sphincter

5) Venous drainge of the lower limbs is mostly go to

a. a) great suphenous vein
b. b) deep veins
c. c) femoral vein
d. d) Internal iliac vein

6) cancer from pelvic viscera can deposits cancerous cells in the vertebrae this communication occur between the internal iliac veins and the vertebral veins through the

a. a) Lateral sacral veins
b. b) Lumbar vein
c. c) Prostatic plexus
d. d) Umbilical veins
e. e) Pudenal vein

7) prolactin in non pregnant women is tonically inhibited by

a) estrogen
b) progesterone
c) dopamine
d) fSH
e) LH

8) Pt atheletic and has amenorrhea and then take GhRH menses and ovulation return) the cause of ovulation is the sudden increase in

a) a) fsh
b) b) LH
c) c) estrogen
d) d) Progesterone

9) To detect that ovulation take place, there will be increase in

a) a) fSH
b) b) LH
c) c) progesterone

d) d) estrogen
e) e) Increase body temperature

10) a drug is administered to 3 groups of healthy volunteers to evaluate the therapeutic dose and followed by measuring the medication excreted in urine in scheduling time frame, this type of is?

a) a) ANOVA
b) b) f...

11) following cigarette smokers for 20 years to evaluate development of ca . lung, heart did ...etc. What is the type this study

a) a) cohort study
b) b) cross sectional
c) c) case control

12) In DIC there will be

a) a) Prolonged PT, Prolonged PTT, low fibrinogen
b) b) Prolonged PT, Prolonged PTT, high fibrinogen
c) c) Normal PT, Prolonged PTT

13) Nucleosome

a) a) contain negatively charged protein
b) b) Is coiling of each single strand of dNa and histone
c) c) Is association of each dNa and arginine rich protein
d) d) Is combination of dNa and chromatin
e) e) Is association of dNa ,RNa,and non histone protein

14) Which component of transcribed RNa in eukaryotes is present in the initial transcript but is removed before translation occurs

a) a) Intron
b) b) 3' Poly a tail
c) c) Ribosome binding site
d) d) 5' cap
e) e) codons coding for the protein to be produced

15) bacteria to bacteria transmission through bridge

a) a) transduction
b) b) conjugation
c) c) transformation

16) VIRULANCE factor that associated with strain of E.coli that cause UTI is

a) a) endotoxine
b) b) alpha hemolysine
c) c) K antigen
d) d) capsule
e) e) pilli

17) Transcriptional activator Proteins

a) a) Transcribe a messenger off a dNa template
b) b) bind to ribosomes to activate the production of specific proteins
c) c) are produced during an infection of bacteria by a phage
d) d) are essential to function of transfer RNa's during translation

e) e) bind regions near a eukaryotic gene and allows an RNa polymerase to transcribe a gene

18) The bonds that stabilize the structure of dNa are

a) a) Hydrogen bonds and peptide bonds
b) b) Phosphodiester bonds and hydrogen bonds
c) c) Glycosidic bonds and thioester bonds
d) d) disulphide bonds and hydrogen bonds
e) e) Van der Waals forces

19) Pyruvate carboxylase

a) a) converts acetyl coa to pyruvate
b) b) Requires carnitine
c) c) converts pyruvate to oxaloacetate
d) d) Is activated by high fructose ,6 bisphosphate
e) e) Requires pyridoxal phosphate

20) HIV pt complain of high grade fever, investigation reveal mycobacterium which type

a) a) mycobacterium tuberculosis
b) b) mycobacterium avium
c) c) mycobaterium cansasi

21) during pregnancy the uterus increases considerably in size) after delivery the regression of uterine size is brought about by which of the following cellular organelles?

a) a) endoplasmic reticulum
b) b) Golgi apparatus
c) c) Mitochondria
d) d) Lysosomes
e) e) Nucleus

22) all the following use ketone body oxidation as significant source of energy except

a) a) Liver
b) b) Kidney
c) c) Rbc
d) d) Heart
e) e) Skeletal muscle

23) a 2 years baby had hernial sac medial and above the pubic tubercle, this is

a) a) direct inguinal hernia
b) b) Indirect inguinal hernia
c) c) femoral hernia
d) d) Hydrocele

24) X chromosome inactivation

a) a) normally takes place in males but not females
b) b) is the cause of the Y chromosome being genetically inactive
c) c) takes place in humans so that the same X chromosome is inactive in all of the cells of a female
d) d) occurs in fruit flies but not in mammals

e) e) results in genetically turning off one of the two X chromosomes in female mammals

25) cholesterol

a) a) Normal cell membrane constituent
b) b) Precursor of sphingilipids
c) c) Main source of energy in the body

26) Pt has large hand and foot) gynecomastia)hirsutism) the causs is tumour in

a) a) Posterior pituitary
b) b) anterior pituitary
c) c) Hypothalamus
d) d) adrena

27) In biochemical changes in chronic renal failure, all are not true except

a) a) increase HcO3 protection
b) b) Normal serum ca
c) c) decrease clearence of creatinine

28) Metastatic calcification occurs in

a) a) Schistosomiasis
b) b) Tb
c) c) Sarcoidosis
d) d) Hypothrodism
e) e) bingen prostatic hyperplasia

29) the most common cause of hyponatremia

a) a) Low sodium intake
b) b) cons syndrome
c) c) Water loss
d) d) Urine loss
e) e) High acTH

30) arachidonic acid?

a) a) is branched fatty acid
b) b) contains 3 double bond
c) c) is a precursor for eicosanoids
d) d) contain 5 double bonds
e) e) is a20)carbon saturated fatty acid

31) Why glutamate is important in the aminotransferation reaction

a) a)
b) b)
c) c)

32) Lishmanasis can be found in all of the following except

a) a)Rbc
b) b) brain
c) c) GIT
d) d) skin
e) e) lymph nodes

33) IgM

a) largest one

34) after delivering ababy a sample was taken from the umblical cord and electrophoresis done) We found abundant Immunoglobulin in the sample) This is

a) a) IgM
b) b) IgG

c) c) Ige
d) d) Iga

35) Severe complicated dengue fever differ from the uncomplicated one in that it

a) a) cause haemorrhagic form mengitis
b) b) enhance the immune response
c) c) affect neurons
d) d) cause shock

36) all of the following are consumed in urea cycle except

a) a) aspartate
b) b) co2
c) c) Ornithine
d) d) NH3
e) e) aTP

37) a mediator of acute inflammation that causes increased vascular permeability and pain is

a) a) bradykinin
b) b) complement
c) c) endotoxin
d) d) Histamine
e) e) Tumor necrosis factor

38) Influenza haemaglutnin is important for virus replication for

a) a) Uncoating
b) b) adsorption
c) c) assembly
d) d) sythesized MRNa

39) The principal androgen responsible for transforming undifferentiated fetal external genitalia into male external genitalia is

a) a) Müllerian)inhibiting substance
b) b) androstenedione
c) c) dihydrotestosterone
d) d) Testosterone
e) e) androsterone

40) Physiologically active thyroxine exists in which of the following forms?

a) a) bound to albumin
b) b) bound to prealbumin
c) c) bound to globulin
d) d) as a glucuronide
e) e) Unbound

41) Which of the fowolling is correct?

a) a) a large sample size always ensure that our sample size is accurate and precise
b) b) in random samples the randomization ensure that stimate
c) c) we do not need to randomize if our sample size is sufficiency enogh
d) d) if all other things are equal,we need alarger sample size
e) e) in a properly chosen sample, an estimate will be less and more precis

42) capsule of the head of femur attached posteriorly to

a) a) intertubercular line

b) b) intertubelcular crest
c) c) greater trochanter
d) d) lesser trochanter
e) e) Femoral neck…

43) an intravenous infusion of a drug is administered to a 60 kg Nsubject and, at steady state, urine is collected over four hours from a urinary catheter) The following data are obtained

Plasma concentration at steady state = 25 mcg ml)

Urinary concentration = 2,5 mg ml

Total urinary volume = 240 ml

44) What is the renal clearance of the substance?

a) a) 24 ml min
b) b) 60 ml min
c) c) 100 ml min
d) d) 20 ml min
e) e) 240 ml min

45) lymphedema caused by

a) a) Secondaries in the lymph nodes
b) b) Hypoalbumiemia
c) c) congestive heart failure
d) d) adH

46) antimycin a inhibits electron transport chain) Which of the following will not be affected by it

a) a) Rbcs
b) b) cardiac muscle
c) c) Neurons
d) d) Renal tubules

47) Patient had abcess in the gluteal region. What is the Lymphayic drainge of the gluteal region

a) a)) deep group
b) b) Internal iliac LNs
c) c) Latral group of superficial inguinal
d) d) Medial proximal inguinal

48) In Schistsomaiasis which of the following is the cause of immunological reaction

a) a) cercaria
b) b) egg
c) c) Meracidia
d) d) adult worm

49) Which of the following is a feature of revrsible cell injury

a) a) karyorexis
b) b) Karyorhesis
c) c) pyknosis
d) d) membran rupture
e) e) nuclous not affected

50) In erect position, fluid in abdominal cavity will collects in

a) a) subhepatic
b) b) puoch of douglas
c) c) Rt Hepatorenal

51) The hormone involved in the ejection of milk from a lactating mammary gland is

a) a) Prolactin
b) b) fSH
c) c) LH
d) d) Growth hormone

e) e) Oxytocin

52) Myocardial contractility may be defined as the intrinsic ability of cardiac muscle fibres to do work with a given preload and afterload) Which of the following is thebest measure of left ventricular (LV) contractility?

a) a) ejection fraction
b) b) LV end)diastolic pressure
c) c) LV end)diastolic volume
d) d) LV end)systolic pressure
e) e) Stroke volume

53) Synthetic nucleotide analogs?

a) a) can inhibit dNa synthesis
b) b) are always modified purine nucleotides
c) c) lack phosphate group
d) d) allow replicaton to proceed at faster rate
e) e) they cause denaturation of dNa

54) The following are purine nucleotides

a) a) cTP and GdP
b) b) Nad and TdP
c) c) aTP and cMP
d) d) GMP and adP
e) e) UdP and GTP

55) an Hfr strain of ecoli contains

a) a) a vector of yeast or bacterial origin which is used to make many copies of a particular dNa sequence
b) b) a bacterial chromosome with a human gene inserted
c) c) a bacterial chromosome with the f factor inserted
d) d) a human chromosome with a transposable element inserted
e) e) a bacterial chromosome with a phage inserted

56) Which of amino acid not glucogenic and ketogenic;

a) a) Tyrosin
b) b) Isoluccin
c) c) Valine
d) d) Phenylalanin
e) e) threonine

57) Patient with chronic renal failure has microcytic hypochromic anemia what is the best treatment to correct anemia

a) a) erythropiotein
b) b) ferrous sulphate
c) c) folic
d) d) vitb6
e) e) vitb

58) enteroviruses are closely related to which virus

a) a) Herpes simplex
b) b) Hepatitis a
c) c) Rubella
d) d) Hepatitis c

59) Macrophages are derived from what type of white blood cell?

a) a) Natural Killer cells
b) b) T)cells
c) c) b)cells
d) d) Monocytes
e) e) Neutrphils

60) Lipoprotein lipase

a) a) Hydrolyses cholesteryl ester
b) b) Is present in the cytosol of adipocytes
c) c) Is active during starvation
d) d) Hydrolyses TaG in chylomicrons and VLdL
e) e) Is activated by glucagon

61) enzyme that increase due to liver damage is

a) a) God
b) b) GGT
c) c) aLP
d) d) bilirubin
e) e) Serine hydroxyamelase

62) deep perineal pouch in male contain

a) a) Prostatic urethra
b) b) bulbourethral gland
c) c) Isciocavernosus muscle

63) Rabies affect

a) a) asterocyte
b) b) Ganglia
c) c) Neurons
d) d) Nk cell
e) e) Oligodendrocytes

64) Watson and crick model of dNa structure implied that

a) a) Thymine base pairs with adenine
b) b) Thymine base paires with cytosine
c) c) dNa is a single strand
d) d) The purine content is not equal to the pyrimidine content
e) e) The nitrogenous bases from the backbone of the molecule

65) When a person standing up and leans to one side the other side stretches and the same side contracts, stretch reflex is descibed as

a) a) Short fiber to optain good contraction
b) b) Monosynaptic
c) c) Polysynaptic
d) d) contain type 2fiber
e) e) Ocurr in higher center

66) fluid exudate occurs in

a) a) cHf
b) b) decrease protein level
c) c) Use cytoloical diagnosis
d) d) due to chronic inflammation
e) e) crystal free

67) dNa ligase is

a) a) an enzyme that joins fragments in normal dNa replication
b) b) an enzyme involved in protein synthesis
c) c) an enzyme of bacterial origin which cuts dNa at defined base
d) sequences
e) d) an enzyme that facilitates transcription of specific genes
f) e) an enzyme which limits the level to which a particular nutrient reaches)

68) during prolonged fasting?

a) a) bxidation of fatty acid is initiated
b) b) glycogenesis is very active
c) c) blood glucose level is maximum
d) d) ketogenesis is maximum
e) e) bicarbonate is high in the blood

69) epiploic foramen is bound anteriorly by

a) Portal vein

70) beriberi

a) a) is not common in alcoholics
b) b) the deficient vitamin never affect the brain
c) c) the deficiency of riboflavin
d) d) affect the nerves and the heart
e) e) is the combination of diarrhea,dementia,dermatitis

71) Ischiorectal fossae both communicate at

a) a) posterior
b) b) anterior
c) c) Superior
d) d) Medialy
e) e) Lateral

72) Which of the following statement about galactosemia is correct?

a) a) treatment involves restriction of glucose in the diet
b) b) a deficiency of glucokinase is the major cause
c) c) is treated by elimination of galactose from the diet
d) d) can be treated by restricting sucrose in the diet
e) e) is inherited as autosomal dominant character

73) clotting factors Vlll is synthesized by

1. a) Hepatocyte
2. b) Koffer cell
3. c) endothelim

74) Lactic acidosis caused by deficiency of?

a. a) thymine
b. b) b1
c. c) folic acid
d. d) biotin

75) Vonwillibrand disease

a. a) autosomal dominant
b. b) X linked
c. c)Platelet dissorder

76) Nephrotic syndrome

a. a) High cholesterol levels
b. b) Oliguria is a feature
c. c) mild proteinurea

77) In experiment apoison was injected and caused disrption to rough endoplasmic reticulum) Which of the following will be affected

a. a) Protein synthesis
b. b) dNa replication
c. c) Transcription

78) all of the following are examples of physiological cells death(apoptosis)except

a. a) Thymic aplasia
b. b) Menstruation
c. c) Rbcs at spleen
d. d) development of digits
e. e) Viral hepatitis

79) functions of the Sertoli cells in the seminiferous tubules include

a. a) Secretion of fSH into the tubular lumen
b. b) Secretion of testosterone into the tubular lumen
c. c) Maintenance of the blood)testis barrier
d. d) Synthesis of estrogen after puberty
e. e) expression of surface LH receptors

80) In which phase of meiosis we found dNa coupled and cross over

a. a) Metaphase
b. b) Metaphase
c. c) anaphase
d. d) Prophase 1

81) HIV patient after the infection will convert from seronegative to seropositve in

a. a) 2_3 weeks
b. b) days
c. c) 3-6 months
d. d) 10 yrs

82) a patient with chronic renal failure receiving an intravenous diamorphine infusion has had a respiratory arrest Which of the following is the most likely cause?

a. a) decreased plasma clearance of diamorphine
b. b) decreased plasma volume following dialysis leading to increased plasma concentration of diamorphine
c. c) Impaired renal excretion of diamorphine

d. d) Increased plasma concentration of 6)monoacetyl morphine
e. e) Increased plasma concentration of morphine)6)glucuronide

83) Inferior wall of hunter canal

a. a) adductor longus
b. b) adductor magnus
c. c) adductor previs
d. d) Gracillis
e. e) Obtorator externus

84) Syndrome of mycoplasma pneumonia

a. a) lobar pneumonia
b. b) bollus maryngitiis
c. c) tracheobronchitis

85) early sign of diabetic nephropathy?

a. a) Pyeurea
b. b) microalbuminurea
c. c) hight urea
d. d) hight creatinin
e. e) persistant glucoseurea

86) Which of the following is most significant in the diagnosis of early acute myocardial infarction

a. a) eSR
b. b) aSO titre
c. c) Troponin
d. d) LdH
e. e) Total cK

87) Streptococcous agalactie

a. a) Itis b hemolytic
b. b) cause ... In diabetics and elderly
c. c) colonize female vagina
d. d) ... Neonatal sepsis
e. e) cause necrotizing fasciitis

88) decrease in chloride conduction through cell wall will cause

a. a) Hyperpolarisation if outside increase more than inside
b. b) hyperpolarization if inside increase more than outside
c. c) nochange
d. d) it increase depolarization
e. e) None of the above

89) opening of the cl. channel will lead to

a. a) Hyperpolrization of the membrane potential
b. b) depolrization of the membrane
c. c) repolarization
d. d) increase stimulation
e. e) become close to threshold

90) If the RMP was)60 and after opening of cl channels became)30) Which of the following is true

a. a) RMP increase by +30
b. b) RMP decrease by +30
c. c) RMP increase by)30
d. d) RMP decrease by)30

e. e) RMP become hyperpolarized

91) Which of the following is similarity between myoglobin and hemoglobin

a. a) Has the same affinity to oxygen
b. b) Has the same P50
c. c)It releases O2 only in high PO2
d. d) It makes the sigma shape in dissociation curve same as Hb
e. e) Has the same 2,3 dPG content

92) The effect of insulin on glucose transport is to

a. a) Permit transport against a concentration gradient
b. b) enhance transport into adipocytes
c. c) enhance transport across the tubular epithelium of the kidney
d. d) enhance transport into the brain
e. e) enhance transport through the intestinal mucosa

93) 94)Which of the following is the metabolically active and infectious form of chlamydia

a. a) reticulate form
b. b) elementary form
c. c) dividing form
d. d) collateral form

94) Which of the following is not true about trichomonous

a. a) cyst is the stage of transmission
b. b) Trophozoite is the stage of transmission
c. c) It produce greenish frothy discharge
d. d) The cyst contain 4 nuclei

95) The likelihood of an individual in a population carrying two specific alleles of a human dNa marker, each of which has a frequency of 0)2, will be

a. a) 0.4
b. b) 0.32
c. c) 0. 6
d. d) 0.08
e. e) 0.02

96) dKa

a. a) occure in type 2
b. b) hypokalemia is feature
c. c) hyperglycemia is the cause of acidosis
d. d) Occurs due to omitting insulin dose
e. e)increase anion gap with increase lactate

97) beneficial effect of acute inflammation include

a. a) fibrosis
b. b) vasoconstriction
c. c) initiate immunity
d. d) abscess formation
e. e) lymphocytosis

98) concerning urinary bladder

a. a) against fascia of levator ani
b. b) detruser muscle supplied by sympathetic motor fibre
c. c) connected to remnant of cloaca
d. d) In female is completely pelvic organ
e. e) Its sphincter vesicae has parasympathetic motor supply

99) Muscle of urogenital diaphragm include

a. a) Sphincter urethrae
b. b) Sphincter vesicae
c. c) Levator ani
d. d) Ischiocavernosus
e. e) Obturator internus

100) an experiment is being designed to assess speed of gastric emptying) It is planned to administer a standard dose of a marker drug orally to healthy volunteers and then measure plasma drug concentrations at standard times after the oral dose) Which of the following drugs is likely to be most useful in this experiment?

a. a) aspirin
b. b) Morphine
c. c) Paracetamol
d. d) Propranolol
e. e) Vancomycin

101) Polyploidy refers to

a. a) extra copies of a gene adjacent to each other on a chromosome
b. b) an individual with complete extra sets of chromosomes
c. c) a chromosome which has replicated but not divided
d. d) multiple ribosomes present on a single mRNa
e. e) an inversion which does not include the centromere

102) a gene showing codominance

a. a) has both alleles independently expressed in the heterozygote
b. b) has one allele dominant to the other
c. c) has alleles tightly linked on the same chromosome
d. d) has alleles expressed at the same time in development
e. e) has alleles that are recessive to each other

103) Generation of antibody diversity in vertebrate animals takes place through

a. a) the presence of as many genes in the germ line as there are types of antibodies possible)
b. b) infection with bacteria carrying antibody genes

c. c) infection with viruses carrying antibody genes
d. d) polyploidy in antibody)forming cells
e. e) rearrangement of dNa in tissues that go on to produce antibodies

104) Replication of dNa

a. a) takes place in a "conservative" manner
b. b) takes place in a "dispersive" manner
c. c) takes place in a "semi)conservative" manner
d. d) usually involves one origin of replication per chromosome in eukaryotes
e. e) takes place only in the 3' to 5' direction

105) a duplication is

a. a) an exchange between non)homologous chromosomes, resulting in chromosomes with new genes adjacent to each other)
b. b) loss of genes in part of a chromosome
c. c) an extra copy of the genes on part of a chromosome
d. d) a reversal of order of genes on a chromosome
e. e) an extra set of chromosomes in an organism

106) Mapping of human chromosomes

a. a) has been restricted to the sex chromosomes because of small family sizes
b. b) proceeded much more successfully as larges of dNa markers became available
c. c) has determined that the of linkage groups is about twice the of chromosomes
d. d) has demonstrated that almost all of the dNa is involved in coding for genes
e. e) has shown that there are more genes on the Y than on the X chromosome

107) The polymerase chain reaction or PcR is a technique that

a. a) was used to demonstrate dNa as the genetic material
b. b) is used to determine the content of minerals in a soil sample
c. c) uses short dNa primers and a thermostable dNa polymerase to replicate specific dNa sequences in vitro
d. d) measures the ribosome transfer rate during translation

e. e) detects the level of polymerases involved in replication

108) Which one of the following statements is correct?

a. a) about 00 mg of iron is absorbed per day
b. b) Iron is absorbed rapidly from the small intestine
c. c) Iron is transported in the blood bound to ferritin
d. d) ferrous sulfate iron is 3 to 4 times has better availablability and better absoprtion than the iron from ferric sulfate
e. e) Iron absorption is a passive process regulated by plasma iron levels

109) concerning the peritoneum

a. a) Right sub)hepatic pouch also called the lesser sac
b. b) The medial umbilical ligament contains the urachus
c. c) It's a mucous membrane
d. d) Left sub)hepatic pouch is the hepatorenal pouch of morris
e. e) The epiploic foramen is bounded anteriorly by the portal vein

110) Regarding the anterior abdominal wall

a. a) Superficial tissues of the anterolateral wall above theumbilicus to axillary nodes
b. b) Intertubercular plane lies at the level of L4
c. c) Mid-inguinal point lying halfway between the pubic tubercle and anterior Superior Iliac Spine
d. d) Posterior wall of the inguinal canal is formed by the transversalis muscle
e. e) Sugrical incision at linea alba heals faster than that along paramedian abd wall

111) Which of the following is a similarity between ureaplasma urealyticum and mycoplasma hominis

a. a) both cause postpartum fever
b. b) cold agglutination on blood agar
c. c) both are non lactose fermenter
d. d) both are bactercin sensitive
e. e) both have urease

112) Which of the following is not true about chlamydial infection

a. a) cause genital infection same as gonorrheal infection

b. b) Trachoma is the common cause of blindness world wide
c. c) diagnosed by serology

113) Which about anal canal above the pectinate Line is true

a) It contains culumns

114) free redicals

a) destroy protein contaning sh group

115) Hartnup disease is

a. a) Tyrosinemia
b. b) alkaptinuria
c. c)

116) RfLP analysis is a technique that

a. a) uses hybridization to detect specific dNa restriction fragments in enomic dNa
b. b) is used to determine whether a gene is transcribed in specific cells
c. c) measures the transfer frequency of genes during conjugation
d. d) is used to detect genetic variation at the protein level)
e. e) is used to amplify genes for producing useful products

117) Q about Klinfilter XXY

a)

b)

118) another Q about myoglobin

a)

b)

119) about hypoxic injury all are true except

a. a) reduce in aTP
b. b) low intracellular hydrogen
c. c) Low intracellular ph
d. d) glycogen depletion
e. e) failure of sodium pomp