EXAM 9

RECALL JULY 2018

112 Question

1. One of the following increase central venous pressure?

a) Decrease cardiac output
b) Increase heart rate
c) Increase total peripheral resistance
d) hypovolemia
e) dehydration

2. The following cause hyperkalemia?

a) Exercise
b) Insulin injection
c) high level of aldosterone
d) inhalation of beta2 agonist

3. The following is not a steroid hormone:

a) Testosterone
b) Vitamin D
c) Aldosterone
d) ACTH

4. A 30 years old man with small bowel obstruction on nasogastric tube suction for 3days. One of the following is a metabolic abnormality is likely to develop in this patient?

a) Metabolic acidosis
b) Metabolic Alkalosis
c) Respiratory acidosis
d) Mixed acidosis

5. Excess GH will result in:

a) Decrease bone formation
b) Decrease protein synthesis
c) Insulin resistance
d) Decreased lipolysis
e) Hypoglycemia

6. Regarding ovulation

a) body temperature decrease
b) there is negative feedback by estrogen on LH
c) preceded by LH surge
d) decrease estrogen secretion

7. Testosterone converted by aromatase in adipose tissue to?

a) Progesterone
b) Estrogen
c) DHT

8. 24 hour clearance of a substance more than inulin in normal healthy individual, this substance is?

a) Na+
b) Glucose
c) K+
d) amino acids
e) albumin

9. in the proximal convoluted tubules:

a) 25% of H2O reabsorbed
b) 100% of Na reabsorbed
c) 85% of HCO3 reabsorbed
d) 75% of amino acids is absorbed
e) 50 % of glucose is reabsorbed

10. The reabsorption of HCO3 in the proximal tubules depends on?

a) Hco3/cl co-transporter
b) glucose/Hco3 co-transporter

c) H+/Na+ exchanger
d) Hco3-/H+ co-transporter

11. Asthmatic patient start corticosteroid, the mechanism by which steroid cause osteoporosis is?

a) inhibit bone formation
b) inhibit osteoclast
c) increase mineralization

12. In the glomerulo-tubular balance, increase in GFR lead to increase salt and water absorption in proximal tubules is due to?

a) an increase in peri-tubular capillary hydrostatic pressure
b) increase in peri-tubular oncotic pressure
c) decrease in peri-tubular Na concentration
d) release of vasoactive substance by macula densa

13. In reversible cell injury there is?

a) fragmentation of cell membrane
b) loss of ribosomes
c) rupture of lysosomes
d) Amorphous densities in the mitochondria
e) chromatin clumping

14. Elderly patient bed ridden his serum sodium is 154 mmol and hematocrit of 50%. This patient is most likely?

a) Dehydration
b) Over hydration
c) Hyper osmolar coma
d) Renal failure
e) DKA

15. The ventricular filling is associated with delay in?

a) SA node
b) Atrial muscle
c) AV node
d) Inter ventricular fiber
e) Perkinje fiber

16. Female presented with amenorrhea. Serum analysis show low progesterone level, what is the explanation of her condition?

a) Low LH
b) High estrogen
c) No corpus luteum
d) Low prolactin

17. Milk synthesis inhibited during pregnancy due to?

a) High estrogen level
b) High estrogen and progesterone level
c) High progesterone level
d) High dopamine during pregnancy
e) High gonadotropin

18. Sympathetic stimulation of which of the following vascular bed will produce maximum increase in peripheral resistance?

a) Vein
b) Venules
c) Arterioles
d) Capillaries
e) Arteries

19. In ECG which lead reflects the inferior MI of the heart?

a) V1,V2
b) V3,V4
c) aVR
d) I, Avl
e) II, III, Avf

20. Sinus bradycardia is:

a) HR more than 100
b) HR less than 60
c) HR more than 60
d) HR less than 100
e) HR more than 50

21. Blood pressure equals:

a) COP X Peripheral resistance
b) COP X SV
c) HR X weight
d) HR X SV

22. The effect of insulin on glucose transport is to:

a) Enhance transport across the tubular epithelium of the kidney
b) Permit transport against a concentration gradient
c) Enhance transport through the intestinal mucosa
d) Enhance transport into the brain
e) Enhance transport into adipocytes

23. Physiologically active thyroxin exists in which of the following forms:

a) Unbound
b) Bound to pre-albumin
c) Bound to albumin
d) As a glucouronide
e) Bound to globulin

24. Thyroid hormone receptor:

a) Has an associated co-repressor protein
b) Does not involve binding of co-activators to initiate gene transcription
c) Is associated with heat shock protein-90 in the cytoplasm
d) Is found free in the cytoplasm and move to the nucleus following its stimulation
e) Is bound to HRE (hormone receptor elements) before hormone binding.

25. Which one is correct about spermatogenesis:

a) Production and release of spermatozoa is cyclical
b) Sertoli cell is require for mitotic and meiotic activity for germ cell
c) Spermatogenesis need continuous release of GRH
d) Leideg cell secretion of testosterone require FSH
e) LH act directly on sertoli cell to promote cell division

26. Suckling in lactating lady stimulated which of following:

a) ADH
b) Oxytocin
c) Prolactin
d) ACTH
e) FSH

27. The chemo receptors are found in?

a) The lung
b) Glomus bodies
c) Aortic arch
d) Cardiac sinus
e) Medulla

28. 40 years old man. Known case of chronic renal failure, on regular dialysis, skips three sessions. One of the following is true about his acid base status (PH: 7.35-7.45,,, Hco3: 22 -26,,, Pco2: 35-45)?

a) PH: 7.54 CO2: 35mmhg Hco3: 19mmhg
b) PH: 7.45 CO2: 45mmhg Hco3: 24mmhg
c) PH: 7.27 CO2: 34mmhg Hco3: 19mmhg
d) PH: 7.27 CO2: 60mmhg Hco3: 28mmhg
e) PH: 7.55 CO2: 55mmhg Hco3: 32mmgh

29. PR interval in ECG equal?

a) (0.12-O.2 S)
b) (0.12-0.20 S)
c) (0.1-0.2 S)
d) (0.43-0.45 S)
e) (0.2-0.3 S)

30. Granulosa cells produce which of the following hormone at the time of pre- ovulation?

a) LH
b) FSH
c) Estrogen
d) Progesterone
e) HCG

31. An athlete, 40 years female used to take anabolic steroid containing testosterone presented with an amenorrhea for 3 months. Testosterone causes amenorrhea by which of following mechanism?

a) Reduce the sensitivity of endometrium to estrogen
b) Stimulate LH and FSH release from anterior pituitary gland
c) Reduce LH and FSH production by the anterior pituitary
d) Reduce gonadotrophin releasing hormone by the hypothalamus
e) Increase inhibin secretion by the corpus lutium

32. In ECG, the QRS wave is due to:

a) Atrial contraction
b) Atrial depolarization
c) Perkinje fibers excitation
d) Ventricular depolarization
e) Ventricular contraction

33. Which of the following is the cause of severe tissue injury in patient with hypersensitivity reaction type 2?

a) Phagocytosis by immunoglobulin A
b) Opsonization by immunoglobulin G
c) Production of antibodies by plasma cell
d) Membrane attack complex (MAC)
e) ADCC-K-Cell

34. Which of the following graft is most clinically applicable?

a) Autograft
b) Isograft
c) allograft
d) xynograft

35. One of the following is true about the natural killer cell?

a) Large granules lymphocyte
b) Responsible for humoral immunity
c) Is a T- helper

36. The following immunoglobulin is found in mucosa ?

a) IgG
b) IgM
c) IgA
d) IgD
e) IgE

37. Sensitized patient given purified protein subcutaneously. After 48 hours a skin lesion appears at site of injection this is best described as?

a) irritant dermatitis
b) contact dermatitis
c) Monteux test

38. One of the following caused by Epstein bar virus?

a) Tumor of the nasal cavity
b) Chronic lymphocytic leukemia
c) Hodgkin lymphoma
d) Non Hodgkin lymphoma

39. Which of the following cause caseating granuloma?

a) Sarcoidosis
b) Histoplasmosis
c) Cat scratch disease
d) Toxoplasmosis
e) Shistosomiasis

40. Pure hyperplasia is seen in which of the following condition?

a) As compensation in the kidney after unilateral nephrectomy
b) In bone marrow of hypoxic patient
c) Breast in pregnant lady
d) Skeletal muscle during exercise
e) Acromegaly

41. Which of the following mediator is likely to cause pain and fever?

a) Bradykinin
b) Prostaglandins
c) IL-1
d) Leukotriene

42. A 68 years old man c/o recent change in bowel habits show bloody stool colonoscopy reveal adenocarcinoma. The malignancy

acquired set of mutations that cause which of the following behavior?

a) Increased cell-cell adhesion
b) Increased susceptibility to apoptosis
c) Loss of cell cycle point control
d) Enhance stem cell

43. 23 years old man c/o calves pain after walking which is relieved by rest. The underlying cause is:

a) Peripheral neuropathy
b) Acute osteomyelitis
c) Polymyositis
d) DVT
e) Atherosclerosis

44. Amyloidosis is best described by?

a) Deposition of protein in extracellular matrix
b) Intracellular deposition of pigment
c) Protein production by the liver

45. Autoimmune disease common in?

a) Male
b) Female
c) All of the above

46. Which of the following is true about interleukin-1?

a) Cause fever
b) Cause pain
c) Cause pain and fever

47. Interleukine-1 causes fever by act on?

a) Thalamus
b) Hypothalamus

48. Female lady on her postpartum period developed mild cough followed by coma. Brought by her husband. Furthermore at the casualty she developed an attack of convulsion what is the most likely to cause her condition?

a) Intracranial hemorrhage
b) Amniotic fluid embolism
c) epilepsy
d) pulmonary edema
e) pulmonary thromboembolism

49. The normal immunological control of tumors is referred to as:

a) Super antigen recognition
b) Immunological surveillance.

50. P53 is:

a) Tumor suppressor
b) Tumor enhancer
c) Tumor marker

51. Beriberi?

a) Is not common in alcoholics
b) The deficient vitamin never affect the brain
c) The deficiency of riboflavin
d) Affect the nerves and the heart

e) Is the combination of diarrhea, dementia, dermatitis

52. Synthetic nucleotide analogs?

a) Can inhibit DNA synthesis
b) Are always modified purine nucleotides
c) Lacks phosphate group
d) Allow replication to proceed at faster rate
e) They cause denaturation of DNA

53. Nucleosome?

a) Contain negatively charged protein
b) Is coiling of each single strand of DNA and histone
c) Is association of each DNA and arginine rich protein
d) Is combination of DNA and chromatin
e) Is association of DNA, RNA and non-histone protein

54. The main source of energy in cardiac muscle is?

a) Fat
b) Carbohydrate
c) Ketone
d) Protein
e) Amino acid

55. Pyruvate carboxylase?

a) Converts acetyl COA to pyruvate
b) Require carnitine
c) Converts pyruvate to oxaloacetate
d) Is activated by high fructose 1,6 biphosphate
e) Require spyridoxal phosphate

56. Which of the following statement about galactosemia is correct ?

a) Treatment involves restriction of glucose in the diet
b) A deficiency of glucokinase is the major cause
c) Is treated by elimination of galactose from the diet
d) Can be treated by restricting sucrose in the diet
e) Is inherited as autosomal dominant character

57. Fatty acid oxidation is a significant source of energy in all of the following except?

a) Liver
b) Kidney
c) Red blood cell
d) Heart
e) Skeletal muscle

58. Lipoprotein lipase?

a) Hydrolysis cholesteryl ester

b) Is present in the cytosol of adipocytes
c) Is active during starvation
d) Hydrolysis TAG in chylomicrons
e) Is activated by glucagon

59. The following are purine nucleotides?

a) CTP and GDP
b) NAD and TDP
c) ATP and CMP
d) GMP and ADP
e) UDP and GTP

60. Watson and Crick model of DNA structure implied that:

a) Thymine base pairs with adenine
b) Thymine base pairs with cytosine
c) DNA is a single strand
d) The purine content is not equal to the pyrimidine content
e) The nitrogenous base form the backbone of the molecule

61. The bonds that stabilize the structure of DNA are :

a) Hydrogen bonds and peptide bonds
b) Phospho di ester bonds and hydrogen bonds
c) Glycoside bonds and thio-ester bonds
d) Di-sulphate bonds and hydrogen bonds
e) Vander waals forces

62. The mother brought her 10 years old was found to have lactic acidosis and encephalopathy with seizures and hypotonia with abnormal muscle biopsy, the mother has mild muscle weakness and his daughter has history of repeated headaches and seizures the mood of inheritance is?

a) Autosomal dominant
b) Autosomal recessive
c) X-linked dominant
d) X-linked recessive

63. Lactic acidosis caused by deficiency of?

a) Thymine
b) B1
c) Folic acid
d) Biotin

64. During prolonged fasting?

a) B-Oxidation of fatty acid is initiated
b) Glycogenesis is very active
c) Blood glucose level is maximum
d) Keto-genesis is maximum
e) Bicarbonate is high in the blood

65. Arachidonic acid?

a) Is branched fatty acid
b) Contains 3 double bond
c) Is a precursor for eicosanoids
d) Contain 5 double bonds

e) Is a 20- carbon saturated fatty acid

66. The coding strand of DNA is:

a) Part of the template strand
b) Contain uracil instead of thymine
c) The strand that is complementary to the template strand

67. Fragile X syndrome?

a) X-linked dominant
b) Autosomal dominant
c) Autosomal recessive

68. All of the following are ketogenic except?

a) Lysine
b) Leucine
c) Valine
d) Tyrosin
e) Tryptophan

69. The dermatomes of inguinal region?

a) T1
b) T12
c) L1
d) L2
e) T10

70. A 60 years lady was known to have cancer of the ovary presented with parasethia over the medial aspect of the thigh. The nerve most likely to be:

a) Lumbosacral trunk
b) Medial cutaneous nerve of the thigh
c) Obturator nerve
d) Femoral nerve trunk

71. Cancer from pelvic viscera can deposits cancerous cells in the vertebrae this communication occur between the internal iliac veins and the vertebral veins through the?

a) Lateral sacral veins
b) Lumbar vein
c) Prostatic plexus
d) Umbilical veins

72. Muscle of urogenital diaphragm include:

a) Sphincter urethrae
b) Sphincter vesicae
c) Levator ani
d) Ischio cavernous
e) Obturator internus

73. L5 landmark?

a) Pubic tubercle
b) Inter-tubercular line
c) Trans-pyloric
d) iliac crest

74. Ovaries are anchored to the lateral pelvic wall by the?

a) Ovarian ligament
b) Broad ligament
c) Suspensory ligament
d) Meso-ovarium
e) Round ligament

75. A 7 years child with palpable and tender inguinal lymph node. The cause is?

a) Big toe trauma
b) Trauma in external genitalia

c) Back pain

76. Surgeon during abdominal surgery defined the affected area which characterized by tenia-coli the omentum is hanging down from it. This affected organ is?

a) Transvers colon
b) Descending colon
c) Sigmoid colon
d) Ileum
e) Jejunum

77. Male urethra is different from female urethra by?

a) There is external valve
b) There is internal valve
c) Exhibition of infection
d) Exhibition of stricture
e) Easily catheterized

78. What is the landmark muscle of gluteal region?

a) Obturator externus
b) Piriformis
c) Obturator internus

79. The prostate gland is homologous in female which structure?

a) Bartholin's gland
b) Para-urethral gland
c) Gartner's duct
d) Vestibular bulb
e) Epoophoron

80. The fallopian tubes originate from?

a) Gonad
b) Mesonephric duct
c) Paramesonephric duct
d) Urogenital sinus
e) Gubernaculum

81. Concerning the ureter, one is correct?

a) It enters the false pelvis anterior to bifurcation of common iliac artery
b) The ureter enter the bladder by passing directly through its wall
c) It is related to ischial spine before turning medially towards the uterus
d) Blood supply of the proximal ureter is from superior vesical artery

82. The femoral sheath is from

a) The facsia lata

83. The rectouterine pouch (pouch of Douglas):

a) Is formed by parietal pelvic fascia
b) Commonly contains coils of jejunum
c) Lies anterior to the vagina
d) Lies behind the posterior fornix of the vagina and the body of the uterus
e) Is not the most dependent part of the female peritoneal cavity when the woman is in standing position

84. During childbirth women was exposed to pelvic floor tear which of following structure was affected?

a) Levator ani muscle
b) Obturator internus muscle

85. The urinary bladder:

a) Is lined by stratified squamous epithelium
b) Has lymphatic which drains into nodes alongside the internal iliac artery
c) Has a trigon whose endothelium is endoderm derived
d) Has a medial umbilical ligament arising from its apex
e) Lies anterior to anal canal in male

86. Cube shaped capsid is associated with?

a) Enveloped virus
b) Non enveloped virus
c) Icosahedral virus
d) Helical virus

87. An icosahedral virus is the virus which :

a) Lacks the capsid layer
b) Resist to ether
c) Double layer capsid
d) RNA
e) Their capsid arranged in cubes

88. HIV belong to which family?

a) reovirus
b) retrovirus
c) lentivirus

89. Infected by HIV virus is :

a) T– helper cell
b) Sperm
c) T-suppressor
d) T-cytotoxic

90. The following virus is a double stranded RNA virus:

a) HIV virus
b) Hepatitis E virus
c) Hepatitis B virus
d) Rotavirus

91. Which of the following is completely cured by surgical removal:

a) Paranasal aspergilloma
b) Allergic aspergillosis
c) Otomycosis
d) Invasive aspergillosis
e) Pulmonary asperigelloma.

92. Kaposi sarcoma cause by:

a) HIV
b) Human herpes simplex type 8
c) herpes type 2

93. The following is not true:

a) Gram -ve rod are found in the nose
b) Bacteroids are normal flora in the colon
c) Streptococcus in the throat
d) Staph epidermis in the skin

94. MRSA differ from staph in?

a) coagulase –ve
b) cause wound infection
c) More virulent

95. Nosocomial infection most commonly seen in?

a) Surgical ward
b) Medical ward
c) ICU
d) Out patient

96. in HIV infected patient the organism responsible to opportunistic infection is:

a) Staph aureus
b) Pseudo argenosa
c) Candida albicans
d) Mycoplasma
e) Amoeba

97. Pregnant woman complain of headache. She took one tab of ibuprofen . This agent can cause?

a) Close of ductus atreriosus
b) Single dose of NSAID has no effect

98. Patient lady came to hospital with high BP 220/110. She took antihypertensive then developed headache and confusion. This agent is?

a) Nifidipne
b) Losartan
c) Nitro perusside
d) candestan
e) labetalol

99. A nucleophilic attack on deoxyribonucleic acid which cause disruption of base pairing occurs as a result of?

a) 5-FU
b) Thioguanine
c) Prednisone
d) Methotrexate
e) Cyclophosphamide

100. Infection caused by bacteroid fragilis is best treated by:

a) Cefexim
b) Chlolramphenicol
c) Clarithromycin
d) Metronidazole

101. Cardiotoxicity limits the clinical usefulness of which one of the following antitumor:

a) Doxorubicin
b) Bleomycin
c) Dactinomycin
d) Plicamycin

102. The skeletal muscle relaxant that act directly on contractile tissues of muscle fiber is:

a) Baclofen
b) Pancurium
c) Gallamine
d) Dantorelen

103. A drug binds to a receptor and produces a biological response that mimics the response of the endogenous ligand, it is known as?

a) Antagonists
b) Agonists
c) Functional antagonist
d) Partial agonist

104. Patient came to the ER after motor cycle trauma. Patient received dopamine, the benefit of dopamine is?

a) Raised blood pressure
b) Sustain hypotension
c) Increase HR

105. The following drug use as tocolytics

a) Metaproterenol
b) Terbutaline
c) Phenylephrine
d) Clonidine
e) Amphetamine

106. Medical student diagnosed with sinusitis, received antihistamine, then student slept in anatomy lecture. This agent is?

a) Diphenhydramine
b) Chlorpheniramine
c) Promethazine

107. A patient known case of CHF complaining of lower limb edema. Took diuretic agent, after 2 days patient develop ringing of ear, the drug caused this symptom is?

a) Spironolactone
b) Mannitol
c) Furosemide
d) Acetazolamide

108. Amoxicillin and Ampicillin are in the same group of penicillin which of the following best describes amoxicillin?

a) Has better oral absorption than ampicillin
b) Can be produced in penicillinase producing organism
c) Can be classified as road spectrum antibiotic
d) It does not cause hypersensitivity
e) It is effective against pseudomonas

109. Speed of ultrasound depends upon:

a) Material
b) Size of the transducer
c) Medium
d) Wave length

110. Which of the following is CORRECT

a) A large sample size always ensures that our sample size is accurate and precise
b) In random samples the randomization ensure that estimate
c) We do not need to randomize if our sample size is sufficiently enough
d) If all other things are equal , we need a larger sample size

111) a drug is administered to 3 groups of healthy volunteers to evaluate the therapeutic dose and followed by measuring the medication excreted in urine in scheduling time frame, this type of is?

c) ANOVA
d) f...

112) following cigarette smokers for 20 years to evaluate development of ca . lung, heart did ...etc. What is the type this study

d) cohort study
e) cross sectional
f) case control