EXAM 1

RECALL JUNE 2015

56 Question

Physiology:

1) **Which of the following hormones inhibited by negative feedback inhibition by Gastric acid:**
   - A. Gastrin
   - B. VTP
   - C. CCK
   - D. Secretin

2) **A person ingested 600 ml of Normal water rapidity, how much volume can increase in plasma**
   - A. 400 ml
   - B. 200 ml
   - C. 100 ml
   - D. 50 ml

3) **Neurotransmitter at the NMJ plate substance.**
   - A. Acetylcholine
   - B. Substance P.
   - C. VIP

4) **A Red blood swollen after infusion and burst, which of this following solution is true.**
   - A. 150 m/m Nad
   - B. 250 m/m Nak
   - C. 300 m/m at Kcl
   - D. Urea

5) **a Person in erect position, which of the following is high at apex compose to the base:**
   - A. Ventilation
   - B. V/Q rastion
   - C. Perfusion
   - D. Pco2
   - E. Compliance

6) **a pregnant woman has RR 18, with Tidal volume of 350 ml Auatomic dead space is 100 mt, what is minute ventilation of this fasters.**
   - a) 3.51
   - b) 4.51
   - c) 5.51
   - d) 6.3

7) **A patient has decrease in Carotid. sinuses pressure which of the following is true.**
   - a) Increase heart rate
   - b) Decrease TPR
   - c) Increase cerstnal venous pressure.
   - d) Decrease heart rate

8) **Which of the following can decrease stroke volume:**
   - a) Increase heart rate.
   - b) Increase end diastolic volume.
   - c) Decrease total peripheral resistance.

9) **Which of the following is true regarding GI motility:**
   - a) Fluids emptied more than solids
   - b) Acidity in the Antrim decrease stomach empting
   - c) Proximal vagotomy of stomach decrease receptive relaxation.
   - d) Peristalsis is done by motilin

Pathology:

10) **Old age pt develop acute MI, which type of Necrosis to cardiac muscle:**
   - a) Caseos Necrosis
   - b) Co-agulative Necrosis
   - c) Fat Necrosis
   - d) Liquifactive necrosis

11) **A smear was taken periphrally of pts has peripheral focal loss of sensation and it was stained by zahil Nellson stain, shows mycobacterium:-**
   - a) Mycoloactricum TB.
   - b) Traponeme pallidum
   - c) Maycobacrtium leprosy,

12) **On abscess contain depris, which of the following cell is predominate:**
   a) Macrophces.
   b) Neurophil
   c) Epitheiloid cells
   d) Lymphocyte

13) **Incubation period of hepatitis B.**
   a) 2-3 wks
   b) 2-3 month
   c) 2-4 month
   d) 1-3 month

14) **The following is not true about memory cells:**
   a) B-lymptrocyte
   b) Plasma cell
   c) Complement
   d) Macrophage

15) **What is the abandent immunoglobulin in the body:**
   a) IgM
   b) IgG
   c) IgA
   d) IgD

16) **Prothrombotic substance produced by Endothelial cell**
   a) Plasminogen
   b) Anti thrombin III
   c) Fibrinogen.
   d) Von willbrand factor

17) **Which of the following is high in pts of obstructive lung disease comparing restrictive.**
   a) Vital capacity:
   b) Residual volume
   c) Functional residual [illegible]me
   d) Tidal volume

18) **Operation was done and adrenal was totally removed, which of the following will occur:**
   a) Decrease K+ absorption
   b) ADH secretion decrease
   c) Decrease, Na, water volume in blood.

19) **PTH has increased activity in the following:**
   a) Increase osteoclast for bone resoption.
   b) Increase Ca reabsorption from GIT
   c) Increase phosphate reabsorption from PCT.

20) **A women 56 yrs old menspouse has HRT which of the following improves in here:**
   a- Bone strength
   b- Stroke
   c- Hot flush
   d- Hair loss

Anatomy:

21) **In old women has pelvic diaphragm relaxation, which of the following responsible for diaphragm support**
   a- Cocciguous muscle
   b- Obturator muscle
   c- Levator ani muscle

22) **After normal delivery, obstetric registrar had done an episiotomy to ovoid perineal injury, there is torn in perineal body, which muscle has attachment:**
   a- Ischeocavenous
   b- Palpospongious
   c- Obtratur muscle

23) **A women had stab injury in pelvic area, which at of the following structures, above periformis muscle can be injured**
   a- Internal pudendal [illegible]y.
   b- Perineal Nerve
   c- Sciatic nerve
   d- superior gluteal nerve

24) **The following structure support lower part of vagina posteriorly:**
- a- Coccegius
- b- Puborectalis muscle
- c- Perineal body.

25) **In both sex the following come with gonadal descend:**
- a- Contruction of Tunica
- b- Contraction of Gubernuculom
- c- Mullorian duct.

26) **A drop of unire in the tip of penis, squeezed by contraction of urethral muscle and pulbospongiosus, which of the following nerve plexuses supply these muscle.**
- a- Pelvic plexus
- b- Pudendal nerve
- c- Socrotal plexces
- d- Infenor hypogustric.

27) **Pelvic outlet, posteriorly related to Tip of cocxygeal bone and lateral wall by sacrospinatous ligament, what other structures related posteriorly:**
- a- Obturator muscle
- b- Piriformis muscle
- c- Sacrotuberous ligament.

28) **Female urethra relation**
- a- Lies 2 inch below clitoris
- b- It is wide and flexible
- c- Readily can get infection

29) **The following arteries supply uterus:**
- a- Internal pudendal artery.
- b- Internal iliac artery
- c- uterine ortery
- d- Uterine and ovarian artery.

30) **Which of the following is true about male gametogenesis**
- a- sertoli cells enhance spermatogenesis
- b- FSH stimulate testosterone.
- c- Has no function

31) **Which of the following of cell organelles has higher molecular weight.**
- a- Mitochondria
- b- Golgi-apparatus
- c- Ribosome
- d- Nucleus

32) **Which of the following substance contain antiseptic for hand washing:**
- a- Firmalidejyde
- b- Cholorhexodine
- c- Ethylere – odixe

Microbiology:

33) **What of the following bacteria is lactose tormenting:**
- a. Shegilla
- b. Klebsisla
- c. Salmonalla
- d. Proteus

34) **A child develop pneumonia, which of the following associated with causative agent:-**
- a- Positive optichin test
- b- Resistant to bile
- c- Resistant to penicillin
- d- Cause epiglotatitis

35) **A young male develop STI, a sample collected and there is no bacterial gross, it needed special media. 2/wks latter there was a grow of :.**
- a- Gonorrhea
- b- Toxoplasmosis
- c- Syphilis
- d- Nisseria
- E.chlamedia

36) **which of the following is obligate interacellulaor (parasite):**
- a- Toxoplasmosis
- b- Mycoplasma
- c- Ricketfia,

d- Streptococcus

37) **Pt has been treated with multiple drugs including anti-viral and antipyrexcis, later on pt develop diarrhea, the following drug is appropriate:**
- a- Clindamycine
- b- Matronidazol
- c- Sulphonamide
- d- Amoxcilline

38) **a patient develop hospital strain staph-aureus which drug is appropriate for this patient**
- a- Amoxicillin
- b- penicillin G.
- c- Ampicillin
- d- pipencillin
- e- methecilline

39) **wound related infection shows sulpher – granules puts which is apportunistic infection, which drug suitable:**
- a- cepholaspbrine
- b- cephlexin
- c- pipevucidin
- d- amoxillin

40) **which of the following cause of decrease GFR:**
- a- efferent arteriole contraction
- b- increase affarent arteriole dilation
- c- increase pressure in efferent arteriole
- d- decrease plasma oncotic pressure

Pharmacology:

41) **paclitaxedl it's a drug which group of drugs action:**
- a- antibiotics
- b- Anti-viral
- c- Alkaloids
- e- Alkalating

42) **Clavulnic acid, characterized by which of the following:**
- a- Anti-staph
- b- Alkaloid
- c- Anti pseudomonas
- d- *B*-lactornase drug.

43) **AIDS pt, develop Herpis simplix related angular stomatitis what is drug of choice.**
- a- Zidoradin
- b- Riburirin
- c- Aciclovir

44) **Obligate Intracellulr bacteria related infection, which of drug of choice:-**
- a- Chloramphenicol
- b- Metromdozale
- c- Tetracycline
- d- Trimethoprim
- e- ceftrixone.

45) **Which of the following maintain RMP of cells:-**
- a- Sodium
- b- Calcium
- c- Cloride
- d- Phosphate
- e- Potassium

46) **Which of the following structure is not part of rectus sheath**
- a- Interior hypogastric artery
- b- urachas
- c- Superior hypogastric artery
- d- Ligamentum teres

Pharmacology:

47) **Nucleatide pair base, which of the following is true**
- a- Base perpendicular to the axis

48) **Which of the following is sulphar group Amino acid:**
- a- Valine
- b- Methionine
- c- Aspartate

49) **Nucleotide sequance and pairing, which is true:-**
- a- Each triplet code specific amino acid
- b- The codon is not degenerate
- c- There is more than 3 stop codons

50) **Where protein biosynthesis occur in the cell:**
- a- Nucleus
- b- Mitochondria
- c- Ribosomes
- d- Smooth endoplasmic reticulum

51) **lactate in exercising muscle used as glucose:-**
- a- Glycolysis
- b- Gluconiogenesis
- c- Cori cycle
- d- TCA

52) **Growth Hormone action.**
- a- Mobalize fritty acids
- b- Catobalize CHO
- c- Increase use of carbohydrate by body
- d- Lobular growth

53) **How much of AIP, in metabolizing 1 molecule of glucose in anaerobic glycolysis**
- a- 6 ATP
- b- 16 ATP
- c- 1 ATP
- d- 4 ATP 2 ATP

Statistics:

54) **A subject was given a new discovered vaccine for the follow up of the outcome, which type of analysis should be used:-**
- a- Retrospective cohort study
- b- Student test
- c- Chi. Squared test
- d- Case control

55) **Person smoking cigarette for 70 year, to follow its affect with lung cancer which type of study:-**
- a- Cross-sectional study
- b- Cohort study
- c- Case control

56) **In statistic you don't need randomization of a sample if you:-**
- a- Have enough sample