EXAM 7

RECALL JUNE 2018

87 Question

1. Which of the following nerves supply the anterior 2/3 of labia majora and clitoris:

a. Illioinguinal nerve
b. Genitofemoral nerve
c. Perineal branch of Posterior cutaneous nerve of thigh
d. Perineal branch of pudendal nerve
e. Lateral sacral nerve

2. Which of the following structures lies medial to femoral artery within femoral canal:

a. Femoral nerve
b. Femoral vein
c. Femoral sheath
d. Lymph nodes
e. Fats

3. All of the following are parts of levator ani musules, EXCEPT:

a. Puborectalis muscle
b. Pubococcygeous muscle
c. Coccygeous muscle
d. Iliococcygeous muscle
e. Levator vaginae

4. Which of the following is a part of ketones body:

a. aceto acetate
b. 3- methylgluterylCoA
c. malonylCoA
d. alphahydroxybuterate

5. Synthesis of protien need:

a. DNA
b. RNA
c. Nucleotides
d. Pyruvate
e. Histones

6. vagina covering by pertonium in:

a. Anteior wall
b. Post. Fornix
c. Anterolateral wall
d. Lateral fornix
e. Anterior fornix

7. Which of the following is true about DNA transcription:

a. Poly(A) RNA is the initial transcript produced, which is subsequently spliced to mRNA.
b. The coding region of the gene is found within introns.
c. The coding regions of the gene are found within exons.
d. All human genes require splicing of introns.
e. The 5 0 end of the intron contains the nucleotides AG followed by an invariant GU.

8. Which of the following is the mode of inheritance of sickle cell anemia (SCA):

a. Autosomal dominant
b. Autosomal recessive
c. X linked dominant
d. X linked recessive
e. Mitochondrial inheritence

9. Which of the following is definition of mean:

a. summation of data multiply by number of data
b. summation of data minus number of data
c. summation of data divided by number of data
d. square root of variance
e. most frequent data

10. Iscial crest Correspond to which level:

a. L 3
b. L4
c. L5
d. S1

e. S2

11. Which of the hormones cause ovulation:

a. FSH
b. LH
c. Estrogen
d. Progesterone
e. Prolactine

12. Which of the following is chemical structure of HCG:

a. Glycoprotein
b. Peptide
c. Polypeptide
d. Steroids
e. Nona peptide

13. Which of the following virus show latent infection in the CNS:

a. Adenovirus
b. Herpes simplex type I
c. Rhinovirus
d. Cytomegalovirus
e. Herpes simplex type II

14. Which of the following is a DNA virus:

a. Norwalk virus
b. Hepatitis A virus
c. Dangue virus
d. Adenovirus
e. Mumps virus

15. What is common clinical Duration of Antibiotics:

a. More than 1 month
b. 21 days
c. 14 days
d. 7 days
e. Less than 7 days

16. What is the side effect of bleomycin:

a. Pulmonary fibrosis
b. Cardiotoxcity
c. Deafness
d. Nephrotoixcity
e. Aplastic anemia

17. Which of the following is the site of ACE secretion:

a. Lung
b. Kidney
c. Liver
d. Brain
e. Blood

18. Medial part of the knee joint supply by:

a. femoral nerve
b. sciatic nerve
c. common peroneal nerve
d. obturator nerve
e. tibial nerve

19. Aldosterone mainly stimulated by:

a. hypernatremia
b. hyperkalemia
c. hypertention
d. decrease sympathetic discharge
e. hypovolemia

20. Which of the following statements about renin is true?

a. It is secreted by cells of the proximal tubule
b. Its secretion leads to loss of sodium and water from plasma
c. Its secretion is stimulated by increased mean renal arterial pressure
d. It converts angiotensinogen to angiotensin I
e. It converts angiotensin I to angiotensin II

21. Which of the following is the route of metastasis of Kerkinberg tumour of ovary:

a. By blood
b. By lymphatics
c. By ligaments

d. Transceoliemic by peritoneum

22. Malignant tumors of the trigone of the bladder spread (metastasize) to the following lymph nodes:

a. Lumbar
b. Sacral
c. External iliac only
d. External and internal iliac
e. Superficial inguinal

23. At the time of ovulation the uterus is in which phase:

a. Early Proliferative phase
b. Late proliferative phase
c. Early secretary phase
d. Late secretary phase

24. Primary support for the uterus is derived from the:

a. Lateral (transverse) cervical ligaments
b. Pubocervical ligaments
c. Sacrocervical ligaments
d. Round ligament of the uterus
e. Broad ligament

25. As a result of fertilization:

a. Sex of the offspring is determined
b. The diploic number of chromosomes is restored
c. Cleavage divisions are initiated
d. Genetic heterogeneity is maintained
e. All of the above

26. A 35-year-old male with a pheochromocytoma is treated with labetalol. Select the mechanism of action of labetalol.

a. α-adrenergic antagonist
b. β-adrenergic agonist
c. β-adrenergic antagonist
d. Mixed α and β agonist
e. Mixed α and β antagonist

27. Formation of RNA from DNA called:

a. Replication
b. Transcription
c. Translation
d. Reverse transcription

28. Which one of the following blood-gas values is consistent with compensated metabolic acidosis?

	Pa CO2 (mmHg)	HCO3- (mM)	pH
a.	25	30	7.7
b.	25	20	7.3
c.	40	25	7.4
d.	50	30	7.1
e.	60	20	7.1

29. HR decreased by:

a. Inspiration
b. Sympathetic agonist
c. Hypovolemia
d. Decrease baroreceptor discharge

30. Destruction of iodine receptor led to:

a. Goiter
b. High TSH
c. High T3
d. High T4
e. Low TSH

31. inflammatory mediator cause vasodilatation and pain:

a. NO
b. Bradykinin
c. Prostaglandine
d. Prostcycline
e. TNF

32. Which one of the following is a metastatic calcification :

a. Shistosomasis
b. Pulmonary tuberculosis
c. Bening prostatic hyperplasia

d. Lung carcinoma
e. Chronic pancreatitis

33. Which of the following occur in normal pregnancy:

a. Decrease level of Na concentration
b. Increase RBCs concentration
c. Increase absorption of uric acid
d. Increase amino acid and glucose
e. All of the above

34. Carcinoma of the lower part of the uterus mets into :

a. Para aortic
b. Internal iliac
c. External iliac
d. Superficial inguinal lymph nodes

35. Pudendal nerve before enter the pudendal canal lie on which of the following structure :

a. Piriformis
b. Obturator internus muscle and fascia
c. Sacrospinatous ligamment
d. Sacrotuburous ligaments

36. Inguinal canal have four wall which of the following form the posterior wall :

a. Internal oblique
b. External oblique
c. Transvers abdominus
d. Transversalis fascia

37. All of the following is true about estrogen except :

a. 17esterindol is main active form
b. Estrone is the main type of estrogen during menupause
c. It produce cyclical effect on uterus and cervix
d. Placenta secrete estrogen during pregnancy
e. Main action of estrogen in bones is to decrease osteoclast

38. Peripheral vascular resistance :

a. Is controlled by arteriolar tone
b. On Standing it decrease the circulating volume
c. It is major controller of cardiac output
d. When increase venous return increase
e. It is constant at muscles

39. Which of the following parameters is used to indicate the ability of a drug to produce the desired therapeutic effect relative to a toxic effect?

a. Potency
b. Intrinsic activity
c. Therapeutic index
d. Efficacy
e. Bioavailability

40. Prostaglandin is:

a. Inhibited by cyclooxygenase agonist
b. Main cause of pain during inflammation
c. Cause platelet aggregation
d. Play important role in prevention of gastric mucosa from acid
e. Cause uterine relaxation by F2 receptor

41. Arterial BP:

a. COP X TPR
b. COP ÷ TPR
c. HR X SV
d. HR X TPR

42. Size of virus is:

a. 10 - 100 nanometer
b. 200 mM
c. 20 - 300 nanometer
d. 400 nanometer
e. 500 nanometer

43. Which of the following is mismatching diseases:

a. Helicobacter pylori …….. gastritis
b. Salmonella paratyphi …… watery diarrhea
c. Vibrio parahemolyticus ……. Bloody diarrhea
d. Campylobacter jejuni ……. Gastroenteritis

44. The individual most likely to develop chronic liver disease is a

a. 1-month-old infant infected with HBV
b. 22-year-old coinfected with HBV and HDV
c. 26-year-old alcoholic intravenous drug abuser infected with HBV
d. 30-year-old infected with yellow fever virus

45. what type of anesthesia used to cut rectus muscle separately in children:

a. local
b. spinal
c. general
d. subdural
e. none of the above

46. which of the following is maternal part of placenta:

a. deciduas
b. chorion
c. cytotrophoblast
d. villi

47. Transitional area in female genitalia is:

a. Fallopian tubes
b. Uterus
c. Cervix
d. Vagina
e. Ovaries

48. Which of the following is true about Coagulative necrosis:.

a. It occur in brain
b. Most commonly caused by infection
c. Pancreatitis is an example
d. The structure appear like cheese
e. The organ preserved its structure

49. Which of the following morphologic myocardial findings is an indicator of irreversible injury?

a. Cell blebs
b. Depletion of glycogen
c. Mitochondrial swelling
d. Myelin figures
e. karyorrhexis

50. A 26-year-old African-American woman has bilateral hilar adenopathy, and radiography reveals multiple reticular densities in both lung fields. A bronchoscopic biopsy reveals granulomatous inflammation with multiple giant cells of the Langhans type and no evidence of caseous necrosis. Which of the following is the most likely diagnosis?

a. Aspergillosis
b. Coccidioidomycosis
c. Histoplasmosis
d. Sarcoidosis
e. Tuberculosis

51. Wet Gangrene differ from dry gangrene in that wet gangrene is distinguished by:

a. Black discoloration
b. Non offensive
c. Infection
d. Occur in diabetics
e. Mainly occur in intestine

52. Intracellular killing during acute inflammation phase caused mainly by:

a. Myeloperoxidase inhinitor
b. Free radicles
c. NADPH reductase
d. Glutathione

e. Vitamin E

53. All of the following cause bleeding abnormality, except:

a. increase in von wilibranb factor
b. hemophilia
c. increase plasminogen activator
d. billiary duct stones
e. none of the above

54. which of the following is true about primary intention:

a. it is associated with surgical wounds
b. cause scar
c. related to infection
d. it is complete resolution of wound
e. heal by fibrosis in superficial wounds

55. Granuloma formed by:

a. macrophage and lymphocyte
b. plasma cells
c. neutrophis
d. fibroblasts
e. macrophage only

56. Giant cells is a:

a. Modified NK cells
b. Modified lymphocytes
c. Modified monocytes
d. Modified plasma cells

57. Purulent exudate formed by :

a. Lymphocytes and plasma cells
b. Neutrophil and debris cells
c. Macrophages
d. Bacteria mainly
e. Easinophils

58. Which of the following is true about fatty change:

a. Increased triglyceride in parenchyma
b. Most common cause is DM
c. Occur in breast
d. Occur during pregnancy due to accumulation of fetal fat in maternal blood

59. Which of the following Vaccines given at day zero after delivery:

a. Diphtheria vaccine
b. Rubella vaccine
c. Rota vaccine
d. Oral poliovirus vaccine
e. Hepatitis B vaccine

60. Which of the following is a point mutation occur in sickle cell anemia:

a. Valine replaced by glutamate position 6 of beta chain
b. Glutamate replaced by valine position 6 of beta chain
c. Valine replaced by glutamate position 10 of beta chain
d. Glutamate replaced by valine position 10 of beta chain
e. Glutamate replaced by valine position 6 of alpha chain

61. Prokaryotics have all of the following except:

a. Cell membrane
b. Nucleus
c. Cell wall
d. DNA
e. RNA

62. Which one of the following is an example of branching Acid fast bacilli:

a. Mycobacteria tuberculosis
b. Actinomyces israeli
c. Bacillus anthrax
d. Nocardia
e. Tuberculoid leprae

63. What is the most common cause of nasocomial infection:

a. Pseudomonous
b. Strepto pyogens

c. staph aureus
d. streptococcus pneumonia

64. what is the most common age of Taenia capitis:

a. before puberty
b. adolescent
c. childhood
d. old age
e. have no definit age

65. Which one of the following markers is closely associated with HBV infectivity and DNA polymerase activity?

a. HBeAg
b. HBsAg
c. HBcAg
d. Anti-HBc
e. HBeAb

66. Capsomere of many fold called:

a. Simple
b. Binary
c. Icoshedral

67. Which of the following cause bradycardia:

a. Cushing effect
b. Stress
c. Exercise
d. High temperature
e. Stimulation of chemoreceptor

68. Which of the following drugs has only muscarinic effect:

a. Ipratropine
b. Glycopylorate
c. Atropine
d. Edrophonium

69. Which of the following is the effect of methotrexate on folic acid synthesis:

a. Inhibit THF synthase
b. Inhibit THF reductase
c. Affect DNA synthesis directly
d. Inhibit folic acid synthesis indirectly

70. Which one of the following chemotherapeutics inhibit S phase:

a. Doxorubicin
b. Bleomycine
c. Cisplatin
d. Methotrexate
e. Vincristine

71. Which of the following is the most common cause of goiter:

a. Iodine deficiency
b. Graves disease
c. Hashimotoo disease
d. Congenital
e. Idiopathic

72. Which of the following responsible from organization during wound healing:

a. Inflammatory cells
b. Fibroblast and endothelial cells
c. Clotting factors
d. Epithelium regeneration
e. Collagen

73. What is mechanism of action of digoxin:

a. Inhibit Na-K pump
b. Inhibit Na depolarization
c. Ca blocker
d. Beta receptor blocker
e. Cause tachycardia

74. Which one of the following is responsible from immediate control of blood pressure:

a. ADH
b. Rennin angiotensin system
c. ANP
d. Baroreceptors
e. Rennin angiotensin aldestrone system

75. Which one of the following is the effect of beta 1 agonist:

a. Hyperglycemia
b. Vasoconstriction
c. Bronchodilation
d. GI relaxation
e. Tachycardia

76. The principal steroid (androgen) secreted by the fetal adrenal cortex is

a. Cortisol
b. Corticosterone
c. Dehydroepiandrosterone
d. Progesterone
e. Pregnenolone

77. Which one of the following would increase in obstructive, but not in restrictive, lung disease?

a. Vital capacity
b. Maximum breathing capacity
c. FEV 1
d. Functional residual capacity
e. Breathing frequency

78. 40 yrs old man ,known case of chronic renal failure on regular dialysis ,skip three setions..one of the following is true about his acid base status(PH:7.35—7.45,,,,Hco3:22—26,,,,pco2:35—45),:

a. PH:7.54 co2:35mmhg HCO3:19mmhg
b. pH:7.45 co2: 45mmhg Hco3:24mmhg
c. PH:7.27 co2:34mmgh HCO3:19mmhg
d. Ph:7.27 co2:60mmhg HCO3:28mmhg
e. PH:7.55 CO2:55mmhg HCO3:32mmhg

79. One of the following cause hyperkalaemia:

a. exercise
b. high aldestrone level
c. injection of insulin
d. inhalation of beta 2 agonist

80. An athelet women take testosterone injection to increase her muscles. After time she had amonorrhea which of the following is the cause:

f. Progesterone level in the blood w86. ll be very low
g. Her leutenizing hormone secretion rate will be totally suppressed
h. She is not have normal menstrual cycle
i. Her bone will be normally calcified
j. All of the above

81. Which of the following operations involve cutting rectus sheath anteriorly and posteriorly:

a. Paramedian
b. Subcostal
c. Kopher
d. Transverse suprapubic
e. Vertical incision

82. Which one of the following is the buffer of urine:

a. Bicarbonate
b. Hemoglobin
c. Ammonia
d. Proteins

83. which of the following drugs act in presynaptic muscarinic receptor?

a. Pillocarpine
b. Edrophonium
c. Nicotine
d. Atropine
e. Scopolamine

84. Which of the following is the effect of sympathetic system on liver?

a. Increase fatty acid synthesis
b. Increase storage of glucose
c. Increase VLDL
d. Hyperglycemia
e. Act by beta 1 receptor

85. Which of the following would rule out hyperuricemia in a patient?

a. Lesch-Nyhan syndrome
b. Gout
c. Xanthine oxidase hyperactivity
d. Carbamoyl phosphate synthase deficiency
e. Purine overproduction secondary to Von Gierke's disease

86. Which of the following is the percentage of alcohol at disinfectant?

a. 50%
b. 60%
c. 70%
d. 80%
e. 90%

87. which of the following is icosahedral capsid:

a. Sylindrical
b. Cube
c. Circular
d. Spiroshetes