بسم الله الرحمن الرحيم

RECALL 26 October 2024

DR:Tasabeeh AL-Mansor

DR:Mawada Ali Mohamed

ANATOMY :

1- Which of the following would be most likely to be damaged by a stab wound into the ischiorectal (ischioanal) fossa 2 cm lateral to the anal canal ?

A- Crus of the Penis

B- Perineal Body

C - Pudendal Nerve ✓

D- Inferior Rectal Artery

2- Regarding the anterior abdominal wall:

a) the arcuate lines lie midway between the symphysis pubis and umbilicus

b) between the umbilicus and the lateral margin transversus aponeurosis lies posterior the rectus ✓

c) the inferior epigastric artery originates from the internal iliac

d) the ilioinguinal nerve passes through the deep inguinal ring

3- Pelvic joints and ligaments:

A) the sacroiliac joint is a fibrous joint between the auricular surfaces of the ilium and sacrum

B) the wedge shape of the sacrum contributes to its stability

C) the sacrotuberous and sacrospinous ligaments enclose the greater sciatic foramen

D) the iliolumbar ligament is V-shaped with the apex attached to L5 ✓

4- Within the anal canal are anal cushions (dilated venous spaces and avanestomoses)

a) 3, 7 and 11 o'clock ✓

b) 2, 6, and 10 o'clock

c) 1, 7 and 12 o'clock

d) 1, 7 and 9 o'clock

5- Referred pain from which organ may be felt in the cutaneous distribution of the obturator nerve?

a) bladder

b) prostate

c) ovary ✓

d) uterus

6- The pelvic floor

a. Muscles include obturator internus

b. Slopes down and forwards ✓

c. Is supplied by S2, S3 and S4

d. Muscle iliococcygeus arises from the ilium

7- Perineum:

a) lymphatic drainage from the rectum passes to internal iliac nodes from the upper part and to superficial

b) superior rectal branches of the pudendal nerves supply the external and sphincter ✓ ???

c) the internal anal sphincter is composed of skeletal muscle

d) the anal canal consists of inner circular muscle fibres and outer longitudinal fibres

8- Regarding the inguinal canal:

a) the deep inguinal ring lies 1cm above and at the junction of the lateral third and medial two thirds of the inguinal ligament

b) the deep inguinal ring is formed by an opening in the transversalis fascia ✓

c) an indirect inguinal hernia bulges into the inguinal triangle, posterior to the canal and medial to the inferior epigastric artery

d) contains the spermatic cord that has two fascial layers/coverings and eight contents

9- Which pair of structures does NOT differentiate from comparable embryonic structures in the male and female?

A) Bulb of corpus spongeosum and vestibular bulb

B) Shaft of penis and labia majora ✓

C) Glans of penis and glans of clitoris

D) Crus of corpus cavernosum penis and crus of corpus cavernosum clitoris

10- The most inferior extent of the peritoneal cavity in the female is the:

A) Pararectal fossa

B) Paravesical fossa

C) Rectouterine pouch ✓

D) Rectovesical pouch

11- Which of the following structures contribute to both of the pelvic inlet and outlet ?

A- Pubic symphysis ✓

B- Iliopectineal line

C- Ischiopubic ramus

D- Sacralpromentary

12- All of the following are parts of the lateral pelvic wall except:

A- Piriformis muscle ✓

B- Obturator internous

C-Sacrotuberous ligament

D- Sacrospinous ligament

13- pain from vagina is lie on :

A- T10 - L1 ✓

B- T12 - L2

C- T12 - L3

D- S2 - S4

14- Cancer from ovary mets to :

A- omentum ✓

B- liver

C- lung

D- Stomach

15 - Content of broad ligament include :

A- Ureter

B- Round ligament of the uterus ✓

C- suspensory ligament of the ovary

D- Ovarian ligament

16.Which nerve provide sensation ti skin over the suprapupic area :

A.superior hypogastric plexus

B.illiohypogastric plexus✓

C.pudendal nerve

D.femoral nerve

MICROBIOLOGY:

17. Chorioamnionitis (intra-amniotic infection) is typically caused by which of the following organisms?

A .Group B B-hemolytic streptococcus (GBS)

B. Escherichia coli

C. Staphylococcus aureus

D. Ureaplasma urealyticum

E. Multiple pathogens✓

18. Which of the following organisms is the most common cause of early onset neonatal conjunctivitis?

A.GBs

B.Toxoplasmosis

C.Chlamydia✓

D.Trichomoniasis

E. E. coli

19.An 18-year-old Go presents at 30 weeks' gestation complaining of malodorous vaginal discharge. A wet prep reveals motile flagellated organisms. The treatment plan would include which of the following antibiotics?

A .Ampicillin

B .Metronidazole✓

C.Gentamicin

D Bactrim

20–The Smallest virus is

A .Parvo virus

B.Pox virus

C.Adeno virus

D.Rhapdo virus✓

21-Bacteria in the blood is ?

A.Bacteriocidal

B.Septicemia

C.Viremia

D.Bacterimia✓

22.Exotoxin is:

A.Heat labile✓

B.Heat stable

C.Part from cell wall

D.Polymerized complexs

23.The dange fever virus is:

A.Arbo virus✓

B.Echovirus

C.Entero virus

D.Orthomyxo virus

24.toxin or enzyme which are nit produced by streptococus pyigens

A.hyaluronides

B.phosphate ✓

C.hemolysine

D.sterptokinase

25.virulence of the microorganusm can be reduced by :

A .attenuation ✓

B . A virulence

C. In activation

D. Freezing

26.HIV virus belong which family :

A .retro virus ✓

B.Flavi virus

C.onco virus

D. Rhapdo virus

27-Pus-forming forms are called as

a. Pyoderm

b. Pyogenic ✓

c. Pyrogen

28.Regarging bacerial Cell-wall is :

a. Thick in Gram positive than Gram negative✓

b. Thick in Gram negative than Gram positive

c. Equal in both

d. In Gram negative cell-wall is abset

29.Sero coversion in HIV infection take plase in :

A.3 weeks

B.6 weeks

C.9 weeks✓

D.12 weeks

30.pladmids are good vector for genetic engineering because:

A.they self replicate within bacerial cell ✓

B.replicate freely outside bacterial cell

C.can be replicated in culture

D.can be replucated in labratory using enzyme

31.bacerial cell replicate by:

A.Mitosis

2.Binnery fission ✓

C.Meiosis

D.budding

32.Vaccine prepared from toxin and chemical are:

A.cellular vaccine

B.sub cellular vaccine✓

C.attenuated vaccine

D.hetrologous vaccine

#BIO and Genetics :

33 - Which of the following produces pyruvate?

(a) Leucine

(b) Isoleucine

(c) Lysine

(d) Alanine ✓

34- The enzyme required for DNA from RNA template:

a. RNA polymerase

b. Reverse transcriptase ✓

c. DNA polymerase

d. Terminal transferase

35- The enzyme responsible for the removal of supercoiling in replicating DNA ahead of the replication fork is :

a) Topoisomerase ✓

b) Primase

c) DNA polymerase

d) Helicase

36- Which effects the increased levels of hydrogen ions in the inter-membrane space of the mitochondria?

a) Decreased levels of chemiosmosis

b) Increased levels of water in inter-membrane space

c) Increase ATP production ✓

d) Decreased levels of oxidative phosphorylation

37- Which of the following enzyme is secreted by the pancreas?

a) Myoglobin

b) Cytochrome c

c) Ribonuclease ✓

d) Lysozyme

38- Which compounds are responsible for the coordinated regulation of glucose and glycogen metabolism?

a) Fructose 2, 6-bisphosphate ✓

b) Acetyl co-A

c) NADH

d) NAD+

39 - Which of the following is a measure of how responsive the enzyme is to changes in the concentration of a metabolite?

a) Metabolic control

b) Response coefficient

c) Flux control coefficient

d) Elasticity coefficient ✓

40- Which of the following are exclusively glucogenic?

a) Lysine

b) Leucine

c) Threonine

d) Arginine ✓

41.Which is the first step in the catabolism of most L-amino acids once they have reached the liver is promoted?

(a) Amino transferases✓

(b) Glutaminase

(c) Glutamine synthase

(d) Glutamate dehydrogenaseRead

42.Which of the following operates at an important intersection of carbon and nitrogen metabolism?

(a) Amino transferases

(b) Glutaminase

(c) Glutamine synthase

(d) Glutamate dehydrogenase✓

43- Which of the following plays a substantial role in linking together sister chromatids immediately after replication?

a) Topoisomerases

b) Histones

c) Condensins

d) Cohesins ✓

44- Which of the following is an example of RNA-dependent DNA polymerase?

a) RNA polymerase II

b) DNA ligase

c) Reverse transcriptase ✓

d) RNA polymerase I

45.The technique involved in comparing the DNA components of two samples is known as

a. Monoclonal antibody techniques

b. Genetic finger printing✓

c. Recombinant DNA technology

d. Polymerase chain

46- Which is the first amino group entering into urea cycle?

(a) carbamoyl phosphate ✓

(b) Ornithine

(c) Cituilline

(d) Argininosuccinate

47- Family pedigree, skipped generation from male to male transmission, female is affected as equal as male, with heterozygous affected and homozygous is carrier ?!

A- Autosomal dominant

B - Autosomal recessive ✓

C - X-linked dominant

D- X- linked recessive

48.The primary structure of a protein

A. is determined by the sequence of amino acids✓

B. is a result of folding in the amino acid chain

C. is overseen by molecular chaperones such as heat shock proteins

D. has no effect on the functionality of the final molecule

49-guestion about aneuploidy:

PATHOLOGY:

50.Which type of antibodies will associate in blood cell coagulation?

a. IgE

b. IgA

c. IgM ✓

d. IgG

51.Active immunity is induced by

a. Infection ✓

b. Placental transfer of antibodies

c. Injection of antibodies

d. Injection of gamma- globulins

52- Irreversible cell injury is characterized by :

A- Cell swelling

B- Lysosomal ruptured

C-Cell membrane defects ✓

D- Nuclear chromatin clumping

53.Chronic inflammation is

a) always preceded by acute inflammation

b) characterised by hyperemia, oedema and leukocyte infiltration

c) most frequently results in resolution

d) the factors underlying monocyte infiltration are the same as for

acute inflammation✓

54- Chemotaxis is

A- Coating of antigen by antibodies

B- vasodilation after chemotherapeutic agent

C- Migration of cell toward specific site ✓

D- Increase blood flow in the site of inflammation

55- Histamine cause vasodilation and increase permibility on :

A.Artriole

B.Veinole

C.Capiilaries

D.Post capillary veinoles ✓

56 - 28-year-old female presented to the hospital with pelvic pain , when endometrial biopsy was taken , There is a feature of chronic endometritis, What type of cell would be there?

A- Neutrophils

B-lymphocytes

C- plasma cells ✓

D - Gaint cell

#PHARMACOLOGY:

57- Female complain of dysmenorrhoea you give her indomethacin, İndomethacin inhibit the formation of :

A-Bradykinin

B - histamine

C- PG F2 ✓

D- PG E2

58- Which of the following medications is recommended most commonly for the treatment of maternal hyperthyroidism in pregnancy?

A.Carbimazole

B. Propylthiouracil ✓

C.Levothyroxine

D.Radioactive iodine

59- Which of the following drugs is a known fetal teratogen?

A- Mariuana

B- Alcohol ✓

C-Heroin

D- Caffeine

60 - Which of the following agents is a known teratogen in humans?

A- Vitamin A ✓

B- Vancomycin

C-Oral contraceptives

D-Ampicillin

#PHYISIOLOGY

61- Which structure produces gonadotropins?

A- Hypothalamus

B- Anterior pituitary ✓

C- Posterior pituitary

D- Ovaries

62- Homeostasis :

A- must always be restored using negative feedback mechanisms

B- provides for the tight regulation of all physiological variables ✓

C- is the sum of all chemical reactions in the body

D- is a combination of positive and negative feedback

63- The cardiovascular system :

A- contains approximately 7 L of blood in a 70 kg man

B- is arranged mostly in series with each tissue receiving blood from the aorta

C- is arranged mostly in parallel with each tissue receiving blood from the aorta ✓

D- maintains a constant pressure throughout the system

64 - Which of the following statements concerning coronary circulation is true?

A- Left ventricular perfusion only occurs during diastole

B- The heart receives a rich blood supply from the left and right coronary arteries arising from the coronary sinus

C- The coronary veins run parallel to the right coronary arteries and empty into the aortic sinus

D- During systole, contraction of the ventricles compresses the coronary arteries and suppress blood flow ✓

65- Which of the following indicates the causes of the first and second heart sound in the correct order?

A- atrial systole - ventricular systole

B- semilunar valve closure - atrioventricular valve closure

C-ventricular diastole - semilunar valve closure

D- ventricular systole - ventricular diastole ✓

66- Osmosis is:

A- the active movement of water across a permeable membrane from a region of I concentration to that of a lower solute concentration

B- the passive movement of water across a semi-permeable membrane from a res solute concentration to that of a lower solute concentration

C-the active movement of water across a permeable membrane from a region of I concentration to that of a higher solute concentration

D- the passive movement of water across a semi-permeable membrane from a re solute concentration to that of a higher solute concentration ✓

67-The colloidal osmotic or oncotic pressure is

A-important for controlling cell volume

B- a key determinant for fluid movement across capillary walls ✓

C- largely determined by the Na concentration in plasma

D-higher in interstitial fluid than in plasma

68- The ventricular end-diastolic volume in man is approximately the end-diastolic pressure is

A- 130 mL, >100 mmHg

B- 130 mL, <10 mmHg ✓

C-70 mL, <10 mmHg

D-70 mL, >100 mmHg

69- Cardiac output is:

A- the volume of blood pumped per minute by both ventricles

B-the volume of blood flowing through the systemic circulation per minute ✓

C-not affected by the filling pressure (preload)

D- approximately 5 L/min at rest rising to over 100 L/min during exercise

70- An orgasm:

A- is due to a refiex activation of the parasympathetic nerves in both males and females

B- in males involves the mixing of the sperm and the secretions of the bulbourethral gland, seminal vesicle and prostate gland before they enter the urethra

C- in males involves the secretion of the sugar glucose to provide energy

D- in females may involve the release of pituitary oxytocin elicited by mechanical stimulation of cervix✓

71- The main hormone involved in the milk let-down reflex is

A- progesterone

B- ostrogens

C- oxytocin ✓

D- prolactin

72- Noradrenaline:

A- has a positive inotropic effect on the heart muscle cells whilst acetylcholine has a negative inotropic effect

B- is released by the sympathetic fibres innervating the SA node only

C- has a positive chronotropic effect on cardiac cells by increasing the rate of decay of the pacemaker potential ✓

D- slows down the Ca sequestration into the sarcoplasmic reticulum thereby increasing

73. Excitation-contraction coupling in cardiac ventricular cells requires

A- efflux of Na ions

B- efflux of K lons

C- influx of Ca ions ✓

D- influx of CI ions

74- Action potentials in ventricular muscles

A- are identical to those in skeletal muscles except for the duration of the action potential

B- have a plateau phase caused by the delay in the opening of K* channels

C- are initiated when ventricular myocytes are depolarized to a threshold potential of -50 mV

D- have a refractory period which prevents another action potential being initiated until the muscle relaxes ✓

75- Human chorionic gonadotrophin (hCG)

A- begins to be produced about 4 weeks after fertilization

B- is produced by the corpus luteum after ovulation

C- maintains the corpus luteum for a short period ✓

D- signals that a new menstrual cycle should begin

76- Release of the hormone relaxin

A- inhibits the development of additional ova

B-inhibits uterine contraction

C-stimulates the development of the endometrium

D-softens the cervix prior to parturition ✓

77- Regarding the control of lactation :

A- prolactin stimulates milk ejection

B- placental steroid secretion inhibits lactation during pregnancy ✓

C-vasopressin (ADH) is secreted in response to suckling

D-oxytocin secretion can be suppressed by dopamine agonists

78- Colostrum :

A- contains high levels of antibodies that provide the infant with basic immunological protection for the rest of its life

B- is particularly rich in proteins ✓

C- has a higher sugar content than milk

D- has a higher fat content than milk

79- The mean arterial blood pressure is

A-110 mmHg in a healthy person

B- calculated by averaging the systolic blood pressure and the diastolic blood pressure

C- estimated as the diastolic blood pressure plus one third of the systolic blood pressure

D- estimated as the diastolic blood pressure plus one third of the pulse pressure ✓

80- If a hypotonic fluid is ingested

A- intracellular fluid is diluted and cells swell ✓

B- intracellular fluid is diluted but cells stay the same size

C- intracellular fluid is unaffected

D- intracellular fluid is concentrated and cells shrink

81- How do circulating TSH levels change during pregnancy?

A/ Increased

B/Decreased

C /Remain unchanged✓

D /Increase then decrease

82- Prolactin:

A-inhibits release of follicle-stimulating hormone from the pituitary

B- levels in the plasma rise following birth and lead to milk production

C- is only released in and around birth

D- release is maintained after birth mainly by suckling ✓

83- The unfertilized ovum can survive for __ after ovulation

A-1–2 h

B-10–12 h

C-24 h ✓

D-2–3 days

84- The percentages of water in each of the fluid compartments are approximately __ intracellular fluid, __ interstitial fluid and __ plasma

A-22%, 13%, 65%

B-70%, 20%, 10%

C-65%, 22%, 13%✓

D-20%, 10%, 70%

85- Erythrocyte production

A-occurs in the liver and spleen in neonates ✓

B-is impaired at high altitude

C-is stimulated by hyperoxia

D-is stimulated by erythropoietin released from the liver and spleen

86- White blood cells:

A-do not contain a nucleus

B-have a lifespan of 100–130 days

C-include lymphocytes which destroy bacteria by a process called phagocytosis

D-can release mediators such as histamine that are involved in inflammatory processes ✓

87-Platelets:

A-release ADP after activation ✓

B-are also called megakaryocytes

C- can only be activated via their glycoprotein receptors

D- have dense vesicles containing histamine

88- During primary homeostasis

A-fibrinogen is converted to fibrin

B-the initial vasoconstriction does not require platelet activation ✓

C- thromboxane A2 causes platelet adhesion

D- activation of lipoxygenase is a vital step

89- Regarding smooth muscle:

A-it has actin and myosin filaments organized into myofibrils

B-it is multinucleated

C-like cardiac muscle, the cells are joined together by gap junctions called intercalated discs

D-it is capable of prolonged contraction without fatigue and with little energy consumption ✓

90- The effect of nerve stimulation on smooth muscle is

A- excitatory only

B- inhibitory only

C-both excitatory or inhibitory ✓

D- modulatory only

91- In the heart, the cardiac output is approximately __/min at rest, rising to above __/min during exercise. The stroke volume at rest is approximately

A-20 L, 100 L, 1 L

B- 5 L, 100 L, 70 mL

C- 500 mL, 20 L, 7 mL

D- 5 L, 20 L, 70 mL ✓

92- Conduction of impulses between the atria and the ventricles is channelled through the

A-AV node ✓

B-annulus fibrosus

C-SA node

D-bundle of His

93- During which phases of the cardiac cycle do the atrioventricular valves remain open?

A- atrial diastole

B- isovolumetric ventricular relaxation

C- isovolumetric ventricular contraction

D- passive filling✓

94- Which hormone is responsible for fat distribution around the breast

A- Progesterone

B- Estrogen ✓

C- Growth hormone

D- Prolactin

#OBSE & GYNA:

95.Which of the following findings would confirm a diagnosis of 'severe' pre-eclampsia?

A .Serum creatinine of 0.8 mg/dL

B. Serum AST (aspartate transaminase) 140 mg/dL✓

C. 1+ proteinuria on dipstick

D. BP 158/96 mmHg

E .Uric acid of 5.8 mg/Dl

96.Which of the following tests is the most accurate in diagnosing a pulmonary embolus during pregnancy?

A. Ventilation-perfusion (V/O) scan

B.Spiral chest CT scan

C. EKG

D.Pulmonary angiography✓

E.Serum D-dimer measurements

97.At what gestational age is the amniotic fluid volume at its maximum?

A .22 weeks

B.26 weeks

C.30 weeks✓

D .34 weeks

98.In monozygous twin pregnancy, what type of chorionicity results when the blastocyst divides between days 9 and 12 post-conception?

A. Conioined twins

B. Dichorionic/diamniotic placentation

C.Monochorionic/monoamniotic placentation✓

D. Monochorionic/diamniotic placentation

99.Which of the following statements regarding cesarean section delivery is

TRUE?

A .Maternal morbidity is significantly increased with cesarean compared with vaginal delivery✓

B.Elective cesarean section delivery can be performed before 39 weeks' gestation without documenting fetal lung maturity

C. Elective surgeries (such as myomectomy) can be performed safely at the time of

cesarean section

D. A desire for permanent sterilization by bilateral tubal ligation is an acceptable indication for cesarean section delivery

E .One-third of all cesarean section deliveries in the USA are elective cesarean sections

100.46-year-old, non-pregnant, morbidly obese woman presents with irregular periods over the past 6 months. Which of the following represents the most appropriate initial management in this setting?

A. Oral contraceptives

B .Endometrial ablation

C.office hysteroscopy

D.Dilation and curettage (D&C)

E. Endometrial biopsy✓

101.A 23-year-old woman with confirmed pelvic inflammatory disease (PID)

presents with right upper quadrant pain. What is the MOST likely etiology?

A. Cholecystitis

B. Nephrolithiasis

C. Perihepatic abscess

D. Asherman syndrome

E. Fitz-Hugh-Curtis syndrome✓

102.Which of the following is the MOST accurate statement about spontaneous miscarriage?

A.Most frequently occurs in second trimester

B. Chromosomal anomalies are rare

C.Happens to more than half of all conceptions✓

D.Young maternal age is a risk factor

E.Triples the likelihood of miscarriage at next pregnancy

103.patient presents with vulvar irritation and pruritis. Speculum examination reveals a hyperemic, edematous, vaginal vault with odorless discharge. The pH is 4.0. What is the MOST likely diagnosis?

A. Bacterial vaginosis (BV)

B.Candidiasis✓

C.Trichomoniasis

D.Gonococcal vaginitis

E. Hydradenitis suppurativa

104.What is the MOST proven cause of recurrent pregnancy loss (RPL)?

A. Luteal phase deficiency

B.Listeria monocytogenes exposure

C. Uterine anomalies

D. Parental chromosomal abnormalities✓

E. Environmental toxins

105.Which of the following non-malignant adnexal masses is derived from all three germ cell layers?

A. Ovarian fibroma

B.Paratubal cyst

C.Hydrosalpinx

D. Endometrioma

E. Mature cystic teratoma✓

106.An ovarian cancer is most likely to spread to :

A.Omentum ✓

B.Lung

C. Liver

D.Stomach

107.16-year-old girl presents with a fever (39°C), nausea, pelvic pain, and generalized malaise a few days after unprotected intercourse. What is the MOST likely diagnosis?

A/ Trichomoniasis

B/Primary herpes simplex infection✓

C/Syphilis

D/Bartholin gland abscess

E/Lymphogranuloma venereum

108.According to menstrual bleeding abnormality, heavy irregular intermenstrual bleeding is

A- Menometrraghia ✓

B- Menorrhagia

C - Metrorrhagia

D- Dysmenorrhoea

109- Endocrevical duct closure due to metaplastic change :

A- bartholin cyst

B- gartner cyst

C- follicular cyst

D- Nabothain duct ✓

110.16 years old individual who is phenotypically a female presented with primary amenorrhea, The karyotype was XY, What is the diagnosis ?

A- Complete Androgen insensitivity syndrome ✓

B- 5 alpha reductase deficiency

C- kallmann syndrome

D- Turner syndrome

111.Common causes of antepartum haemorrhage (APH, bleeding from the genital tract from 24 weeks' gestation) include which of the following?

A- Vasa praevia

B- Undetermined origin

C- Placenta praevia

D- Placental abruption

STATISTIC:

112- The median is :

A- The most frequently occurring value

B- The average value

C- The middle value when data is ordered is ascending manner ✓

D- the difference between the maximum and minimum values in a data set

113- Null Hypothesis is:

A-there is no significant association between the variables ✓

B- there is a significant association between the variables

C-Subjective in nature

D-The same as research hypothesis

114 - Type I error in testing hypothesis is

A-Rejects null hypothesis when it is true ✓

B-Accepts null hypothesis when it is false

C-The sample mean differs from the population mean

D- The test is biased

115 - Standard deviation:

A- The Sum. Of Deviation from the mean

B- The square root of variance ✓

C- can be calculated for both sample and population data

D - The date set is perfectly distrubuted

116- The confidence interval is ?!

A. A point estimate of the population parameter

B. A range of values within which the population parameter is expected to fall ✓

C. A range of values within which the mean is expected to fall

D. The total number of observations in a sample

117- To estimate a population parameter based on sample statistics, this is called:

A. Simple Random Sampling

B. Sample Distribution ✓

C. Point Estimation

D. Inferential Statistics

118- p-value :

A. The probability that the null hypothesis is true

B- The probability of rejecting the alternative hypothesis

119.A female comes after normal vaginal delivery complaining of dribbling of urine with sneezing , coughing and straining Which structure is most likely to be damaged ?

A- levator ani muscle ✓

B - Transverse muscle

C- Urethral sphincter

D- prrineal body

ملحوظه: الاجابات من مواقع مختلفه

,,,,,,,,,الله الموفق,,,,,,,,,